

A:3H[®]

Manufacturing, Inc.



- Overhead Holders & Stops
- Hospital Push/Pull Latches
- Electro-Magnetic Door Holders
- Electrical Power Transfer Products
- Aluminum Continuous Geared Hinges
- Stainless Steel Continuous Pin & Barrel Hinges
- Pivots & Pivot Sets
- Rescue Hardware
- Coordinators, Flush Bolts & Roller Latches
- Slide Bolts, Surface Bolts & Miscellaneous Products



Stainless Steel Edge Guards

Stainless Steel Edge Guards

Cross Reference Chart

Mortised Type	ABH*	ASSA Abloy*		Trimco*	Hager*
		Markar*	Rockwood*		
2-Sided - Square Edge	A528SM	-	300	KE31-1	180H
2-Sided - Bevel Edge	A528BM	-	301	KE32-1	180K
3-Sided - Square Edge	A538SM	-	302	KE33-1	180M
3-Sided - Bevel Edge	A538BM	-	302B	KE33-1-93	180P
3-Sided - Radius Edge	A538RM	-	-	KE34-1	180Q
3-Sided with Astragal - Square Edge	A548SM	-	-	-	-
3-Sided with Astragal - Bevel Edge	A548BM	-	-	-	-
Non-Mortised Type	ABH*	ASSA Abloy*		Trimco*	Hager*
		Markar*	Rockwood*		
2-Sided - Square Edge	A528S	EG-C-308	304	-	182H
2-Sided - Bevel Edge	A528B	EG-C-308	305	-	182K
3-Sided - Square Edge	A538S	EG-308	306	-	182M
3-Sided - Bevel Edge	A538B	EG-308	306B	-	182P
3-Sided - Radius Edge	A538R	-	307	-	182Q
Overlapping - 2-Sided - Square Edge	A528SO	-	308	KE35-1	181H
Overlapping - 2-Sided - Bevel Edge	A528BO	-	309	KE36-1	181K
Overlapping - 3-Sided - Square Edge	A538SO	-	310	KE37-1	181M
Overlapping - 3-Sided - Bevel Edge	A538BO	-	310B	KE37-1-93	181P
3-Sided with Astragal - Square Edge	A548S	EG-T-308	306-AST	-	-
3-Sided with Astragal - Bevel Edge	A548B	EG-T-308	306B-AST	-	-

*Brand names are trademarks or registered trademarks of their respective companies.

Table of Contents

A528 - Two-Sided

A528S	- Square, Non-Mortised	H-2
A528B	- Beveled, Non-Mortised	H-2
A528SM	- Square, Mortised	H-2
A528BM	- Beveled, Mortised	H-2
A528SO	- Square, Overlapping	H-2
A528BO	- Beveled, Overlapping	H-2

A538 - Three-Sided

A538S	- Square, Non-Mortised	H-3
A538B	- Beveled, Non-Mortised	H-3
A538SM	- Square, Mortised	H-3
A538BM	- Beveled, Mortised	H-3
A538SO	- Square, Both Sides Overlapping	H-3
A538BO	- Beveled, Both Sides Overlapping	H-3
A538SO-1	- Square, One Side Overlapping	H-3
A538BO-1	- Beveled, One Side Overlapping	H-3
A538R	- Radius, Non-Mortised	H-3
A538RM	- Radius, Mortised	H-3

A548 - Three-Sided with Astragal

A548S	- Square, Non-Mortised	H-4
A548B	- Beveled, Non-Mortised	H-4
A548SM	- Square, Mortised	H-4
A548BM	- Beveled, Mortised	H-4

Order Forms



Lock Edge Order Form	H-5
Door Handing Reference Chart	H-6
Hinge Edge Order Form	H-7



A528 - Two-Sided

Standard Features



- .050" material thickness - 304 stainless steel
- Standard finishes available - US32D, US32, US10*, US10B*, US3* and US4*
- Fasteners provided - #6 x 5/8" Phillips flat head, undercut sheet metal screws
- Specify any length up to 120"
- For use on 1-3/4" door



Fire Rating



ABH edge guards come standard UL fire rated for use on:

- Wood or plastic-covered wood composite fire doors rated up to and including 1-1/2 hours
- Hollow metal, steel-covered, composite type fire doors rated up to and including 3 hours



Options

- **Cut-Outs** - ABH offers numerous cut-outs for door hardware - see pages H-5 to H-7 for details. Contact factory for custom cut-outs.
- **SEC** - Security fasteners
- Custom leg sizes available
- Custom door thicknesses available



*These finishes only available in 42" or smaller



Stainless Steel Edge Guards



Innovation, Quality,
Customer Service...

A538 - Three-Sided

Standard Features

- .050" material thickness - 304 stainless steel
- Standard finishes available - US32D, US32, US10*, US10B*, US3* and US4*
- Fasteners provided - #6 x 5/8" Phillips flat head, undercut sheet metal screws
- Specify any length up to 120"
- For use on 1-3/4" door

Fire Rating











ABH edge guards come standard UL fire rated for use on:

- Wood or plastic-covered wood composite fire doors rated up to and including 1-1/2 hours
- Hollow metal, steel-covered, composite type fire doors rated up to and including 3 hours

Options

- Cut-Outs** - ABH offers numerous cut-outs for door hardware - see pages H-6 to H-7 for details. Contact factory for custom cut-outs.
- AS** - Adjustable Studs allow for up to 3/8" alignment correction
- SEC** - Security fasteners
- Custom leg sizes available
- Custom door thicknesses available

*These finishes only available in 42" or smaller




Architectural Builders Hardware Manufacturing, Inc.
1222 Ardmore Avenue, Itasca, IL 60143
Tel: 630-875-9900 • Fax: 630-875-9918 / 800-932-9224
Web: www.abhmfg.com • Email: abhinfo@abhmfg.com

A548 - Three-Sided with Astragal

Standard Features


- Integral astragal provides additional security by protecting the latch from intruders or vandalism
- .050" material thickness - 304 stainless steel
- Finishes available - US32D, US32, US10*, US10B*, US3* and US4*
- Fasteners provided - #6 x 5/8" Phillips flat head, undercut sheet metal screws
- Specify any length up to 120"
- For use on 1-3/4" door
- Specify handing and either active or inactive door when ordering



Fire Rating

ABH edge guards come standard UL fire rated for use on:

- Wood or plastic-covered wood composite fire doors rated up to and including 1-1/2 hours
- Hollow metal, steel-covered, composite type fire doors rated up to and including 3 hours



Options

- **Cut-Outs** - ABH offers numerous cut-outs for door hardware - see page H-5 and H-6 for details. Contact factory for custom cut-outs.
- **LL** - Lead Lined Astragal
- **AS** - Adjustable Studs allow for up to 3/8" alignment correction
- **SEC** - Security fasteners
- Custom leg sizes available
- Custom door thicknesses available

*These finishes only available in 42" or smaller



Stainless Steel Edge Guards



Innovation, Quality,
Customer Service...

Lock Edge Order Form

Company Name: _____
 City, State: _____
 Contact Name (Please print): _____
 Email: _____
 Purchase Order #: _____ Date: _____
 Customer Signature: _____
 Door Markings: _____

UNLESS SPECIFIED OTHERWISE, ABH EDGE GUARDS ARE MANUFACTURED AS FOLLOWS:

- FOR 1 3/4" DOOR THICKNESS
- 0.050" MATERIAL THICKNESS
- 7/8" LEG

- PROVIDE MANUFACTURER TEMPLATE FOR EACH CUTOUT
- COUNTERSUNK MOUNTING HOLE QUANTITY AND LOCATION WILL BE DETERMINED AFTER CUT-OUT DIMENSIONS.

• ALL PREPS ARE CENTERED UNLESS OTHERWISE SPECIFIED


- WOOD DOOR HOLLOW METAL DOOR

• FOR A548 MODELS ONLY:

- ACTIVE INACTIVE

See door handing chart for reference - page H-6

<p><input type="checkbox"/> A538S <input type="checkbox"/> A538SM (MORTISED) RH QTY. _____ LHR QTY. _____ LH QTY. _____ RHR QTY. _____</p> <p><input type="checkbox"/> A538B <input type="checkbox"/> A538BM (MORTISED) RH QTY. _____ LHR QTY. _____ LH QTY. _____ RHR QTY. _____</p> <p><input type="checkbox"/> A538SO RH QTY. _____ LHR QTY. _____ LH QTY. _____ RHR QTY. _____</p> <p><input type="checkbox"/> A538BO RH QTY. _____ LHR QTY. _____ LH QTY. _____ RHR QTY. _____</p> <p><input type="checkbox"/> A538SO-1 RH QTY. _____ LHR QTY. _____ LH QTY. _____ RHR QTY. _____</p> <p><input type="checkbox"/> A538BO-1 RH QTY. _____ LHR QTY. _____ LH QTY. _____ RHR QTY. _____</p>	<p><input type="checkbox"/> A528S <input type="checkbox"/> A528SM (MORTISED) RH QTY. _____ LHR QTY. _____ LH QTY. _____ RHR QTY. _____</p> <p><input type="checkbox"/> A528B <input type="checkbox"/> A528BM (MORTISED) RH QTY. _____ LHR QTY. _____ LH QTY. _____ RHR QTY. _____</p> <p><input type="checkbox"/> A528SO RH QTY. _____ LHR QTY. _____ LH QTY. _____ RHR QTY. _____</p> <p><input type="checkbox"/> A528BO RH QTY. _____ LHR QTY. _____ LH QTY. _____ RHR QTY. _____</p> <p><input type="checkbox"/> A548S <input type="checkbox"/> A548SM (MORTISED) RH QTY. _____ LHR QTY. _____ LH QTY. _____ RHR QTY. _____</p> <p><input type="checkbox"/> A548B <input type="checkbox"/> A548BM (MORTISED) RH QTY. _____ LHR QTY. _____ LH QTY. _____ RHR QTY. _____</p>
---	---











Architectural Builders Hardware Manufacturing, Inc.
 1222 Ardmore Avenue, Itasca, IL 60143
 Tel: 630-875-9900 • Fax: 630-875-9918 / 800-932-9224
 Web: www.abhmfg.com • Email: abhinfo@abhmfg.com

Stainless Steel Edge Guards



Innovation, Quality,
Customer Service...

Door Handing Reference Chart

 <p><input type="checkbox"/> LEFT HAND ACTIVE RIGHT HAND INACTIVE</p> <p>QTY. _____</p>	 <p><input type="checkbox"/> LEFT HAND REVERSE ACTIVE RIGHT HAND REVERSE INACTIVE</p> <p>QTY. _____</p>
 <p><input type="checkbox"/> LEFT HAND ACTIVE RIGHT HAND INACTIVE</p> <p>QTY. _____</p>	 <p><input type="checkbox"/> LEFT HAND REVERSE ACTIVE RIGHT HAND REVERSE INACTIVE</p> <p>QTY. _____</p>
 <p><input type="checkbox"/> RIGHT HAND ACTIVE LEFT HAND INACTIVE</p> <p>QTY. _____</p>	 <p><input type="checkbox"/> RIGHT HAND REVERSE ACTIVE LEFT HAND REVERSE INACTIVE</p> <p>QTY. _____</p>
 <p><input type="checkbox"/> RIGHT HAND ACTIVE LEFT HAND INACTIVE</p> <p>QTY. _____</p>	 <p><input type="checkbox"/> RIGHT HAND REVERSE ACTIVE LEFT HAND REVERSE INACTIVE</p> <p>QTY. _____</p>

Architectural Builders Hardware Manufacturing, Inc.
1222 Ardmore Avenue, Itasca, IL 60143
Tel: 630-875-9900 • Fax: 630-875-9918 / 800-932-9224
Web: www.abhmfg.com • Email: abhinfo@abhmfg.com



Stainless Steel Edge Guards



Innovation, Quality,
Customer Service...

Hinge Side Order Form

Company Name: _____
 City, State: _____
 Contact Name (Please print): _____
 Email: _____
 Purchase Order #: _____ Date: _____
 Customer Signature: _____
 Door Markings: _____



UNLESS SPECIFIED OTHERWISE, ABH EDGE GUARDS ARE MANUFACTURED AS FOLLOWS:

- FOR 1 3/4" DOOR THICKNESS
- 0.050" MATERIAL THICKNESS
- 7/8" LEG

- PROVIDE MANUFACTURER TEMPLATE FOR EACH CUTOUT
- COUNTERSUNK MOUNTING HOLE QUANTITY AND LOCATION WILL BE DETERMINED AFTER RECEIVING HINGE LOCATION DIMENSIONS.

WOOD DOOR HOLLOW METAL DOOR

See door handing chart for reference - page H-6



Architectural Builders Hardware Manufacturing, Inc.
 1222 Ardmore Avenue, Itasca, IL 60143
 Tel: 630-875-9900 • Fax: 630-875-9918 / 800-932-9224
 Web: www.abhmfg.com • Email: abhinfo@abhmfg.com