Series 1300

Door Controls

Mortise Keyswitches
Pushbutton Switches
Emergency Release
Door Position Sensors
Indicators
Digital Keypads



ACSI

2720 Clark Avenue St. Louis, MO 63103 (314) 652-5588 (314) 652-2090 FAX

Series 1300 | Door Controls

Mortise Keyswitches

ACSI Series 1310 Mortise Keyswitches are designed to control electric locks, electric strikes, electric exit devices and a variety of other control applications. The keyswitches allow keying the electrically controlled openings to facility master key systems. DPDT contacts unless otherwise noted.

untess other wise noted.			
Model		Description	List Price
1310-1	6	Single gang, wall mount	\$156
1310-2	ici.	Single gang, 2 LEDs (red & green), wall mount	\$180
1310-4	6.	Narrow style, 1-3/4" frame mount	\$168
1310-4-2	G.	Narrow style, 2 LEDs (red & green), 1-3/4" frame mount	\$190
1310-5	60	Audible alarm, double gang, wall mount	\$264
1310-5-2	¿ •	Audible alarm, double gang, 2 LEDs (red & green), wall mount	\$300
1310-6	6	Single gang, 2 momentary switches, wall mount	\$190
1310-7	· G .	Single gang, 2 momentary switches, 1 LED (red or green), wall mount	\$210
1310-8	6	Single gang, 2 momentary switches, 2 LEDs (red & green), wall mount	\$240
1310-9		Adjustable time delay, single gang, 1 LED (red or green), SPDT contacts, wall mount	\$300

^{*}When ordering 1310 Keyswitches, specify momentary or maintained action.

Pushbutton Switches

ACSI Series 1320 Pushbutton Switches provide a variety of functions for commercial and industrial door control applications. DPDT contacts unless otherwise noted.

applications. Bi Bi contacts untess otherwise noted.				
Model		Description	List Price	
1320-1	•	Single gang, wall mount	\$120	
1320-2	•	Single gang, 1 LED (red or green), wall mount	\$144	
1320-3	•	Single gang, 2 LEDs (red & green), wall mount	\$168	
1320-5	•	Mushroom button, single gang, SPDT contacts, wall mount*	\$500	
1320-5-2	•	Mushroom button, single gang, 2 LEDs (red & green), SPDT contacts, wall mount*	\$550	
1320-6	•	Narrow style, 1-3/4" frame mount	\$144	
1320-6-2		Narrow style, 2 LEDs (red & green), 1-3/4" frame mount	\$180	
1320-7	•	Adjustable time delay, single gang, 1 LED (red or green), SPDT contacts, wall mount	\$250	

^{*}When ordering 1320 Pushbuttons, specify momentary or maintained action.

Series 1300 | Door Controls

Emergency Release

ACSI 1330-3 Emergency Release provides manual emergency reporting; attractive/durable and finished in blue enamel.

Features

- UL Listed
- California State Fire Marshall approved
- Normally open or normally closed contacts
- · Key resettable for increased security
- Designed for indoor or outdoor use
- · Mounts in a standard single gang box
- Comes packaged with two spare keys, mounting hardware and one glass break tube

Model		Description	List Price
1330-3	T	Emergency Release	\$288

Door Position Sensors

ACSI Series 1335 Door Position Sensors are used to confirm door position. Magnetic sensors mounted in the frame react to the proximity of the magnet mounted in the door. Pneumatic models also available for use in hazardous locations.

Model		Description	List Price
1335-1	Q	DPS Standard mortise, SPDT, NO/NC contacts	\$168
1335-2	G.	DPS ANSI, SPDT, NO/NC contacts	\$190
1335-3	6. 14	DPS 1" Recessed mount, SPDT, NO/NC contacts	\$80
1335-4	7	DPS Standard mortise, DPDT, NO/NC contacts	\$182
1335-5	9	DPS ANSI, DPDT, NO/NC contacts	\$200
1335-6	A10	DPS 1" Recessed mount, DPDT, NO/NC contacts	\$110

Indicators

ACSI Series 1340 Indicators provide visual or audible indication of system status.

Model		Description	List Price
1340-1		Single gang, 1 LED (red or green), wall mount	\$72
1340-1-2		Single gang, 2 LEDs (red & green), wall mount	\$120
1340-2	0	Audible alarm, single gang, wall mount	\$144
1340-3	*	High security audible alarm, single gang, wall mount	\$192
1341-1	8	Narrow style, LED (Red or Green), 1 ¾" frame mount	\$72
1341-2	•	Narrow style, 2 LEDs (Red & Green), 1 ¾" frame mount	\$120

Electrical Specifications

1310/1320 Switches

• Contacts Rated 1A @ 30VDC

1330-3 Emergency Release Switch

- Separate NO/NC Outputs
- Can be wired for SPDT Contact Configuration
- Contacts Rated 1A @ 30VDC

1340-2 & 1340-3 Audible Alarm

- DC Voltage Range: 4V 28V
- DC Current Range: 3mA 16mA
- Frequency: 2900 Hz
- Sound Intensity: 64dB @ Min.V; 76dB @ Max.V

Red/Green LED Indicator used with 1310/1320/1340 Controls

• 20mA @ 24VDC


Series 1300 | Door Controls

Digital Keypads

ACSI Series 1355 Digital Keypads offer proven reliability for commercial, industrial and residential applications. The keypads are designed to control any electric locking device.

Features

- Keypad programmable
- 10-30 VDC; 12-24VAC-auto adjusting (12-24VAC/DC for 1355-5)
- 120 user capability
- Codes can be 1 to 6 digits including repeated digits
- 1-90 sec. adjustable relock delay (1-255 sec. for 1355-6)
- LED status indicators (for all models except 1355-4)
- Request-to-exit switch input
- Main relay ON/OFF latching (toggle mode)
- Panic output (for all models except 1355-5 and 1355-6)
- · Remote alarm panel interface capability
- Main relay: 5A, form C @ 24VDC with 10A surge (2A for 1355-3, 1355-4 and 1355-6)
- Non-volatile memory remembers codes and instructions when power is removed



Model		Description	List Price
1355-1	1	Digital Indoor Keypad	\$264
1355-2		Weather Resistant Keypad	\$384
1355-3	#	Sealed Environmental Keypad Weather resistant, self-contained metal housing Vandal resistant Small design suitable for commercial, industrial and residential applications	\$816
1355-4	關	Ruggedized Digital Keypad • Weather resistant, self-contained metal housing • Vandal resistant • One piece housing suitable for wall, post or gooseneck mounting • Internal audible multi-status indicator (sounder) • Available in white or black	\$816
1355-5	THE STATE OF THE S	Mullion Digital Keypad • Weather resistant for outdoor as well as indoor applications • Backlit hardened keys • Doorbell key with associated relay output • Narrow style suitable for aluminum door frame mounting • Available in bronze or satin aluminum	\$792
1355-6		Indoor/Outdoor Backlit Keypad • Weather resistant • Illuminated backlit hardened keys • Flush mount design • Includes audible indicator (sounder)	\$540
1355-7		Harsh Environment Keypad • Vandal and weather resistant case • Indoor/outdoor applications • Touch sensitive flat key design • 12/24 volts AC/DC jumper selectable	\$1,032