

# Product Pricelist

USA & CANADA Effective Date: March 3, 2025

TARIFF PRICE ADJUSTMENTS EFFECTIVE  
(In Addition to Prices Herein)

USA

[Read Letter](#)

CANADA

[Read Letter](#)



Experience a safer  
and more open world



**ASSA ABLOY**

# Product Pricelist

USA & CANADA Effective Date: March 3, 2025

# 2025 Pricelist Adams Rite Architectural Hardware

DEADLOCKS		ELECTRIC STRIKES		CYLINDERS & ACCESSORIES CONT.	
1830 Bottom Rail Deadlock (Swingbolt)	2	7100, 7101 Electric Strikes	20	<b>Thick Door Kits</b>	
MS1837 Series MS® Two-Point Deadlock	2	7110, 7111 Electric Strikes	20	2190, 2290 Dual Force® Interconnected	
MS1847/MS1848 Series MS® Deadlock/Deadlatch	2	7130, 7131 Electric Strikes	21	Deadbolt/Deadlatch Thick Door Kit	
MS1850S Series MS® Deadlock	3	7140 Electric Strike	21	4568, 4569 Eurostyle Deadlatch Handles Thick Door Kits	
1850S-X2X Series Short Throw Deadlock	3	7160 Electric Strike	21	<b>Faceplates</b>	
MS1850SN Series MS® Deadlock (ANSI Size)	4	7170 Electric Strike	22	MS1850S Deadlocks Faceplates	
MS1861 Series MS® Bottom Rail Deadlock	4	7100 Series Electric Strike Components	22	MS1850S, MS1950P Deadlock (Standard Bolt) Faceplates	
1875 Two-Point Deadlock	4	7240 Fire-Rated Electric Strike	23	MS1850S, MS1950P Deadlock	
MS+1890 Series MS® Deadlock/Deadlatch	5	7270 Fire-Rated Electric Strike	23	(Hookbolt and Short Bolt) Faceplates	
MS1950P Series MS® Deadlock	5	7400, 7401 UltraLine® Preload-Capable Electric Strikes	23	MS1850SN410 Deadlock (Standard Bolt) Faceplates	
2190, 2290 Dual Force® Interconnected Deadbolt/Deadlatch for		7410, 7411 UltraLine® Preload-Capable Electric Strikes	24	MS1850SN450 Deadlock (Hookbolt) Faceplates	
Aluminum Stile Doors (2190); for Wood or Hollow Metal (2290)	6	7430, 7431 UltraLine® Preload-Capable Electric Strikes	24	1870 Flushbolt Faceplates	
2331 Heavy Duty Deadbolt	7	7440 UltraLine® Preload-Capable Electric Strike	24	MS+1890 Deadlock Faceplates	
4070 Series Short Throw Deadbolt (Projection Style)	7	74R1 UltraLine® Preload-Capable Electric Strike	25	2190 Dual Force® Interconnected Deadbolt/Deadlatch Faceplates	
5017 Deadlock/Deadlatch for Wood Doors	7	74R2 UltraLine® Preload-Capable Electric Strike	25	2331 Heavy Duty Deadbolt Faceplates	
5500 Deadlock for Sliding Wood Doors	7	7400 UltraLine® Electric Strike Components	25	3300 Fire-Rated Mortise Exit Device Faceplates	
		7800 Series Electric Strike	26	4070 Short Throw Deadbolt Faceplates	
		7800 Series Electric Strike Accessories	26	4500 Standard Duty Deadlatch Faceplates	
				4530 Standard Duty Deadlatch Faceplates	
<b>DEADLATCHES</b>		<b>TRIM</b>		4900 Heavy Duty Deadlatch Faceplates	
DL100 Aperio® Wireless Deadlatch	8	1000 Series Turns	27	4900 Heavy Duty Deadlatch Special Faceplates	
4300 Steel Hawk® Electrified Deadlatch	8	3000 Fixed Pull	27	4920, 8300 Faceplates	
4300 RITE Pack®	8	3080 Series Entry Trim	28	7100, 7160 Electric Strike Faceplates	
4510 Standard Duty Deadlatch	9	3090 eForce® Keyless Entry	29	7101 Electric Strike Faceplates	
4530 Standard Duty Deadlatch	9	4060 Turn	29	7110 Electric Strike Faceplates	
4781 Two-Point Deadlatch with Paddle	10	4550 MS® Deadlock Lever	29	7111 Electric Strike Faceplates	
4900 Heavy Duty Deadlatch	10	4560, 4565 Series Deadlatch Handles	30	7130 Electric Strike Faceplates	
4920AN Heavy Duty Deadlatch (ANSI Size)	10	4568, 4569 Eurostyle Deadlatch Handles	30	7131 Electric Strike Faceplates	
		4570 ICU Latch Operator	31	7140, 7170 Electric Strike Faceplates	
		4576 ICU Flushbolt Latch Operator	31		
		4590 Deadlatch Paddle	32	<b>POWER</b>	
		4591 Deadlatch Paddle	33	PS-EXIT Power Supply	
		4600 Heavy Duty Designer Deadlatch Handles	34	4612 Power Transfer Device	
				Accessories for Power	
		<b>CYLINDERS &amp; ACCESSORIES</b>			
		4024, 4025, 4026 Cylinder Pulls	35	<b>DEMO MOUNTS</b>	
		4036 Mortise Cylinder	35	<b>Deadlocks &amp; Deadlatches</b>	
		MS4043 Cylinder Guard	36	2190 Dual Force® Interconnected Deadbolt/Deadlatch	
		4066 Thumbturn	36	4300 Steel Hawk® Electrified Deadlatch	
		4580 Cam Plug	36	DL100 Aperio® Wireless Deadlatch	
		4581 Universal Cam Plug	36	<b>Electric Strikes</b>	
		8650 Cylinder Escutcheon Kit	37	7400 Ultraline® Electric Strikes	
		8736 Rim Cylinder	37	<b>Trim</b>	
		4014 Two-Point Conversion Kit	37	3090 eForce® Keyless Entry	
		4015 Threshold Bolt	37	4600 Heavy Duty Designer Deadlatch Handles	
		4016 Header Bolt	37		
		4085 Header Bolt (Pairs of Doors Only)	38		
		4089 Exit Indicator	38		
		4104 Mounting Bridges	38		
		91-0965 Universal Mounting Tab Kits for Installing		<b>GENERAL INFORMATION</b>	
		MS® Locks & Latches	38	Adams Rite Limited Warranty/Terms and Conditions	
		B1921, B1923 Reinforcing Pivots	39		
		<b>Strikes</b>			
		2190 Dual Force® Interconnected Deadbolt/Deadlatch Strikes	39		
		2290 Dual Force® Interconnected Deadbolt/Deadlatch Strikes	39		
		4000 Series MS® Deadlock Strikes	39		
		4800, MS4804 Series Strikes	40		
		4901, 4902 Deadlatch Strikes	40		
		4304 Deadlatch Strike	40		

# DEADLOCKS

## 1830 Bottom Rail Deadlock (Swingbolt)

MODEL	DESCRIPTION	313, 628
1830	Deadlock with 31/32" or 1-1/8" cylinder height	\$165



**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	DASH NO. (SPECIFY FOR CYLINDER HEIGHT AND LOCK DEPTH)	FINISH
1830	-02	-628
	02 Cylinder Height 31/32" Dim. "A" 1-5/8"	628 Clear Anodized
	03 Cylinder Height 1-1/8" Dim. "A" 1-25/32"	313 Dark Bronze Anodized

## MS1837 Series MS® Two-Point Deadlock

MODELS	DESCRIPTION & FINISHES	313, 335, 628	605, 626
MS1837	Deadlock includes 4001-011 strike, 36" cylinder height	\$290	\$390
MS1837	Deadlock includes 4001-011 strike, contact factory for cylinder height other than 36" up to maximum cylinder height 65"	\$353	\$453



**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FINISH
MS1837	-313
	313 Dark Bronze Anodized 626 Satin Chrome
	335 Black Anodized 628 Clear Anodized
	605 Bright Brass

*If cylinder height other than 36" is required, specify exact height from bottom of door to cylinder center. Maximum cylinder height 65".*

## MS1847/MS1848 Series MS® Deadlock/Deadlatch

MODEL	DESCRIPTION & FINISH	630
MS1847	Deadlock/deadlatch, stainless steel	\$77
MS1848	Deadlock/deadlatch, steel	\$46



**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACE SHAPE, HUB ANGLE, LOCK OR LATCH	FINISH
MS1847 MS1848	-02 (See Configuration table below)	-630
		630 Satin Stainless (MS1847 only)

## MS1850S Series MS® Deadlock

MODELS	DESCRIPTION & BACKSETS	7/8"	31/32", 1-1/8", OR 1-1/2"
MS1850S	Flat faceplate, 313, 335, or 628 finish, without strike plate	\$96	\$82
MS1851S	Radius faceplate, 313, 335, or 628 finish, without strike plate	\$96	\$82
MS1851SW	Radius faceplate with weatherstrip, 313, 335, or 628 finish, without strike plate	\$101	\$87
MS1852S	Bevel faceplate, 313, 335, or 628 finish, without strike plate	\$96	\$82
SPECIAL MODEL			
MS1853S-XXX-IB	Without faceplate, without strike plate	\$85	\$71

Schoolhouse function for above deadlocks add \$41. Please contact factory for more information.

### How to Order

Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE	BACKSET	BOLT SHAPE	HANDING	FINISH
MS185	OS	-2	1	0	-628
	0S Flat	1 7/8"	1 Straight bolt	0 Non-Handed*	313 Dark Bronze Anodized
	1S Radius	2 31/32"	5 Hookbolt	5 LH or RHR	335 Black Anodized
	1SW Radius with weatherstrip	3 1-1/8"		6 RH or LHR	628 Clear Anodized
	2S Bevel	4 1-1/2"			

\*Any flat or radius faceplate, except Schoolhouse. Select handing for bevel faceplate only. "SCHOOLHOUSE" version, also available, is modified so that operation from inside is "unlock only". This lock is handed and must be specified LH or RH. Specify SCH1850S or SCH1850S-X5X Series. Same faceplate and backset options as MS1850S and MS1850S-X5X Series.



## 1850S-X2X Series Short Throw Deadlock

MODELS	DESCRIPTION & FINISHES	313, 335, 628
1850S	Flat faceplate, 31/32", 1-1/8", or 1-1/2" backset, without strike plate	\$82
1851S	Radius faceplate, 313, 335, or 628 finish, without strike plate	\$82
1852S	Bevel faceplate, any handing, 313, 335, or 628 finish, without strike plate	\$82
SPECIAL MODEL		PRICE
1853S-X20-IB	WITHOUT faceplate, without strike plate	\$71

### How to Order

Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE	BACKSET	BOLT SHAPE	HANDING	FINISH
185	OS	-2	2	0	-628
	0S Flat	2 31/32"	2 Short Throw	0 Non-Handed*	313 Dark Bronze Anodized
	1S Radius	3 1-1/8"		5 LH or RHR	335 Black Anodized
	2S Bevel	4 1-1/2"		6 RH or LHR	628 Clear Anodized

\*Any flat or radius faceplate, except Schoolhouse. Select handing for bevel faceplate only. "SCHOOLHOUSE" version, also available, is modified so that operation from inside is "unlock only". This lock is handed and must be specified LH or RH. Specify SCH1850S-X2X Series. Same faceplate and backset options as MS1850S-X2X.



## MS1850SN Series MS® Deadlock (ANSI Size)

MODELS	DESCRIPTION & FINISH	313, 335, 628
MS1850SN410	Flat faceplate, 1-1/2" backset, without strike plate	\$128
MS1850SN450	Radius faceplate, 1-1/2" backset, without strike plate	\$128
SPECIAL MODEL	DESCRIPTION & FINISH	PRICE
MS1853SN410-IB	Without faceplate, without strike plate	\$81
MS1853SN450-IB	Without faceplate, without strike plate	\$81



**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE	ANSI SIZE	BOLT SHAPE	FINISH
MS185	0	SN	410	-628
	0 Flat		410 Straight bolt	313 Dark Bronze Anodized
	1 Radius		450 Hookbolt	335 Black Anodized
				628 Clear Anodized

"SCHOOLHOUSE" version, also available, is modified so that operation from inside is "unlock only". Specify SCH1850SN410 or SCH1850SN450 Series. Same faceplate and backset options as MS1850SN410 or MS1850SN450 Series.

## MS1861 Series MS® Bottom Rail Deadlock

MODELS	DESCRIPTION & FINISH	603
MS1861-01	One-point deadlock, vertical bolt operation only	\$172
MS1861-02	Two-point deadlock, horizontal and vertical operation	\$215



**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	BOLT OPERATION	FINISH	PACKAGING
MS1861	-01	-603	-IB
	01 Vertical Bolt Only	603 Zinc plated steel	IB Individually Boxed
	02 Vertical and Horizontal Bolts		

If tube spacers (26-009) are required please specify quantity and length.

## 1875 Two-Point Deadlock

MODEL	DESCRIPTION & FINISH	603
1875	Two-point deadlock for roll-up doors	\$219



**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	PACKAGING
1875	-IB
	IB Individually Boxed

## MS+1890 Series MS® Deadlock/Deadlatch

MODELS & FINISHES		313, 335, 628
<b>MS+1890</b> Flat faceplate, 31/32", 1-1/8", or 1-1/2" backset		\$292
<b>MS+1891</b> Radius faceplate, 31/32", 1-1/8", or 1-1/2" backset		\$292
<b>MS+1891W</b> Radius faceplate with weatherstrip, 31/32", 1-1/8", or 1-1/2" backset		\$307
<b>MS+1892</b> Bevel faceplate, any handing, 31/32", 1-1/8", or 1-1/2" backset		\$292
SPECIAL MODELS		
<b>MS+1890, MS+1891, MS+1892</b> Flat, radius, or bevel faceplate, complete with flat / center hung 4" or 4-1/2" strike plate		\$307
<b>MS+1890-XX-XXX</b> Without strike plate		\$237
<b>MS+1893-XX-IB</b> Without faceplate, without strike plate		\$237



**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE	BACKSET	STRIKE SHAPE/LIP LENGTH	HANDING	FINISH
<b>MS+189</b>	<b>1</b>	<b>-3</b>	<b>02</b>	<b>6</b>	<b>-628</b>
	<b>0</b> Flat	<b>2</b> 31/32"	<b>01</b> Flat/Standard Jamb	<b>5</b> LH or RHR	<b>313</b> Dark Bronze Anodized
	<b>1</b> Radius	<b>3</b> 1-1/8"	<b>02</b> Radius/Standard Stile	<b>6</b> RH or LHR	
	<b>1W</b> Radius with weatherstrip	<b>4</b> 1-1/2"	<b>17</b> Flat/Center Hung 4" Jamb		<b>335</b> Black Anodized
	<b>2</b> Bevel		<b>21</b> Flat/Center Hung 4-1/2" Jamb		<b>628</b> Clear Anodized
	<b>3</b> Without faceplate, without strike plate				

*For door thickness other than 1-3/4" please contact factory.*

## MS1950P Series MS® Deadlock

MODELS		313, 335, 628
<b>MS1950P</b> Flat faceplate, 31/32", 1-1/8", or 1-1/2" backset, without strike plate		\$149
<b>MS1951P</b> Radius faceplate, 31/32", 1-1/8", or 1-1/2" backset, without strike plate		\$149
<b>MS1951WP</b> Radius faceplate with weatherstrip, 31/32", 1-1/8", or 1-1/2" backset, without strike plate		\$155
<b>MS1952P</b> Bevel faceplate, any handing, 31/32", 1-1/8", or 1-1/2" backset, without strike plate		\$149
SPECIAL MODEL		
<b>MS1953P-XXX-IB</b> Without faceplate, without strike plate		\$140

*Schoolhouse function for above deadlocks add \$41. Please contact factory for more information.*

**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE	BACKSET	BOLT SHAPE	HANDING	FINISH
<b>MS195</b>	<b>OP</b>	<b>-2</b>	<b>1</b>	<b>0</b>	<b>-628</b>
	<b>OP</b> Flat	<b>2</b> 31/32"	<b>1</b> Straight bolt	<b>0</b> Non-Handed*	<b>313</b> Dark Bronze Anodized
	<b>1P</b> Radius	<b>3</b> 1-1/8"	<b>5</b> Hookbolt	<b>5</b> LH or RHR	<b>335</b> Black Anodized
	<b>1WP</b> Radius with weatherstrip	<b>4</b> 1-1/2"		<b>6</b> RH or LHR	<b>628</b> Clear Anodized
	<b>2P</b> Bevel				
	<b>3P</b> Without faceplate, without strike plate				

*\*Any flat or radius faceplate, except Schoolhouse.*





## 2190, 2290 Dual Force®

Interconnected Deadbolt/Deadlatch for Aluminum Doors (2190); for Wood or Hollow Metal Doors (2290)

	MODELS & TRIM SETS	STANDARD TRIM SET		ELECTRIFIED TRIM SET		LOW PROFILE TRIM	
		10B, US4, US32D	US3, US32	10B, US4, US32D	US3, US32	10B, US4, US32D	US3, US32
DESIGNER LEVER STANDARD LEVER	2190, 2290 Deadbolt/Deadlatch with standard lever (01, 02, 03), complete with strike plate	\$739	\$840	\$932	\$1,033	\$655	\$756
	2190, 2290 Deadbolt/Deadlatch with standard lever (01, 02, 03), without strike plate	\$706	\$807	\$899	\$1,000	\$622	\$723
	2190, 2290 Deadbolt/Deadlatch with designer lever series (MD through MW), complete with strike plate	\$796	\$897	\$989	\$1,090	\$712	\$813
	2190, 2290 Deadbolt/Deadlatch with designer lever series (MD through MW), without strike plate	\$763	\$864	\$956	\$1,057	\$679	\$780
MODELS & FINISHES					313, 335, 628		N/A
2190, 2290 Boxed lock less lever trim, with adjustable faceplate and choice of standard or radius strike					\$362		
EK-2190 Electrification Kit for 2190, 2290; 12/24 VAC/VDC (not compatible with low profile trim)							\$217
2190-X0X-000 Less lever trim, with adjustable faceplates, less strike plate							\$329



### How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	BACKSET	STRIKE	FACEPLATE FINISH	TRIM*	HANDLE DESIGNATION	TRIM AND HANDLE FINISH
2190	-3	1	1	-1	01	32D
	3 1-1/8"	0 None	1 Clear Anodized 628	0 None	00 No Handle	03 Bright Brass (US3)
		1 Standard Flat	2 Dark Bronze Anodized 313	1 With Trim Set	STANDARD SERIES:	04 Satin Brass (US4)
	4 1-1/2"	2 Radius Strike	3 Black Anodized 335	2 With Electrified Trim Set	01 Curve	10B Dark Bronze
				3 Low Profile Trim	02 Round	32 Bright Stainless (US32)
					03 Square	32D Satin Stainless (US32D)
					DESIGNER SERIES:	
					MD MG MJ MV (Handed)	
					ME MI MN (Handed) MW	

▲ Standard and electrified trim sets are for out-swinging doors only. Low profile trim set for in-swinging doors only.

### How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	BACKSET	STRIKE	FACEPLATE FINISH	TRIM*	HANDLE DESIGNATION	TRIM AND HANDLE FINISH
2290	-3	1	1	-1	01	32D
	3 1-1/8"	0 None	0 US to match trim finish	0 None	00 No Handle	03 Bright Brass (US3)
		1 Standard Flat	1 Clear Anodized 628	1 With Trim Set	STANDARD SERIES:	04 Satin Brass (US4)
	4 1-1/2"	1 Standard Flat	2 Dark Bronze Anodized 313	2 With Electrified Trim Set	01 Curve	10B Dark Bronze
			3 Black Anodized 335	3 Low Profile Trim	02 Round	32 Bright Stainless (US32)
					03 Square	32D Satin Stainless (US32D)
					DESIGNER SERIES:	
					MD MG MJ MV (Handed)	
					ME MI MN (Handed) MW	

▲ Standard and electrified trim sets are for out-swinging doors only. Low profile trim set for in-swinging doors only.



## 2331 Heavy Duty Deadbolt

MODEL & FINISHES	121, 626	605, 625
2331 Deadbolt, 1-3/4" backset, complete with strike	\$369	\$404

### How to Order

Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FINISH
2331	-626
	121 To Match 313 Dark Bronze Anodized
	605 Bright Brass
	625 Bright Chrome
	626 Satin Chrome



## 4070 Series Short Throw Deadbolt (Projection Style)

MODELS & FINISHES	313, 335, 628
4070 Flat faceplate, 7/8", 31/32", or 1-1/8" backset, without strike plate	\$203
4071 Radius faceplate, 7/8", 31/32", or 1-1/8" backset, without strike plate	\$203
4072 Bevel faceplate, any handing, 7/8", 31/32", or 1-1/8" backset, without strike plate	\$203
SPECIAL MODEL	
4073-XX-IB Without faceplate, without strike plate	\$192

### How to Order

Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE	BACKSET	HANDING	FINISH
407	2	-2	6	-628
	0 Flat	1 7/8"	0 Non-Handed*	313 Dark Bronze Anodized
	1 Radius	2 31/32"	5 LH or RHR	335 Black Anodized
	2 Bevel	3 1-1/8"	6 RH or LHR	628 Clear Anodized
	3 Without faceplate, without strike plate			

\*Any flat or radius faceplate. Select handing for bevel faceplate only.



## 5017 Deadlock/Deadlatch for Wood Doors

MODELS & FINISH	630
5017-00 Standard stainless steel deadlock	\$75
5017-02 Self-latching deadlock/deadlatch	\$75

### How to Order

Specify quantity and the following information. Order related products separately.

PRODUCT NO.	LATCH CONFIGURATION
5017	-00
	00 Standard
	02 Self Latching



## 5500 Deadlock for Sliding Wood Doors

MODELS	119, 626
5500-20 Lockset, strike, and trim included for 1-1/4", sliding wood doors	\$162

### How to Order

Specify quantity and the following information. Order related products separately.

PRODUCT NO.	DOOR THICKNESS	FINISH
5500	-20	-626
	20 1-1/4" Thick	626 Satin Chrome
		119 to Match 335 Black Anodized



# DEADLATCHES

## DL100 Aperio® Wireless Deadlatch Kit

MODELS & FINISHES		313, 335, 628
DL100	DL100 Pre-Paired Kit with AH20 Hub – IPS Credential Option Electrified deadlatch 31/32", 1-1/8", or 1-1/2" backset	\$1,700
ACC10	RFID Test Credentials	\$40

**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	BACKSET	STRIKE	STRIKE SHAPE/ LIP LENGTH	OPTIONS	CREDENTIAL	FACEPLATE FINISH
DL100	-3	2	01	H	-IPS	-628
Monitoring & DPS are Standard Features	2 31/32"	1 Surface Mount (4304)	01 Flat/Standard Jamb	(blank) Lock & Reader	IPS (HID multiCLASS SE + HID NFC Mobile Access Enabled)	313 Dark Bronze Anodized
	3 1-1/8"	2 Mortised (4901) 4-5/8	02 Radius/Standard Stiles	H Wholesale Kit*	IPEXXXXX** (HID iCLASS ELITE + HID NFC Mobile Access Enabled)	335 Black Anodized
	4 1-1/2"		17 Flat/Center Hung 4" Jamb		BIPSEXXXXX** (HID BLE multiCLASS SE + HID NFC Mobile Access Enabled)	628 Clear Anodized
			21 Flat/Center Hung 4-1/2" Jamb		BIPEXXXXX** (HID iCLASS ELITE + HID BLE & NFC Mobile Access Enabled)	

\*Available only with IPS option. \*\*XXXXX is a unique or customer specific key that is only re-orderable for that specific company.  
NOTE: Paddles and levers available separately, see 4591 and 4600 for more information.



## 4300 Steel Hawk® Electrified Deadlatch

MODELS & FINISHES		313, 335, 628
4300	Electrified deadlatch 31/32", 1-1/8", or 1-1/2" backset	\$520
4300M	Monitored option, 31/32", 1-1/8", or 1-1/2" backset	\$592
SPECIAL MODELS		
4300	Electrified deadlatch complete with flat / center hung 4" or 4-1/2" strike plate	\$542
4300M	Electrified deadlatch with monitored option, complete with flat / center hung 4" or 4-1/2" strike plate	\$615

**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	BACKSET	MONITORING	STRIKE	STRIKE SHAPE/LIP LENGTH	FACEPLATE FINISH
4300	-3	M	-2	01	-628
	2 31/32"	0 None	1 Surface Mount (4304)*	01 Flat/Standard Jamb	313 Dark Bronze Anodized
	3 1-1/8"	M Monitored	2 Mortised (4901) 4-5/8	02 Radius/Standard Stiles**	335 Black Anodized
	4 1-1/2"			17 Flat/Center Hung 4" Jamb**	628 Clear Anodized
				21 Flat/Center Hung 4-1/2" Jamb**	

\*Only available as flat standard. \*\* See ACCESSORIES for available 4901 strike options.



## 4300 RITE Pack®

MODELS		313, 628
4300-20	31/32" backset, flat and radius, 313 and 628 finish faceplates, surface mount or mortise strike	\$532
4300-30	1-1/8" backset, flat and radius, 313 and 628 finish faceplates, surface mount or mortise strike	\$532

**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	BACKSET	MONITORING*	STRIKE	RITE PACK
4300	-3	0	-1	RP
	2 31/32"	0 None (Standard)	1 Surface Mount (4304)	
	3 1-1/8"		2 Mortised (4901) 4-5/8"	

\*Monitoring not available with RITE Pack.



## 4510 Standard Duty Deadlatch

MODELS & FINISHES	313, 335, 628
4510 Flat faceplate, 7/8", 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate	\$105
4511 Radius faceplate, 7/8", 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate	\$105
4511W Radius faceplate with weatherstrip, 7/8", 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate	\$111
4512 Bevel faceplate, 7/8", 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate	\$105
SPECIAL MODELS	
4510, 4511, 4512 Flat, radius or bevel faceplate complete with flat / center hung 4" or 4-1/2" strike plate	\$126
4511W Radius faceplate with weatherstrip complete with flat / center hung 4" or 4-1/2" strike plate	\$132
4510, 4511, 4512 With faceplate, without strike plate	\$82
4511W Radius faceplate with weatherstrip, without strike plate	\$88
4513-XX-IB Without faceplate, without strike plate	\$72



**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE	BACKSET	HANDING	STRIKE SIZE	STRIKE SHAPE/LIP LENGTH	FACEPLATE FINISH
451	1	-3	6	-2	01	-628
	0 Flat	1 7/8"	5 LH or RHR	1 Mortised (4901) 4-5/8"	01 Flat/Standard Jamb	313 Dark Bronze Anodized
	1 Radius	2 31/32"	6 RH or LHR	2 Mortised (4902) 2-5/8"	02 Radius/Standard Stiles	335 Black Anodized
	1W Radius with weatherstrip	3 1-1/8"			17 Flat/Center Hung 4" Jamb	628 Clear Anodized
	2 Bevel	4 1-1/2"			21 Flat/Center Hung 4-1/2" Jamb	
	3 Without faceplate, without strike plate					

## 4530 Standard Duty Deadlatch

MODELS & FINISHES	313, 335, 628
4530 Flat faceplate, 7/8", 31/32", or 1-1/8" backset, complete with strike plate	\$155
4531 Radius faceplate, 7/8", 31/32", or 1-1/8" backset, complete with strike plate	\$155
4532 Bevel faceplate, 7/8", 31/32", or 1-1/8" backset, complete with strike plate	\$155
SPECIAL MODELS	
4530, 4531, 4532 Flat, radius or bevel faceplate complete with flat / center hung 4" or 4-1/2" strike plate	\$186
4530, 4531, 4532 With faceplate without strike plate	\$129
4533-XX-IB Without faceplate, without strike plate	\$77



**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE	BACKSET	HANDING	STRIKE SIZE	STRIKE SHAPE/LIP LENGTH	FACEPLATE FINISH
453	1	-3	6	-1	01	-628
	0 Flat	1 7/8"	5 LH or RHR	1 Mortised (4901) 4-5/8"	01 Flat/Standard Jamb	313 Dark Bronze Anodized
	1 Radius	2 31/32"	6 RH or LHR	2 Mortised (4902) 2-5/8"	02 Radius/Standard Stiles	335 Black Anodized
	2 Bevel	3 1-1/8"			17 Flat/Center Hung 4" Jamb	628 Clear Anodized
	3 Without faceplate, without strike plate				21 Flat/Center Hung 4-1/2" Jamb	

## 4781 Two-Point Deadlatch with Paddle

MODEL & FINISHES	313, 335, 628	US26D
<b>4781</b> Paddle includes dogging feature	<b>\$392</b>	<b>\$525</b>
<b>4781T</b> Paddle with top rod only (less bottom rod)	<b>\$355</b>	<b>\$488</b>

### How to Order

Specify quantity and the following information. Order related products separately.

PRODUCT NO.		OPERATION	PADDLE FINISH
<b>4781</b>	<b>T</b>	<b>-021</b>	<b>-628</b>
	<b>T</b> Top rod only	<b>021</b> Push to LEFT	<b>313</b> Dark Bronze Anodized
	<b>-</b> Standard rod	<b>041</b> Push to RIGHT	<b>335</b> Black Anodized
			<b>628</b> Clear Anodized
			<b>US26D</b> Satin Chrome



## 4900 Heavy Duty Deadlatch

MODELS & FINISHES	313, 335, 628
<b>4900</b> Flat and radius faceplates, 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate	<b>\$143</b>
<b>4911W</b> Radius with weatherseal faceplate, 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate	<b>\$151</b>
SPECIAL MODELS	
<b>4900</b> Flat and radius faceplates complete with flat / center hung 4" or 4-1/2" strike plate	<b>\$166</b>
<b>4911W</b> Radius with weatherstrip faceplate complete with flat / center hung 4" or 4-1/2" strike plate	<b>\$174</b>
<b>4900</b> Flat and radius faceplate, without strike plate	<b>\$119</b>
<b>4911W</b> Radius with weatherstrip faceplate, without strike plate	<b>\$127</b>
<b>4913-XX-IB</b> Without faceplate, without strike plate	<b>\$100</b>



### How to Order

Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE	BACKSET	HANDING	STRIKE SIZE	STRIKE SHAPE/LIP LENGTH	FACEPLATE FINISH
<b>49</b>	<b>00</b>	<b>-3</b>	<b>5</b>	<b>-2</b>	<b>01</b>	<b>-628</b>
	<b>00</b> Standard	<b>2</b> 31/32"	<b>5</b> LH or RHR	<b>1</b> Mortised (4901) 4-5/8"	<b>01</b> Flat/Standard Jamb	<b>313</b> Dark Bronze Anodized
	<b>11W</b> Radius with Weatherstrip	<b>3</b> 1-1/8"	<b>6</b> RH or LHR	<b>2</b> Mortised (4902) 2-5/8"	<b>02</b> Radius/Standard Stile	<b>335</b> Black Anodized
	<b>13</b> Without faceplate, without strike plate	<b>4</b> 1-1/2"			<b>17</b> Flat/Center Hung 4" Jamb	<b>628</b> Clear Anodized
					<b>21</b> Flat/Center Hung 4-1/2" Jamb	

## 4920AN Heavy Duty Deadlatch (ANSI Size)

MODELS & FINISHES	313, 335, 628
<b>4920AN</b> Flat faceplate, 1-1/2" or 2-3/4" backset, complete with 4506 strike plate	<b>\$179</b>
SPECIAL MODELS	
<b>4920AN</b> Flat faceplate, without strike plate	<b>\$130</b>
<b>4923AN-XX-IB</b> Without faceplate, without strike plate	<b>\$97</b>

### How to Order

Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE	BACKSET	HANDING	STRIKE	FACEPLATE FINISH
<b>492</b>	<b>0AN</b>	<b>4</b>	<b>6</b>	<b>-602</b>	<b>-313</b>
	<b>0AN</b> Flat	<b>4</b> 1-1/2"	<b>5</b> LH or RHR	<b>000</b> Less Strike	<b>313</b> Dark Bronze Anodized
	<b>3AN</b> Without faceplate, without strike plate	<b>5</b> 2-3/4"	<b>6</b> RH or LHR	<b>602</b> 4506 Strike	<b>335</b> Black Anodized
					<b>628</b> Clear Anodized



# FLUSHLOCKS

## 1870 Cylinder-Operated Flushbolt

MODELS & CYLINDER HEIGHT	STANDARD 12" CYLINDER HEIGHT	CYLINDER HEIGHT OVER 12" (SPECIFY)
1870 Flat faceplate, 313, 335, or 628 finish	\$152	\$209
1871 Radius faceplate, 313, 335, or 628 finish	\$152	\$209
1871W Radius faceplate with weatherstrip, 313, 335, or 628 finish	\$159	\$216
1872 Bevel faceplate, 313, 335, or 628 finish	\$152	\$209

For cylinder height greater than 12" up to maximum cylinder height 65" please contact factory.

**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE SHAPE	BACKSET	HANDING*	FINISH
187	0	-2	0	-628
	0 Flat	2 31/32"	0 Non-Handed*	313 Dark Bronze Anodized
	1 Radius	3 1-1/8"	5 LH or RHR	335 Black Anodized
	1W Radius with weatherstrip		6 RH or LHR	628 Clear Anodized
	2 Bevel			

\*Any flat or radius faceplate. Select handing for bevel faceplate only.



## 1870HM Cylinder-Operated Flushbolt

MODEL & CYLINDER HEIGHT	STANDARD 13-1/2" CYLINDER HEIGHT	CYLINDER HEIGHT OVER 13-1/2" (SPECIFY)
1870HM For hollow metal, 313, 335, or 628 finish, 1-1/4" backset	\$204	\$261

For cylinder height greater than 13-1/2" up to maximum cylinder height 65" please contact factory.

**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE SHAPE	FINISH
187	0HM	-628
	0HM Flat	313 Dark Bronze Anodized
		335 Black Anodized
		628 Clear Anodized



## 1877 Cylinder-Operated Flushbolt

MODEL & CYLINDER HEIGHT	STANDARD 13-1/2" CYLINDER HEIGHT	CYLINDER HEIGHT OVER 13-1/2" (SPECIFY)
1877 For wood, 313 or 628 finish, 1-1/4" backset	\$247	\$304
1877 For wood, 626 finish, 1-1/4" backset	\$356	\$413

For cylinder height greater than 13-1/2" up to maximum cylinder height 57-1/2" please contact factory.

**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FINISH
1877	-628
	313 Dark Bronze Anodized
	626 Satin Chrome
	628 Clear Anodized



## MS1880, MS1881 Two-Point Flushbolts

MODELS & FINISHES		119, 121, 682
MS1880 Flushbolt with hourglass shaped turn		\$191
MS1881 Flushbolt with teardrop shaped turn		\$191
KITTED OPTION		
MODEL		
TDK-1880 Tall door kit for doors over 84", up to 144" maximum		\$37

**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	TURN SHAPE	CYLINDER HEIGHT*	FINISH
MS188	0	-01	-682
MS188	0 Hourglass	01 31" to 35"	119 to Match 335 Black Anodized
	1 Teardrop	02 35-1/16" to 39"	121 to Match 313 Dark Bronze Anodized
		03 39-1/16" 43"	682 Satin Chrome
		04 43-1/16" to 47"	
		05 47-1/16" to 51"	

\*Distance from floor to cylinder centerline.

## MS2180 Auto-Release Two-Point Flushbolt

MODELS & FINISHES		119, 121, 130	000
MS2180 Hourglass shaped turn, 7', 8', 9', 10' door height		\$292	
MS2181 Teardrop shaped turn, 7', 8', 9', 10' door height		\$292	
MS2182 Flush operator, 7', 8', 9', 10' door height			\$292

**How to Order** Specify quantity and the following information. Order related products separately.

*PRODUCT NO.	TURN SHAPE	DOOR HEIGHT (FROM FLOOR TO TOP OF DOOR)	FINISH TO MATCH
MS218	0	-07	-130
	0 Hourglass	07 Up to 7' Door	119 to Match 335 Black Anodized
	1 Teardrop	08 Up to 8' Door	121 to Match 313 Dark Bronze Anodized
	2 Flush Operator	09 Up to 9' Door	130 to Match 628 Clear Anodized
		10 Up to 10' Door	000 to Match Electroless Nickel*

\*MS2182 only available in Electroless Nickel finish (-000)



## 4189, 4190 Flush Locksets (Including Deadlock)

MODELS & FINISHES	STANDARD LOCK FACE	STAINLESS STEEL LOCK FACE	TRIM ONLY
<b>4189-IB</b> Flush lockset, 119, 121, or 130 finish, individually boxed	\$127	\$139	
<b>4190-IB</b> Flush lockset, 119, 121, or 130 finish, individually boxed with cylinder	\$165	\$177	
<b>4195-IB</b> Dummy flushset, 119, 121, or 130 finish, individually boxed*			\$87
SPECIAL MODEL			
<b>4189-00</b> Flush operator without lock			\$101
<b>4190-00</b> Flush operator without lock			\$139

\*4195 Furnished without lock.

### Kitted Options

MODELS	GRAY
<b>4413-01, 4413-02</b> Grip pull for use with 4189, 4190 includes 1" and 1-1/4" screws respectively	\$37



### How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	LOCKSET EXTERIOR	LOCK FACE	STILE THICKNESS	FINISH	KEYING OPTIONS	PACKAGING
41	90	-09	-1	-130	-01	IB
	89 Without Cylinder	00 Without Lock	1 1" to 1-3/8"	119 To match 335 Black Anodized	00 Without Cylinder	IB Individually Boxed
	90 With Cylinder	09 Radius	2 1-7/16" to 1-5/8"	121 To match 313 Dark Bronze Anodized	01 Keyed Different	
	95 Dummy	09S Radius Stainless Steel	3 1-11/16" to 2"	130 To match 628 Clear Anodized		
		10 Square				
		10S Square Stainless Steel				

## 4430, 4431 Flush Locksets (Including Deadlock)

MODELS & FINISH	STANDARD LOCK FACE	STAINLESS STEEL LOCK FACE	TRIM ONLY
<b>4430-IB</b> ABS flush lockset, individually boxed	\$88	\$101	
<b>4431-IB</b> ABS flush lockset with cylinder, individually boxed	\$132	\$146	
<b>4432-IB</b> ABS dummy flushset, individually boxed*			\$43
SPECIAL MODEL			
<b>4430-00</b> ABS operator without lock			\$63
<b>4431-00</b> ABS operator without lock			\$107

\*4432 Furnished without lock

### Kitted Options

MODELS & FINISHES	335
<b>4453-02-335-IB</b> Grip pull for use with 4430, 4431	\$96



### How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	LOCKSET EXTERIOR	LOCK FACE	STILE THICKNESS	PACKAGING
44	31	-09	-05	-IB
	30 Without Cylinder	00 Without Lock	00 1" to 1-5/16"	IB Individually Boxed
	31 With Cylinder	09 Radius	05 1-3/8" to 1-5/8"	10PK 10 Pack
	32 Dummy	09S Radius Stainless Steel	08 1-3/4" to 2"	
		10 Square		
		10S Square Stainless Steel		



# EXIT DEVICES

Alarm option cannot be combined with any other Device Option or Monitoring Option. Split finishes (faceplate/pushbar) are not available. Matching end cap option available for US finishes only. Please contact factory for specific ordering questions.

## 8099 Dummy Pushbar




MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
<b>8099-M0</b> Active dummy bar without latching mechanism, without monitoring switches.	\$400	\$755	\$837
<b>8099-M1</b> Active dummy bar with monitoring switch but without latching mechanism. May be wired normally open or normally closed to operate maglock, alarm or similar.	\$474	\$829	\$911
<b>8099-M2</b> Active dummy bar with two monitoring switches but without latching mechanism. May be wired normally open or normally closed to operate maglock, alarm or similar.	\$558	\$913	\$995

**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	MONITOR	DOOR TYPE	PUSHBAR FINISH	WIDTH	US FINISH	END CAPS OPTION FOR US FINISH
8099	-M1	-3	0	36	-US32	MEC
	<b>M0</b> Active Dummy Bar, no monitoring switches	3 Aluminum	0 US Finish	30 30 inches	US3 Bright Brass	MEC Matching END Caps
	<b>M1</b> Active Dummy Bar, one monitoring switch	4 Wood or hollow metal	1 Clear Anodized 628	36 36 inches	US4 Satin Brass	
	<b>M2</b> Active Dummy Bar, two monitoring switches		2 Dark Bronze Anodized 313	42 42 inches	32 Bright Stainless	
			3 Black Anodized 335	48 48 inches	32D Satin Stainless	

## 8100 | 3100 Surface Vertical Rod Exit Device

MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
<b>8100</b> Surface vertical rod exit device for wood and hollow metal	\$1,334	\$1,754	\$1,957
<b>8100T</b> Top rod only (less bottom rod) SVR exit device	\$1,234	\$1,654	\$1,857
<b>3100</b> Fire-rated surface vertical rod exit device for wood and hollow metal	\$1,590	\$2,010	\$2,213
<b>3100T</b> Fire-rated top rod only (less bottom rod) SVR for metal doors	\$1,490	\$1,910	\$2,113
<b>3100W</b> Fire-rated top rod only (less bottom rod) SVR for wood doors	\$1,490	\$1,910	\$2,113



### Kitted Options

MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
<b>3055</b> Tall door kit for doors up to 10' tall, for use with 3100	\$160	\$196	\$231
<b>8055-01</b> Tall door kit for doors up to 10' tall, for use with 8100, 8200	\$153	\$204	\$244


**How to Order** Specify quantity and the following information. Order related products separately.

MODEL	PUSHBAR FINISH	ROD TYPE	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH ON PAIR OF DOORS, SPECIFY HALF OF THE TOTAL EXIT OPENING	US FINISH	END CAPS OPTION FOR US FINISH
81	00	-	MLR	M2	-30	-US32D	MEC
31 Fire-Rated	00 US Finish	T Top Rod only	LR Electric Latch Retraction (solenoid)	M Single Switch	30 30 inches*	US3 Bright Brass	MEC Matching END Caps
81 Life-Safety	11 Clear Anodized 628	W Top Rod only - Wood doors	MLR Motorized Latch Retraction	M2 Dual Switch	36 36 inches	US4 Satin Brass	
	22 Dark Bronze Anodized 313	- Standard rod		(BLANK) NO Monitor	42 42 inches	US32 Bright Stainless	
	33 Black Anodized 335		48 48 inches		US32D Satin Stainless		
			AXXB Alarmed Exit Device where XX is door opening width				
		C Cylinder Dogging (non-fire rated devices ONLY)					
		A Alarm					
		(BLANK) No Option					

\*Please note that 30" exit devices cannot accommodate monitoring options EXCEPT when ordered in conjunction with the MLR option.

## 8200 Narrow Stile Surface Vertical Rod Exit Device

MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
<b>8200</b> Narrow stile surface vertical rod exit device	\$1,130	\$1,549	\$1,771
<b>8200T</b> Top rod only (less bottom rod) SVR exit device	\$1,030	\$1,449	\$1,671
SPECIAL MODELS			
<b>8200-99</b> SVR exit device, less rods	\$926	\$1,345	\$1,567



### Kitted Options

MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
<b>8055-01</b> Tall door kit for doors up to 10' tall, for use with 8100, 8200	\$153	\$204	\$244


**How to Order** Specify quantity and the following information. Order related products separately.

MODEL	PUSHBAR FINISH	ROD TYPE	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH ON PAIR OF DOORS, SPECIFY HALF OF THE TOTAL EXIT OPENING	US FINISH	END CAPS OPTION FOR US FINISH	
82	00	-	MLR	M2	-36	-US3		
82 Life-Safety	00 US Finish	T Top Rod only	LR Electric Latch Retraction (solenoid)	M Single Switch	30 30 inches	US3 Bright Brass	MEC Matching END Caps	
	11 Clear Anodized 628	- Standard rod		M2 Dual Switch	36 36 inches	US4 Satin Brass		
	22 Dark Bronze Anodized 313		MLR Motorized Latch Retraction	(BLANK) NO Option	42 42 inches	US32 Bright Stainless		
	33 Black Anodized 335				48 48 inches	US32D Satin Stainless		
			C Cylinder Dogging		AXXB Alarmed Exit Device where XX is door opening width			
			A Alarm					
			(BLANK) No Option					

\* Please note that 30" exit devices cannot accommodate monitoring options EXCEPT when ordered in conjunction with the MLR option.

## 8300 | 3300 Mortise Exit Device

MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
<b>8300</b> Mortise exit device for wood and hollow metal	\$1,020	\$1,441	\$1,535
<b>3300</b> Fire-rated mortise exit device for wood and hollow metal	\$1,301	\$1,722	\$1,816



### Kitted Options

MODELS & FINISH	US32D	MODELS & FINISH	US32D
<b>4009-01</b> Open back strike for 1-3/4" thick doors	\$178	<b>91-0995-04-IP</b> 2-1/2" thick door kit for use with 8300, 8400	\$28
<b>91-0995-02-IP</b> 2" thick door kit for use with 8300, 8400	\$24	<b>91-0995-05-IP</b> 2-3/4" thick door kit for use with 8300, 8400	\$33
<b>91-0995-03-IP</b> 2-1/4" thick door kit for use with 8300, 8400	\$24	<b>91-0995-06-IP</b> 3" thick door kit for use with 8300, 8400	\$33

For complete list of kitted options for mortise exit devices, please refer to 8400 Narrow Stile Mortise Exit Devices on next page.

**How to Order** Specify quantity and the following information. Order related products separately.

MODEL	FACEPLATE FINISH	FACE SHAPE	DEVICE OPTIONS	MONITORING OPTION	DOOR HANDING	PUSHBAR FINISH	DOOR OPENING WIDTH ON PAIR OF DOORS. SPECIFY HALF OF THE TOTAL EXIT OPENING	US FINISH	END CAPS OPTION FOR US FINISH
83	3	0	MLR	M	-7	3	A36B		
33 Fire-Rated	0 US Finish	0 Flat	LR Electric Latch Retraction (solenoid)	M Single Switch	7 RHR	0 US Finish	30 30 inches*	US3 Bright Brass	MEC Matching End Caps
83 Life-Safety	1 Clear Anodized 628		MLR Motorized Latch Retraction	M2 Dual Switch	8 LHR	1 Clear Anodized 628	36 36 inches	US4 Satin Brass	
	2 Dark Bronze Anodized 313		(BLANK) No Monitor	2 Dark Bronze Anodized 313		42 42 inches	US32 Bright Stainless		
						48 48 inches	US32D Satin Stainless		
								AXXB Alarmed Exit Device where XX is door opening width	
3 Black Anodized 335	C Cylinder Dogging (non-fire rated devices ONLY)	3 Black Anodized 335			AXXB Alarmed Exit Device where XX is door opening width	US32D Satin Stainless			
A Alarm									
	- Without Options								

\* Please note that 30" exit devices cannot accommodate monitoring options EXCEPT when ordered in conjunction with the MLR option.

US adamsrite.com | 800 626 7590 | customerservice.adamsrite@assaabloy.com  
CANADA assaabloydss.ca | 800 461 3007 | sales.dss.ca@assaabloy.com

Patent pending and/or patent www.assaabloydss.com/patents. Copyright © 2025, Hanchett Entry Systems, Inc., an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of Hanchett Entry Systems, Inc. is prohibited.

UPDATED January 15, 2025

**Adams  
Rite**  
**ASSA ABLOY**


## 8400 Narrow Stile Mortise Exit Device

MODEL & FINISHES	313, 335, 628	US4, US32D	US3, US32
8400 Narrow stile mortise exit device	\$842	\$1,254	\$1,393

Please contact factory for information on the 8475 Midpanel Mortise Exit Device. Pricing is standard pricing plus unique door cutting charge for custom cut length.

### Kitted Options

MODELS	US32D	MODELS	US32D
8455-01 Long face strike for covering MS strike prep	\$128	91-0995-04-IP 2-1/2" thick door kit for use with 8300, 8400	\$28
8460-17-630 Long lip strike for jambs that project outward 2-1/4" beyond the centerline of door	\$94	91-0995-05-IP 2-3/4" thick door kit for use with 8300, 8400	\$33
		91-0995-06-IP 3" thick door kit for use with 8300, 8400	\$33
91-0995-02-IP 2" thick door kit for use with 8300, 8400	\$24	91-0325-01 Thermal door kit, 1/4" cladding, for use with 8400	\$101
91-0995-03-IP 2-1/4" thick door kit for use with 8300, 8400	\$24	91-0325-02 Thermal door kit, 1/2" cladding, for use with 8400	\$182



### How to Order

Specify quantity and the following information. Order related products separately.

MODEL	FACEPLATE FINISH	FACE SHAPE	DEVICE OPTIONS	MONITORING OPTION	BACKSET	DOOR HANDING	PUSHBAR FINISH	DOOR OPENING WIDTH ON PAIR OF DOORS, SPECIFY HALF OF THE TOTAL EXIT OPENING	US FINISH	END CAPS OPTION FOR US FINISH
84	1	4	MLR	M2	-4	7	1	42		
84 Life-Safety	0 US Finish	0 Flat, Radius, Bevel	LR Electric Latch Retraction (solenoid)	M Switch	2 31/32"	7 RHR	0 US Finish	30 30 inches	US3 Bright Brass	MEC Matching End Caps
	1 Clear Anodized 628		M2 Dual Switch	3 1-1/8"	8 LHR	1 Clear Anodized 628	36 36 inches			
	2 Dark Bronze Anodized 313		4 Radius w/ Weatherstrip*	MLR Motorized Latch Retraction	(BLANK) No Monitor	4 1-1/2"		42 42 inches	US4 Satin Brass	
			C Cylinder Dogging	48 48 inches				US32 Bright Stainless		
			A Alarm	AXXB Alarmed Exit Device where XX is door opening width				US32D Satin Stainless		
			— Without Options							
						3 Black Anodized 335				


\*Radius with weatherstrip faceplate is not available in US finishes.

## 8500 | 3600 Metal Door Concealed Vertical Rod Exit Device

MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
8500 Concealed vertical rod exit device for hollow metal	\$944	\$1,360	\$1,498
8500T Top rod only (less bottom rod) CVR exit device	\$844	\$1,260	\$1,398
3600 Fire-rated concealed vertical rod exit device for hollow metal	\$1,449	\$1,865	\$2,003
3600T Fire-rated top rod only (less bottom rod) CVR exit device	\$1,349	\$1,765	\$1,903

### Kitted Options

MODEL	PRICE
3655 Tall door kit for doors taller than 66" above bar height, up to 10'	\$75
8655 Tall door kit for doors taller than 66" above bar height, up to 10' for use with 8500, 8600	\$71



### How to Order

Specify quantity and the following information. Order related products separately.


MODEL	PUSHBAR FINISH	ROD TYPE	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH ON PAIR OF DOORS, SPECIFY HALF OF THE TOTAL EXIT OPENING	US FINISH	END CAPS OPTION FOR US FINISH
85	00	T	MLR	M	-36	-US32D	
36 Fire-Rated	00 US Finish	T Top Rod only	LR Electric Latch Retraction (solenoid)	M Single Switch	30 30 inches*	US3 Bright Brass	MEC Matching End Caps
85 Life-Safety	11 Clear Anodized 628	— Standard rod	MLR Motorized Latch Retraction	M2 Dual Switch	36 36 inches	US4 Satin Brass	
	22 Dark Bronze Anodized 313		(BLANK) No Monitor	42 42 inches	US32 Bright Stainless		
				48 48 inches	US32D Satin Stainless		
	33 Black Anodized 335			C Cylinder Dogging (non-fire rated devices only)		AXXB Alarmed Exit Device where XX is door opening width	
				A Alarm			
		(BLANK) No Option					

\* Please note that 30" exit devices cannot accommodate monitoring options EXCEPT when ordered in conjunction with the MLR option.

## 8600 Narrow Stile Concealed Vertical Rod Exit Device

MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
8600 Narrow stile concealed vertical rod exit device	\$809	\$1,224	\$1,362
8600T Top rod only (less bottom rod) CVR exit device	\$709	\$1,124	\$1,262
SPECIAL MODELS			
8600-99 CVR exit device, less rods	\$605	\$1,020	\$1,158

Please contact factory for information on the 8675 Midpanel CVR Exit Device. Pricing is standard pricing plus unique door cutting charge for custom cut length.



### Kitted Options

MODEL	PRICE
8655 Tall door kit for doors taller than 66" above bar height, up to 10' for use with 8500, 8600	\$71


### How to Order Specify quantity and the following information. Order related products separately.

MODEL	PUSHBAR FINISH	ROD TYPE	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH ON PAIR OF DOORS, SPECIFY HALF OF THE TOTAL EXIT OPENING	US FINISH	END CAPS OPTION FOR US FINISH
86	22	T	MLR	M2	-36		
86 Life-Safety	00 US Finish	T Top Rod only	LR Electric Latch Retraction (solenoid)	M Single Switch	30 30 inches	US3 Bright Brass	MEC Matching End Caps
	11 Clear Anodized 628	– Standard rod		M2 Dual Switch	36 36 inches	US4 Satin Brass	
	22 Dark Bronze Anodized 313		MLR Motorized Latch Retraction	(BLANK) No Monitor	42 42 inches	US32 Bright Stainless	
			C Cylinder Dogging		48 48 inches		
	33 Black Anodized 335		A Alarm			AXXB Alarmed Exit Device where XX is door opening width	
			(BLANK) No Option				

\*Please note that 30" exit devices cannot accommodate monitoring options EXCEPT when ordered in conjunction with the MLR option.

## 8700 | 3700 Starwheel Rim Exit Device

MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
8700 Rim exit device for hollow metal and wood	\$782	\$1,167	\$1,278
3700 Fire-rated rim exit device for hollow metal and wood	\$986	\$1,371	\$1,482



### Kitted Options

MODEL	PRICE
3889-08 Mullion for doors up to 8' for use with 8700, 3700	\$737


### How to Order Specify quantity and the following information. Order related products separately.

MODEL	PUSHBAR FINISH	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH ON PAIR OF DOORS, SPECIFY HALF OF THE TOTAL EXIT OPENING	US FINISH	END CAPS OPTION FOR US FINISH	VOLTAGE**
87	00	EL	M2	-36	-US32		-12
37 Fire-Rated	00 US Finish	EL Electric Latch Retraction (solenoid)	M Single Switch	30 30 inches*	US3 Bright Brass	MEC Matching End Caps	12 Volts
87 Life-Safety	01 Clear Anodized 628		M2 Dual Switch	36 36 inches	US4 Satin Brass		24 Volts
	02 Dark Bronze Anodized 313	MLR Motorized Latch Retraction	(BLANK) No Monitor	42 42 inches	US32 Bright Stainless		
		C Cylinder Dogging (non-fire rated devices only)		48 48 inches			
	03 Black Anodized 335	A Alarm		AXXB Alarmed Exit Device where XX is door opening width	US32D Satin Stainless		
	(BLANK) No Option						

\*Please note that 30" exit devices cannot accommodate monitoring options EXCEPT when ordered in conjunction with the MLR option. \*\*EL Option Only.


## 8800 Narrow Stile Starwheel Rim Exit Device

MODEL & FINISHES	313, 335, 628	US4, US32D	US3, US32	BSP
8800 Narrow stile rim exit device	\$578	\$963	\$1,074	\$963



### Kitted Options

MODELS	313, 628
3890-08 Aluminum mullion for doors up to 8' for use with 8800	\$737
3890-10 Aluminum mullion for doors up to 10' for use with 8800	\$768



### How to Order Specify quantity and the following information. Order related products separately.

MODEL	PUSHBAR FINISH	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH ON PAIR OF DOORS, SPECIFY HALF OF THE TOTAL EXIT OPENING	US FINISH	END CAPS OPTION FOR US FINISH	VOLTAGE**		
88	01	C	M2	-36			-12		
88 Life-Safety	00 US Finish	EL Electric Latch Retraction (solenoid)	M Single Switch	30 30 inches	US3 Bright Brass	MEC Matching End Caps	12 Volts		
	01 Clear Anodized 628		M2 Dual Switch	36 36 inches	US4 Satin Brass		24 Volts		
	02 Dark Bronze Anodized 313	MLR Motorized Latch Retraction C Cylinder Dogging (non-fire rated devices only)	(BLANK) No Monitor	42 42 inches	US32 Bright Stainless				
	03 Black Anodized 335			48 48 inches	US32D Satin Stainless				
				A Alarm				AXXB Alarmed Exit Device where XX is door opening width	BSP Black Suede Powder
				(BLANK) No Option					

\*Please note that 30" exit devices cannot accommodate monitoring options EXCEPT when ordered in conjunction with the MLR option. \*\*EL Option Only.

## P8800 | P8700 Pullman Narrow Stile Rim Exit Device

MODEL & FINISHES	313, 335, 628	US4, US32D	US3, US32
P8800 Narrow stile rim exit device	\$568	\$953	\$1,064
P8700 Rim exit device for wood and hollow metal	\$740	\$1,125	\$1,236



### Kitted Options

MODELS	313, 628
3890-08 Aluminum mullion for doors up to 8' for use with P8800	\$737
3890-10 Aluminum mullion for doors up to 10' for use with P8800	\$768
3889-08 Mullion for doors up to 8' for use with P8700	\$737
3889-10 Mullion for doors up to 10' for use with P8700	\$768

### How to Order Specify quantity and the following information. Order related products separately.

MODEL	PUSHBAR FINISH	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH ON PAIR OF DOORS, SPECIFY HALF OF THE TOTAL EXIT OPENING	US FINISH	END CAPS OPTION FOR US FINISH
P88	01	C	M2	-36		
P88   P87	00 US Finish	MLR Motorized Latch Retraction	M Single Switch	30 30 inches	US3 Bright Brass	MEC Matching End Caps
	01 Clear Anodized 628	C Cylinder Dogging (non-fire rated devices only)	M2 Dual Switch	36 36 inches	US4 Satin Brass	
	02 Dark Bronze Anodized 313		(BLANK) No Monitor	42 42 inches	US32 Bright Stainless	
	03 Black Anodized 335	A Alarm		48 48 inches	US32D Satin Stainless	
		(BLANK) No Option		AXXB Alarmed Exit Device where XX is door opening width		


\*Please note that 30" exit devices cannot accommodate monitoring options EXCEPT when ordered in conjunction with the MLR option.

## 8900 | 3900 Wood Door Surface Concealed Vertical Rod Exit Device

MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
<b>8900</b> Surface concealed vertical rod exit device for wood	\$1,019	\$1,435	\$1,573
<b>3900</b> Fire-rated surface concealed vertical rod for wood	\$1,510	\$1,926	\$2,064

### Kitted Options

MODEL	PRICE
<b>8955-01</b> Tall door kit for doors up to 10' for use with 8900	\$74
<b>3955-01</b> Tall door kit for doors up to 10' for use with 3900	\$74



**How to Order** Specify quantity and the following information. Order related products separately.

MODEL	PUSHBAR FINISH	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH ON PAIR OF DOORS, SPECIFY HALF OF THE TOTAL EXIT OPENING	US FINISH	END CAPS OPTION FOR US FINISH
<b>89</b>	<b>00</b>	<b>LR</b>	<b>M2</b>	<b>-36</b>	<b>-US32</b>	
<b>39</b> Fire-Rated	<b>00</b> US Finish	<b>LR</b> Electric Latch Retraction (solenoid)	<b>M</b> Single Switch	<b>30</b> 30 inches*	<b>US3</b> Bright Brass	<b>MEC</b> Matching End Caps
<b>89</b> Life-Safety	<b>11</b> Clear Anodized 628		<b>M2</b> Dual Switch	<b>36</b> 36 inches	<b>US4</b> Satin Brass	
	<b>22</b> Dark Bronze Anodized 313	<b>MLR</b> Motorized Latch Retraction	<b>(BLANK)</b> No Monitor	<b>42</b> 42 inches	<b>US32</b> Bright Stainless	
	<b>33</b> Black Anodized 335	<b>C</b> Cylinder Dogging (non-fire rated devices only)		<b>48</b> 48 inches	<b>US32D</b> Satin Stainless	
		<b>A</b> Alarm		<b>AXXB</b> Alarmed Exit Device where XX is door opening width		
		<b>(BLANK)</b> No Option				

\*Please note that 30" exit devices cannot accommodate monitoring options EXCEPT when ordered in conjunction with the MLR option.

## Accessories for 8000 | 3000 Series Exit Devices

OPTIONS & FINISHES	N/A
<b>ALARM</b> Battery-operated alarmed exit device. Alarm option cannot be combined with any other device option or monitoring options	\$594
<b>C</b> Cylinder dogging NOT available with electrified or fire-rated options	\$65
<b>EL</b> Electric latch retraction (solenoid) for use with 3700, 8700, 8800 Starwheel rim exit devices only	\$473
<b>ELD</b> Electric latch retraction (solenoid) with mechanical dogging for rim exit devices only	\$539
<b>LR</b> Electric latch retraction (solenoid) for use with CVR, Mortise and SVR exit devices	\$843

OPTIONS & FINISHES	N/A
<b>MLR</b> Motorized latch retraction	\$871
<b>MEC</b> Matching end caps. For US finishes only, not applicable to anodized finishes	\$107
<b>M1</b> Monitor/single signal switch	\$165
<b>M2</b> Monitor/dual signal switch	\$244

## Kitted Options for 8000 | 3000 Series Exit Devices

MODELS & FINISHES	N/A	313, 335, 628	US4, US32D	US3, US32	119, 121, 652
<b>ALARM EXIT KIT</b> Kit for retrofitting an alarm function to an existing Adams Rite exit device Includes new pushbar, end caps and installation hardware		\$770	\$1,072	\$1,150	
<b>91-0897-01</b> Single signal switch kit, retrofits to 3000/8000	\$143				
<b>91-0897-02</b> Dual signal switch kit, retrofits to 3000/8000	\$223				
<b>26-0584-XXX-MP</b> Sex bolts, 2 per bag, 2 kits required per exit device					\$36

## Modification Options for 8000 | 3000 Series Exit Devices

Please contact factory for all product modifications.

MODELS	ADD
<b>THICK DOOR</b> For doors thicker than 1-3/4" and/or door skins plus reinforcement thicker than those specified in the Adams Rite Master Reinforcement Sheet template, for CVR and Mortise Exit Devices	\$87
<b>UNIQUE DOOR</b> Cutting charges for non-standard custom cut lengths between 30" and 48"	\$113
<b>CA</b> California 5lb to unlatch done by exitmod only; not available with MLR option	\$113
<b>INSULCLAD</b> Modification specify cladding thickness to be 1/4"	\$105
<b>INSULCLAD</b> Modification specify cladding thickness to be 1/2"	\$190

Please note that thick door modification options are available for 8300, 8400, and 8600 series exit devices only.

US [adamsrite.com](http://adamsrite.com) | 800 626 7590 | [customerservice.adamsrite@assaabloy.com](mailto:customerservice.adamsrite@assaabloy.com)  
CANADA [assaabloydss.ca](http://assaabloydss.ca) | 800 461 3007 | [sales.dss.ca@assaabloy.com](mailto:sales.dss.ca@assaabloy.com)

Patent pending and/or patent [www.assaabloydss.com/patents](http://www.assaabloydss.com/patents). Copyright © 2025, Hanchett Entry Systems, Inc., an ASSA ABLOY Group company.  
All rights reserved. Reproduction in whole or in part without the express written permission of Hanchett Entry Systems, Inc. is prohibited.

UPDATED January 15, 2025



# ELECTRIC STRIKES

## 7100, 7101 Electric Strikes

MODELS & FINISHES	313, 335, 628	626
<b>7100</b> For aluminum jambs	\$229	\$261
<b>7101</b> For radius aluminum stiles	\$229	
<b>7100-XX7, 7100-XX9</b> Monitoring signal switches	\$354	\$386

Lip Extensions up to 3" for center-hung or non-flush doors add \$43.



**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE SHAPE	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH**	LIP EXTENSIONS (DIM. A)** (DOOR CENTERLINE TO JAMB EDGE)	
710	0	-3	1	0	-628	-00	
	0 Flat	3 12 Volt	1 DC Continuous or Intermittent	0 Standard/Fail-Secure	313 Dark Bronze Anodized	00 1-1/16" or less	05 2"
	1 Radius	4 16 Volt		5 Fail-Safe	335 Black Anodized	01 1-1/2"	07 2-1/4"
		5 24 Volt	2 DC with 4603 Rectifier†	7 Monitored/ Fail-Safe	626 Satin Chrome	02 1-5/8"	09 2-1/2"
			4 AC Intermittent	9 Monitored/ Fail-Secure	628 Clear Anodized	03 1-3/4"	12 2-7/8"

\*Fail-secure can be converted to fail-safe and vice versa. \*\*7101 available in 313, 335, 628 only. \*\*\*Lip Extensions not available on 7101. †For -2 add \$23.

## 7110, 7111 Electric Strikes

MODELS & FINISHES	652
<b>7110</b> For wood jambs	\$271
<b>7111</b> For wood jambs, long faceplate	\$271
<b>7110-XX7, 7110-XX9</b> Monitoring signal switches	\$396

Lip Extensions up to 3" for center-hung or non-flush doors add \$43.



**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE LENGTH	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSIONS (DIM. A) (DOOR CENTERLINE TO JAMB EDGE)	
711	0	-3	1	0	-652	-00	
	0 7-15/16"	3 12 Volt	1 DC Continuous or Intermittent	0 Standard/Fail-Secure	652 Satin Chrome	00 1-1/16" or less	05 2"
	1 10-1/4"	4 16 Volt		5 Fail-Safe		01 1-1/2"	07 2-1/4"
		5 24 Volt	2 DC with 4603 Rectifier†	7 Monitored/ Fail-Safe		02 1-5/8"	09 2-1/2"
			4 AC Intermittent	9 Monitored/ Fail-Secure		03 1-3/4"	12 2-7/8"

\*Fail-secure can be converted to fail-safe and vice versa. †For -2 add \$23.



## 7130, 7131 Electric Strikes

MODELS & FINISHES	313, 335, 628
<b>7130</b> For aluminum jambs, pre-cut for MS lock strike plate	\$229
<b>7131</b> For radius aluminum stiles, pre-cut for MS lock strike plate	\$229
<b>7130-XX7, 7130-XX9</b> Monitoring signal switch	\$354

Lip Extensions up to 3" for center-hung or non-flush doors add \$43.

How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE SHAPE	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSIONS (DIM. A) (DOOR CENTERLINE TO JAMB EDGE)	
713	0	-3	1	0	-313	-00	
	0 Flat	3 12 Volt	1 DC Continuous or Intermittent	0 Standard/Fail-Secure	313 Dark Bronze Anodized	00 1-1/16" or less	05 2"
	1 Radius	4 16 Volt	2 DC with 4603 Rectifier†	5 Fail-Safe	335 Black Anodized	01 1-1/2"	07 2-1/4"
		5 24 Volt	4 AC Intermittent	7 Monitored/ Fail-Safe	628 Clear Anodized	02 1-5/8"	09 2-1/2"
				9 Monitored/ Fail-Secure		03 1-3/4"	12 2-7/8"

\*Fail-secure can be converted to fail-safe and vice versa. \*\*Lip extensions not available on 7131. †For -2 add \$23.



## 7140 Electric Strike

MODEL & FINISHES	313, 335, 628	626
<b>7140</b> ANSI size for hollow metal and wood jambs	\$229	\$261
<b>7140-XX7, 7140-XX9</b> Monitoring signal switch	\$354	\$386

Lip Extensions up to 3" for center-hung or non-flush doors add \$43.

How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSIONS (DIM. A) (DOOR CENTERLINE TO JAMB EDGE)	
7140	-3	1	0	-628	-00	
	3 12 Volt	1 DC Continuous or Intermittent	0 Standard/ Fail-Secure	313 Dark Bronze Anodized	00 1-1/16" or less	05 2"
	4 16 Volt	2 DC with 4603 Rectifier†	5 Fail-Safe	335 Black Anodized	50 1-3/8"	07 2-1/4"
	5 24 Volt	4 AC Intermittent	7 Monitor/Fail-Safe	626 Satin Chrome	01 1-1/2"	09 2-1/2"
			9 Monitor/Fail-Secure	628 Clear Anodized	02 1-5/8"	12 2-7/8"
					03 1-3/4"	

\*Fail-secure can be converted to fail-safe and vice versa. †For -2 add \$23.



## 7160 Electric Strike

MODELS & FINISHES	313, 335, 628	626
<b>7160</b> For aluminum jambs	\$290	\$322
<b>7160-XX7, 7160-XX9</b> Monitoring signal switches	\$415	\$490

Lip Extensions up to 3" for center-hung or non-flush doors add \$43.

How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSIONS (DIM. A) (DOOR CENTERLINE TO JAMB EDGE)	
7160	-3	1	0	-628	-00	
	3 12 Volt	1 DC Continuous or Intermittent	0 Standard/Fail-Secure	313 Dark Bronze Anodized	00 1-1/16" or less	05 2"
	4 16 Volt	2 DC with 4603 Rectifier†	5 Fail-Safe	335 Black Anodized	01 1-1/2"	07 2-1/4"
	5 24 Volt	4 AC Intermittent	7 Monitor/Fail-Safe	626 Satin Chrome	02 1-5/8"	09 2-1/2"
			9 Monitor/Fail-Secure	628 Clear Anodized	03 1-3/4"	12 2-7/8"

\*Fail-secure can be converted to fail-safe and vice versa. †For -2 add \$23.



## 7170 Electric Strike

MODELS & FINISHES	313, 335, 628	626
<b>7170</b> For hollow metal and wood jambs	\$290	\$322
<b>7170-XX7, 7170-XX9</b> Monitoring signal switches	\$415	\$490

Lip Extensions up to 3" for center-hung or non-flush doors add \$43.



**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSIONS (DIM. A) DOOR CENTERLINE TO JAMB EDGE
<b>7170</b>	<b>-3</b>	<b>1</b>	<b>0</b>	<b>-628</b>	<b>-00</b>
	3 12 Volt	1 DC Continuous or Intermittent	0 Standard/Fail-Secure	313 Dark Bronze Anodized	00 1-1/16" or less
	4 16 Volt		5 Fail-Safe	335 Black Anodized	50 1-3/8"
	5 24 Volt	2 DC with 4603 Rectifier†	7 Monitor/Fail-Safe	626 Satin Chrome	01 1-1/2"
		4 AC Intermittent	9 Monitor/Fail-Secure	628 Clear Anodized	02 1-5/8"
					03 1-3/4"

\*Fail-secure can be converted to fail-safe and vice versa. †For -2 add \$23.

## 7100 Series Electric Strike Components

STRIKE BODY KITS	PRICE
<b>7103A</b> For use with 7100/7101, 7110/7111, 7130/7131, 7140	\$191
<b>7173A</b> For use with 7160, 7170	\$246

One strike body kit matched with one faceplate kit makes a complete electric strike assembly.

FACEPLATE KITS & FINISHES	313, 335, 628	626	605
<b>FPK00</b> For use with body kits: 7103A, 7173A	\$39	\$69	\$77
<b>FPK01</b> For use with body kit: 7103A	\$38		
FACEPLATE KITS & FINISHES			652
<b>FPK10</b> For use with body kit: 7103A			\$80
<b>FPK11</b> For use with body kits: 7103A			\$80
FACEPLATE KITS & FINISHES	313, 335, 628	626	605
<b>FPK30</b> For use with body kit: 7103A	\$44		
<b>FPK31</b> For use with body kits: 7103A	\$44		
<b>FPK40</b> For use with body kit: 7103A, 7173A	\$38	\$69	\$77
<b>FPK45</b> For use with body kit: 7103A, for installing electric strike in previous prep, 4901, 4501 strike cover.	\$44		

Faceplate kits contain all hardware to mount electric strike.

## Kitted Options

MODELS	PRICE
<b>91-0171-01 THROUGH -13</b> Lip extension kits for use with 7100 through 7140	\$43
<b>91-0171-50</b> Lip extension kits for use with 7100 through 7140 interior framing systems	\$43
<b>91-0172-01 THROUGH -13</b> Lip extension kits for use with 7160 and 7170	\$43
<b>91-0172-50</b> Lip extension kits for use with 7160 and 7170 interior framing systems	\$43

## How to Order

Specify quantity and the following information. Order related products separately.

PRODUCT NO.	VOLTAGE	CURRENT AND DUTY	FEATURES*
<b>7103A</b>	<b>3</b>	<b>1</b>	<b>0</b>
<b>7103A</b>	3 12 Volt	1 DC Continuous or Intermittent	0 Standard/Fail-Secure
<b>7173A</b>	4 16 Volt	4 AC Intermittent	5 Fail-Safe
	5 24 Volt		

\*Fail-secure can be field converted to fail-safe or vice versa.



US [adamsrite.com](http://adamsrite.com) | 800 626 7590 | [customerservice.adamsrite@assaabloy.com](mailto:customerservice.adamsrite@assaabloy.com)  
CANADA [assaabloydss.ca](http://assaabloydss.ca) | 800 461 3007 | [sales.dss.ca@assaabloy.com](mailto:sales.dss.ca@assaabloy.com)

Patent pending and/or patent [www.assaabloydss.com/patents](http://www.assaabloydss.com/patents). Copyright © 2025, Hanchett Entry Systems, Inc., an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of Hanchett Entry Systems, Inc. is prohibited.

UPDATED January 15, 2025

## 7240 Fire-Rated Electric Strike

MODELS & FINISH	630
<b>7240</b> Fire-rated, for cylindrical latches	<b>\$469</b>
<b>7240-50</b> Lip extension for interior frame systems	<b>\$515</b>
<b>7240-XX9</b> Monitoring signal switches	<b>\$604</b>



How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSIONS (DIM. A) DOOR CENTERLINE TO JAM EDGE FOR INTERIOR FRAMES
<b>7240</b>	<b>-3</b>	<b>1</b>	<b>0</b>	<b>-630</b>	<b>-50</b>
	3 12 Volt	1 DC Continuous or Intermittent	0 Fail-Secure	630 Satin Stainless	00 1-1/16" or less
	5 24 Volt	2 DC with 4603 Rectifier†	9 Monitor/Fail-Secure		50 1-3/8"
		4 AC Intermittent			

\*Not available in fail-safe. †For -2 add \$23.

## 7270 Fire-Rated Electric Strike

MODELS & FINISH	630
<b>7270</b> Fire-rated, for mortise latches	<b>\$544</b>
<b>7270-50</b> Lip extension for interior frame systems	<b>\$587</b>
<b>7270-XX9</b> Monitoring signal switches	<b>\$679</b>




How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSIONS (DIM. A) DOOR CENTERLINE TO JAM EDGE FOR INTERIOR FRAMES
<b>7270</b>	<b>-3</b>	<b>1</b>	<b>0</b>	<b>-630</b>	<b>-50</b>
	3 12 Volt	1 DC Continuous or Intermittent	0 Fail-Secure	630 Satin Stainless	00 1-1/16" or less
	5 24 Volt	2 DC with 4603 Rectifier†	9 Monitor/Fail-Secure		50 1-3/8"
		4 AC Intermittent			

\*Not available in fail-safe. †For -2 add \$23.

## 7400, 7401 UltraLine® Preload-Capable Electric Strikes

MODELS & FINISHES	313, 335, 628	630	605, 606, 629	119, 121, 130
<b>7400</b> For radius jambs	<b>\$312</b>	<b>\$351</b>	<b>\$366</b>	
<b>7400M</b> Monitoring signal switches	<b>\$442</b>	<b>\$481</b>	<b>\$496</b>	
<b>7401</b> For radius aluminum stiles				<b>\$312</b>
<b>7401M</b> Monitoring signal switches				<b>\$442</b>



How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE SHAPE	FEATURES	FINISH		
<b>740</b>	<b>0</b>	<b>M</b>	<b>628</b>		
	0 Flat	- None	<b>7400 ONLY</b>		<b>7401 ONLY</b>
	1 Radius	<b>M</b> Monitored <b>A</b> Modular Pack - Body Kit*	313 Dark Bronze Anodized	628 Clear Anodized	119 To match 335 Black Anodized
			335 Black Anodized	629 Bright Stainless	121 To match 313 Dark Bronze Anodized
			605 Bright Brass	630 Satin Stainless	130 To match 628 Clear Anodized
			606 Satin Brass		

Fail-secure can be converted to fail-safe and vice versa. \* See page 25 for body or faceplate options.

US [adamsrite.com](http://adamsrite.com) | 800 626 7590 | [customerservice.adamsrite@assaabloy.com](mailto:customerservice.adamsrite@assaabloy.com)  
CANADA [assaabloydss.ca](http://assaabloydss.ca) | 800 461 3007 | [sales.dss.ca@assaabloy.com](mailto:sales.dss.ca@assaabloy.com)

UPDATED January 15, 2025

Patent pending and/or patent [www.assaabloydss.com/patents](http://www.assaabloydss.com/patents). Copyright © 2025, Hanchett Entry Systems, Inc., an ASSA ABLOY Group company.  
All rights reserved. Reproduction in whole or in part without the express written permission of Hanchett Entry Systems, Inc. is prohibited.

**Adams  
Rite**  
**ASSA ABLOY**

## 7410, 7411 UltraLine® Preload-Capable Electric Strikes

MODELS & FINISHES	313, 335, 628	630
<b>7410</b> For wood jambs, 7-15/16" faceplate	\$351	\$382
<b>7410M</b> Monitoring signal switches	\$481	\$512
<b>7411</b> For wood jambs, 10-1/4" faceplate, not available in 335 Finish	\$357	\$389
<b>7411M</b> Monitoring signal switches		\$519

**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE LENGTH	FEATURES	FINISH	
<b>741</b>	<b>0</b>	<b>-</b>	<b>628</b>	
	<b>0</b> 7-15/16"	<b>-</b> None	<b>313</b> Dark Bronze Anodized	<b>628</b> Clear Anodized
	<b>1</b> 10-1/4"	<b>M</b> Monitored	<b>335</b> Black Anodized	<b>630</b> Satin Stainless

*Fail-secure can be converted to fail-safe and vice versa.*



## 7430, 7431 UltraLine® Preload-Capable Electric Strikes

MODELS & FINISHES	313, 335, 628	119, 121, 130
<b>7430</b> For aluminum jambs, flat faceplate	\$320	
<b>7430M</b> Monitoring signal switches	\$450	
<b>7431</b> For aluminum stiles, radius faceplate		\$320
<b>7431M</b> Monitoring signal switches, not available in 119 finish.		\$450

**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE SHAPE	FEATURES	FINISH	
<b>743</b>	<b>0</b>	<b>M</b>	<b>628</b>	
	<b>0</b> Flat	<b>-</b> None	<b>313</b> Dark Bronze Anodized	<b>119</b> To match 335 Black Anodized
	<b>1</b> Radius	<b>M</b> Monitored	<b>335</b> Black Anodized	<b>121</b> To match 313 Dark Bronze Anodized
			<b>628</b> Clear Anodized	<b>130</b> To match 628 Clear Anodized

*Fail-secure can be converted to fail-safe and vice versa.*



## 7440 UltraLine® Preload-Capable Electric Strike

MODELS & FINISHES	313, 335, 628	630	605, 606, 629
<b>7440</b> For hollow metal and wood, jambs and doors	\$312	\$351	\$366
<b>7440M</b> Monitoring signal switches	\$442	\$481	\$496

*Fail-secure can be converted to fail-safe and vice versa.*

**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FEATURES	FINISH		
<b>7440</b>	<b>M</b>	<b>628</b>		
	<b>-</b> None	<b>313</b> Dark Bronze Anodized	<b>606</b> Satin Brass	<b>629</b> Bright Stainless
	<b>M</b> Monitored	<b>335</b> Black Anodized	<b>628</b> Clear Anodized	<b>630</b> Satin Stainless
		<b>605</b> Bright Brass		

*Fail-secure can be converted to fail-safe and vice versa.*



## 74R1 UltraLine® Preload-Capable Electric Strike

MODELS & FINISHES	119, 121, 130
<b>74R1</b> For use with rim exit devices with 3/4" latchbolt	<b>\$436</b>
<b>74R1M</b> Monitoring signal switches	<b>\$566</b>

**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FEATURES	FINISH
<b>74R1</b>	<b>M</b>	<b>-130</b>
	- None	<b>119</b> To match 335 Black Anodized
	<b>M</b> Monitored	<b>121</b> To match 313 Dark Bronze Anodized
		<b>130</b> To match 628 Clear Anodized

*Fail-secure can be converted to fail-safe and vice versa.*



## 74R2 UltraLine® Preload-Capable Electric Strike

MODELS & FINISHES	119, 121, 130
<b>74R2</b> For use with narrow stile rim exit devices with 1/2" latchbolt	<b>\$436</b>

**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FINISH
<b>74R2</b>	<b>-130</b>
	<b>119</b> To match 335 Black Anodized
	<b>121</b> To match 313 Dark Bronze Anodized
	<b>130</b> To match 628 Clear Anodized

*Fail-secure can be field converted to fail-safe or vice-versa.*



**MODULAR PACKING PROGRAM** — match strike body kit with faceplate kit for complete electric strike.  
Select 7400A for standard jambs and 7401A for radius stile mounting. No finish designation required for strike body kits.

## 7400 UltraLine® Electric Strike Components

STRIKE BODY KITS	PRICE
<b>7400A</b> Standard body, for use in single door applications	<b>\$288</b>
<b>7401A</b> Radius body, for use in applications with pairs of doors	<b>\$288</b>

*Match one strike body kit with one faceplate kit to make a complete electric strike assembly.*

FACEPLATE KITS & FINISHES	313, 335, 628	630	605, 606, 629	119, 121, 130
<b>FPK7400</b> For use with body kit: 7400A	<b>\$32</b>	<b>\$64</b>	<b>\$76</b>	
<b>FPK7401</b> For use with body kit: 7401A				<b>\$32</b>
<b>FPK7410</b> For use with body kit: 7400A	<b>\$71</b>	<b>\$100</b>		
<b>FPK7411</b> For use with body kit: 7400A, not available in 335 finish	<b>\$76</b>	<b>\$105</b>		
<b>FPK7430</b> For use with body kit: 7400A	<b>\$37</b>			
<b>FPK7431</b> For use with body kit: 7401A				<b>\$37</b>
<b>FPK7440</b> For use with body kit: 7400A	<b>\$32</b>	<b>\$64</b>	<b>\$76</b>	
<b>FPK7445</b> For use with body kit: 7400A, not available in 335 finish. For installing electric strike in previous prep 4901, 4501, strike cover.	<b>\$44</b>			

*Faceplate kits contain all hardware to mount electric strike.*

Kitted Options

MODELS	PRICES
LEK7400 Lip extension kits for use with 7400 series electric strikes, for flat faceplates only	\$57
VA7400-12 12 VDC adapter cable for 7400 electric strikes	\$17
VA7400-16VDC 16 VDC adapter kit for 7400 electric strikes	\$27
VA7400-24 24 VDC adapter cable for 7400 electric strikes	\$17
WDC7400 Wood door cover plate for use when mounting 7400 in the inactive leaf of a wood door pair (to simplify the mortising operation)	\$17
ELX ElectroLynx™ Adapter to connect Adams Rite products to the ElectroLynx system	\$40

How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	LIP EXTENSIONS (DISTANCE FROM VERTICAL CENTERLINE OF THE DOOR IN THE CLOSED POSITION TO THE EDGE OF THE JAMB)						
LEK7400	-00						
	01 1-1/2"	03 1-3/4"	05 2"	07 2-1/4"	09 2-1/2"	11 2-3/4"	13 3"
	02 1-5/8"	04 1-7/8"	06 2-1/8"	08 2-3/8"	10 2-5/8"	12 2-7/8"	50 1-3/8"

7800 Series Electric Strike

MODELS	630	613E, 628E, BSP	606	605, 629
7800 For use with Starwheel and Interlocking rim exit devices.	\$717	\$810	\$857	\$872

Accessories

MODELS	630	613E	628E	BSP	N/A
7800-116-XXX 1/16" Spacer plate	\$40	\$56	\$56	\$56	
7800-108-XXX 1/8" Spacer plate	\$40	\$56	\$56	\$56	
7800-SMB HES Surface Mounting Box					\$250

How to Order  
Specify quantity and the following information.  
Order related products separately.

PRODUCT NO.	FINISH
7800	— 630
	605 Bright Brass
	606 Satin Brass
	613E Dark Oxidized Satin Bronze Powder
	628E Satin Aluminum Clear Anodized
	629 Bright Stainless
	630 Satin Stainless
	BSP Black Suede Powder

\*Fail-secure can be field converted to fail-safe and vice versa.







# TRIM

## 1000 Series Turns

MODELS & FINISHES	119, 121, 130
<b>1000-01, 1000-02</b> Turn for use with MS1847 deadlock	\$35
<b>1000-11, 1000-21</b> Stainless steel turn and escutcheon for use with MS1847 deadlock	\$43
<b>1004</b> Turn for use with 5015, 5017 deadlock	\$43
<b>1015</b> Turn for use with 5015, 5017 deadlock	\$43
<b>1016</b> Outside escutcheon	\$35



How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	TURN TYPE		SPINDLE LENGTH						FINISH		
1000	-21		-14						-130		
	<b>TURN WITHOUT ESCUTCHEON</b> FURNISHED Unassembled			<b>DASH CHART</b>						<b>119</b> To match 335 Black Anodized	
		<b>-01</b> PARALLEL Drive		<b>-02</b> PERPENDICULAR Drive	NO.	"L"	MM	NO.	"L"		
					-11	17/32	13	-22	1-15/64	31	
	-12	39/64	15	-23	1-19/64	33					
	-13	43/64	17	-24	1-23/64	35					
	-14	47/64	19	-25	1-27/64	36					
	-15	51/64	20	-26	1-31/64	38					
	-16	55/64	22	-27	1-33/64	39					
	-17	59/64	23	-28	1-39/64	41					
	-18	63/64	25	-29	1-43/64	42					
	-19	1-3/64	26	-30	1-47/64	44					
	-20	1-7/64	28	-31	1-51/64	46					
	-21	1-11/64	30	-32	1-55/64	47					
	<b>TURN WITH ESCUTCHEON</b> FURNISHED Assembled									<b>121</b> To match 313 Dark Bronze Anodized	
		<b>-11</b> PARALLEL Drive		<b>-21*</b> PERPENDICULAR Drive							
											<b>130</b> To match 628 Clear Anodized

\* -21 option not available for 1015 and 1016 turns

## 3000 Fixed Pull

MODELS & FINISH	US32D
<b>3001</b> Tubular fixed pull for hollow metal or wood doors	\$248
<b>3002</b> Flat fixed pull for hollow metal or wood doors	\$276

### How to Order

Specify quantity and the following information. Order related products separately.

PRODUCT NO.	HANDLE	CYLINDER HOLE	EXIT DEVICE	FINISH
300	1	-1	1	-US32D
	1 Round	1 Without Hole	1 Mortise, Rim	US32D Satin Stainless
	2 Flat	2 With Hole	2 CVR	
			3 SVR	

Not for use with the following narrow stile exit devices: 8200 SVR, 8400 Mortise, 8600 CVR, 8800 Rim Exit Devices.



3080 Series Entry Trim

		STANDARD TRIM		ELECTRIFIED TRIM	
MODELS & FINISHES		US4, US32D, 10B	US3, US32 119	US4, US32D, 10B	US3, US32 119
STANDARD LEVER	3080 Entry trim with standard lever (01, 02, 03)	\$436	\$484	\$843	\$891
	3080-M Entry trim with standard lever (01, 02, 03) with matching trim cover finish	\$550	\$598	\$957	\$1,005
	3080-U Entry trim with standard lever (01, 02, 03) with universal trim kit includes tailpieces and trimplates for use with all Adams Rite exit devices	\$468	\$516	\$875	\$923
	3080-U, M Entry trim with standard lever (01, 02, 03), matching trim cover and universal trim kit	\$582	\$630	\$989	\$1,037
DESIGNER LEVER	3080-MX Entry trim with designer lever series (MD through MW)	\$495	\$543	\$902	\$950
	3080-MX, M Entry trim with designer lever series (MD through MW) with matching trim cover	\$609	\$657	\$1,016	\$1,064
	3080-MX, U Entry trim with designer lever series (MD through MW) with universal trim kit	\$527	\$575	\$934	\$982
	3080-MX, U, M Entry trim with designer lever series (MD through MW), universal trim kit and matching trim cover	\$641	\$689	\$1,048	\$1,096



Tactile strip now available as a Kitted Option (below) for standard levers 01 and 03.

Kitted Options

MODELS	PRICE
91-0686 Adaptor kit for 3080 trim and G86 exit device	\$38
91-0118 Tactile strip for 3080 standard levers 01, 03	\$47

How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	ELECTRIFIED	HANDLE	HANDING	CYLINDER HOLE	EXIT DEVICE	VOLTAGE	FEATURES	TRIM COVER FINISH	FINISH	
3080	E	-01	-0	-3	7	-3	0	M	US32D	
	(BLANK) Standard	STANDARD Handles	0 No Handing	3 With Hole	1 SVR	ELECTRIFIED Trim Only	ELECTRIFIED Trim Only	– Standard (Black)	US3 Bright Brass	
	E Electrified Trim	01 Curve	7 RHR*	9 Without Hole	3 Mortise	3 12 Volt DC	0 Fail-Secure	M Matching Finish	US4 Satin Brass	
		02 Round	8 LHR*		4 SCVR	5 24 Volt DC	5 Fail-Safe		10B Dark Bronze	
		03 Square			6 CVR				US32 Bright Stainless	
		DESIGNER Series			7 Rim				US32D Satin Stainless	
		MD MJ			U Universal Kit					119 Black Powder Coat
		ME MN* (Handed)								
		MG MV* (Handed)								
		MI MW								

\* Handing must be specified for MN and MV Designer Levers.



## 3090 eForce® Keyless Entry

MODELS & FINISHES	FOR DEADLATCHES & EXITS	FOR DEADLOCKS
	626, 121	626, 121
3090-01, 3090-02 eForce keyless entry with keypad	3090-01	3090-02
	\$959	\$987

### Kitted Options

MODELS	PRICE
RSK-3090 Remote switch input connector	\$24

How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	COMPATIBLE PRODUCTS	FINISH
3090	-01	-626
	01 Adams Rite latches or 8000 Series Exit Devices	121 To match 313 Dark Bronze Anodized
	02 Adams Rite MS® deadlocks	626 Satin Chrome




## 4060 Turn

MODEL & FINISH	130
4060 Turn for 1875 deadlock, 1-1/2", 1-3/4", or 2" door thickness	\$101

How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	DOOR THICKNESS	FINISH
4060	-05	-130
	05 1-1/2"	130 To match 628 Clear Anodized
	06 1-3/4"	
	07 2"	

Please contact factory regarding mounting spacers, bolts, guides and strikes for particular door designs.



## 4550 MS® Deadlock Lever

MODEL & FINISHES	119, 121, 130
4550, 01 Deadlock lever, 1-3/4" to 2" door thickness	\$243

How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	DOOR HAND	DOOR THICKNESS	FINISH
4550	R	-01	-130
	R RH or RHR	01 1-3/4" to 2"	119 To match 335 Black Anodized
	L LH or LHR		121 To match 313 Dark Bronze Anodized
			130 To match 628 Clear Anodized



## 4560, 4565 Series Deadlatch Handles for 4300, 4500, 4900 Deadlatches

MODELS & FINISHES	119, 121, 130
4560-X01 For door thickness (01) 1-3/4" to 2"	\$66
4560-X02 For door thickness (02) 2-1/4" to 2-1/2"	\$93
4560-X03 For door thickness (03) 2-3/4" to 3"	\$93
4560-X04 For door thickness (04) 3-1/4"	\$93
4565-X01 For door thickness (01) 1-3/4" to 2"	\$71
4565-X02 For door thickness (02) 2-1/4" to 2-1/2"	\$98
4565-X03 For door thickness (03) 2-3/4" to 3"	\$98
4565-X04 For door thickness (04) 3-1/4"	\$98



## 4560-010, 4565-010 Series Deadlatch Handles for MS+1890 Deadlock/Deadlatch

MODELS & FINISHES	119, 121, 130
4560-011 For door thickness (11) 1-3/4"	\$48
4560-012 For door thickness (12) 1-3/4" to 2-1/4"	\$60
4560-013 For door thickness (13) 2-15/16" to 2-3/4"	\$60
4565-011 For door thickness (11) 1-3/4"	\$53
4565-012 For door thickness (12) 1-3/4" to 2-1/4"	\$65

How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	HANDLE TYPE	HANDING	DOOR THICKNESS		FINISH
456	0	-5	01		-130
	0 Lever	0 Using MS+1890	FOR 4300, 4500, 4900 Series Deadlatches	FOR MS+1890	119 To match 335 Black Anodized
	5 Turn	5 LH or LHR			121 To match 313 Dark Bronze Anodized
		6 RH or RHR		01 1-3/4" to 2"	130 To match 628 Clear Anodized
				11 1-3/4"	
				12 1-3/4" to 2-1/4"	
			02 2-1/4" to 2-1/2"	13 2-5/16" to 2-3/4"	
			03 2-3/4" to 3"		
			04 3-1/4"		

## 4568, 4569 Eurostyle Deadlatch Handles for 4300, 4500, 4900 Deadlatches

MODELS & FINISHES	119, 121, 130
4568-X01 For door thickness (01) 1-3/4" to 2"	\$79
4568-X02 For door thickness (02) 2-1/4" to 2-1/2"	\$99
4568-X03 For door thickness (03) 2-3/4" to 3"	\$99
4568-X04 For door thickness (04) 3-1/4"	\$99
4569-X01 For door thickness (01) 1-3/4" to 2"	\$91
4569-X02 For door thickness (02) 2-1/4" to 2-1/2"	\$111
4569-X03 For door thickness (03) 2-3/4" to 3"	\$111
4569-X04 For door thickness (04) 3-1/4"	\$111



## 4568-010, 4569-010 Series Deadlatch Handles for MS+1890 Deadlock/Deadlatch

MODELS & FINISHES	119, 121, 130
4568-011 For door thickness (11) 1-3/4" to 1-15/16"	\$66
4568-012 For door thickness (12) 2" to 2-1/4"	\$77
4568-013 For door thickness (13) 2-15/16" to 2-3/4"	\$77
4568-014 For door thickness (14) 3"	\$77
4569-011 For door thickness (11) 1-3/4" to 1-15/16"	\$72
4569-012 For door thickness (12) 2" to 2-1/4"	\$83
4569-013 For door thickness (13) 2-15/16" to 2-3/4"	\$83
4569-014 For door thickness (14) 3"	\$83

How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	LEVER TYPE	HANDING	DOOR THICKNESS		FINISH
456	8	-5	01		-130
	8 Straight	0 Using MS+1890	FOR 4300, 4500, 4900 Series Deadlatches	FOR MS+1890	119 To match 335 Black Anodized
	9 Return End	5 LH or LHR			121 To match 313 Dark Bronze Anodized
		6 RH or RHR	02 2-1/4" to 2-1/2"	12 2" to 2-1/4"	130 To match 628 Clear Anodized
			03 2-3/4" to 3"	13 2-5/16" to 2-3/4"	
			04 3-1/4"	14 3"	

## 4570 ICU Latch Operator

MODELS & FINISHES	119, 121, 130
4570-01 For door thickness 1-3/4" to 2"	\$230

How to Order Specify quantity and the following information. Order related products separately.

MODEL	FINISH
4570-01	-130
	119 To match 335 Black Anodized
	121 To match 313 Dark Bronze Anodized
	130 To match 628 Clear Anodized



## 4576 ICU Flushbolt with Latch Operator

MODELS & FINISHES	130
4576-X01 For door thickness 1-3/4" to 2"	\$195

How to Order Specify quantity and the following information. Order related products separately.


PRODUCT NO.	HANDING	FINISH
4576	-601	-130
	501 Left Hand	130 To match 628 Clear Anodized
	601 Right Hand	



US [adamsrite.com](http://adamsrite.com) | 800 626 7590 | [customerservice.adamsrite@assaabloy.com](mailto:customerservice.adamsrite@assaabloy.com)  
 CANADA [assaabloydss.ca](http://assaabloydss.ca) | 800 461 3007 | [sales.dss.ca@assaabloy.com](mailto:sales.dss.ca@assaabloy.com)

4590 Deadlatch Paddle for 4300, 4500, 4900 Deadlatches






MODELS & FINISHES	313, 335, 628
4590-0X-00 For door thickness (00) 1-3/4"	\$128
4590-0X-01 For door thickness (01) 1-13/16" to 2"	\$154
4590-0X-02 For door thickness (02) 2-1/4" to 2-1/2"	\$154
4590-0X-03 For door thickness (03) 2-3/4" to 3"	\$154
4590-0X-04 For door thickness (04) 3-1/4"	\$154



4590 Deadlatch Paddle for MS+1890, 2190 Deadlocks

MODELS & FINISHES	313, 335, 628
4590-1X-00 For door thickness (00) 1-3/4"	\$109
4590-1X-01 For door thickness (01) 1-3/4" to 2-1/4"	\$135
4590-1X-02 For door thickness (02) 2-5/16" to 2-1/2"	\$135
4590-1X-03 For door thickness (03) 2-9/16" to 2-3/4"	\$135

How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	OPERATION			DOOR THICKNESS		FINISH*				
4590	02			-00		-313				
	FIRST DASH FOR LATCH SERIES	OPERATION		USE	FOR 4300, 4500, 4900 SERIES Deadlatches	FOR MS+1890, 2190				
	-01 4300/4500/4900	PULL TO LEFT		00 1-3/4"	00 1-3/4"	313 Dark Bronze Anodized				
	-11 MS+1890/2190			01 1-13/16" to 2"	01 1-3/4" to 2-1/4"	335 Black Anodized				
	-02 4300/4500/4900	PUSH TO LEFT		02 2-1/4" to 2-1/2"	02 2-5/16" to 2-1/2"	628 Clear Anodized				
	-12 MS+1890/2190			03 2-3/4" to 3"	03 2-9/16" to 2-3/4"					
	-03 4300/4500/4900	PULL TO RIGHT		04 3-1/4"						
	-13 MS+1890/2190									
	-04 4300/4500/4900	PUSH TO RIGHT								
	-14 MS+1890/2190									
										

\*Finish applied to paddle assembly only, not escutcheon.

## 4591 Deadlatch Paddle for 4300, 4500, 4900 Deadlatches

MODELS & FINISHES	313, 335, 628	US3, US26D
4591-0X-00 For door thickness (00) 1-3/4"	\$157	\$294
4591-0X-01 For door thickness (01) 1-13/16" to 2"	\$182	\$319
4591-0X-02 For door thickness (02) 2-1/4" to 2-1/2"	\$182	\$319
4591-0X-03 For door thickness (03) 2-3/4" to 3"	\$182	\$319
4591-0X-04 For door thickness (04) 3-1/4"	\$182	\$319







## 4591 Deadlatch Paddle for MS+1890, 2190 Deadlocks

MODELS & FINISHES	313, 335, 628	US3, US26D
4591-1X-00 For door thickness (00) 1-3/4"	\$134	\$273
4591-1X-01 For door thickness (01) 1-3/4" to 2-1/4"	\$162	\$298
4591-1X-02 For door thickness (02) 2-5/16" to 2-1/2"	\$162	\$298
4591-1X-03 For door thickness (03) 2-9/16" to 2-3/4"	\$162	\$298

### Options

MODELS	PRICES
4591MA Active paddle, latch activator with monitor switch	Add \$135
4591M Paddle with switch, no latch activator	Add \$117
91-0914 Monitor switch kit for 4591, field installation	\$140

How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	OPTIONS*	OPERATION			DOOR THICKNESS**		FINISH***	
4591	M	02			-00		-313	
	– Standard Paddle	FIRST DASH FOR LATCH SERIES	OPERATION		USE	FOR 4300, 4500, 4900 SERIES DEADLATCHES	FOR MS+1890, 2190	313 Dark Bronze Anodized
	M Paddle w/ switch only							335 Black Anodized
	MA Active paddle w/ switch	-01 4300/4500/4900	PULL TO LEFT		OUTSIDE of left hand reverse door or inside OF right hand	00 1-3/4"	00 1-3/4"	628 Clear Anodized
		-11 MS+1890/2190	PUSH TO LEFT			01 1-13/16" to 2"	01 1-3/4" to 2-1/4"	US3 Bright Brass
		-02 4300/4500/4900			02 2-1/4" to 2-1/2"	02 2-5/16" to 2-1/2"	US26D Satin Chrome	
		-12 MS+1890/2190	PULL TO RIGHT		03 2-3/4" to 3"	03 2-9/16" to 2-3/4"		
		-03 4300/4500/4900			04 3-1/4"			
		-13 MS+1890/2190						
		-04 4300/4500/4900	PUSH TO RIGHT		OUTSIDE of right hand door or inside of left hand reverse			
-14 MS+1890/2190								

\*M and MA options available on push paddles only, not pull paddles. \*\* M monitor option, switch only, door thickness is not required. \*\*\*Finish applied to paddle assembly only, not escutcheon.

4600 Heavy Duty Designer Deadlatch Handles

		LEVER OPERATOR FOR 4300, 4500, 4900 SERIES DEADLATCHES		LEVER OPERATOR FOR 2190, 2290 INTERCONNECTED DEADBOLT/DEADLATCH	
MODELS & FINISHES		10B, US4, US32D	US3, US32	10B, US4, US32D	US3, US32
STANDARD LEVER	4600 Trim with standard lever (01, 02, 03)	\$185	\$230	\$163	\$208
	4600-M Trim with standard lever (01, 02, 03) with form 'C' switch option to indicate when lever is actuated	\$250	\$295	\$228	\$273
	4600 THICK DOOR Trim with standard lever (01, 02, 03) for door thickness greater than 1-7/8"	\$213	\$258	\$191	\$236
	4600-M THICK DOOR Trim with standard lever series (01, 02, 03) for door thickness greater than 1-7/8"	\$278	\$323	\$256	\$301
DESIGNER LEVER	4600-MX Trim with designer lever series (MD through MW)	\$239	\$284	\$217	\$262
	4600-MX, M Trim with designer lever series (MD through MW) with form 'C' switch option	\$304	\$349	\$282	\$327
	4600-MX THICK DOOR Trim with designer lever series (MD through MW) for door thickness greater than 1-7/8"	\$267	\$312	\$245	\$290
	4600-MX, M THICK DOOR Trim with designer lever series (MD through MW) or door thickness greater than 1-7/8"	\$332	\$377	\$310	\$355



Kitted Options

MODELS	PRICES
REX-4600 Request to exit kit	\$55
DTK-4600 Fixed lever (dummy) kit	\$17
TDK-4600-XX Thick door kit. Specify door thickness*	\$37
TBK-4600-XX Through-bolt mounting kit for back-to-back mounting on wood doors. Specify door thickness*	\$37

\*For door thickness (01) 1-3/4", (02) 2", (03) 2-1/4", (04) 2-1/2" and (05) 2-3/4".

How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	REX	HANDLE	HANDING**	DOOR THICKNESS	COMPATIBLE PRODUCTS	FINISH
4600	M	-01	-5	1	1	-32D
	(BLANK) Standard	STANDARD HANDLES	5 LH or LHR	1 1-3/4" to 1-7/8"	1 2190, 2290 Interconnected Deadbolt/Deadlatch	US3 Bright Brass
	M Switch Option	01 Curve	6 RH or RHR	2 2" to 2-1/8"	2 4300, 4500, 4900 Series Deadlatches	US4 Satin Brass
		02 Round		3 2-1/4" to 2-3/8"		10B Dark Bronze
		03 Square		4 2-1/2" to 2-5/8"		US32 Bright Stainless
		DESIGNER SERIES		5 2-3/4" to 2-7/8"		US32D Satin Stainless
		MD MJ				
		ME MN* (Handed)				
		MG MV* (Handed)				
		MI MW				

\*Handing must be specified for MN and MV Designer Levers. \*\*Handing - assuming lever on interior of door.



# CYLINDERS & ACCESSORIES

## 4024, 4025, 4026 Cylinder Pulls

MODELS & FINISHES	119, 121, 130
4024-00-01, 02 Cylinder pull, Schlage "C" keyway	\$84
4024-06-01, -02 Cylinder pull, Weiser keyway	\$91
4025-00-01, 02 Cylinder pull, Schlage "C" keyway	\$91
4025-06-01, 02 Standard cylinder pull, Weiser keyway	\$91
4025-100-02, CYL X CYL Cylinder both sides pull set, Schlage "C" keyway	\$180
4025-106-02, CYL X CYL Cylinder both sides pull set, Weiser keyway	\$184
4026-00-01, 02 Cylinder pull for use with 5015, 5017 Wood Door Deadlock, Schlage "C" keyway	\$93
4026-06-01, 02 Cylinder pull for use with 5015, 5017 Wood Door Deadlock, Weiser keyway	\$93

Please contact factory for special cylinder requirements.



How to Order Specify quantity and the following information. Order related products separately.

PULL TYPE	PULL NO./CYLINDER INCLUDED	KEYING	FINISH
4024	-00	-01	-130
4024 Trim Plate Mounted	00 Schlage "C" Keyway	01 Keyed Different	119 To match 335 Black Anodized
4025 Stile Mounted with through - screws	06 Weiser Keyway	02 Keyed Alike in Pairs	121 To match 313 Dark Bronze Anodized
4026 For Wood Applications			130 To match 628 Clear Anodized

## 4036 Mortise Cylinder

MODEL & FINISHES	313, 335, 628
4036 Five pin cylinder. 2 keys and 1/4" ring, KD, KA2 only For 3300, 3600, 8300, 8400, 8500, 8600, or entry trim. Can be installed directly in latch case of 8400, 8300, or 3300.	\$57

How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	LOCK TYPE	KEY OPTIONS*	FINISH
4036	-01	-01	-628
	01 For MS Locks, Deadlatches, 2190	01 Keyed different	313 Dark Bronze Anodized
	02 For 4070 Deadlock	02 Keyed alike in pairs	335 Black Anodized
	03 For 2331 Deadlock		628 Clear Anodized

\* Keyed alike 50 (KA50) are available by special order in quantity of 50 cylinders only. Please contact factory for ordering information.



## MS4043 Cylinder Guard

MODELS & FINISHES	119, 121, 130
<b>MS4043-00</b> Cylinder guard, 1/8" stile wall, 5 or 6 pin cylinder	\$47
<b>MS4043-01</b> Cylinder guard, 1/4" stile wall, 5 or 6 pin cylinder	\$54
<b>MS4043-02</b> Cylinder guard, 1/8" stile wall, 1-5/16" to 1-7/16" long cylinder	\$75



### How to Order

Specify quantity and the following information. Order related products separately.

PRODUCT NO.	STILE WALL & CYLINDER	FINISH
<b>MS4043</b>	<b>-01</b>	<b>-130</b>
	<b>STILE WALL</b>	<b>CYLINDER</b>
	00 1/8"	5 or 6 pin
	01 1/4"	5 or 6 pin
	02 1/8"	1-5/16" to 1-7/16" long
		119 To match 335 Black Anodized
		121 To match 313 Dark Bronze Anodized
		130 To match 628 Clear Anodized

## 4066 Thumbturn

MODEL & FINISHES	130, 313, 335
<b>4066</b> Thumbturn cylinder with 1/4" ring	\$57



### How to Order

Specify quantity and the following information. Order related products separately.

PRODUCT NO.	LOCK TYPE	FINISH
<b>4066</b>	<b>-01</b>	<b>-130</b>
	01 For MS Locks, Deadlatches	130 To match 628 Clear Anodized
	02 For 4070 Deadlock	313 Dark Bronze Anodized
	03 For 2331 Deadlock	335 Black Anodized

## 4580 Cam Plug

MODELS	PRICES
<b>4580-X00</b> Included with lever handles, 1-3/4" door thickness	\$25
<b>4580-X01</b> Included with lever handles, 2" door thickness	\$25
<b>4580-X02</b> Included with lever handles, 2-1/4" door thickness	\$35
<b>4580-X03</b> Included with lever handles, 2-3/4" door thickness	\$35

For "X" specify 5 for LH Door and 6 for RH Door. Contact factory for door thickness exceeding 2-3/4".



## 4581 Universal Cam Plug (used In 4300, 4600, DL100)

MODELS	PRICES
<b>4581-01</b> Universal cam plug, non-handed, for 1-3/4" door thickness (included in 4600)	\$34
<b>4581-02</b> Universal cam plug, non-handed, for 2" door thickness	\$43
<b>4581-03</b> Universal cam plug, non-handed, for 2-1/4" door thickness	\$43

Contact factory for door thickness exceeding 2-1/4".



## 8650 Cylinder Escutcheon Kit

MODELS & FINISHES	US32	US4, US32D	119, 121, 130
8650 Cylinder escutcheon kit for 3600, 8500, 8600 exit devices	\$104	\$91	\$46
8650 For wall thickness over 1/8" *	\$145	\$132	\$87


\*Please contact factory for wall thickness greater than 1/8".



## 8736 Rim Cylinder

MODEL & FINISHES	313, 335, 628
8736 Five-pin Rim cylinder for use with 3100, 3700, 8100, 8200, 8700, 8800 exit devices.	\$59

Available keyed different, keyed alike, sets of 2.



## 4014 Two-Point Conversion Kit

MODEL	PRICE
4014-01 Two-point conversion kit for MS1861 Bottom Rail Deadlock	\$48

## 4015 Threshold Bolt

MODEL & FINISHES	603
4015-18-1B Two-point converter, threshold bolt, standard cylinder height.	\$59
4015-XX-1B Two-point converter, threshold bolt, specify cylinder height greater than 53", 60" maximum.	\$88

Please contact factory for cylinder heights above 53".

### How to Order

Specify quantity and the following information. Order related products separately.

PRODUCT NO.	ADD DASH NUMBER FOR "UNIVERSAL SIZE"	PACKAGING
4015	-18	-1B
		1B Individually Boxed

Please specify cylinder height if ordering in volume quantity.



## 4016 Header Bolt

MODEL	PRICE
4016 Three-point converter, provides upper bolt for MS1850/1870 Deadlocks	\$76

### How to Order

Specify quantity and the following information. Order related products separately.

PRODUCT NO.	LOCK BACKSET	DOOR HEIGHT
4016	-30	-01
	10 1-1/2"	01 7' Door
	20 31/32"	02 10' Door
	30 1-1/8"	



## 4085 Header Bolt (Pairs of Doors Only)

MODELS & FINISHES	PRICE
4085-01-IB Positioner bolt and header strike, specify cylinder height for 7' door height	\$112
4085-02-IB, 4085-03-IB, 4085-04-IB Positioner bolt and header strike, specify cylinder height for door height greater than 7', door height 10' maximum.	\$138

How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	DIMENSION 'A'	PACKAGING
4085	-02	-IB
	01 30" - 52"	IB Individually Boxed
	02 52" - 67"	
	03 67" - 79"	
	04 79" - 92"	

Contact factory for door height greater than 7'.

EXAMPLE		
DOOR Height	CYLINDER Height	A
96"	- 40"	= 56"

7' Door is 84"  
8' Door is 96"  
9' Door is 108"  
10' Door is 120"



## 4089 Exit Indicator


MODELS & FINISHES	119, 121, 130
4089-00, 4089-01 Indicator for 1-3/4" door, includes both UBC and IBC signs	\$73
4089-20 Indicator for 2" to 2-1/2" door, includes both UBC and IBC signs	\$120

### Accessories

MODELS	PRICES
91-0912 Adapter plate for converting MS1850/4089 installation to deadlatch and lever handle or paddle. Select 121 or 130 finish.	\$44
20-0255-IP Header sign "...During Business Hours"	\$11
20-0256-IP IBC header sign "...Building is Occupied"	\$11

How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	OPTIONS	FINISH
4089	-01	-130
	00 Standard 1-3/4" Door	119 To match 335 Black Anodized
	01 For Inverted Lock	121 To match 313 Dark Bronze Anodized
	20 For Doors up to 2-1/2"	130 To match 628 Clear Anodized



## 4104 Mounting Bridges

MODELS	PRICE
4104-01 Radius mounting bridge	\$15
4104-02 Flat mounting bridge	\$15
4104-03 Left hand bevel mounting bridge	\$15
4104-04 Right hand bevel mounting bridge	\$15



## 91-0965 Universal Mounting Tab Kits for Installing MS® Locks & Latches

MODELS	PRICE
91-0965 Mounting tab kits for flat/radius stiles	\$22
91-0966 Mounting tab kits for beveled stiles, includes tabs for right hand and left hand bevel doors and mounting screws for clear and dark bronze.	\$22



## B1921, B1923 Reinforcing Pivots

MODELS & FINISH	PRICE
<b>B1921</b> 1/2" offset to match pivot point of 4" wide butt hinge	\$113
<b>B1923</b> 3/4" offset to match pivot point of 4-1/2" wide butt hinge	\$99



**How to Order** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	MODEL
<b>B192</b>	<b>1</b>
	1 4"
	3 4-1/2"

## STRIKES

### 2190 Dual Force® Interconnected Deadbolt/Deadlatch Strikes

MODELS & FINISHES	630	119, 121
<b>2101-01</b> Standard flat strike with dust box	\$35	\$45
<b>2101-02</b> Standard radius strike with dust box	\$35	\$45
MODELS & FINISHES	630	121
<b>2101-21*</b> Strike with extended lip, 4.5" only, flat strike	\$54	\$64
<b>2102-01</b> Retrofit strike extended height 7-5/8" with dust box	\$49	\$59

\*Contact factory for available sizes.

### 2290 Dual Force® Interconnected Deadbolt/Deadlatch Strikes

MODELS & FINISHES	630	119, 121
<b>2206-01</b> Standard flat strike with dust box	\$35	\$43
<b>2206-21*</b> Strike with extended lip, specify dimension from strike centerline to frame face, to 4.5" maximum, flat strike only	\$54	

\*Contact factory for available sizes.

### 4000 Series MS® Deadlock Strikes

MODELS & FINISHES	630	313, 335, 628	US3, US26D	119, 121
<b>4000</b> Trim Strike		\$37		
<b>4001</b> Box Strike, includes dust box		\$47	\$75	
<b>MS4002</b> Armored Strike		\$74	\$100	
<b>4003</b> ANSI strike, available in 121 or US26D only			\$90	\$90
<b>4005</b> Strike for 4015 Threshold Bolt	\$28			
<b>4006</b> Strike for 1830 Bottom Rail Deadlock	\$57			\$66
<b>4009-01</b> Open back strike for 3300, 8300 Series Mortise Exit Device	\$178			
<b>4170</b> Trim strike for 4070 Short Throw Deadbolt, not available in 335 finish		\$38		\$38
<b>4505-01</b> Flat armored box strike for MS+1890 Deadlock/Deadlatch	\$64			\$72
<b>4505-02</b> Radius armored box strike for MS+1890 Deadlock/Deadlatch	\$64			\$72
<b>4505-17, 4505-21</b> Flat long lip armored box strike, 4" or 4.5" Respectively	\$80			\$88



**How to Order** Specify quantity and the following information. Order related products separately.

STRIKE MODEL	TRIM PLATE SHAPE	COMPATIBLE DEADLOCK	TRIM PLATE CORNERS	FINISH
<b>4001</b>	<b>-0</b>	<b>1</b>	<b>1</b>	<b>-313</b>
<b>4000</b> Trim Strike	<b>0</b> Flat	<b>1</b> All Standard MS® locks with 1-3/8" Bolt Throw	<b>1</b> Square	<b>03</b> Bright Brass (US3)
<b>4001</b> Box Strike	<b>1</b> Radius	<b>2</b> 1850A-020 with 3/4" Bolt Throw Only	<b>2</b> Round	<b>313</b> Dark Bronze Anodized
<b>MS4002</b> Armored Strike		<b>3</b> All MS-050 Hookbolt locks		<b>335</b> Black Anodized
				<b>628</b> Clear Anodized
				<b>US26D</b> Satin Chrome

US adamsrite.com | 800 626 7590 | customerservice.adamsrite@assaabloy.com  
CANADA assaabloydss.ca | 800 461 3007 | sales.dss.ca@assaabloy.com

UPDATED January 15, 2025

Patent pending and/or patent www.assaabloydss.com/patents. Copyright © 2025, Hanchett Entry Systems, Inc., an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of Hanchett Entry Systems, Inc. is prohibited.

**Adams  
Rite**  
**ASSA ABLOY**

## 4800, MS4804 Series Strikes

MODELS & FINISHES	603	630
MS4804-10-630 Reinforcing strike and screws, two-part with reinforcement for strengthening metal jamb		\$28
4801 Metal strike, specify dash number indicating shim quantity	\$24	\$31
4802 Wood strike, specify dash number indicating shim quantity	\$24	
4810-01, 4810-02 Box strike for 5017 Wood Door Deadlock/Deadlatch	\$24	

How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	TYPE OF JAMB	DIMENSION 'A'	FINISH
480	1	-02	-630
	1 Metal	01 3/32"	603 Zinc Plated Steel
	2 Wood	02 3/16"	630 Satin Stainless
		03 9/32"	

4802 only available in 603 finish.



## 4901, 4902 Deadlatch Strikes

MODELS & FINISHES	630	119, 121
4901-01 Flush mount flat strike, mortised with dust box	\$25	\$31
4901-02 Flush mount radius strike, mortised with dust box	\$25	\$31
4901-XX Extended lip strike, specify lip dim 'A', 2.5" maximum*	\$48	\$53
4902-01 Short box strike, flat with dust box, mounting plate	\$25	\$31
4902-02 Short type box strike, radius with dust box, mounting plate	\$25	\$31
4902-XX Extended lip strike, specify lip dim 'A', 2.5" maximum*	\$48	\$61
4506-02 Strike for use with 4920AN, not available in 119 finish	\$48	\$57

\*See dim. 'A' dash chart table below.



How to Order Specify quantity and the following information. Order related products separately.

PRODUCT NO.	STRIKE TYPE	FACEPLATE SHAPE				FINISH
490	1	-02				630
		STANDARD LIP				119 To match 335 Black Anodized
	1 Long	01	Flat			121 To match 313 Dark Bronze Anodized
	2 Short	02	Radius			630 Satin Stainless Steel
		LONG LIP FOR CENTER HUNG DOOR		LONG LIP FOR CENTER HUNG DOOR		
			DIM. 'A'		DIM. 'A'	
		03 2-1/4" Wide Jamb	1-1/8"	13 3-1/2" Wide Jamb	1-3/4"	
		05 2-1/2" Wide Jamb	1-1/4"	15 3-3/4" Wide Jamb	1-7/8"	
		07 2-3/4" Wide Jamb	1-3/8"	17 4" Wide Jamb	2"	
		09 3" Wide Jamb	1-1/2"	19 4-1/4" Wide Jamb	2-1/8"	
		11 3-1/4" Wide Jamb	1-5/8"	21 4-1/2" Wide Jamb	2-1/4"	

## 4304 Deadlatch Strikes

MODEL & FINISHES	630	119, 121
4304 Surface mount strike for 4300 Electrified Deadlatch	\$28	\$36

## THICK DOOR KITS

### 2190, 2290 Dual Force® Interconnected Deadbolt/Deadlatch Thick Door Kit

MODELS	PRICE
2190-TDK-XX Thick door kit for 2190, 2290 standard exterior trim set. Specify door thickness.*	\$79
2190-TDK-CL1, -CL2 Thick door kit for 2190, 2290 clad doors. CL-1 for a standard 1-3/4" thick door with 1/4" cladding. CL-2 for a standard 1-3/4" thick door with 1/2" cladding.	\$79
TDK-4600-XX Thick door kit for 2190, 2290 low profile trim set. Specify door thickness.*	\$37

\*For door thickness (01) 1-3/4", (02) 2", (03) 2-1/4", (04) 2-1/2", (05) 2-3/4", (06) 3", (07) 3-1/4".

### 4568, 4569 Eurostyle Deadlatch Handle Thick Door Kits

MODELS	PRICE
91-0128-02, 91-0128-03, 91-0128-04 Thick door kits for 4568, 4569	\$27
26-0203-01, 26-0203-02, 26-0203-03 Thick door kits for 4568-11, 4569-11	\$27

## FACEPLATES

### MS1850S Deadlock Faceplates

MODELS & FINISHES	313, 628
BFK-MS1850-10 Blank faceplate kit, flat, 1" x 6-7/8"	\$30
BFK-MS1850-11 Blank faceplate kit, radius, 1" x 6-7/8"	\$30

### MS1850S, MS1950P Deadlock (Standard Bolt) Faceplates

MODELS & FINISHES	313, 335, 628
24-0384-010 Flat faceplate	\$11
24-0384-110 Radius faceplate	\$11
24-0384-210 Left hand bevel faceplate	\$11
24-0384-310 Right hand bevel faceplate	\$11
24-0384-410 Radius with weatherstrip	\$16
SPECIAL MODELS	313, 628
24-0384-110-313-B100, 24-0384-110-628-B100 Radius faceplates, bulk package of 100 units	\$867
24-0384-210-313-B100, 24-0384-210-628-B100 Left hand bevel faceplates, bulk package of 100 units	\$867
24-0384-310-313-B100, 24-0384-310-628-B100 Right hand bevel faceplates, bulk package of 100 units	\$867
24-0384-410-313-B100, 24-0384-410-628-B100 Radius with weatherstrip faceplates, bulk package of 100 units	\$1,191

Please note that all 100 faceplates in the bulk package are of the same finish.

## MS1850S, MS1950P Deadlock (Hookbolt and Short Bolt) Faceplates

MODELS & FINISHES	313, 335, 628
24-0384-020 Flat faceplate	\$11
24-0384-120 Radius faceplate	\$11
24-0384-220 Left hand bevel faceplate	\$11
24-0384-320 Right hand bevel faceplate	\$11
24-0384-420 Radius with weatherstrip	\$16
SPECIAL MODELS	313, 628
24-0384-020-313-B100, 24-0384-020-628-B100 Flat faceplates, bulk package of 100 units	\$867
24-0384-120-313-B100, 24-0384-120-628-B100 Radius faceplates, bulk package of 100 units	\$867
24-0384-220-313-B100, 24-0384-220-628-B100 Left hand bevel faceplates, bulk package of 100 units	\$867
24-0384-320-313-B100, 24-0384-320-628-B100 Right hand bevel faceplates, bulk package of 100 units	\$867
24-0384-420-313-B100, 24-0384-420-628-B100 Radius with weatherstrip faceplates, bulk package of 100 units	\$1,191

Please note that all 100 faceplates in the bulk package are of the same finish.

## MS1850SN410 Deadlock (Standard Bolt) Faceplates

MODELS & FINISHES	313, 335, 628
24-0226-010 Flat faceplate	\$16
24-0226-110 Radius faceplate	\$16

## MS1850SN450 Deadlock (Hookbolt) Faceplates

MODELS & FINISHES	313, 335, 628
24-0226-020 Flat faceplate	\$16
24-0226-120 Radius faceplate	\$16

## 1870 Flushbolt Faceplates

MODELS & FINISHES	313, 335, 628
24-0168-00 Flat faceplate	\$24
24-0168-01 Radius faceplate	\$24
24-0168-02 Left hand bevel faceplate	\$24
24-0168-03 Right hand bevel faceplate	\$24
24-0168-04 Radius with weatherstrip	\$27

## MS+1890 Deadlock Faceplates

MODELS & FINISHES	313, 335, 628
24-0270-020 Flat faceplate	\$15
24-0270-120 Radius faceplate	\$15
24-0270-220 Left hand bevel faceplate	\$15
24-0270-320 Right hand bevel faceplate	\$15
24-0270-420 Radius with weatherstrip	\$20



## 2190 Dual Force® Interconnected Deadbolt/Deadlatch Faceplates

MODELS & FINISHES	313, 628
91-0266-01-313-IP, 91-0266-01-628-IP Flat faceplate and radius faceplate kit for aluminum (2190)	\$49
91-0266-04-313-IP, 91-0266-04-628-IP Flat faceplate and radius faceplate kit for wood or hollow metal (2290)	\$49

## 2331 Heavy Duty Deadbolt Faceplates

MODELS & FINISHES	121	US26D	US3
22-0170 Flat faceplate	\$49	\$49	\$55
22-0032 Strike plate	\$49	\$49	\$55

## 3300 Fire-Rated Mortise Exit Device Faceplates

MODEL & FINISHES	335, 628
24-0015-020 Flat faceplate	\$14

## 4070 Short Throw Deadbolt Faceplates

MODELS & FINISHES	313, 335, 628
24-0136-00 Flat faceplate	\$15
24-0136-10 Radius faceplate	\$15
24-0136-20 Left hand bevel faceplate	\$15
24-0136-30 Right hand bevel faceplate	\$15

## 4500 Standard Duty Deadlatch Faceplates

MODELS & FINISHES	313, 335, 628
24-0017-0220 Flat faceplate	\$11
24-0017-1220 Radius faceplate	\$11
24-0017-2220 Left hand bevel faceplate	\$11
24-0017-3220 Right Hand bevel faceplate	\$11
24-0017-4220 Radius with weatherstrip	\$16

## 4530 Standard Duty Deadlatch Faceplates

MODELS & FINISHES	313, 335, 628
24-0016-020 Flat faceplate	\$20
24-0016-120 Radius faceplate	\$20
24-0016-220 Left hand bevel faceplate	\$20
24-0016-320 Right hand bevel faceplate	\$20

## 4900 Heavy Duty Deadlatch Faceplates

MODELS & FINISHES	313, 335, 628	US4, US26D	US3, US26
24-0137-01 Flat or bevel faceplate	\$11	\$40	\$45
24-0137-02 Radius faceplate	\$11	\$40	\$45
24-0137-03 Radius with weatherstrip	\$16		

## 4900 Heavy Duty Deadlatch Special Faceplates

MODELS & FINISHES	313, 628
24-0140 Radius with weatherstrip seal (1-1/8" x 6-7/8")	\$24
24-0144-01 Flat or beveled doors (1-1/8" x 7-1/4")	\$20

## 4920, 8300 Faceplates

MODEL & FINISHES	313, 335, 628
24-0138-01 Flat or bevel faceplate	\$31

## 7100, 7160 Electric Strike Faceplates

MODEL & FINISHES	313, 335, 628
24-0685-01 Round corner faceplate (1-1/4" x 4-7/8")	\$29

## 7101 Electric Strike Faceplates

MODEL & FINISHES	313, 335, 628
24-0685-02 Radius faceplate (1-1/4" x 4-7/8")	\$29

## 7110 Electric Strike Faceplates

MODEL & FINISH	652
22-0558 Round corner faceplate (1-7/16" x 7-15/16")	\$29

## 7111 Electric Strike Faceplates

MODEL & FINISH	652
22-0557-01-652 Round corner faceplate (1-7/16" x 10-1/4")	\$29

## 7130 Electric Strike Faceplates

MODEL & FINISHES	313, 335, 628
24-0686-01 Round corner faceplate (1-1/4" x 6-7/8")	\$35

## 7131 Electric Strike Faceplates

MODEL & FINISHES	313, 335, 628
24-0686-02 Radius faceplate (1-1/4" x 6-7/8")	\$35

## 7140, 7170 Electric Strike Faceplates


MODEL & FINISHES	313, 335, 628
24-0687-01 Radius faceplate (1-1/4" x 4-7/8")	\$29

# POWER

## PS-EXIT Power Supply

MODEL	PRICE
PS-EXIT Power Supply for exit devices with Motorized Latch Retraction (MLR) and Electric Latch Retraction (LR) options.	\$760

Contact factory for Power Supply options.



## 4612 Power Transfer Device

MODELS	PRICE
4612-1 Wire transfer, 105° swing	\$197
4612-2 Wire transfer, 180° swing	\$252
4612-1SC Wire transfer, swing clear 90° swing	\$338
4612EL-1 Wire transfer, 105° swing with ElectroLynx(TM) Adapter	\$231
4612EL-1SC Wire transfer, 90° swing with ElectroLynx(TM) Adapter	\$370



## Accessories for Power

MODELS	PRICE
4603 Rectifier	\$23
4605 Transformer, 115 VAC to 12/24 VAC	\$71
4606 Plug-in transformer, 115 VAC to 24 VAC only	\$114
29-0218 Piezo electric horn	\$28
ELX ElectroLynx™ Adapter to connect Adams Rite products to the ElectroLynx system	\$40

# DEMO MOUNTS

## DEADLOCKS & DEADLATCHES

### 2190 Dual Force® Interconnected Deadbolt/Deadlatch

MODELS & FINISH	US32D
2190-MOUNT Dual Force® 2190 Interconnected Deadbolt/Deadlatch mounted complete with electrified trim set	\$1,219

### 4300 Steel Hawk® Electrified Deadlatch

MODELS & FINISH	US32D
DEMO-4300-01, DEMO-4300-02 Electrified Deadlatch with mounted complete with 4600 Heavy Duty Designer Deadlatch Lever Trim with MN designer lever	\$1,046

### DL100 Aperio® Wireless Deadlatch

MODELS & FINISH	PRICE
DL100-MOUNT Electrified Deadlatch with EcoLatch® technology mounted complete with 4600 Heavy Duty Designer Deadlatch Lever Trim with MN designer lever	\$1,485

## ELECTRIC STRIKES

### 7400 UltraLine® Preload-Capable Electric Strike

MODELS & FINISH	PRICE
7440-MOUNT UltraLine® 7440 Electric Strike mounted complete with 4-7/8" faceplate, 628 finish	\$945
74R1-MOUNT UltraLine® 74R1 Electric Strike for rim exit devices with 3/4" Pullman latches mounted complete, 130 finish	\$998
74R2-MOUNT UltraLine® 74R2 Electric Strike for rim exit devices with 1/2" Pullman latches mounted complete, 130 finish	\$998

## TRIM

### 3090 eForce® Keyless Entry

MODELS & FINISH	626
3090-MOUNT eForce® 3090-150 Keyless Entry Trim mounted complete with 4900 Heavy Duty Deadlatch	\$1,698

### 4600 Heavy Duty Designer Deadlatch Handles

MODELS & FINISH	US32D
4600-MOUNT 4600 Heavy Duty Designer Deadlatch Lever Trim with MN designer levers, mounted complete with Dual Force® 2190 Deadbolt/Deadlatch (lock)	\$1,187

# GENERAL INFORMATION

## Limited Warranty

Adams Rite warrants that its products sold under the Adams Rite brand in the United States of America are warranted free from defects in workmanship and materials under normal use and service. This warranty does not cover defects or damage arising from improper installation, lack of or improper maintenance, improper storage, shipping and handling, corrosion, erosion, ordinary wear and tear, misuse, abuse, accident, unauthorized service, or use with unauthorized non-Adams Rite products or parts. This warranty is void if any modification is made to the product, regardless of whether the modification causes or contributes to the alleged defect. All modifications are made at the risk of the party making the modification.

Should any defect of manufacture (in material or workmanship) occur in its products, Adams Rite, upon prompt notification and proof to its satisfaction that the product was defective in manufacture for the use intended by Adams Rite, will at its option, exchange the product, repair the product, or refund the price charged by Adams Rite, FOB factory within the stated time frame listed below.

- **10 years** on all mechanical products from the date of manufacture
- **5 years** on the following electromechanical product categories from the date of manufacture, deadlocks, dead latches, exit devices\*, electric strikes, trims, power supply & accessories
- \* **NOTE:** The MLR option (motorized electric latch retraction) is supported by a 1-year electro mechanical warranty. When powered by an Adams Rite PS-EXIT power supply the 1-year warranty is upgraded to 5 years
- **3 years** on the following access control products from the date of manufacture, DL100 Aperio Wireless Dead Latch, 3090-150.

THIS WARRANTY IS IN LIEU OF ALL OTHER EXPRESS WARRANTIES. TO THE EXTENT PERMITTED BY LAW, ALL IMPLIED WARRANTIES ARE LIMITED TO THE DURATION OF THIS WARRANTY. ADAMS RITE IS A DIVISION OF HANCHETT ENTRY SYSTEMS, INC. HANCHETT ENTRY SYSTEMS, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSIONS MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

## Terms & Conditions

**PRICES:** All prices are subject to change without notice. Prices listed on the Adams Rite website will serve as the most current list price. All shipments will be made at prices in effect at the time of order. The customer shall be responsible for payment of all applicable sales and/or use taxes and freight costs.

**MINIMUM ORDER:** Minimum product charge per invoice is \$150.00 USD.

**PAYMENT TERMS:** Net thirty (30) days from date of invoice. Interest at the rate of up to 1-1/2% per month may be charged on all past due accounts. An order received on an account which has not been paid within 45 days of the date of invoice may not be processed until the account is current. Custom orders may require a deposit.

**DELIVERY TERMS:** All prices are Ex-works factory. Purchaser assumes the risk of loss or damage to the goods while in transit from the point of shipment. Adams Rite reserves the right to make delivery in installments. Installments shall be separately invoiced and paid for when due. Delay in delivery of an installment shall not relieve the purchaser of its obligation to accept remaining deliveries.

**FREIGHT POLICY:** All Purchase Orders received with a minimum net value of \$ 3,500 will qualify automatically for free standard freight within the continental United States. This minimum amount applies per Purchase Order to qualify and does not include free expedited freight. Qualified orders may ship partial or ship complete at your preference. Qualified orders that ship partial will not incur freight charges. All shipments that do not qualify for free freight will be charged for freight based upon our terms in effect at the time of shipment. Customers may provide their own carrier account number for expedited freight methods or for any Purchase Order to be used to cover freight costs. Minimum amounts are subject to change without notice.

**SHORTAGE:** Any claim for shortages must be made to Adams Rite in writing within one (1) week of receipt of merchandise.

**WARRANTY RETURNS:** A Customer Care Form (CCF) for defective product must be obtained from Alarm Controls before any merchandise can be returned. CCF's are valid for sixty (60) days from date of issuance. Goods returned under the terms of Adams Rite Warranties may require a copy of the original invoice.

**RETURNS:** A Customer Care Form (CCF) must be obtained from Adams Rite before any merchandise can be returned. CCF's are valid for sixty (60) days from date of issuance. Items returned are subject to restocking fees.

**CANCELLATIONS:** Any order may be subject to a 5% cancellation charge for catalog items. Cancellation of non-catalog or custom items will be subject to a 20% cancellation charge plus all costs (both direct and indirect) incurred by manufacturing at the point of cancellation that are properly allocated to the canceled item(s).

**LIMITATION OF LIABILITY:** Neither party will be liable to the other for any delay or failure in performance arising directly out of war, sabotage, insurrection, riot, and any other act of civil disobedience, act of public enemy, fire, explosion, flood, storm, or other act of God or nature, or similar cause beyond its reasonable control, including shortage or unavailability of labor or materials. If, notwithstanding the foregoing limitations, Adams Rite has any liability to the purchaser, the purchaser agrees that the total liability to the purchaser for all losses, damages, and causes of action, whether in contract, equity, tort (including without limitation, negligence and gross negligence), or otherwise, will not exceed the amount the purchaser paid to Adams Rite for the products (including, without limitation, incidental or consequential damages, damages for lost profits or business interruption, and punitive damages).

**NO THIRD PARTY LIABILITY:** If the purchaser uses the Adams Rite Products on behalf of others or provides to others any products referenced herein, the Adams Rite Parties shall have no liability to such persons whatsoever, and the purchaser agrees to defend and indemnify the Adams Rite Parties from any and all claims and demands asserted against them, and from any legal fees, costs and other expenses that the Adams Rite Parties incur therewith.

**EXPORT CONTROL AND SANCTIONS:**

The Customer represents and warrants to Adams Rite that it will always act in compliance with Economic Sanctions and Export Control Laws, and that:

(a) neither the Customer, its affiliates, or any of their respective directors, officers, employees nor, so far as the Customer is aware, any agents or other persons acting on behalf of any of the foregoing:

- is, or has been, a Listed Person;
- has engaged in any business dealings or activities that would reasonably be expected to result in it becoming a Listed Person;
- directly or indirectly, has conducted or is conducting any business dealings or activities with or for the benefit of, or is otherwise involved in any business with a Listed Person, or otherwise acting in violation of Economic Sanctions and Export Control Laws;
- has engaged or is engaging in any transaction that circumvents, evades or avoids, or has the purpose or effect of circumvention, evading or avoiding, or attempts to violate, any Economic Sanctions and Export Control Laws; or
- is, or has been, in violation of, or subject to, any investigation or enquiry by, or on behalf of, any governmental or other regulatory body relating to Economic Sanctions and Export Control Laws.

(b) the Customer shall act in compliance with Economic Sanctions and Export Control Laws, and shall not sell nor re-export the Product without all requisite licenses and approvals under Economic Sanctions and Export Control Laws;

(c) the Customer shall not sell, export or re-export, the Product, directly or indirectly, to the Russian Federation or Belarus or for use in the Russian Federation or Belarus (whether or not permitted under Economic Sanctions and Export Control Laws applicable to the Customer);

(d) the Customer shall undertake its best efforts to ensure that the purpose of this Clause is not frustrated by any third parties further down the commercial chain, including by possible resellers;

(e) the Customer agrees to (i) cascade the contractual obligations set forth in this Clause, in contracts with third parties, including possible resellers, further down the commercial chain.; and (ii) set up and maintain an adequate monitoring mechanism to detect conduct by any third parties further down the commercial chain, including by possible resellers, that would frustrate the purpose of this Clause;

(f) the representations and warranties set forth in Clause 10 above shall always remain true and correct;


(g) the Customer will provide written notice to Adams Rite as promptly as possible and in any event within five business days, if (i) any representation or warranty should cease to be true at any time., or (ii) the Customer should encounter any problems in applying Clauses b)- e), above, including any relevant activities by third parties that could frustrate the purpose of said clause; and

(h) the Customer will not engage in any transaction for Military End-Use unless explicitly approved by Adams Rite.

(i) The Customer will provide all information relating to requests for Products, that the Customer suspects could violate or circumvent Economic Sanctions and Export Control Laws, including requests from or on behalf of a Listed Person, and other attempts to acquire Adams Rite products in violation of Economic Sanctions and Export Control Laws. The Customer will, to the best of its abilities, cooperate with Adams Rite to facilitate compliance with Economic Sanctions and Export Control Laws and will upon Adams Rite's request provide Adams Rite with true, complete and correct copies of all documentation relating to any business dealings involving the Product, including but not limited to, end-user certifications, information concerning compliance with the obligations under Clause. b)- e), and other information as may be required by Adams Rite within two weeks of the simple request of such information. Adams Rite shall not be obliged to make any payment or take any other action if Adams Rite believes in good faith that such action may constitute a violation, contribute to a violation, or constitute a circumvention of any Economic Sanctions and Export Control Laws.

**COMPLIANCE WITH ANTI-TRUST, ANTI-CORRUPTION AND DATA PRIVACY LAWS:**

The Customer, its directors, officers, and employees shall perform their obligations under these Terms and Conditions in full compliance with the ASSA ABLOY Code of Conduct which is accessible online at: <https://www.assaabloy.com/group/en/sustainability/code-of-conduct/code-of-conduct-business-partners>



[adamsrite.com](https://adamsrite.com)



**ASSA ABLOY**

The ASSA ABLOY Group is the global leader in access solutions. Every day we help people feel safe, secure and experience a more open world.

[adamsrite.com](https://adamsrite.com)

## USA

800.626.7590 | f: 800.232.7329 | [adamsrite.com](https://adamsrite.com)

[customerservice.adamsrite@assaabloy.com](mailto:customerservice.adamsrite@assaabloy.com)

[techsupport.adamsrite@assaabloy.com](mailto:techsupport.adamsrite@assaabloy.com)

[orders.adamsrite@assaabloy.com](mailto:orders.adamsrite@assaabloy.com)

## Canada

800.461.3007 | f: 800.461.8989 | [assaabloydss.ca](https://assaabloydss.ca)

[sales.dss.ca@assaabloy.com](mailto:sales.dss.ca@assaabloy.com)

[orders.dss.ca@assaabloy.com](mailto:orders.dss.ca@assaabloy.com)

Printed in the U.S. A.

Patent pending and/or patent [www.assaabloydss.com/patents](https://www.assaabloydss.com/patents)

Copyright © 2025, Hanchett Entry Systems, Inc., an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of Hanchett Entry Systems, Inc. is prohibited. AR-087-0325