

NEW PRODUCT GUIDE 2024

ELECTRIFIED LOCKING HARDWARE

commandaccess.com

888-622-2377

⚡ Always here to help ⚡



NEW PRODUCTS



ML1909X-M SERIES



The **ML19092-M** is a **motorized lever control mortise** lockset that is compatible with Schlage trim and prep. The Hybrid power system allows for very low surge current and no power required to change state from EU to EL or EL to EU. The lock automatically senses 12 or 24V input so no need to stock voltage specific chassis.

- Lever control - motorized
- Retrofits to Schlage L9000 series
- Input voltage 11-30VDC
- Surge current 100mA
- Holding current 10mA
- EU/EL selectable without removing chassis from door
- EU/EL selectable without power
- Grade 1 UL listed



SCAN QR'S TO GO TO WEB PAGE.

LPM190X SERIES




The **LPM190X** series is a **motorized latch retraction mortise** lockset that is compatible with Schlage trim and prep. Latch retraction makes it an ideal lock for pairing with auto-operators, double doors, push/pull conditions & single occupancy restroom applications. Available with lever control solenoid for latch retraction x lever control allowing for multiple specialty functions.

- Motorized Latch Retraction
- Retrofits to Schlage L9000 series
- Grade 1 UL listed
- Available with REX, LBM, & DPS
- Input voltage 24VDC
- Current Peak 1A
- Holding current 300mA
- Lever control EU/EL field changeable

LPC190-HD SERIES

NEW




PATENT PENDING

The **LPC190-HD** is a **motorized latch retraction cylindrical lockset** that is compatible with the standard 161 prep. The 1st of its kind latch retraction cylindrical makes it an ideal lock for pairing with auto-operators, double doors, push/pull conditions & single occupancy restroom applications.

- Motorized Latch Retraction
- Input voltage range - 24VDC
- Surge current - 700mA
- Holding current- 200mA
- UL listed HD Grade 1 lockset
- EU - Fail Secure Only
- Request to Exit switch optional

CL190-HD SERIES




The **CL190-HD** is a **motorized lever control cylindrical lockset** that is compatible with the standard 161 prep. The Hybrid power system allows for very low surge current and field selectable EU to EL or EL to EU. The lock automatically senses 12 or 24V input so no need to stock voltage specific locks.

- Lever control - motorized
- Input voltage range - 11-30VAC/DC
- Surge current - 300mA
- Holding current- 30mA
- UL listed HD Grade 1 lockset
- EU/EL selectable with flip of a switch
- Request to Exit switch optional





NEW




MLRK 1-AR

The newly IMPROVED **motorized latch retraction kit** for the Adams Rite 88/86/84/82 series exit devices, has been re-engineered for an easy installation & enhanced performance.

- Voltage Range – 24 t+/- 10%
- Average Peak current – 1.3 mA
- Average Hold current – 215 mA
- Retracts pad for true electronic dogging
- 1 touch PTS “Push to Set” travel adjustment
- Optional Built-in Request to Exit switch
- Heavy Duty Torque
- UL listed


NEW



MLRK 1-JAC12

The newly IMPROVED **motorized latch retraction kit** for the Jackson 1285/95 & Kawneer 1686/1786 series exit devices, has been re-engineered for an easy installation & enhanced performance.

- Voltage Range – 24 t+/- 10%
- Average Peak current – 900 mA
- Average Hold current – 215 mA
- Retracts pad for true electronic dogging
- 1 touch PTS “Push to Set” travel adjustment
- Optional Built-in Request to Exit switch
- Heavy Duty Torque
- UL listed




MLRK 1-KAWP

The newly IMPROVED **motorized latch retraction kit** retrofits to the Kawneer Paneline series exit devices, has been re-engineered for an easy installation & enhanced performance.

- Voltage Range – 24 to 28 VDC
- Standard mode – Average peak current .9A, holding 215mA
- High Torque mode - Average peak current 2A, holding 250mA
- Retracts pad for true electronic dogging
- PTS “Push to Set” travel adjustment
- UL listed

NEW



MLRK 1-DTX

The new **motorized latch retraction kit** for the Detex Advantex & Value series exit devices, has been re-engineered for an easy installation & enhanced performance.

- Voltage Range – 24 t+/- 10%
- Average Peak current – 900 mA
- Average Hold current – 215 mA
- Retracts pad for true electronic dogging
- 1 touch PTS “Push to Set” travel adjustment
- Optional Built-in Request to Exit switch
- Heavy Duty Torque
- UL listed



SCAN QR'S TO FIND
MANY MORE MLRK'S



NEW PRODUCTS




PD27 & 29 SERIES

NEW




The new Command Access Narrow & Wide stile Architectural exit devices series with motorized latch retraction kit, electrified exit trim, alarm kit, & delayed egress (in development). Made for all institutions and commercial buildings when heavy-duty fire and life safety operation is required. All PD27/29-M RIM/SVR/CVR models are equipped with our PTS “push to set” technology. We know that door conditions change, and in retrofit scenarios, you never know what you’re walking into. But with our PTS adjustment, your post-installation adjustment is greatly simplified in 5 quick seconds. Install this device with the confidence of knowing that the PD27/29-M meets or exceeds the high standards of Grade 1 products and carries our 3-year “no hassle “ warranty, meaning we will support you. The complete device is BAA compliant & fully built in the USA



- Voltage Range – 24 to 28 VDC
- Standard mode – Average peak current .9A, holding 215mA
- Retracts pad for true electronic dogging
- PTS “Push to Set” travel adjustment
- Alarm Kit
- UL listed

ET27 SERIES

NEW





The **ET27-HD** is a **motorized lever control heavy duty exit trim** that is compatible with our PD27/28 series & Von Duprin 996L R/V. The Hybrid power system allows for very low surge current and field selectable EU to EL or EL to EU. The lock automatically senses 12 or 24V input so no need to stock voltage specific locks.

- Lever control - motorized
- Input voltage range - 11-30VAC/DC
- Surge current – 300mA
- Holding current- 30mA
- UL listed HD Grade 1
- EU/EL selectable with flip of a switch
- Request to Enter switch optional

MLRK 1+AO PACKAGES

MOTORIZED LATCH RETRACTION + LOCKING HARDWARE AUTO OPERATOR - PERFECT SOLUTION FOR ADA ACCESSIBILITY + SECURITY

- INCLUDES ANY ABOVE MLRK1 KIT + OPERATOR, POWER TRANSFER,
- LOCKING HARDWARE OPERATOR POWERS MLRK1 & DOOR SEQUENCE
- ADD TOUCH-LESS BUTTONS W/ MECHANICAL FAIL SAFE
- PACKAGE SOLUTION INCLUDES POINT-TO-POINT WIRING DIAGRAM
- PEACE OF MIND - INCLUDES HAVE EVERYTHING YOU NEED & HAS BEEN FACTORY TESTED AS PACKAGE



MLRK1 CAN BE CONVERTED TO COMPLETE RETROFIT DEVICE FOR ADDED CHARGE



PACKAGES



COMMAND ACCESS UNIVERSAL BATHROOM PRIVACY PACKAGES

UBPK1


Includes everything needed for a single occupancy restroom ADA accessible & secure insuring privacy. *All you need to add is low energy operator of choice.*

UBPK2



Includes everything needed for a single occupancy restroom ADA accessible & secure insuring privacy. **Includes heavy duty low energy operator.**

PERFECT SOLUTION FOR SINGLE OCCUPANCY + ADA

- PACKAGE SOLUTION INCLUDES POINT-TO-POINT WIRING DIAGRAM
- PEACE OF MIND - INCLUDES EVERYTHING YOU NEED
- UBPK2 INCLUDES OUR LOCKING HARDWARE AO W/ ON-BOARD POWER & RELAY BOARD
- TOUCHLESS PACKAGE STANDARD



INCLUDED WITH UBPK1



LOW ENERGY OPERATOR

NEW



INCLUDED WITH UBPK2



ADD ON EMERGENCY KIT



DIVINE INSTALLATION

TOOLS TO GET YOU OUT OF PINCH!


FIELD TESTER



The newly IMPROVED CAT Field Tester is a lightweight portable power source for field testing Mortise & Cylindrical locks, Motorized and Solenoid driven exit devices, Electric strikes, etc. that require 12-24VDC voltage.

- Adjustable 11-28VDC output
- Can be ordered with DeWalt, Makita, or Milwaukee 18 or 20V adapter.
- Continuity switch to test switches & hinges.
- Toggle ON/OFF Power Button

VC SERIES




The VC series is a voltage converter module that takes incoming voltage and steps it down to output a lower voltage depending on your need. It's a great tool to have on an installers truck, giving the, a simple solution for creating a 12VDC or clean 24VDC power channel if needed!

- VC2412 Converts 24VDC to 12VDC
- VC3024 Converts 30VDC to 24VDC
- Euro Connector on output side
- Works with any 24VDC power supply
- May eliminate the need for an additional power supply



LOCKING HARDWARE PS SERIES



- Built to run locks, exit trim, & latch retraction devices
- Robust solid-state outputs - Protects system relays
- Interruption free battery back-up
- Independent battery charging circuit
- Fire alarm link
- Built to last in USA



The Command Access Locking Hardware Power Supply series are robust linear power supplies. They do the heavy lifting of electrified latch pullback so the AC power supply/board can do what it does best. An easy way to set up your opening for long term success and take advantage of the high output/torque options on our solenoid and motor driven latch pullback kits to get the tough jobs done! UL294 6th Edition listed and competitively priced!

PS LINE 24VDC	AMPERAGE (CONTINUOUS)	AMPERAGE (BOOST)	INPUTS	OUTPUTS	BATTERY BACK-UP	FIRE ALARM LINK	24V POWER TAP (CONSTANT POWER)	LOCKING HARDWARE (MORTISE/CYLINDRICAL LOCK/EXIT TRIM)	LOCKING HARDWARE (MOTORIZED EXIT DEVICES)	LOCKING HARDWARE (SOLENOID EXIT DEVICE PM300)	LOCKING HARDWARE (SOLENOID EXIT DEVICE LPM/PM300HO)	METAL ENCLOSURE
PS210	1.5	2.5	1	1	-	- ¹	-	2 ²	2 ²	2 ²	2 ²	S
PS220	2	3	2	2	-	✓	✓	2	2	2	2	S
PS220B	2	3	2	2	✓	✓	✓	2	2	2	2	L
PS440B	4	6	4	4	✓	✓	-	4	4	4	3	L
PS480B	4	6	8	8	✓	✓	-	8	8	8	-	L
PS204	2	3	4	4	-	✓	-	4	4	-	-	S
PS204B	2	3	4	4	✓	✓	-	4	4	-	-	L

¹Can be wired in through the input, see instructions for more detail
²1 output powers 2 devices/locks simultaneously

SMALL ENCLOSURE: 11" x 11" x 4"
 LARGE ENCLOSURE: 13" x 15.5" x 5"





HERE TO HELP!



WHAT DOES ALWAYS HERE TO HELP MEAN?

IT MEANS ...

- WE ANSWER THE PHONE WITH A **LIVE VOICE, MONDAY THRU FRIDAY 7:30AM - 4:30PM PST**
- OUR CUSTOMER SERVICE DEPARTMENT STRIVES TO **DELIVER EXCELLENT CUSTOMER SATISFACTION EVERY TIME**
- OUR **LIVE CHAT** IS OPERATED BY OUR CUSTOMER SERVICE TEAM MAKING IT EASY TO GET A HOLD OF US, ESPECIALLY IF YOU LIKE TO MULTI-TASK
- WE STRIVE TO ACKNOWLEDGE YOUR ORDER WITHIN 24 HOURS
- OUR **LEAD TIMES ARE 5-10 DAYS** FOR CATALOGED ITEMS. IF WE CAN SHIP SOONER, WE WILL SURE TRY!
- IF WE MAKE A MISTAKE, WE ARE COMMITTED TO MAKING IT RIGHT
- OUR WEBSITE IS USER FRIENDLY AND EXPANDING DAILY WITH INFORMATION & DEMONSTRATION VIDEOS
- WE HAVE COMPETENT, REACHABLE TECHNICAL SUPPORT EVERYDAY DURING BUSINESS HOURS
- ANYONE WHO NEEDS OUR SUPPORT GETS IT
- WE ARE WILLING TO TRAIN ON SITE AT THE FACTORY, YOUR LOCATION OR VIA WEBINAR
- WE TAKE GOOD MECHANICAL PRODUCTS & TURN THEM INTO BETTER ELECTROMECHANICAL PRODUCTS
- WE WILL SHIP REPLACEMENT PRODUCTS AS SOON AS POSSIBLE, USUALLY WITHIN THE NEXT BUSINESS DAY
- ALL OF OUR DOCUMENTS, INCLUDING ACKNOWLEDGMENTS, INVOICES, STATEMENTS, AND RMA'S WILL BE EMAILED
- IF WE MISS A SHIP DATE, WE WILL CALL OR EMAIL YOU PERSONALLY
- ALL OF OUR PRODUCTS HAVE A **3 YEAR WARRANTY**
- WE ARE COMMITTED TO MANUFACTURING IN THE USA
- WE ARE A **PRIVATELY HELD, SMALL BUSINESS**



⚡ Always here to help ⚡



WORLD HEADQUARTERS: 22901 LA PALMA AVE., YORBA LINDA CA 92887

EAST COAST WAREHOUSE: 106 SPRING LAKE DRIVE, NEW BRITAIN, PA 18901

ALWAYS HERE TO HELP!



22901 LA PALMA AVE YORBA LINDA CA 92887

ELECTRIFIED LOCKING HARDWARE

commandaccess.com

888-622-2377



**COMMAND
ACCESS**