

2024 **CEILING FAN COLLECTION**

Graphic Design: Minka Group® Graphics Product Originals: Minka Group®

Product specifications subject to change at any time.

Minka-Aire®, A Minka Group® Company Catalog MKACAT2024-01 Printed in U.S.A.

© 1993-2024 Minka Lighting, LLC.

Google Home and Google Nest are trademarks of Google LLC. Amazon, Echo, Alexa, and all related logos are trademarks of Amazon.com, Inc. or its affiliates. Ecobee and the Ecobee logo are trademarks of Ecobee Inc.,





Minka-Aire® competes to make a difference and be the drivers of change within the ceiling fan category. As an independent organization frustrated by the lack of quality ceiling fans at an accessible price, we sought out to forge a new path focused on the use of premium materials, energy efficient motors, escalated designs, and second to NONE performance. We did this in order to create carefully crafted and attainable, on trend ceiling fans.

We invite you to view our ceiling fan collection inspired by today's varying design trends.

Within this catalog, you will find designs of contemporary flair with elegant grace, transitional timeless styles and a collection targeting the contractor business.

The architectural trend toward Great Rooms has led Minka-Aire® to redesign some of our most popular styles with enlarged bodies and longer blades to circulate more air and complement the spaciousness of these rooms.

Our Outdoor Series of fans allows your friends and family to enjoy outdoor dining or time in your spa while continuing to have pleasant surroundings. We offer many design choices for the outdoors; rated for all-weather exposure.

Minka-Aire® ceiling fans offer a wide variety of options for the American home. Designed in California.

CONTENTS

Icon Legend5	Custom LED L
Smart Fans7	Glass Shades.
Energy Efficiency8	Universal Ligh
Room Size Recommendations9	Aire-Control S
Fan Styles10	Bulb Reference
Outdoor Fan Checklist218	Fan Control Sy
Universal Light Kits354	Hanging Syste

Custom LED Light Kits	356
Glass Shades	357
Universal Light Kits	358
Aire-Control Systems	360
Bulb Reference Chart	364
Fan Control Systems Chart	365
Hanging Systems	370

Finishes	374
Airflow CFM	376
Fan Specifications	382
ndex	386
Finish Codes	393

FANS

Airetor 312	
Airetor III	
Airewave 24	
Aluma146	
Aluma Wet280	
Anywhere 224	
Artemis	
Artemis IV 128	
Artemis XL5 136	
Audrey TM 64	
Aviation 114, 116, 118	
Avtur 34	
Barn 68	
Barn H2O 242	
Bling190	
Bowie 54	
Calais 187	
Chubby 58	
Chubby II	
Classica	
Clean	
Concept I 152	
Concept II 44" 154	
Concept II 52" 156	
Concept III	
Concept II Wet 52" 270	
Concept IV	
Concept Wet 52" 264	
Concept Wet 58" 268	
Contractor 332	
Contractor 42" 346	
Contractor 52" 348	
Contractor Plus	
Contractor Uni-Pack 328, 330	
Cristafano188	
Curl 82	
Deco	
Delano	
Dream Star86	
Dyno202, 204	
Dyno XL 206, 208	
Ellipse	
Espace	
Falco	

Gauguin	292
Géant	236
Gordon	66
Great Room	164
Groton	296
Gyro	161
Gyro Wet	226
ava	282, 284
ava Xtreme 84"	286
(afé	176
(afé XL	178
(elvyn [™]	56
(ewl	216
(ola	172
(ola XL	174
ight Wave 44"	100
ight Wave 52"	102
ight Wave 44"ight Wave 52"ight Wave 65"	104
.un-aire	196
Marilyn	65
Лesa	
Minute	
Лојо	
Molino Napoli	246
Vapoli II	
New Era	
Drb	
ancake	
Pinup	
Pure	
Rainman	
Raptor	
Roto	
Roto Flush	
Roto LED	
Roto XL	
Rudolph	
Rudolph Wet	
Sabot	
Seacrest	
imple 44"	
imple 52"	256, 258

Simple 65"	260
Simple Flush 52"	. 26
Simple Flush 60"	. 28
Skinnie	250
Skinnie 44"	248
Skyhawk	76
Skymaster	22
Slant	
Sleek	. 78
Slipstream238,	240
Spacesaver	
Steal	
Stout	310
Strata	
Sundance 304,	
Sundowner 300,	
Suncaakar	202
Supra 44"	336
Supra 44"	340
Supra 52" 342.	344
Swept	138
Symbio	124
, Гimber72	2, 74
Timeless168,	
Traditional Gvro	158
Tradtional Concept 44"	276
Fradtional Concept 52"	278
Transonic'	
Twist	
Vapor	
/ Veer	
Vintage Gyro	
/ital	
Volterra	
Watt	
Watt II	
Wave 44"	
Wave 52"	
Wave 65"	
Windmolen	
Ktreme	
Xtreme H2O 52"	228
Xtreme H2O 65" 230,	232
Xtreme H2O 84"	234

ICON LEGEND



Your Minka-Aire® fan is Smart Ready out of the box. No need for additional hardware or hubs.



BOND - "Smart Together". Connect select Minka-Aire® ceiling fans over WiFi using the BOND Bridge device.



AireControl® remotes control all functions: reverse, uplight (where applicable), fan light, speed control, as well as on/off.



AireControl® wall control systems control all functions: reverse, uplight (where applicable), fan light, speed control, as well as on/off.



Best in class with energy efficient operation. Uses up to 70% less energy than traditional AC motors while producing more power.



LED lighting is efficient, lasts up to 4 times longer than conventional lighting and uses less energy.



Indicates that product can be directly exposed to the elements. Rain, Snow or Sun.



Correlating Color Temperature enables you to select the appropriate temperature for the setting and mood. Whether it is the bright, cool temps for reading or more of a warm glow for a relaxing evening.



Minka-Aire® Smart Fan Collection

Fans with built in smart control

FEATURES -

No Hub Required \cdot No hardware to install


WiFi Enabled \cdot Controls lights & fan speeds

Control as many fans as you need

Full control away from home

NEW - In app special features

How Minka-Aire® Smart Fans work:



3. Control



Easy to use iOS & Android App





Look for the Smart Fan icon throughout the catalog for Minka-Aire® Smart fans.

 $Artemis-pg.\,132; Chubby-pg.\,58; Chubby\,II-pg.\,60; Concept\,III-pg.\,272; \\$ Concept IV — pg. 274; Twist — pg. 96; Java 84" — pg. 286; Windmolen — pg. 244; Barn — pg. 68; Barn H₂O — pg. 242; Timber — pg. 72; Seacrest — pg. 288; Sleek — pg. 78; Dyno XL — pg. 206; Ellipse – pg. 84; Curl – pg. 82; Concept IV – pg. 274; Molino – pg. 246.

ENERGY EFFICIENCY

Using the latest innovative technology and high quality materials, Minka-Aire® energy efficient DC motors provide the flexibility to create amazing fan styles and designs.





All Minka-Aire® DC motors are covered by our Limited Lifetime Warranty.



DC motors are 67% more efficient than typical (AC Motor) ceiling fan motors



Minka-Aire® DC motor fans use a maximum of 48 watts of electricity



DC Motors move a greater degree of fan blade pitches without adding significant energy consumption



Minka-Aire® DC motors offer 6 different fan speeds creating a more personalized comfort settings

BENEFITS OF LED LIGHTING

Long Life

Longer lifetime is the number one benefit of LED lights. The diodes within our LEDs have an outstanding lifetime expectation of up to 30,000 hrs.

Energy Efficiency

This is today's most efficient way of illumination and lighting, saving 80%-90% when compared to traditional lighting and conventional light bulbs.

Ecologically Friendly

LED lights are free of toxic chemicals. Most conventional fluorescent lighting bulbs contain a multitude of materials like e.g. mercury that are dangerous for the environment.

Durable Quality

LEDs are extremely durable and built with sturdy components that are highly rugged and can withstand the roughest conditions.

Zero UV Emissions

LED illumination produces little infrared light and close to no UV emissions, which attracts less insects.

Dimmable


All Minka-Aire® LED fans are dimmable as compared to CFLs which are not.

ROOM SIZE & CEILING HEIGHT RECOMMENDATIONS

ROOM SIZE


These measurements are for general air flow requirements only. Decorating plans or aesthetic considerations should influence your fan choices beyond these room size specifications. For very large rooms, multiple fans is an option.

Approximate Room Size	Blade Sweep
40-60 sq. ft.	26" - 42"
70-90 sq. ft.	44"
100-150 sq. ft.	52" - 54"
12' x 15' (Great Room) Over 160 sq. ft.	60" - 99"




CEILING HEIGHT

Be sure there is at least 7 feet of clearance under your ceiling fan blades. The standard 6" downrod should work in most 8 foot ceiling installations. This will position the blades far enough from the ceiling to have enough "supply" air above the blades to provide good air movement. If greater floor to fan clearance is needed, some fans can use our low ceiling adapter (A180) without using any downrod. However, air movement is reduced using the low ceiling adapter.



Ceiling Height	Downrod Length
9'	12"
10'	18"
12'	24"
14'	36"
16'	48"
18'	60"
20'	72"

This chart shows recommended downrod lengths for various ceiling heights.















Page 184

Page 86


Page 220


























Stout

Page 310

Steal

Page 214

Strata

Page 290
























Etched Lens

SKYMASTER NEW!

with LED Light

16° Blade Pitch • 5-Blades 65" Sweep • 6" Downrod

- · Indoor Use ETL Listed for Indoor Only
- · 1,100LM · 3,000K · CRI 90 · DC 120 x 25mm Motor
- · Full Function Remote Control System Included
- · Integrated Light Uses 40W LED (Included) 3 Year
- · Maximum CFM High Speed 6,500/Low Speed 3,200 Estimated

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
6,500	40	216









- · 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer



F767L-SBR/WHF | Soft Brass Finish • Flat White Blades • Etched Lens





Etched Lens

AIREWAVE NEW!

with LED Light

16° Blade Pitch • 3-Blades 65" Sweep • 10" Downrod

- · Indoor Use ETL Listed for Indoor Only
- -1,100LM 3,000K CRI 90 DC 120 x 25mm Motor
- · Full Function Remote Control System Included
- · Integrated Light Uses 20W LED (Included) 3 Year Warranty
- \cdot Maximum CFM High Speed 6,500/Low Speed 3,200 Estimated

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
6,500	40	216









- · 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

F839L-DM | Dark Maple Finish • Dark Maple Blades • Etched Lens



 $\textbf{F839L-SM} \mid \textbf{Sterling Maple Finish} \cdot \textbf{Sterling Maple Blades} \cdot \textbf{Etched Lens}$





F873-CL

Coal Black Finish Coal Black Blades Shown with Optional LED Light Kit (K9873L-CL)

SIMPLE FLUSH 52" NEW!

18° Blade Pitch • 3-Blades 52" Sweep • Flush Mount

- · Indoor/Outdoor Use ETL Listed for Wet Locations
- · DC 123 x 15mm Motor
- · Full Function Remote Control System Included
- · Maximum CFM High Speed 5,500/Low Speed 2,000 Estimated
- · Custom 20W LED Light Kit K9873L Available (Sold Separately)

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
3,846	22	177













- \cdot 6 Speed Fan Control in Fwd and Rev
- ·On/Off Plus Full Range Light Dimmer

F873-GRY | Grey Finish • Grey Blades



F873-WHF | Flat White Finish • Flat White Blades





F874-GRY

Grey Finish Grey Blades

SIMPLE FLUSH 60" NEW!

18° Blade Pitch · 3-Blades 60" Sweep · Flush Mount

- · Indoor/Outdoor Use ETL Listed for Wet Locations
- · DC 123 x 15mm Motor
- · Full Function Remote Control System Included
- · Maximum CFM High Speed 6,000/Low Speed 2,200 Estimated
- · Custom 20W LED Light Lot K9873L Available (Sold Separately)

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
4,447	21	214













- \cdot 6 Speed Fan Control in Fwd and Rev
- ·On/Off Plus Full Range Light Dimmer

F874-CL | Coal Black Finish • Coal Black Blades



 $\textbf{F874-WHF} \mid \mathsf{Flat} \ \mathsf{White} \ \mathsf{Finish} \cdot \mathsf{Flat} \ \mathsf{White} \ \mathsf{Blades}$









Coal Black Finish Coal Black Wood Blades

VAPOR **NEW!**

14° Blade Pitch · 3-Blades 60" Sweep · 6" Downrod

- · Indoor Use ETL Listed for Indoor Only
- · DC 85 x 28mm Motor
- · Full Function Remote Control System Included
- · Maximum CFM High Speed 5,900/Low Speed 3,000 Estimated

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
5,900	20	295








RC1000 Remote Control

 \cdot 6 Speed Fan Control in Fwd and Rev





A662-SBR | Soft Brass Conversion Kit Available





F663-BS/SWG

Brushed Steel Finish Smoked Weathered Grey Blades

AVTUR **NEW!**

16° Blade Pitch · 3-Blades 60" Sweep · Flush Mount

- · Indoor Use ETL Listed for Indoor Only
- · DC 85 x 28mm Motor
- · Full Function Remote Control System Included
- · Maximum CFM High Speed 5,400/Low Speed 2,000 Estimated

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
5,400	20	270







RC1000 Remote Control

 \cdot 6 Speed Fan Control in Fwd and Rev

F663-WHF/BW | Flat White Finish • Bleached Wood Blades



F663-SBR/WHF | Soft Brass Finish • Flat White Wood Blades





Etched Lens

TRANSONIC NEW!

with LED Light

12° Blade Pitch • 5-Blades 56" Sweep • 6" Downrod

- · Indoor Use ETL Listed for Indoor Locations
- · 2,280LM · 3,000K · CRI 80 · AC 172 x 16mm Motor
- · Hand Held Remote Control with Manual Reverse Included
- · Integrated Light Uses 30W LED (Included) 3 Year Warranty
- · Maximum CFM High Speed 5,810/Low Speed 2,500 Estimated

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
4,259	43	99







- · 3 Speed Fan Control in Fwd and Rev
- ·On/Off Plus Full Range Light Dimmer

F765L-BN/SL | Brushed Nickel Finish • Silver Blades • Etched Lens



F765L-WHF | Flat White Finish · Flat White Blades · Etched Lens



DYNAMIC COUNTERFLOW







F862L-CL

Coal Black Finish
Coal Black Blades
Etched Lens

PINUP NEW!

with LED Light

23° Blade Pitch • 5-Blades 60" Sweep | 5-Blades 41" Sweep • 6" Downrod

- · Indoor Use ETL Listed for Indoor Locations
- -1,800LM 3,000K CRI 80 DC 172 x 12mm Motor
- · Full Function Remote Control System Included
- · Integrated Light Uses 20W LED (Included) 3 Year Warranty
- · Maximum CFM High Speed 6,573/Low Speed 2,628 Estimated

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
4,724	26	185
*Estimated		











- \cdot 6 Speed Fan Control in Fwd and Rev
- ·On/Off Plus Full Range Light Dimmer

F862L-WHF | Flat White Finish • Flat White Blades • Etched Lens





F535L-CL

Coal Black Finish Coal Black Blades Etched Lens

ROTO LED NEW!

with LED Light

22° Blade Pitch · 3-Blades 52" Sweep · 6" Downrod

- · Indoor Use
- · 1,800LM · 3,000K · CRI 80 · AC 153 x 15mm Motor
- · Hand Held Remote Control with Manual Reverse Included
- · Integrated Light Uses 20W LED (Included) 3 Year Warranty
- \cdot Maximum CFM High Speed 4,422/Low Speed 1,553 Estimated

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
3,090	40	77
*Estimated		







- · 3 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer







Oil Rubbed Bronze Finish Tobacco Blades

RUDOLPH WET NEW!

16° Blade Pitch · 3-Blades 60" Sweep · 6" Downrod

- · Indoor/Outdoor Use ETL Listed for Wet Locations
- · DC 145 x 18mm Motor
- · Hand Held Remote Control
- \cdot Maximum CFM High Speed 5,800/Low Speed 3,000 Estimated

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
4,500	48	93.75
*Estimated		









- · 6 Speed Fan Control in Fwd and Rev
- ·On/Off Plus Full Range Light Dimmer







F796L-CL/SBR

Coal Black & Soft Brass Finish Coal Black Blades Acrylic Shade



12° Blade Pitch · 4-Blades 54" Sweep · 6" Downrod

- · Indoor Use
- · AC 153 x 18mm Motor
- · Hand Held Remote Control with Manual Reverse Included
- · Integrated Light Uses 20W LED (Included) 3 Year Warranty
- · Maximum CFM High Speed 5,000/Low Speed 3,000 Estimated

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
3,200	48	66
-		








- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer





 $\textbf{F796L-WHF} \mid \mathsf{Flat} \ \mathsf{White} \ \mathsf{Finish} \cdot \mathsf{Flat} \ \mathsf{White} \ \mathsf{Blades} \cdot \mathsf{Acrylic} \ \mathsf{Shade}$









F644L-CL

Coal Black Finish Coal Black Blades Etched Lens

ROTO FLUSH

with LED Light

24° Blade Pitch · 3-Blades 52" Sweep · Flush

- · Integrated Light Uses 16W LED (Included) 3 Year Warranty
- · 1000LM 3,000K CRI 90
- · Hand Held Remote Control System Included
- · Estimated Maximum CFM High Speed 4,078/ Low Speed 2,208
- · Cap for Non Light Use Included

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
3,202	34	93
*Estimated		









- · 3 Speed Fan Control
- · On/Off Plus Full Range Light Dimmer



F644L-WHF | Flat White Finish • Flat White Blades • Etched Lens





Coal Black Finish
Coal Black Blades

Clear Lens

VEER

with LED Light

The inimitable profile of Veer is formed by cleverly designed blades which appear to be detached while overlapping one another in a wraparound style. The variable pitch blades push air in all directions to effectively provide air flow throughout the room. The modern look of the clear acrylic light kit distributes light throughout the room.

Variable Blade Pitch • 3-Blades 56" Sweep

- · Integrated Light Uses 16W LED (Included) 3 Year Warranty
- · 1000LM 3,000K CRI 90
- · Hand Held Remote Control System Included
- · Estimated Maximum CFM High Speed 5,000/ Low Speed 2,000

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
3,697	47	76
*Estimated		










- · 3 Speed Fan Control
- ·On/Off Plus Full Range Light Dimmer

F692L-BN/SL | Brushed Nickel Finish • Silver Blades • Clear Lens



F692L-WHF | Flat White Finish • Flat White Blades • Clear Lens





with LED Light

This truly unique design uses three ribbon-like loops that tie this futuristic fan together creating a bow that provides six contacts points for air movement. Bowie - a gift for all to enjoy.

Variable Blade Pitch • 3-Blades 52" Sweep

- DC 153 x 16mm Motor
- · Custom 20W LED Light Kit K9933L Available Sold Separately
- · Hand Held Remote Control System Included
- · Remote has 1,024 Frequency Combinations
- · Estimated Maximum CFM High Speed 5,000/ Low Speed 2,000

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
3,000	30	100
*Estimated		











- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer







KELVYN[™]

with LED Light

Adjust lighting temperature to suit your changing needs throughout the day. Whether it's time for homework and bright cool temps, or if you prefer softer, warmer light in the evening to relax, Kelvyn™ has it all.

12° Blade Pitch • 5-Blades 52" Sweep • 6" Downrod

- · Integrated Light Uses 14W LED/ Variable CCT (Included) 3 Year Warranty
- · 1,082LM CRI 90
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 4,603/Low Speed 1,733

Energy Guide (Excluding Lights)

3,258	45	(CFM Per Watt)	\$13
AIRFLOW	ENERGY USE	AIRFLOW	ESTIMATED YEARLY
(CFM)	(WATTS)	EFFICIENCY	ENERGY COST

All estimates based on typical use · Based on 12 cents per kWh and 6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move









RCS213 Remote Control

- · 3 Speed Fan Control
- · On/Off Plus Full Range Light Dimmer



Adjust Between **3** Light Colors with Integrated Switch

SOFT WHITE (3000K)

NEUTRAL WHITE (3500K)
BRIGHT WHITE (4000K)





F717L-CL Coal Black Finish · Coal Black Blades · Etched Lens





Chubby gives you bright, and radiant illumination with its industry leading 40-watt LED. Coupled with an energy efficient smart DC motor this Minka-Aire® fan provides ample performance.

18° Blade Pitch • 5-Blades 58" Sweep · 6" Downrod

- · Integrated Light Uses 40W LED (Included) 3 Year Warranty
- · 2,303LM 3,000K CRI 90
- · Hand Held Remote Control System Included (pg. 418)
- · Remote has 1,024 Frequency Combinations
- · Maximum CFM High Speed 6,391/ Low Speed 2,733
- · Indoor/Outdoor Use ETL Listed for Wet Locations

Energy Guide (Excluding Lights)

	.,676	23	(CFM Per Watt)	\$6
А	IRFLOW	ENERGY USE	AIRFLOW	ESTIMATED YEARLY
	(CFM)	(WATTS)	EFFICIENCY	ENERGY COST

All estimates based on typical use · Based on 12 cents per kWh and 6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move

Smart Fan





















- 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer





F781L-CL Coal Black Finish • Coal Black Blades • Etched Lens





CHUBBY II

with LED Light

Chubby gives you bright, and radiant illumination with its industry leading 40-watt LED. Coupled with an energy efficient smart DC motor this Minka-Aire® fan provides ample performance.

18° Blade Pitch • 5-Blades 58" Sweep • Flush

- · Integrated Light Uses 40W LED (Included) 3 Year Warranty
- · 2,008LM 3,000K CRI 90
- · Hand Held Remote Control System Included (pg. 418)
- · Remote has 1,024 Frequency Combinations
- · Maximum CFM High Speed 6,431/ Low Speed 2,656
- · Indoor/Outdoor Use ETL Listed for Wet Locations

Energy Guide (Excluding Lights)

(0.11)	24	(CFM Per Watt)	
AIRFLOW	ENERGY USE	AIRFLOW	ESTIMATED YEARLY ENERGY COST
(CFM)	(WATTS)	EFFICIENCY	

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move

Smart Fan







Coal Black Blades **Etched Lens**

Google Home















- 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

F782L-BNW | Brushed Nickel Wet Finish • Silver Blades • Etched Lens



F782L-WHF | Flat White Finish • Flat White Blades • Etched Lens









F631L-CL/DK

Coal Black and Distressed Koa Finish

Coal Black Blades

AUDREY™

with LED Light

14° Blade Pitch · 3-Blades 25" Diameter · 6" Downrod

- · Integrated Lights Use 4-8W Medium Base LED (Included) 3 Year Warranty
- · 800LM 3,000K CRI 80
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 1,143/ Low Speed 731
- · Manual Reverse Switch for Winter and Summer Operation

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
1,143	33	34

All estimates based on typical use · Based on 12 cents per kWh and 6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move









- · 3 Speed Fan Control
- ·On/Off Plus Full Range Light Dimmer



MARILYN™

This innovative starlet, helps Minka-Aire® usher in a new category to its already robust assortment of fans. It's interweaving design provides style that is sure to delight any room setting.

14° Blade Pitch • 3-Blades 30" Diameter • 6" Downrod

- · Integrated Light Uses 6-6W Medium Base LED (Included) 3 Year Warranty
- -600LM 3,000K CRI 80
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 1,052/ Low Speed 684
- · Manual Reverse Switch for Winter and Summer Operation

Energy Guide (Excluding Lights)

(CFM)	(WATTS)	EFFICIENCY (CFM Per Watt)
1,052	33	34

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









- · 3 Speed Fan Control
- · On/Off Plus Full Range Light Dimmer



Coal Black Finish Coal Black Blades Etched Opal Glass

GORDON™

with LED Light

26° Blade Pitch · 3-Blades 29" Diameter · 6" Downrod

- · Integrated Light Uses 19W LED (Included) 3 Year Warranty
- · 950LM 3,000K CRI 90
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 1,443/ Low Speed 1,057
- · Manual Reverse Switch for Winter and Summer Operation

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
1,263	22	57	\$6

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









- · 3 Speed Fan Control
- ·On/Off Plus Full Range Light Dimmer





BARN

with LED Light

16° Blade Pitch · 10-Blades 65" Sweep · 10" Downrod

- · Integrated Light Uses 40W LED (Included)
- · 1,984LM · 3,000K · CRI 90 · DC 168 x 30mm Motor
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 9,155/Low Speed 3,712

Energy Guide (Excluding Lights)

6,603	(WATTS)	(CFM Per Watt)	cost \$9
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move





Smart Fan



















- · 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

F864L-HBZ | Heirloom Bronze Finish • Barnwood Finish Blades • Clear Ribbed Glass



F864L-BNK | Burnished Nickel Finish • Savannah Grey Blades • Clear Ribbed Glass



F864L-CL/SG | Coal Black Finish • Seashore Grey Blades • Clear Ribbed Glass









Heirloom Bronze Aged Boardwalk Blades **Etched Lens**

TIMBER

with LED Light

24° Blade Pitch · 3-Blades 84" Sweep · 10" Downrod

- · Integrated Light Uses 26W LED (Included) 3 Year Warranty
- · 2,227LM · 3,000K · CRI 90 · DC 172 x 25mm Motor
- · Cap for Non Light Use Sold Separately (#6F847LCP05-HBZ)
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM- High Speed 8,794/Low Speed 3,475

Energy Guide (Excluding Lights)

6,342	23	271	\$7
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move













RC600 Remote Control

- 6 Speed Fan Control in Fwd and Rev
- ·On/Off Plus Full Range Light Dimmer



F847L-HBZ/MP | Heirloom Bronze · Maple Blades · Etched Lens



84 INCH SWEEP



Etched Lens

TIMBER

with LED Light

23° Blade Pitch • 3-Blades 68" • 10" Downrod

- · Integrated Light Uses 26W LED (Included) 3 Year Warranty
- · 2,227LM · 3,000K · CRI 90 · DC 172 x 25mm Motor
- · Cap for Non-Light Use included
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 8,341/Low Speed 3,834

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
6,229	26	240	\$7
		oical use • Based on 12	

• The higher the airflow, the more air the fan will move













RC600 Remote Control

· 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

Smart Fan







F747L-BN/CL | Brushed Nickel • Coal Black Blades • Etched Lens





Etched Glass

SKYHAWK

with LED Light

14° Blade Pitch • 3-Blades 60" Sweep • 6" Downrod

- · Integrated Light Uses 20W LED (Included) 3 Year Warranty
- · 1,104LM · 3,000K · CRI 90 · DC 153 x 15mm Motor
- · Solid Wood Blades
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 7,284/Low Speed 2,421
- · 1,024 Frequency Combinations

Energy Guide (Excluding Lights)

	-		
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
5,004	27	187	\$8

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









RC1000 Remote Control

- · 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

F749L-CL | Coal Black Finish • Coal Black Blades • Etched Glass



F749L-BN Brushed Nickel Finish • Dark Walnut Blades • Etched Glass



F749L-WHF | Flat White Finish • Flat White Blades • Etched Glass





Soft Brass Finish Flat White Blades Etched Lens



14° Blade Pitch

- 3-Blades 60" Sweep
 6" Downrod
- · Integrated Light Uses 16W LED (Included) 3 Year Warranty
- · 1232LM · 3,000K · CRI 92 · DC 172 x 12mm Motor
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 6,006/Low Speed 1,715

Energy Guide (Excluding Lights)

	-		
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,995	19	216	\$5
All estimates	based on tyr	oical use • Based on 12	cents per kWh and

6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move











Smart Fan









EcoBee

RC600 Remote Control

· 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



F868L-WHF | Flat White Finish • Bleached Wood Finish Blades • Etched Lens



F868L-ORB | Oil Rubbed Bronze Finish · Seasoned Wood Finish Blades · Etched Lens



F868L-BN | Brushed Nickel Finish • Seasoned Wood Finish Blades • Etched Lens









CURL

with LED Light

Variable Blade Pitch • 3-Blades 60" Sweep • 6" Downrod

- · Integrated Light Uses 20W LED (Included)
- \cdot 1,329LM \cdot CRI 90 \cdot DC 123 x 30mm Motor
- · Hand Held Remote Control System Included (pg. 418)
- · Remote has 1,024 Frequency Combinations
- · Maximum CFM High Speed 7,411/Low Speed 1,487

Energy Guide (Excluding Lights)

4,655	28	169	\$8
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move











RC1000 Remote Control

- \cdot 6 Speed Fan Control in Fwd and Rev
- ·On/Off Plus Full Range Light Dimmer

Smart Fan











EcoBee

F714L-BN/SL | Brushed Nickel Finish • Silver Blades • Etched Lens



F714L-WHF | Flat White Finish • Flat White Blades • Etched Lens





16° Blade Pitch • 5-Blades 60" Sweep • 10" Downrod

- · Integrated Light Uses 20W LED (Included) 3 Year Warranty
- · 1,698LM · 3,000K · CRI 90 · DC 120 x 20mm Motor
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 5,854/Low Speed 3,165
- · 1024 Frequency Combinations

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,593	22	210	\$6

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move











RC1000 Remote Control

• 6 Speed Fan Control in Fwd and Rev • On/Off Plus Full Range Light Dimmer





F771L-BN/WH | Brushed Nickel Finish • White Blades • Etched Lens





F788L-GS

Graphite Steel Finish Graphite Steel Finish Blades Etched Opal Glass

DREAM STAR

with LED Light

Variable Blade Pitch · 8-Blades 60" Sweep · 12" Downrod

- · Integrated Light Uses 18W LED (included) 3 Year Warranty
- · 683LM · 3,000K · CRI 90 · DC 168 x 30mm Motor
- · Hand Held Remote Control System Included (pg. 418)
- \cdot Maximum CFM High Speed 5,666 /Low Speed 1,723

Energy Guide (Excluding Lights)

(CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,818	21	179	\$6

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move











RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer



F788L-ORB | Oil Rubbed Bronze Finish • Oil Rubbed Bronze Blades • Etched Opal Glass



 $\textbf{F788L-WH} \mid \text{White Finish} \cdot \text{White Blades} \cdot \text{Etched Opal Glass}$









CLEAN

with LED Light

12° Blade Pitch • 5-Blades 60" Sweep • 6" Downrod

- · Integrated Light Uses 10W LED (Included) 3 Year Warranty
- 408LM 3,000K CRI 90 DC 123 x 30mm Motor
- · Hand Held Remote Control System Included (pg. 418)
- · Cap for Non-Light Use Included
- · Maximum CFM High Speed 10,340/Low Speed 4,039

Energy Guide (Excluding Lights)

		cents per kWh and 6.4 hours use per
10,340	40	258.5
		(CFM Per Watt)
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move











RC400 Remote Control

- \cdot 6 Speed Fan Control in Fwd and Rev
- ·On/Off Plus Full Range Light Dimmer

F684L-GI/BN | Grey Iron/Brushed Nickel Finish • Grey Iron Finish Blades • Etched Lens




F684L-ORB/TB | Oil Rubbed Bronze/Toned Bronze Finish · Urban Walnut Blades · Etched Lens



F684L-PN | Polished Nickel Finish • Silver Blades • Etched Lens









Oil Rubbed Bronze Finish Oil Rubbed Bronze Blades

XTREME

4° Blade Pitch • 9-Blades 72" or 96" Sweep • 6" Downrod

- · DC 165 x 30mm Motor · Aluminum Blades
- · Hand Held Remote Control System Included (pg. 418)
- · Install with Blades at least 10' above the Floor
- · Maximum CFM (72" Sweep) High Speed 10,942/Low Speed 4,673
- · Maximum CFM (96" Sweep) High Speed 13,080/Low Speed 9,152

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
10,942	33	331
13,080	31	429



72" 96"







RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev
- ·On/Off Plus Full Range Light Dimmer



F887-72-BN 72" F887-96-BN 96" | Brushed Nickel Finish · Silver Blades



72/96 INCH S W E E P



Smart Fan

iOS & Android App

with LED Light

Everyone TWIST and shout with this new release from Minka-Aire®. Our latest smart fan brings DC motor performance with an enhanced 20-watt LED. The body and blades work in concert to bring proportion to the design.

16° Blade Pitch • 3-Blades 52" Sweep • 6" Downrod

- · Integrated Light Uses 20W LED (Included) 3 Year Warranty
- · 1,049LM 3,000K CRI 90
- · Hand Held Remote Control System Included (pg. 418)
- · Remote has 1,024 Frequency Combinations
- · Maximum CFM High Speed 5,330/ Low Speed 1,804

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,677	21	175	\$6

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per













RC1000 Remote Control

- 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

F678L-GRY | Grey Finish • Grey Blades • Etched Lens



F678L-WHF | Flat White Finish • Flat White Blades • Etched Lens



F678L-CL | Coal Black Finish • Coal Black Blades • Etched Lens



CURVED ELEGANCE

minkaAire.





LIGHT WAVE 44"

with LED Light

Variable Blade Pitch $\,\cdot\,$ 3-Blades 44" Sweep $\,\cdot\,$ 6" Downrod

- · Integrated Light Uses 16W LED (Included) 3 Year Warranty
- · 1,209LM · 3,000K · CRI 90
- · Hand Held Remote Control System Included (pg. 418)
- \cdot Maximum CFM High Speed 3,673 /Low Speed 1,599

Energy Guide (Excluding Lights)

2705	41	65	\$12
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENER- GY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









RCS213 Remote Control

· 3 Speed Fan Control

F845-CL | Coal Black Finish · Coal Black Blades · Etched Lens



F845-DRF | Driftwood Finish · Driftwood Blades · Etched Lens



F845-SL | Silver Finish · Silver Blades · Etched Lens



F845-WH | White Finish • White Blades • Etched Lens





LIGHT WAVE 52"

with LED Light

Variable Blade Pitch • 3-Blades 52" Sweep • 6" Downrod

- · Integrated Light Uses 16W Dimmable LED (Included) 3 Year Warranty
- · 1,209LM · 3,000K · CRI 90 · Replacement LED Assembly (#6F844LK01)
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 4,453/Low Speed 1,497
- Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST	
3,068	40	77	\$11	
All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per				

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use pe day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move









RCS213 Remote Control

- · 3 Speed Fan Control
- ·On/Off Plus Full Range Light Dimmer

F844-CL | Coal Black Finish • Coal Black Blades • Etched Lens



F844-DK | Distressed Koa Finish • Distressed Koa Blades • Etched Lens



F844-SL | Silver Finish · Silver Blades · Etched Lens



F844-WH | White Finish ⋅ White Blades ⋅ Etched Lens





LIGHT WAVE 65"

with LED Light

Variable Blade Pitch • 3-Blades 65" Sweep • 6" Downrod

- · Integrated Light Uses 26W LED (Included) 3 Year Warranty
- · 1,883LM · 3,000K · CRI 90
- · Hand Held Remote Control System Included (pg. 418)
- \cdot Maximum CFM High Speed 5,718 /Low Speed 1,280

Energy Guide (Excluding Lights)

3638	53	69	\$15
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day-Your cost depends on rates and use - The higher the airflow, the more air the fan will move









RCS213 Remote Control

· 3 Speed Fan Control

F848-CL | Coal Black Finish • Coal Black Blades • Etched Lens



F848-DRF | Driftwood Finish • Driftwood Blades • Etched Lens



F848-SL | Silver Finish · Silver Blades · Etched Lens



F848-WH | White Finish · White Blades · Etched Lens





WAVE 44"

Variable Blade Pitch • 3-Blades 44" Sweep • 6" Downrod

- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 3,657/Low Speed 1,628

Energy Guide (Excluding Lights)

2706	40	68	\$11
		(CIWIFEI WOII)	COST
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







RCS213 Remote Control

· 3 Speed Fan Control

F854-CL | Coal Black Finish • Coal Black Blades



F854-DK | Distressed Koa Finish • Distressed Koa Blades



F854-DRF | Driftwood Finish • Driftwood Blades





WAVE 52"

Variable Blade Pitch • 3-Blades 52" Sweep • 6" Downrod

- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 4,466/ Low Speed 1,674

Energy Guide (Excluding Lights)

_	0,		
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,229	43	75	\$12

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







RCS213 Remote Control

· 3 Speed Fan Control

F843-CL | Coal Black Finish • Coal Black Blades

F843-DK | Distressed Koa Finish • Distressed Koa Blades









WAVE 65"

Variable Blade Pitch • 3-Blades 65" Sweep • 6" Downrod

- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 5,713 /Low Speed 1,871

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY EN- ERGY COST
3914	52	75	\$15

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







RCS213 Remote Control

· 3 Speed Fan Control







AVIATION

Variable Blade Pitch • 3-Blades 60" Sweep • 6" Downrod

- · DC 120 x 25mm Motor
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 5,093/Low Speed 2,127



Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST			
3,703	3,703 20 187 \$6					
All estimates	s based on ty	pical use · Based on 1.	2 cents per kWh and 6.4 hours use			

per day · Your cost depends on rates and use
• The higher the airflow, the more air the fan will move











RC500 Remote Control

- · 6 Speed Fan Control in Fwd and Rev
- · On/Off

F853-BN/CL | Brushed Nickel Finish • Coal Black Blades



 $\textbf{F853-BN/MM} \mid \text{Brushed Nickel Finish} \cdot \text{Medium Maple Blades}$





AVIATION

Variable Blade Pitch · 3-Blades 60" Sweep · 6" Downrod

- · DC 120 x 25mm Motor
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 5,093/Low Speed 2,127



Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST		
3,703	3,703 20 187 \$6				
All estimates	s based on ty	pical use · Based on 1.	2 cents per kWh and 6.4 hours use per		

day · Your cost depends on rates and use
• The higher the airflow, the more air the fan will move









RC500 Remote Control

- · 6 Speed Fan Control in Fwd and Rev
- · On/Off

F853-SBR/CL | Soft Brass Finish • Coal Black Blades



F853-BN/SL | Brushed Nickel Finish • Silver Blades



F853-WH | White Finish • White Blades





White Lens

AVIATION

with LED Light

Variable Blade Pitch • 3-Blades 60" Sweep • 6" Downrod

- · Integrated Light Uses 15W LED (Included)
- · 912LM · CRI 80 · DC 120 x 25mm Motor
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 5,093/Low Speed 2,127

Energy Guide (Excluding Lights)

3,703	20	187	\$6
AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move











RC500 Remote Control

- 6 Speed Fan Control in Fwd and Rev
- · On/Off

F853L-BN/SL | Brushed Nickel Finish • Silver Blades • White Lens




F853L-BN/WH | Brushed Nickel Finish • White Blades • White Lens



F853L-BN/DK | Brushed Nickel Finish • Distressed Koa Blades • White Lens



F853L-BN/CL | Brushed Nickel Finish • Coal Black Blades • White Lens



SIMPLY MODERN







F524-WHF

Flat White Finish Flat White Blades

ROTO

22° Blade Pitch · 3-Blades 52" Sweep · 6" Downrod

- · Aluminum Construction
- · 2 Wire Wall Control System Included (pg. 421)
- · Convertible to Electronic Control System
- · Maximum CFM High Speed 4,422/Low Speed 1,553



Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

3,090	31	101	\$9
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move





WC105-WH Wall Control

- · 4 Speed Fan Control
- · 2-Wire Installation

F524-CL | Coal Black Finish • Coal Black Blades



F524-ORB │ Oil Rubbed Bronze Finish • Oil Rubbed Bronze Blades



F524-DK | Distressed Koa Finish • Distressed Koa Blades



F524-ABD | Brushed Aluminum Finish • Silver Blades





SYMBIO

with LED Light

15° Blade Pitch • 5-Blades 56" Sweep • 6" Downrod

- · Integrated LED Light Uses 16W LED (Included) 3 Year Warranty
- · 710LM · 3,000K · CRI 80 · DC 125 x 30mm Motor
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 6,117/Low Speed 1,693

Energy Guide (Excluding Lights)

4,043	21	194	\$6
AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer



12° Blade Pitch • 5-Blades 60" Sweep • 6" Downrod

- · Integrated Light Uses 16W LED (Included) 3 Year Warranty
- · 574LM · 3,000K · CRI 90 · DC 172 x 12mm Motor
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 6,956/Low Speed 2,088



Energy Guide (Excluding Lights)

4,674	(WATTS)	(CFM Per Watt)	\$6
AIRFLOW (CFM)	ENERGY	AIRFLOW EFFICIENCY	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move











RC600 Remote Control

- · 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer





F617L-GM | Gun Metal Finish • Gun Metal Finish Blades • Etched Opal Glass



 $\textbf{F617L-ORB/AB} \mid \text{Oil Rubbed Bronze/Antique Brass Finish} \cdot \text{Toned Tobacco Blades} \cdot \text{Tinted Opal Glass}$





Soft Brass Finish Flat White Blades **Etched Lens**

ARTEMIS IV

with LED Light

Variable Blade Pitch • 4-Blades 64" Sweep • 6" Downrod

- · Aluminum Construction
- · 659LM · 3,000k · CRI 90
- · DC 123 x 30mm Motor
- · Hand Held Remote Control System Included (pg. 418)
- Cap for Non-Light Use Included
- · Maximum CFM High Speed 8,129/Low Speed 3,264

Energy Guide (Excluding Lights)

5,849	22	260	\$6
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move











RC400 Remote Control

- \cdot 6 Speed Fan Control in Fwd and Rev
- ·On/Off Plus Full Range Light Dimmer

F903L-GM/MBK | Gun Metal Finish • Matte Black Blades • Etched Lens



F903L-SBR/MBK | Soft Brass Finish • Matte Black Blades • Etched Lens



F903L-ORB | Oil Rubbed Bronze Finish • Toned Tobacco Blades • Etched Lens



F903L-BN/SL | Brushed Nickel Finish • Silver Blades • Etched Lens









ARTEMIS™

with LED Light

Variable Blade Pitch • 3-Vanes 58" Sweep • 6" Downrod

- · Contoured Aerodynamic Vanes
- · Integrated Light Uses 20W Dimmable LED (Included) 3 Year Warranty
- · 809LM · 3,000K · CRI 90 · Cap for Non-Light Use Included · DC153x20mm
- · Handheld Remote System Included (pg. 418)
- · Maximum CFM High Speed 7,157/Low Speed 2,295



Energy Guide (Excluding Lights)

4,878	26	186	\$7
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move

U.S. Patent(s): D535,011; D535,015; D535,387; D535,388; D536,083; 7,481,626

Smart Fan

















RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

Winner of the 2005 Chicago Athenaeum: Museum of Architecture and Design's Good Design Award.



F803DL-MP | Maple Finish • Etched Opal Glass



F803DL-TL | Translucent Finish • Etched Opal Glass



F803DL-WH | High Gloss White Finish • Etched Opal Glass





ARTEMIS™

with LED Light

Variable Blade Pitch • 3-Vanes 58" Sweep • 6" Downrod

- · Contoured Aerodynamic Vanes
- · Integrated Light Uses 20W Dimmable LED (Included) 3 Year Warranty
- · 809LM · 3,000K · CRI 90 · Cap for Non-Light Use Included · DC153x20mm
- · Handheld Remote System Included (pg. 418)
- · Maximum CFM High Speed 7,157/Low Speed 2,295




Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,878	26	186	\$7
		nical use • Based on 12	Ψ-

and 6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move

U.S. Patent(s): D535,011; D535,015; D535,387; D535,388; D536,083; 7,481,626

Smart Fan











RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer
- Winner of the 2005 Chicago Athenaeum: Museum of Architecture and Design's Good Design Award.

Etched opal Glass







 $\textbf{F803DL-LN} \mid \text{Liquid Nickel Finish} \cdot \text{Etched Opal Glass}$





ARTEMIS[™] XL5

with LED Light

Variable Blade Pitch • 5-Blades 62" Sweep • 6" Downrod

- · Integrated Light Uses 16W Dimmable LED (Included) 3 Year Warranty
- · 646LM · 3,000K · CRI 90 · DC 172 x 25mm Motor
- · Hand Held Remote Control System Included (pg. 418)
- · Cap for Non-Light Use Included
- · Maximum CFM High Speed 6,076/Low Speed 3,396

Energy Guide (Excluding Lights)

(CFM)	USE (WATTS)	EFFICIENCY (CFM Per Watt)	YEARLY ENERGY COST
4,820	26	182	\$7

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use
• The higher the airflow, the more air the fan will move











RC600 Remote Control

- · 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer





Distressed Koa Finish Distressed Koa Blades Etched Lens

SWEPT

with LED Light

26° Blade Pitch · 4-Blades 56" Sweep · 6" Downrod

- · Integrated Light Uses 20W Dimmable LED (Included) 3 Year Warranty
- · 949LM · 3,000K · CRI 90 · DC 123 x 30mm Motor
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 6,896/Low Speed 2,670

Energy Guide (Excluding Lights)

4.915	17	289	\$5
(CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use peday \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move











RC400 Remote Control

- \cdot 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer





ORB

with LED Light

12° Blade Pitch · 4-Blades 54" Sweep · 6" Downrod

- · Integrated Light Uses 16W LED (Included) 3 Year Warranty
- · 661LM · 3,000K · CRI 90
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 4,985/Low Speed 2,257

Energy Guide (Excluding Lights)

3,707	40	93	\$11
(CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move









RCS213 Remote Control

- · 3 Speed Fan Control
- · On/Off Plus Full Range Light Dimmer

 $\textbf{F623L-BC/SBR} \mid \text{Brushed Carbon/Soft Brass Finish} \cdot \text{Brushed Carbon Blades} \cdot \text{Etched Opal Glass}$



F623L-BBR/SBR | Brushed Brass/ Soft Brass Finish • Brushed Carbon Blades • Etched Opal Glass



F623L-BS/BN | Brushed Steel/Brushed Nickel Finish • Silver Blades • Etched Opal Glass



F623L-WHF/BN | Flat White/Brushed Nickel Finish • Flat White Blades • Etched Opal Glass





12° Blade Pitch • 5-Blades 52" Sweep • 6" Downrod

- · Integrated LED Light Uses 18W LED (Included) 3 Year Warranty
- · 1,682LM · 3,000K · CRI 90 · DC 172 x 12mm Motor
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 4,941/Low Speed 1,344

Energy Guide (Excluding Lights)

(CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,255	22	148	\$6

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move











U.S. Patent(s): D795,412; D804,646; D831,187 Additional U.S. Patent(s) Pending



RC600 Remote Control

- \cdot 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

F745-CL | Coal Black Finish • Coal Black Blades • White Lens



F745-BN | Brushed Nickel Finish • Silver Blades • White Lens



F745-DK | Distressed Koa Finish • Reversible Medium Maple/Dark Walnut Blades • White Lens





PANCAKE

14° Blade Pitch · 4-Blades 52" Sweep · 6" Downrod

- · DC 165 x 30mm Motor · Aluminum Blades
- · 6" Internally Threaded Downrod · Max Ceiling Slope Angle 18°
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 5,040/Low Speed 2,396
- · DC 172 x 25mm Motor

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,801	20	191	\$6

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s): D750,215; D750,219; 9,810,227;



RC500 Remote Control

- · 6 Speed Fan Control in Fwd and Rev
- · On/Off





Etched Opal Glass

ALUMA

with LED Light

12° Blade Pitch • 4-Blades 52" Sweep • 6" Downrod

- · Integrated Light Uses 20W Dimmable LED (Included) 3 Year Warranty
- · All Aluminum Construction Cap for Non-Light Use Included
- · 4-Speed Full Range Dimmer Included (pg. 421)
- · Convertible to Electronic Control System
- · Maximum CFM High Speed 4,237/Low Speed 1,400

Energy Guide (Excluding Lights)

(CFM)	USE (WATTS)	EFFICIENCY (CFM Per Watt)	YEARLY ENERGY COST
2,910	37	78	\$10

All estimates based on typical use +Based on 12 cents per kWh and 6.4 hours use per day + Your cost depends on rates and use +The higher the airflow, the more air the fan will move







WC106L Wall Control

· 4 Speed Fan Control · Full Range Light Dimmer · 3 Wire Installation



 $\textbf{F521L-WHF} \mid \mathsf{Flat} \ \mathsf{White} \ \mathsf{Finish} \cdot \mathsf{Flat} \ \mathsf{White} \ \mathsf{Blades} \cdot \mathsf{Etched} \ \mathsf{Opal} \ \mathsf{Glass}$





Etched Opal Glass

SLANT

with LED Light

20° Blade Pitch · 3-Blades 36" Sweep · 6" Downrod

- · Integrated Light Uses 18W LED (Included) 3 Year Warranty
- · 508LM · 3,000K · CRI 90 · DC 125 x 20mm Motor
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 3,859/Low Speed 730

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
2,393	16	153	\$4

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









U.S. Patent(s): Pending



RC400 Remote Control

- \cdot 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

F410L-WH | White Finish • White Blades • Etched Opal Glass





SPACESAVER

with LED Light

- 14° Blade Pitch 3-Blades 26" Sweep
- Flush Mount

Etched Opal Glass

- · Ideal for Low Ceilings Total Hanging Depth 10¾" Drop From Ceiling
- · Integrated Light Uses 15W Dimmable LED (Included) 3 Year Warranty
- · 601LM 3,000K CRI 90
- · 3-Wire Installation Wall Control Included (pg. 421)
- · Converts to Electronic Control
- · Maximum CFM High Speed 2,016/Low Speed 664

Energy Guide (Excluding Lights)

(CFM)	USE (WATTS)	(CFM Per Watt)	YEARLY ENERGY COST
1,382	18	76	\$5

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move







WC110L Wall Control

- · 4 Speed Fan Control
- Full Range Light Dimmer

F510L-BS | Brushed Steel Finish · Silver Blades · Etched Opal Glass



 $\textbf{F510L-WH} \mid \textbf{White Finish} \cdot \textbf{White Blades} \cdot \textbf{Etched Opal Glass}$



F510L-ORB | Oil Rubbed Bronze Finish · Oil Rubbed Bronze Blades · Tinted Opal Glass





Taupe Blades White Opal Glass

CONCEPT™

with LED Light

14° Blade Pitch · 3-Blades 52" Sweep · 6" Downrod

- · Integrated Light Uses 14W LED (Included) 3 Year Warranty
- · 540LM · 3,000K · CRI 80 · Cap for Non-Light Use (Included)
- · Full Function Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM (44" Sweep) High Speed 3,523/Low Speed 1,651
- · Maximum CFM (52" Sweep) High Speed 5,204/Low Speed 2,133
- *Accessory Blades Available (pg. 434)



Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
2,646	29	92	\$8
3,764	40	93	\$11

All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move



44' 52'





U.S. Patent(s): 7,008,192



- · 3 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

 $\textbf{F517L-BN} \mid \text{Brushed Nickel Finish} \cdot \text{Silver Blades} \cdot \text{White Opal Glass}$



 $\textbf{F517L-WH} \mid \textbf{White Finish} \cdot \textbf{White Blades} \cdot \textbf{Etched White Glass}$





White Opal Glass

CONCEPT™ II 44"

with LED Light

14° Blade Pitch • 3-Blades 44" Sweep • Flush Mount

- · Integrated Light Uses 14W LED (Included) 3 Year Warranty
- · 537LM · 3,000K · CRI 80 · Hanging Depth 11.5" · Concave Blades
- · Full Function Hand Held Remote Control System Included (pg. 418)
- · Cap for Non-Light Use Included
- · Maximum CFM High Speed 3,656/Low Speed 1,465
- *Accessory Blades Available (pg. 434)

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST	
2,629	29	92	\$8	

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move







U.S. Patent(s): 7,008,192



- · 3 Speed Fan Control in Fwd and Rev
- ·On/Off Plus Full Range Light Dimmer

F518L-PN | Polished Nickel Finish · Silver Blades · White Opal Glass



 $\textbf{F518L-BN} \mid \text{Brushed Nickel Finish} \cdot \text{Silver Blades} \cdot \text{White Opal Glass}$



 $\textbf{F518L-WH} \mid \textbf{White Finish} \cdot \textbf{White Blades} \cdot \textbf{White Opal Glass}$





White Opal Glass

CONCEPT™ II 52"

with LED Light

14° Blade Pitch · 3-Blades 52" Sweep · Flush Mount

- · Integrated Light Uses 14W LED (Included) 3 Year Warranty
- · 537LM · 3,000K · CRI 80 · Hanging Depth 11.5" · Concave Blades
- · Full Function Hand Held Remote Control System Included (pg. 419)
- · Cap for Non-Light Use Included
- · Maximum CFM High Speed 5,423/Low Speed 1,874

Energy Guide (Excluding Lights)

	(WATTS)	(CFM Per Watt)	<u>\$11</u>
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY COST

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use pe day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move







U.S. Patent(s): 7,008,192



- · 3 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

^{*} Accessory Blades Available (pg. 434)



 $\textbf{F519L-WH} \mid \textbf{White Finish} \cdot \textbf{White Blades} \cdot \textbf{White Opal Glass}$



Optional Blade Finishes

FB217-DM FB217-DW FB217-ORB



VINTAGE GYRO™

with LED Light

Kocoa Finish Kocoa Blades Tinted Opal Glass

20° Blade Pitch • Twin Turbo Fans Total Sweep 42" • 6" Downrod

- \cdot 930-1,310 R.P.M Fan Speeds \cdot Turbo Fan Heads Adjustable Up and Down
- · Complete Assembly Rotates 360° at 2 R.P.M
- · Integrated Light Uses 1-4W Mini-Can LED Bulb (Included)
- · Full Function Wall Control System Incorporating Fully Independent Fan Head Speeds and Axis Rotation (pg. 419)
- · Cap for Non-Light Use (Included)
- · Maximum CFM High Speed 3,255/Low Speed 2,063

Energy Guide (Excluding Lights)

2,879	69	42	\$19
AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move







U.S. Patent(s): 6,832,902; 7,183,680; 7,229,255



- · 3 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

 $\textbf{F802L-ORB} \mid \text{Oil Rubbed Bronze Finish} \cdot \text{Oil Rubbed Bronze Blades} \cdot \text{Tinted Opal Glass}$





Belcaro Walnut™ Finish Belcaro Walnut™ Blades Belcaro Walnut™ Glass

TRADITIONAL GYRO™

with LED Light

20° Blade Pitch • Twin Turbo Fans Total Sweep 42" • 4½" & 12" Downrod

- · 906-1,305 R.P.M Fan Speeds Turbo Fan Heads Adjustable Up and Down
- · Complete Assembly Rotates 360° at 2 R.P.M
- · Integrated Light Uses 1-4W Mini-Can LED Bulb (Included)
- · Full Function Wall Control System Incorporating Fully Independent Fan Head Speeds and Axis Rotation (pg. 419)
- · Cap for Non-Light Use (Included)
- · Maximum CFM High Speed 3,088/Low Speed 1,773

Energy Guide (Excluding Lights)

2,472	76	33	\$21
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s): D523,548; D523,549; D523,550; D523,983; D524,438; D526,059; D526,400; D526,712; D530,810; D532,097; D567,350; 6,832,902; 7,183,680; 7,229,255 © 2004 Minka Lighting, Inc.



- · 3 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer





with LED Light

20° Blade Pitch • Twin Turbo Fans Total Sweep 42" • 6" Downrod

- · 930-1,310 R.P.M Fan Speeds · Turbo Fan Heads Adjustable Up and Down
- · Complete Assembly Rotates 360° at 2 R.P.M
- · Integrated Light Uses 1-4W Mini-Can LED Bulb (Included)
- · Full Function Wall Control System Incorporating Fully Independent Fan Head Speeds and Axis Rotation (pg. 419)
- · Cap for Non-Light Use (Included)
- · Maximum CFM High Speed 4,709/Low Speed 3,335
- Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,075	69	59	\$19

All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move





U.S. Patent(s): D489,443; D489,809; D490,146; 6,832,902; 7,183,680; 7,229,255



- 3 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer





F513-WH

White Finish White Blades

NEW ERA

14° Blade Pitch • 4-Blades 52" Sweep • 6" Downrod

- · Universal Light Kits Available (pg. 412)
- · Full Function Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 4,801/Low Speed 1,754

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,373	45	75	\$13

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







- · 3 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer



F513-KA | Kocoa Finish • Reversible Toned Medium Maple/Dark Maple Blades



 $\textbf{F513-ORB} \mid \text{Oil Rubbed Bronze Finish} \cdot \text{Medium Maple Blades}$





Seashore Grey Blades

GREAT ROOM

TRADITIONAL

14° Blade Pitch • 5-Blades 72" Sweep • 6" Downrod

- · Universal Light Kit Adaptable K9376-2 (pg. 412) Sold Separately
- · Full Function Wall Control Included (pg. 419)
- · Maximum CFM High Speed 10,659/Low Speed 3,723

Energy Guide (Excluding Lights)

7,191	(WAI 15)	(CFM Per Watt)	\$18
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move





- \cdot 3 Speed Fan Control in Fwd and Rev
- ·On/Off Plus Full Range Light Dimmer





F539-HBZ | Heirloom Bronze Finish • Aged Boardwalk Blades



SWEEP









TIMELESS

14° Blade Pitch • 5-Blades 54" Sweep • 6" Downrod

- · 3 Speed Pull Chain
- · Custom LED Light Kit K9614 Available (pg. 417) Sold Separately
- · Universal Light Kit Available (pg. 412) Sold Separately
- · Maximum CFM High Speed 4,444/Low Speed 1,920

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,261	42	77	\$12

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move



F614-DBB | Dark Brushed Bronze Finish • Dark Maple Blades



F614-ORB | Oil Rubbed Bronze Finish • Medium Maple Blades





TIMELESS

14° Blade Pitch • 5-Blades 54" Sweep • 6" Downrod

- · 3 Speed Pull Chain
- · Custom LED Light Kit K9614 Available (pg. 417) Sold Separately
- · Universal Light Kit Available (pg. 412) Sold Separately
- · Maximum CFM High Speed 4,491/Low Speed 1,921

Energy Guide (Excluding Lights)

3.261	(WATTS)	(CFM Per Watt)	COST \$12
AIRFLOW (CFM)	ENERGY	AIRFLOW	ESTIMATED YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move



F614-FB | French Beige Finish • Medium Maple Blades



F614-HBZ | Heirloom Bronze Finish • Aged Boardwalk Blades





KOLA

12° Blade Pitch · 5-Blades 52" Sweep · 6" Downrod

- · Universal Light Kit Adaptable (pg. 412) Sold Separately
- · 3-Speed Pull Chain
- · Maximum CFM High Speed 4,901/Low Speed 1,401

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,314	43	77	\$12

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move





F688-WH | White Finish • White Blades





Medium Maple/Dark

Maple Blades

KOLA-XL

12° Blade Pitch • 5-Blades 60" Sweep • 6" Downrod

- · Universal Light Kit Adaptable (pg. 412) Sold Separately
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 6,497 /Low Speed 1,608

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,206	51	83	\$14

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







- · 3 Speed Fan Control in Fwd and Rev
- On/Off Plus Full Range Light Dimmer

F689-DBB | Dark Brushed Bronze Finish · Reversible Dark Maple/Dark Walnut Blades



F689-WH | White Finish · White Blades





12° Blade Pitch • 5-Blades 52" Sweep • 6" Downrod

- · Universal Light Kit Adaptable (pg. 412) Sold Separately
- · 3-Speed Pull Chain
- · Maximum CFM High Speed 4,766/Low Speed 1,213

Energy Guide (Excluding Lights)

3,131	41	76	\$12
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move



F695-CL | Coal Black Finish • Coal Black Blades



F695-WH | White Finish • White Blades



F695-HBZ | Heirloom Bronze Finish · Aged Boardwalk Blades



F695-KA | Kocoa Finish • Reversible Toned Medium Maple/Dark Maple Blades





KAFÉ-XL

12° Blade Pitch • 5-Blades 60" Sweep • 6" Downrod

- · Universal Light Kit Adaptable (pg. 412) Sold Separately
- · Full Function Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 6,305/Low Speed 1,457

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,033	50	80	\$14

All estimates based on typical use · Based on 12 cents per kWh and 6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move







- · 3 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

F696-CL | Coal Black Finish • Coal Black Blades



F696-WH | White Finish • White Blades



F696-HBZ | Heirloom Bronze Finish · Aged Boardwalk Blades



F696-KA | Kocoa Finish • Reversible Toned Medium Maple/Dark Maple Blades



Shown with Toned Medium Maple Blades Reversible to Dark Maple Blades



CLASSICA GALLERY EDITION

with LED Light

14° Blade Pitch • 5-Blades 54" Sweep • 6" Downrod

- · Integrated 3-Light Uses 4W Candelabra LED Bulbs (Included)
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 4,878/Low Speed 1,892

Energy Guide (Excluding Lights)

All estimates based on typical use *Based on 12 cents per kWh and 6.4 hours use per day * Your cost depends on rates and use *The higher the airflow, the more air the fan will move







© 2009 Minka Lighting, Inc.



RCS213 Remote Control

- · 3 Speed Fan Control
- On/Off Plus Full Range Light Dimmer





CLASSICA

14° Blade Pitch • 5-Blades 54" Sweep • 6" Downrod

- · 3-Speed Pull Chain
- · Universal Light Kit Adaptable (pg. 412) Sold Separately
- · Custom LED Light Kit K9659L Available (pg. 417) Sold Separately
- · Maximum CFM High Speed 4,389/Low Speed 1,796

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,394	41	83	\$12

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move



F659-PI | Patina Iron Finish • Dark Walnut Blades



F659-PBL | Provencal Blanc Finish · Provencal Blanc Blades



F659-FB | French Beige Finish • Medium Maple Blades





DELANO®

with LED Light

14° Blade Pitch • 5-Blades 52" Sweep • 6" Downrod

- · Integrated Uplight Uses 3-1.8W Candelabra LED Bulbs (Included)
- · Integrated Downlight Uses 2-4W Mini-Can LED Bulbs (Included)
- · Wall Control System Independent Up/Downlight Included (pg. 420)
- · Maximum CFM High Speed 5,097/Low Speed 2,100

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,693	47	78	\$13

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move









WCS213 Wall Control

- · 3 Speed Fan Control
- · On/Off Plus Full Range Light Dimmer



F701L-DRF | Driftwood Finish • Driftwood Blades • Bone White Glass





F702L-BCW

F702L-VB

Belcaro Walnut™ Finish Natural Walnut Blades Aged Champagne Glass

VOLTERRA™

with LED Light

14° Blade Pitch • 5-Blades 52" Sweep • 6" Downrod

- · Integrated Uplight Uses 3-1.8W Candelabra LED Bulbs (Included)
- · Integrated Downlight Uses 2-4W Mini-Can LED Bulbs (Included)
- · Wall Control System Independent Up/Downlight Included (pg. 420)

· Maximum CFM - High Speed 5,134/Low Speed 1,974

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,652	47	78	\$13

All estimates based on typical use · Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move







© 2002 Minka Lighting, Inc.



WCS213 Wall Control

3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer





Dark Walnut Blades Aged Champagne Glass

CALAIS[™]

with LED Light

14° Blade Pitch • 5-Blades 52" Sweep 12" Downrod

- · Ideal for Low Ceilings Less than 11" Drop from Ceiling
- · Integrated Light Uses 2-5W Candelabra LED Bulbs (Included)
- · Hand Held Control System Independent Up/Downlight Included (pg. 419)
- · Maximum CFM High Speed 3,956/Low Speed 1,345

Energy Guide (Excludes Lighting)

2,854	51	56	\$14
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s): D526,714; D527,094; D530,415; D532,896; D536,777



RCS213 Wall Control

· 3 Speed Fan Control · On/Off Plus Full Range Light Dimmer



CRISTAFANO™

with LED Light

14° Blade Pitch • 5-Blades 68" Sweep • 16" Downrod

- · Precision Machine Cut and Polished Lead-Free SPECTRA® CRYSTAL
- · Integrated Uplight Uses 3-4W Candelabra LED Bulbs (Included)
- · Integrated Downlight Uses 2-4W Mini-Can LED Bulbs (Included)
- · Full Function Wall Control System Included (pg. 419)
- · Maximum CFM High Speed 7,644/Low Speed 2,897

Energy Guide (Excluding Lights)

5,438	(WATTS)	(CFM Per Watt)	\$18
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







© 2005 Minka Lighting, Inc



WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev
- ·On/Off Plus Full Range Light Dimmer

F900L-BCW | Belcaro Walnut™ Finish • Dark Walnut Blades • Etched Cut Glass



68 INCH S W E E P



BLING

14° Blade Pitch • 5-Blades 56" Sweep • 6" Downrod

- · Integrated LED Light Uses 3-4W LED (Included) 3 Year Warranty
- · 747LM · 2,700K · CRI 80 · DC 125 x 30mm Motor
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 5,274/Low Speed 1,819



Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3654	19	192	\$5

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move











RC400 Remote Control

- \cdot 6 Speed Fan Control in Fwd and Rev
- On/Off Plus Full Range Light Dimmer





$NAPOLI^{TM}$

with LED Light

14° Blade Pitch • 5-Blades 56" Sweep • 12" Downrod

- · Integrated Light Uses 1-20W Dimmable LED (Included)
- · Full function Wall Control System Included (pg. 419)
- · Maximum CFM High Speed 7,608/Low Speed 2,895

Energy Guide (Excluding Lights)

5,398	67	81	\$19
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move







U.S. Patent(s): D513,532; D514,685; D514,690; D516,702; D521,627; D522,122



WCS212 Wall Control

• 3 Speed Fan Control in Fwd and Rev • On/Off Plus Full Range Light Dimmer



12" Downrod

F715DL-STW

Sterling Walnut™ Finish Sterling Walnut™ Shaded Blades Aged Champagne Glass

NAPOLI[™] II

with LED Light

- 14° Blade Pitch 5-Blades 68" Sweep
- · Integrated Light Uses 1-20W Dimmable LED (Included)
- · Hand Held Remote
- · Maximum CFM High Speed 6,839/Low Speed 2,881
- · DC 120 x 25mm Motor

Energy Guide (Excluding Lights)

5,145	20	261	\$6
AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move









U.S. Patent(s): D513,532; D514,685; D514,690; D516,702; D521,627; D522,122



RC500 Remote Control

· 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



with LED Light

12° Blade Pitch • 5-Blades 52" Sweep • 6" Downrod

- · Warp Resistant Plywood Blades
- \cdot 3-Speed Pull Chain \cdot Cap for Non-Light Use Included
- · Low Profile Light Kit Uses 3-4W Candelabra LED Bulbs (Included)
- · Solid Cap and Finial Adaptation for Remote Control Use Included
- · Maximum CFM High Speed 4,168/Low Speed 2,055

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,178	42	75	\$12

All estimates based on typical use · Based on 12 cents per kWh and 6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move





F522L-CL | Coal Black Finish • Coal Black Blades • Frosted White Glass



 $\textbf{F522L-ORB} \mid \textit{Oil Rubbed Bronze Finish} \cdot \textit{Reversible Medium Maple/Dark Walnut Blades} \cdot \textit{Frosted White Glass}$



F522L-WH | Flat White Finish ⋅ White Blades ⋅ Frosted White Glass



F522L-BN | Brushed Nickel Finish • Reversible Medium Maple/Dark Walnut Blades • Frosted White Glass





LUN-AIRE

with LED Light

12° Blade Pitch • 5-Blades 54" Sweep • 6" Downrod

- · Integrated Light Uses 18W Dimmable LED (Included) 3 Year Warranty
- · 800LM · 3,000K · CRI 80 · 3-Speed Pull Chain
- · Maximum CFM High Speed 5,198/Low Speed 2,176

Energy Guide (Excluding Lights)

	(WATTS)	(CFM Per Watt)	COST
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move



U.S. Patent(s): D833,596

F534L-CL | Coal Black Finish • Coal Black Blades • Etched Opal Glass



F534L-BN | Brushed Nickel Finish · Silver Blades · Etched Opal Glass



F534L-WH | White Finish • White Blades • Etched Opal Glass



F534L-ORB | Oil Rubbed Bronze Finish • Dark Pine Blades • Etched Opal Glass





ESPACE

with LED Light

14° Blade Pitch • 5-Blades 52" Sweep • 6" Downrod

- · Integrated Light Uses 18W Dimmable LED (Included) 3 Year Warranty
- · 618LM · 3,000K · CRI 90
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 5,075/Low Speed 1,744

Energy Guide (Excluding Lights)

3.514	45	78	\$13
(CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use -Based on 12 cents per kWh and 6.4 hours use pe day · Your cost depends on rates and use -The higher the airflow, the more air the fan will move









RCS213 Remote Control

- · 3 Speed Fan Control
- · On/Off Plus Full Range Light Dimmer

F690L-CL | Coal Black Finish • Coal Black Blades • Etched Opal Glass



 $\textbf{F690L-ORB/MM} \mid \text{Oil Rubbed Bronze Finish} \cdot \text{Medium Maple Blades} \cdot \text{Etched Opal Glass}$



 $\textbf{F690L-WH} \mid \textbf{White Finish} \cdot \textbf{White Blades} \cdot \textbf{Etched Opal Glass}$











12° Blade Pitch • 5-Blades 52" Sweep • 6" Downrod

- · Integrated Light Uses 16W Dimmable LED (Included) 3 Year Warranty
- 965LM 3,000K CRI 80
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 4,509/Low Speed 1,520

Energy Guide (Excluding Lights)

3,108	40	77	\$11
AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s): D726,836; D762,839; D780,905 Additional U.S. Patent(s) Pending



RCS213 Remote Control

- · 3 Speed Fan Control
- On/Off Plus Full Range Light Dimmer



F1000-BN/SL | Brushed Nickel Finish • Reversible Silver/Aged Wood Blades • Etched Lens



Shown with Aged Wood Blades Reversible to Silver Blades

$\textbf{F1000-ORB} \mid \text{Oil Rubbed Bronze Finish} \cdot \text{Reversible Medium Maple/Dark Walnut Blades} \cdot \text{Etched Lens}$



F1000-WH | White Finish • White Blades • Etched Lens







12° Blade Pitch • 5-Blades 52" Sweep • 6" Downrod

- · Integrated Light Uses 16W Dimmable LED (Included) 3 Year Warranty
- 965LM 3,000K CRI 80
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 4,509/Low Speed 1,520

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,108	40	77	\$11
3,108	40	77	\$11







U.S. Patent(s): D726,836; D762,839; D780,905 Additional U.S. Patent(s) Pending



RCS213 Remote Control

- · 3 Speed Fan Control
- · On/Off Plus Full Range Light Dimmer



F1000-BNK | Burnished Nickel Finish • Savannah Grey Blades • Etched Lens



F1000-BN | Brushed Nickel Finish • Reversible Medium Maple/Dark Walnut Blades • Etched Lens



Shown with Dark Walnut Blades Reversible to Medium Maple Blades



DYNO XL with LED Light

12° Blade Pitch • 5-Blades 60" Sweep • 6" Downrod

- · Integrated Light Uses 26W LED (Included) 3 Year Warranty
- \cdot DC 172 x 12 mm Motor
- · 1,498LM 3,000K CRI 90
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 5,987/Low Speed 1,807

Energy Guide (Excluding Lights)

TTS) (CFN	M Per Watt)	COST
2	183	\$6
	22	2 183

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move













RC600 Remote Control

· 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

F1001-ORB | Oil Rubbed Bronze Finish • Reversible Medium Maple/Dark Walnut Blades • Etched Lens



F1001-BN | Brushed Nickel Finish • Reversible Medium Maple/Dark Walnut Blades • Etched Lens



Shown with Dark Walnut Blades Reversible to Medium Maple Blades

F1001-WH | White Finish • White Blades • Etched Lens





DYNO XL with LED Light

12° Blade Pitch • 5-Blades 60" Sweep • 6" Downrod

- · Integrated Light Uses 24W LED (Included) 3 Year Warranty
- \cdot DC 172 x 12 mm Motor
- · 1,498LM 3,000K CRI 90
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 5,987/Low Speed 1,807

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,028	22	183	\$6

• The higher the airflow, the more air the fan will move














Smart Fan





RC600 Remote Control

· 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



F1001-HBZ | Heirloom Bronze Finish • Barnwood Finish Blades • Etched Lens



F1001-BN/SL | Brushed Nickel Finish · Reversible Silver/Aged Wood Blades · Etched Lens





F727-CL

Coal Black Finish Coal Black Blades

RUDOLPH

- 14° Blade Pitch · 3-Blades 52" Sweep · 6" Downrod
- · Wall Control System Included (pg. 421)
- · Convertible to Electronic Control System
- · Universal Light Kit Adaptable (pg. 412) Sold Separately
- · Custom LED Light Kit K9727L Available (pg. 414) Sold Separately
- · Maximum CFM High Speed 5,757/Low Speed 1,554

Energy Guide (Excluding Lights)

	3,810	48	79	\$13
	AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
		•		

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move





WC116 Wall Control

- · 4 Speed Fan Control
- · 2-Wire Installation





 $\textbf{F727-BN/MM} \mid \text{Brushed Nickel Finish} \cdot \text{Medium Maple Blades}$





RUDOLPH

- 14° Blade Pitch · 3-Blades 52" Sweep · 6" Downrod
- · Wall Control System Included (pg. 421)
- · Convertible to Electronic Control System
- · Universal Light Kit Adaptable (pg. 412) Sold Separately
- · Custom LED Light Kit K9727L Available (pg. 414) Sold Separately
- · Maximum CFM High Speed 5,757/Low Speed 1,554

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,810	48	79	\$13

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move





WC116 Wall Control

- · 4 Speed Fan Control
- · 2-Wire Installation

F727-DK | Distressed Koa Finish • Distressed Koa Blades



F727-BN/SL | Brushed Nickel Finish • Silver Blades





STEAL

5° Blade Pitch • 3-Blades 54" Sweep • 6" Downrod

- · AC 188 x 15mm Motor Install with Blades at least 10' Above Floor
- · 2-Wire Installation Wall Control Included (pg. 421)
- · Non-Reversible
- · Maximum CFM High Speed 6,093/Low Speed 1,498

Energy Guide (Excluding Lights)

3,939	37	107	\$10
AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move





WC105-WH Wall Control

- · 4 Speed Fan Control
- · 2-Wire Installation

F729-GM | Gun Metal Finish • Gun Metal Blades



F729-BN | Brushed Nickel Finish • Brushed Nickel Blades



F729-WHF | Flat White Finish • Flat White Blades





F833-WH

White Finish

KEWL

14° Blade Pitch • 3-Blades 52" Sweep • 6" Downrod

- · 2-Wire Installation Wall Control Included (pg. 421)
- · Convertible to Electronic Control System
- · Custom Finish Orders Accepted Minimum 200 Pieces Per Finish
- · 90 Day Lead Time on Custom Orders
- · Maximum CFM High Speed 4,981/Low Speed 1499

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,349	31	107	\$9

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move



U.S. Patent(s): D715,418; D726,299



WC105-WH Wall Control

4 Speed Fan Control2-Wire Installation

F833-BK | Black Finish



F833-SL | Silver Finish





INDOOR USE	Minka-Aire® UL Wet	UL Damp	Ind
Common Area, Bedrooms	/	/	
Garage	/	/	
Bathroom with Showers	/	/	
Homes near Ocean	/		
OUTDOOR USE			
Fully Covered Patio/Porch	/	/	
Partially Covered Patio/Porch	/		
Direct Exposure to Rain	/		
Direct Exposure to Snow	✓		
Pergola	/		
Near Sprinklers	✓		
Near the Ocean	/		
Simple to Clean (Hose it Down!)			
OTHER FACTORS			
Completely Sealed Motor Housing	/		
Rust/Corrosion Resistant	/		
Non-Corrosive Screws	/		
UV Inhibitors	/		



DECO

with LED Light

Finally, a Contemporary and Modern design fan with functionality. Paired with a DC energy efficient Motor, Deco comes equipped with an integrated 24W LED light kit with over 2,000 lumens with variable CCT capabilities. Deco comes standard with indoor and outdoor capabilities. Allow Deco to inspire modern décor with this engaging design.

12° Blade Pitch • 6-Blades 65" Sweep • CCT LED

- · Integrated Light Uses 24W LED Variable CCT (Included) 3 Year Warranty
- · 2163LM CRI 90.8
- · Hand Held Remote Control System Included
- · Remote has 1,024 Frequency Combinations
- · Estimated Maximum CFM High Speed 7,978/ Low Speed 3,980
- · Indoor/Outdoor Use Wet Locations

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
6,104	21	291
*Estimated		















RC1000 Remote Control

- 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

F866L-CL

Coal Black Finish Coal Black Blades Clear Lens



Adjust Between **3** Light Colors with Integrated Switch

SOFT WHITE (3000K)

NEUTRAL WHITE (3500K)
BRIGHT WHITE (4000K)





F866L-WHF | Flat White Finish • Flat White Blades • Clear Lens





Brushed Nickel Finish

Silver Blades

Etched Lens

FUTURE

with LED Light

The Future is now! With a diecast motor housing, Future provides elements of modern industrial design, with a transitional flair. With added hardware accents to the blade arms, no detail is left undone. Future has indoor and outdoor capabilities, along with an energy efficient DC motor. Equipped with a 30-Watt integrated LED light, Future will brighten up any living space.

14° Blade Pitch · 8-Blades 65" Sweep

- · Integrated Light Uses 30W LED 3 Year Warranty
- · 2,000LM 3,000K CRI 90
- · Hand Held Remote Control System Included
- · Remote has 1,024 Frequency Combinations
- · Estimate Maximum CFM High Speed 6,500/ Low Speed 2,000
- · Indoor/Outdoor Use Wet Locations

Energy Guide (Excluding Lights)

0,		
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
4,661	24	196
*Estimated		













- 6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer







ANYWHERE

The first wall mount fan in the industry to be wet-rated brings a contemporary look and feel to any indoor or outdoor space. ANYWHERE can be mounted to a standard electrical box or plugged in to an outlet. ANYWHERE is designed to conform to any décor and to any climate. Oscillating cool comfort where a ceiling fan may not be an option.

15" Diameter • 3-Blade Turbo Fan • Oscillates 45° Side to Side

- · 3 Speeds: 491, 650 and 985 R.P.M. · Steel Construction
- · Manual Tilt · 118" Heavy Duty Cord Length · 3 Speed Pull Chain
- · Convertible to hardware or wall plug · One Year Limited Warranty
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 1,122/Low Speed 605



Product Video Available on MinkaAire.com







F307-COVER Weather Cover Included (Also sold separately)









F402L-ORB

Oil Rubbed Bronze Finish Oil Rubbed Bronze Blades Etched Opal School House Globe Glass

GYRO™ WET

with LED Light

20° Blade Pitch • Twin Turbo Fans Total Sweep 42" • 6" Downrod

- · 1000-1,500 R.P.M Fan Speeds Turbo Fan Heads Adjustable Up and Down
- · Complete Assembly Rotates 360° at 2 R.P.M
- · Integrated Light Uses 1-4W Mini-Can LED Bulb (Included)
- · Full Function Wall Control System Incorporating Fully Independent Fan Head Speeds and Lighting Fixture (pg. 419)
- · Cap for Non-Light Use (Included) Galvanized Steel Downrod

· Indoor/Outdoor Use - UL Listed for Wet Locations

· Maximum CFM - High Speed 3,474/Low Speed 1,954

Energy Guide (Excluding Lights)

2,761	76	36	\$21
AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use · Based on 12 cents per k\
6.4 hours use per day · Your cost depends on rates and use
· The higher the airflow, the more air the fan will move











U.S. Patent(s): D489.443: D489.809: D490.146: 6.832.902: 7.183.680: 7.229.255



WCS212 Wall Control

· 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

F402L-BNW

Brushed Nickel Wet Finish Silver Blades Shown with Cap for Non Light Use







Silver Blades

XTREME H₂O 52"

with LED Light

9° Blade Pitch · 8-Blades 52" Sweep · 6" Downrod

- · DC 123 x 30mm Motor · ABS Blades
- · Custom 20W LED Light Kit K9886L Available (pg. 414) Sold Separately
- · Hand Held Remote Control System Included
- · Indoor/Outdoor Use ETL Rated for Wet Locations
- · Estimated Maximum CFM High Speed 10,989/Low Speed 2,000

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
3,000	32	93











RC1000 Remote Control

· 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

F896-52-ORB | Oil Rubbed Bronze Finish • Oil Rubbed Bronze Blades



F896-52-SI | Smoked Iron Finish • Smoked Iron Blades



F896-52-CL | Coal Black Finish • Coal Black Blades



F896-52-WHF | Flat White Finish • Flat White Blades





F896-65-BNW

Brushed Nickel Wet Finish Silver Blades

XTREME H2O 65"

with LED Light

9° Blade Pitch · 8-Blades 65" Sweep · 6" Downrod

- · DC 123 x 30mm Motor · ABS Blades
- · Custom 20W LED Light Kit K9886L Available (pg. 414) Sold Separately
- · Hand Held Remote Control System Included (pg. 418)
- · Indoor/Outdoor Use ETL Rated for Wet Locations
- \cdot Maximum CFM High Speed 9,036/Low Speed 3,765

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
6,565	32	205	\$9

All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move











- 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer





XTREME H2O 65"

with LED Light

9° Blade Pitch · 8-Blades 65" Sweep · 6" Downrod

- · DC 123 x 30mm Motor · ABS Blades
- · Custom 20W LED Light Kit K9886L Available (pg. 414) Sold Separately
- · Hand Held Remote Control System Included (pg. 418)
- · Indoor/Outdoor Use ETL Rated for Wet Locations
- \cdot Maximum CFM High Speed 9,036/Low Speed 3,765

Energy Guide (Excluding Lights)

6,565	(WATTS)	(CFM Per Watt)	\$9
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED YEARLY ENERGY COST
(CFM)	USE	EFFICIENCY	

All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move











- · 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

F896-65-ORB | Oil Rubbed Bronze Finish • Oil Rubbed Bronze Blades



F896-65-WHF | Flat White Finish • Flat White Blades





F896-84-BNW

Brushed Nickel Wet Finish
Silver Blades

XTREME H₂O 84"

with LED Light

9° Blade Pitch · 8-Blades 84" Sweep · 6" Downrod

- · DC 123 x 30mm Motor ABS Blades
- · Custom 20W LED Light Kit K9886L Available (pg. 414) Sold Separately
- · Hand Held Remote Control System Included (pg. 418)
- · Indoor/Outdoor Use ETL Rated for Wet Locations
- \cdot Maximum CFM High Speed 10,989/Low Speed 5,150

Energy Guide (Excluding Lights)

(WATTS) (CFM Per Watt)	
AIRFLOW ENERGY AIRFLOW ESTIMATED (CFM) USE EFFICIENCY YEARLY ENERGY	COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move











- · 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer



F896-84-SI | Smoked Iron Finish • Smoked Iron Blades



F896-84-CL | Coal Black Finish • Coal Black Blades



F896-84-WHF | Flat White Finish • Flat White Blades





GÉANT

with LED Light

Aluminum Finish Aluminum Blades with LED Light

9° Blade Pitch · 8-Blades 110" Sweep · 16" Downrod

- · Integrated Light Uses 40W LED (Included) 3 Year Warranty
- · 2,417LM · 3,000K · CRI 90 · DC 168 x 30mm Motor
- · Cap for Non Light Use Included
- · Order Silver Downrod for Longer Downrod Needs
- · Indoor/Outdoor Use ETL Rated for Wet Locations
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM- High Speed 11,160/Low Speed 4,630

*Energy Guide (Excluding Lights)

11,160	49	228	
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move













RC400 Remote Control

6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer



F988L-ALM | Aluminum Finish · Aluminum Blades · LED Light



- 110" SWEEP

110 INCH S W E E P



14° Blade Pitch · 8-Blades 65" Sweep · 6" Downrod

- · Integrated Light Uses 18W Dimmable LED (Included) 3 Year Warranty
- · Galvanized Steel 6" Downrod · Stainless Steel Hardware · All Weather Blades
- · 875LM · 90 CRI · DC 165 x 25mm Motor · Cap for Non-Light Use (Included)
- · Hand Held Remote Control System Included (pg. 418)
- · Indoor/Outdoor Use ETL Listed for Wet Locations
- · Maximum CFM High Speed 8,243/Low Speed 3,918
- Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

	, ,	`	<i>y</i>
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
6,216	22	285	\$6
All estimate	s based on tv	pical use · Based on 1	2 cents per kWh and 6.4 hours use per

day Your cost depends on rates and use

• The higher the airflow, the more air the fan will move











U.S. Patent(s): D715,917



- · 6 Speed Fan Control in Fwd and Rev
- On/Off Plus Full Range Light Dimmer

F888L-CL | Coal Black Finish • Coal Black Blades • Etched Opal Glass



F888L-DK | Distressed Koa Finish • Distressed Koa Blades • Tinted Opal Glass





Silver Blades Etched Opal Glass

SLIPSTREAM

with LED Light

14° Blade Pitch · 8-Blades 65" Sweep · 6" Downrod

- · Integrated Light Uses 18W Dimmable LED (Included) 3 Year Warranty
- · Galvanized Steel 6" Downrod · Stainless Steel Hardware · All Weather Blades
- · 875LM · 90 CRI · DC 165 x 25mm Motor · Cap for Non-Light Use (Included)
- · Hand Held Remote Control System Included (pg. 418)
- · Indoor/Outdoor Use ETL Listed for Wet Locations
- · Maximum CFM High Speed 8,243/Low Speed 3,918
- Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

6.216	22	285	\$6
(CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

day Your cost depends on rates and use

The higher the airflow, the more air the fan will move











U.S. Patent(s): D715,917



- · 6 Speed Fan Control in Fwd and Rev
- On/Off Plus Full Range Light Dimmer

 $\textbf{F888L-ORB} \mid \text{Oil Rubbed Bronze} \cdot \text{Oil Rubbed Bronze Blades} \cdot \text{Tinted Opal Glass}$



F888L-WHF | Flat White Finish • Flat White Blades • Etched Opal Glass





BARN H2O

with LED Light

16° Blade Pitch • 10-Blades 84" Sweep • 10" Downrod

- · Integrated Light Uses 40W LED (Included) 3 Year Warranty
- · 1,984LM · 3,000K · CRI 90 · DC 168 x 30mm Motor
- · Hand Held Remote Control System Included (pg. 418)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Remote has 1024 Frequency Combinations
- · Maximum CFM High Speed 12,402/Low Speed 4,550

Energy Guide (Excluding Lights)

8,721	30	294	\$8
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
0,			

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move













Smart Fan iOS & Android App



F865L-BNK | Burnished Nickel Finish • Textured Savannah Grey Blades • Clear Ribbed Glass





Oil Rubbed Bronze Finish Seasoned Wood Finish Blades **Etched Lens**

WINDMOLEN

24° Blade Pitch · 12-Blades 65" Sweep · 10" Downrod

- · Integrated Light Uses 40W LED (Included) 3 Year Warranty
- · 1,683LM · 3,000K · CRI 90 · DC 123 x 30mm Motor
- · Indoor/Outdoor Use Listed for Wet Locations
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 8,848/Low Speed 4,198 Estimated

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
6,633	27	244	\$6

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move

Smart Fan























- 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

F870L-TCL | Textured Coal Black Finish • Coal Black Ashwood Blades • Etched Lens



 $\textbf{F870L-BS} \mid \texttt{Brushed Steel Finish} \cdot \texttt{Ashwood Blades} \cdot \texttt{Etched Lens}$



F870L-TW | Textured White Finish • Bleached Ashwood Blades • Etched Lens





MOLINO with LED Light

14° Blade Pitch · 3-Blades 65" Sweep · 6" Downrod

- · Integrated Light Uses 20W LED (Included) 3 Year Warranty
- · 721LM 3,000K CRI 90 DC 153 x 15mm Motor
- · Full function Remote Control System Included (pg. 419)
- · Indoor/ Outdoor Use ETL Listed for Wet Locations
- · 1,024 Frequency Combinations
- · Maximum CFM High Speed 7,166/Low Speed 2,772

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
5,106	30	173	\$8
- /			

and 6.4 hours use per day. Your cost depends on rates and use. The higher the airflow, the more air the fan will move












Smart Fan





RC1000 Remote Control

6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer

F742L-WHF | Flat White Finish · Bleached Seasoned Wood Finish Blades · Etched White Glass



F742L-BNK | Burnished Nickel Finish • Seashore Grey Blades • Etched White Glass



F742L-CL/SG | Coal Black Finish · Seashore Grey Blades · Etched White Glass





F625L-WHF

Flat White Finish Flat White Blades Etched Lens

SKINNIE 44"

with LED Light

18° Blade Pitch · 3-Blades 44" Sweep · 6" Downrod

- · Integrated Light Uses 20W LED (Included) 3 Year Warranty
- · 1,169LM · 3,000K · CRI 90 · DC 123 x 15mm Motor
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Hand Held Remote Control System Included
- · Remote has 1024 Frequency Combinations
- · Estimated Maximum CFM High Speed 6,000/Low Speed 3,000

Energy Guide (Excluding Lights)

3,000	24	125
	(WATTS)	(CFM Per Watt)
(CFM)	USE	AIRFLOW EFFICIENCY













- \cdot 6 Speed Fan Control in Fwd and Rev
- On/Off Plus Full Range Light Dimmer

F625L-CL | Coal Black Finish • Coal Black Blades • Etched Lens



F625L-ORB | Oil Rubbed Bronze Finish • Oil Rubbed Bronze Blades • Etched Lens





F626L-GRY

Grey Finish Grey Blades Etched Lens

SKINNIE

with LED Light

18° Blade Pitch · 3-Blades 56" Sweep · 6" Downrod

- · Integrated Light Uses 20W LED (Included) 3 Year Warranty
- · 1,169LM · 3,000K · CRI 90 · DC 123 x 30mm Motor
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Hand Held Remote Control System Included (pg. 418)
- · Remote has 1024 Frequency Combinations
- · Maximum CFM High Speed 8,037 /Low Speed 3,069

Energy Guide (Excluding Lights)

AIRFLO	W ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
5,70	8 24	236	\$7

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move













- · 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

F626L-CL Coal Black Finish • Coal Black Blades • Etched Lens



F626L-ORB | Oil Rubbed Bronze Finish • Oil Rubbed Bronze Blades • Etched Lens



F626L-WHF | Flat White Finish • Flat White Blades • Etched Lens





SIMPLE 44"

26° Blade Pitch • 3-Blades 44" Sweep • 6" Downrod

- · DC 123 x 30mm Motor
- · Custom 20W LED Light Kit K9787L Available (pg. 414) Sold Separately
- · Indoor/Outdoor Use ETL Listed for Wet Locations
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 5,289/Low Speed 1,626

Energy Guide (Excluding Lights)

AIRFLOW ENERGY AIRFLOW ESTIMATED (CFM) USE EFFICIENCY YEARLY ENERGY (WATTS) (CFM Per Watt) COST	3,572	29	122	\$8
	AIRFLOW (CFM)			

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move













- \cdot 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

F786-SBR/CL | Soft Brass Finish • Coal Black Blades



F786-CL | Coal Black Finish • Coal Black Blades





SIMPLE 44"

26° Blade Pitch · 3-Blades 44" Sweep · 6" Downrod

- · DC 123 x 30mm Motor
- · Custom 20W LED Light Kit K9787L Available (pg. 414) Sold Separately
- · Indoor/Outdoor Use ETL Listed for Wet Locations
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 5,289/Low Speed 1,626

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,572	29	122	\$8

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move













- \cdot 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

F786-SL | Silver Finish • Silver Blades



F786-WHF | Flat White Finish • Flat White Blades





SIMPLE 52"

14° Blade Pitch · 3-Blades 52" Sweep · 6" Downrod

- · DC 123 x 30mm Motor
- · Custom 20W LED Light Kit K9787L Available (pg. 414) Sold Separately
- · Indoor/Outdoor Use ETL Listed for Wet Locations
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 6,231/Low Speed 2,009

Energy Guide (Excluding Lights)

4.310	16	277	\$4
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move













- 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

F787-SBR/CL | Soft Brass Finish · Coal Black Blades



F787-ORB | Oil Rubbed Bronze Finish • Medium Maple Blades





F787-BNW

Brushed Nickel Wet Finish
Silver Blades

SIMPLE 52"

14° Blade Pitch · 3-Blades 52" Sweep · 6" Downrod

- · DC 123 x 30mm Motor
- · Custom 20W LED Light Kit K9787L Available (pg. 414) Sold Separately
- · Indoor/Outdoor Use ETL Listed for Wet Locations
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 6,231/Low Speed 2,009

Energy Guide (Excluding Lights)

All estimates based on typical use · Based on 12 cents per kWh and 6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move













- \cdot 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

F787-SL | Silver Finish • Silver Blades



F787-WHF | Flat White Finish • Flat White Blades





F789-BNW

Brushed Nickel Wet Finish Silver Blades

SIMPLE 65"

14° Blade Pitch • 3-Blades 65" Sweep • 6" Downrod

- · DC 123 x 30mm Motor
- · Custom 20W LED Light Kit K9787L Available Sold Separately
- · Indoor/Outdoor Use ETL Listed for Wet Locations
- · Hand Held Remote Control System Included
- \cdot Estimated Maximum CFM High Speed 5,289/Low Speed 1,626

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
3,572	29	122
-,		











RC1000 Remote Control

6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer

F789-CL | Coal Black Finish • Coal Black Blades



F789-SL | Silver Finish • Silver Blades



F789-ORB | Oil Rubbed Bronze Finish • Medium Maple Blades • Silver Blades



F789-WHF | Flat White Finish • Flat White Blades





ROTO XL

20° Blade Pitch · 3-Blades 62" Sweep · 6" Downrod

- · Aluminum Construction
- · 2-Wire Wall Control System Included (pg. 421)
- · Convertible to Electronic Control System
- · Indoor/Outdoor Use ETL Listed for Wet Locations
- · Maximum CFM High Speed 6,576/Low Speed 2,637

Energy Guide (Excluding Lights)

4,730	45	106	\$13
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use +Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move





U.S. Patent(s): D750,221; Additional U.S. Patent(s) Pending



WC115 Wall Control

- · 4 Speed Fan Control
- · 2-Wire Installation

F624-CL | Coal Black Finish • Coal Black Blades



F624-ABD | Brushed Aluminum Finish · Silver Blades



F624-WHF | Flat White Finish • Flat White Blades





Silver Blades White Opal Glass

CONCEPT[™] I WET 52"

with LED Light

14° Blade Pitch · 3-Blades 52" Sweep · 6" Downrod

- · Construction Grade Polymer
- · Integrated Light Uses 14W LED (Included) 3 Year Warranty
- · 620LM · 3,000K · CRI 80 · Cap for Non-Light Use Included
- · Full Function Wall Control System Included (pg. 419)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 5,315/Low Speed 3,741



Energy Guide (Excluding Lights)

4,108	38	109	\$11
AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use + based on 12 cents per kwn and 6.4 nours use per day + Your cost depends on rates and use
• The higher the airflow, the more air the fan will move









U.S. Patent(s): 7.008.192



WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

 $\textbf{F476L-ORB} \mid \mathsf{Oil} \ \mathsf{Rubbed} \ \mathsf{Bronze} \ \mathsf{Finish} \cdot \mathsf{Taupe} \ \mathsf{Blades} \cdot \mathsf{Pietra} \ \mathsf{Glass}$



 $\textbf{F476L-WH} \mid \textbf{White Finish} \cdot \textbf{White Blades} \cdot \textbf{White Opal Glass}$









CONCEPT[™] I WET 58"

with LED Light

14° Blade Pitch • 3-Blades 58" Sweep • 6" Downrod

- Marine Grade Stainless Steel Construction
- · Integrated Light Uses 14W LED (Included) 3 Year Warranty
- · 601LM · 3,000K · CRI 80 · Cap for Non-Light Use Included
- · Full Function Wall Control System Included (pg. 419)
- · Indoor/Outdoor Use
- · Maximum CFM High Speed 5,434/Low Speed 2,595



Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,103	44	93	\$12

day · Your cost depends on rates and use
• The higher the airflow, the more air the fan will move











WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

ALL FINISHES MARINE GRADE STAINLESS STEEL

Pietra Glass

 $\textbf{F477L-BNW} \mid \text{Brushed Nickel Wet Finish} \cdot \text{Silver Blades} \cdot \text{White Opal Glass}$



 $\textbf{F477L-WH} \mid \textbf{White Finish} \cdot \textbf{White Blades} \cdot \textbf{White Opal Glass}$





CONCEPT™ II WET 52"

with LED Light

14° Blade Pitch • 3-Blades 52" Sweep • Flush Mount

- · Construction Grade Polymer
- · Ideal for Low Ceilings Total Hanging Depth 12" Drop from Ceilings
- · Integrated Light Uses 14W LED (Included) 3 Year Warranty
- · 620LM · 3,000K · CRI 80 · Cap for Non-Light Use Included
- · Full Function Wall Control System Included (pg. 419)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 5,333/Low Speed 2,467



Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,990	37	107	\$10

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use
• The higher the airflow, the more air the fan will move









U.S. Patent(s): 7,008,192



WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev
- On/Off Plus Full Range Light Dimmer

F474L-WH

White Finish White Blades White Opal Glass $\textbf{F474L-ORB} \mid \mathsf{Oil} \ \mathsf{Rubbed} \ \mathsf{Bronze} \ \mathsf{Finish} \cdot \mathsf{Taupe} \ \mathsf{Blades} \cdot \mathsf{Pietra} \ \mathsf{Glass}$





CONCEPT™ III

with LED Light

14° Blade Pitch • 3-Blades 54" Sweep • Flush Mount

- · Integrated Light Uses 30W LED (Included) 3 Year Warranty
- 979.5LM 3,000K CRI 90 DC 153 x 15mm Motor
- · Hand Held Remote Control System Included (pg. 418)
- · Indoor/Outdoor Use ETL Listed for Wet Locations
- · Maximum CFM High Speed 6,056/Low Speed 1,637
- · 1024 Frequency Combinations

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,985	19	212	\$5
All estimates	based on typ	ical use • Based on 12	cents per kWh and













iOS & Android App

Smart Fan







FcoBee



RC1000 Remote Control

· 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

F467L-CL | Coal Black Finish • Coal Black Blades



 $\textbf{F467L-ORB} \mid \text{Oil Rubbed Bronze Finish} \cdot \text{Oil Rubbed Bronze Blades} \cdot \text{Etched Opal Glass}$



 $\textbf{F467L-WH} \mid \textbf{White Finish} \cdot \textbf{White Blades} \cdot \textbf{Etched Opal Glass}$





CONCEPT[™] IV

with LED Light

14° Blade Pitch • 3-Blades 54" Sweep • 6" Downrod

- · Integrated Light Uses 30W LED (Included) 3 Year Warranty
- · 979.5LM · 3,000K · CRI 90 · DC 153 x 15mm Motor
- · Hand Held Remote Control System Included (pg. 418)
- · Indoor/Outdoor Use ETL Listed for Wet Locations
- · Maximum CFM High Speed 6,249/Low Speed 1,668
- · 1,024 Frequency Combinations

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	YEARLY ENERGY COST
4,101	20	204	\$6

6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move

















iOS & Android App

Smart Fan









Etched Opal Glass



RC1000 Remote Control

 \cdot 6 Speed Fan Control in Fwd and Rev • On/Off Plus Full Range Light Dimmer

F465L-CL | Coal Black Finish • Coal Black Blades • Etched Opal Glass



 $\textbf{F465L-BNW} \mid \texttt{Brushed Nickel Wet Finish} \cdot \texttt{Silver Blades} \cdot \texttt{Etched Opal Glass}$



F465L-WH | White Finish • White Blades • Etched Opal Glass





TRADITIONAL CONCEPT™ 44"

with LED Light

14° Blade Pitch • 3-Blades 44" Sweep • Flush Mount

- · Integrated LED Light Uses 14W LED (Included) 3 Year Warranty
- · 786LM · 3,000K · CRI 80 · Total Hanging Depth 1034" Drop From Ceiling
- · Full Function Wall Control System Included (pg. 419)
- · Cap for Non-Light Use (included)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 3,735/Low Speed 1,488

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
2,682	35	77	\$10

All estimates based on typical use · Based on 12 cents per kWh and 6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move











WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer



F593L-WH | White Finish · White Blades · Opal Glass





TRADITIONAL CONCEPT™ 52"

with LED Light

14° Blade Pitch · 3-Blades 52" Sweep · Flush Mount

- · Integrated LED Light Uses 14W LED (Included) 3 Year Warranty
- $\cdot\,786 \text{LM}\cdot 3{,}000 \text{K}\cdot \text{CRI}\,80\cdot \text{Total Hanging Depth} \cdot 10^{3}\!\!4\text{"}$ Drop From Ceiling
- · Full Control Wall Control System Included (pg. 419)
- · Cap for Non-Light Use (included)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 5,203/Low Speed 2,116

Energy Guide (Excluding Lights)

AIRFLC (CFM		USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,63	8	40	91	\$11

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move











WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer



F594L-WH | White Finish · White Blades · Opal Glass





ALUMA WET

with LED Light

12° Blade Pitch

- 4-Blades 52" Sweep
- 6" Downrod
- · Integrated Light Uses 1-20W Dimmable LED (Included)
- · Aluminum Construction · Cap for Non-Light Use Included
- · Hand Held Remote Control System Included (pg. 419)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 3,864/Low Speed 1,861
- · 905LM · 3,000K · CRI 90

1 Todact viaco Avallab

Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

2,925	34	85	\$10
AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move











RCS213 Remote Control

- · 3 Speed Fan Control
- On/Off Plus Full Range Light Dimmer

F523L-ABD

Brushed Aluminum Finish Silver Blades Shown with Cap for Non-Light Use





 $\textbf{F523L-WHF} \mid \mathsf{Flat} \ \mathsf{White} \ \mathsf{Finish} \cdot \mathsf{Flat} \ \mathsf{White} \ \mathsf{Blades} \cdot \mathsf{Etched} \ \mathsf{Opal} \ \mathsf{Glass}$





JAVA

14° Blade Pitch • 3-Blades 54" Sweep • 6" Downrod

- · Hand Held Remote Control System Included (pg. 418)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 5,314/Low Speed 2,751

Energy Guide (Excluding Lights)

4,113	32	128	\$9
AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









RCS213 Remote Control

- · 3 Speed Fan Control
- · On/Off Plus Full Range Light Dimmer



F753-CL | Coal Black Finish • Coal Black Blades



F753-WHF | Flat White Finish • Flat White Blades



F753-PN | Polished Nickel Finish ⋅ Silver Blades (Finish for Indoor Use Only)





JAVA

with LED Light

14° Blade Pitch · 3-Blades 54" Sweep · 6" Downrod

- · Integrated Light Uses 17W LED (Included) 3 Year Warranty
- · 623LM · 3,000K · CRI 80
- · Hand Held Remote Control System Included (pg. 418)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 5,771/Low Speed 2,834

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	YEARLY ENERGY COST
4,394	34	131	\$9

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move











RCS213 Remote Control

- · 3 Speed Fan Control
- · On/Off Plus Full Range Light Dimmer



F753L-KA | Kocoa Finish · Kocoa Blades · Etched Opal Glass



F753L-WHF | Flat White Finish • Flat White Blades • Etched Opal Glass



F753L-PN | Polished Nickel Finish • Silver Blades (Finish for Indoor Use Only)





JAVA XTREME 84"

with LED Light

Big and bold is the only way to capture the essence of the Java Xtreme 84". Taking a cue from its little brother, Java LED, the Java Xtreme has the same great design and much more.

16° Blade Pitch · 3-Blades 84" Sweep · 6" Downrod

- · Integrated Light Uses 40W LED (Included) 3 Year Warranty
- · 2,253LM 3,000K CRI 90
- · Hand Held Remote Control System Included (pg. 418)
- · Remote has 1,024 Frequency Combinations
- · Indoor/Outdoor Use ETL Listed for Wet Locations
- · Maximum CFM High Speed 8,388/ Low Speed 4,177

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
6,414	21	301	\$6

day · Your cost depends on rates and use
· The higher the airflow, the more air the fan will move











RC1000 Remote Control

- 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

Kocoa Finish Kocoa Blades **Etched Lens**

Smart Fan



F754L-WHF | Flat White Finish • Flat White Blades • Etched Lens



F754L-CL Coal Black Finish • Coal Black Blades • Etched Lens



F754L-BNW | Brushed Nickel Wet Finish • Silver Blades • Etched Lens





SEACREST

with LED Light

14° Blade Pitch • 3-Blades 60" Sweep • 6" Downrod

- · Integrated Light Uses 20W Dimmable LED (Included) 3 year Warranty
- 668LM 3,000K CRI 90 DC 153 x 10mm Motor
- · Hand Held Remote Control System Included (pg. 418)
- · 1,024 Frequency Combinations
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 5,752/Low Speed 1,827 (Estimated)

Energy Guide (Excluding Lights)

3,912	(WATTS)	(CFM Per Watt)	cost \$6
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move















Smart Fan



F675L-ORB | Oil Rubbed Bronze Finish • Oil Rubbed Bronze Blades • Etched Glass



F675L-WHF | Flat White Finish • Flat White Blades • Etched Glass





12° Blade Pitch • 4-Blades 52" Sweep

6" Downrod

Tinted Opal Glass

- · Galvanized Steel 6" Downrod (Uses 3/4" I.D. DR5 Series Downrod)
- · Integrated Light Uses 1-4W Mini-Can LED Bulb (Included)
- · Cap for Non-Light Use Included
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 4,648/Low Speed 1,925

Energy Guide (Excluding Lights)

3,365	(WATTS) 34	(CFM Per Watt)	\$10
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED YEARLY ENERGY COST
(CFM)	USE	EFFICIENCY	

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move











RCS213 Remote Control

- · 3 Speed Fan Control
- On/Off Plus Full Range Light Dimmer





 $\textbf{F734L-GL} \mid \textbf{Galvanized Finish} \cdot \textbf{Silver Blades} \cdot \textbf{Etched Opal Glass}$





Bahama Beige™ Finish

Bahama Beige™ Blades

Etched Glass

$\mathsf{GAUGUIN}^{\scriptscriptstyle\mathsf{TM}}$

with LED Light

14° Blade Pitch · 4-Blades 52" Sweep · 6" Downrod

- · Galvanized Steel 6" Downrod (Uses ¾" I.D. DR5 Series Downrod)
- · Stainless Steel Hardware and All Weather Blades
- · Integrated Light Uses 1-7W GU10 LED Bulb (Included)
- · Cap for Non-Light Use Included
- · Full Function Wall Control System Included (pg. 419)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- \cdot Maximum CFM High Speed 5,201/Low Speed 2,522

Energy Guide (Excluding Lights)

AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE (WATTS)	(CFM Per Watt)	YEARLY ENERGY COST
3,945	38	103	\$11
All estimates	based on typ	ical use • Based on 12	cents per kWh and 6.4 hours use per

All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move









U.S. Patent(s): D513,319; D514,691; D514,692; D516,703; D517201; D519,199



WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

F581L-BG Shown with Optional A581-BG Ceiling Adapter For Flush Mount Applications *See page 430 for finish options



F581L-ORB | Oil Rubbed Bronze Finish • Bahama Beige™ Blades • Etched Opal Glass



F581L-WHF | Flat White Finish • Flat White Blades • Etched Opal Glass





with LED Light

14° Blade Pitch • 5-Blades 54" Sweep • 6" Downrod

- · Integrated Caged Light Uses 1-9W Medium-Base LED Bulb (Included)
- · Galvanized Steel Downrod and Hardware · All Weather Blades
- · Wall Control System Included (pg. 420)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 4,824/Low Speed 1,988

Energy Guide (Excluding Lights)

3.495	39	89	\$11
AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move











WCS213 Wall Control

- · 3 Speed Fan Control
- · On/Off Plus Full Range Light Dimmer

 $\textbf{F582L-ORB} \mid \mathsf{Oil} \, \mathsf{Rubbed} \, \mathsf{Bronze} \, \mathsf{Finish} \, \cdot \, \mathsf{Taupe} \, \mathsf{Blades} \, \cdot \, \mathsf{Vintage} \, \mathsf{Amber} \, \mathsf{Glass} \, \mathsf{Lens}$



F582L-BNW | Brushed Nickel Wet Finish • Silver Blades • Acid Etched Glass



F582L-GL | Galvanized Finish · Silver Blades · Acid Etched Glass





with LED Light

12° Blade Pitch • 5-Blades 56" Sweep • 10" Downrod

- · Integrated Light Uses 1-20W Dimmable LED (Included)
- · Hand Held Remote Control System Included (pg. 418)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 5,675/Low Speed 2,000

Energy Guide (Excluding Lights)

(CFM)	USE (WATTS)	(CFM Per Watt)	YEARLY ENERGY COST
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED YEARLY ENERGY COST
(CFM)	USE	EFFICIENCY	

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









U.S. Patent(s):D808,512; D812,215; D812,217; D821,559; Additional U.S. Patent(s) Pending



RCS212 Remote Control

- · 3 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer







SUNSEEKER

14° Blade Pitch • 5-Blades 60" Sweep • 6" Downrod

- · Galvanized Steel 6" Downrod · Stainless Steel Hardware
- \cdot All Weather Blades \cdot 3-Speed Pull Chain
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · UL Wet Location Light Kits (K9401) Available (pg. 413) Sold Separately
- · Maximum CFM High Speed 5,657/Low Speed 1,849

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,872	39	98	\$11



F532-SI | Smoked Iron Finish • Smoked Iron Finish Blades



F532-ORB | Oil Rubbed Bronze Finish • Oil Rubbed Bronze Blades



F532-DRF | Driftwood Finish • Driftwood Finish Blades



F532-BNW | Brushed Nickel Wet Finish • Silver Blades





SUNDOWNER®

16° Blade Pitch • 5-Blades 54" Sweep • 6" Downrod

- · Galvanized Steel 6" Downrod · Stainless Steel Hardware
- · All Weather Blades 3-Speed Pull Chain
- · Poly Molded and ABS Components
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · UL Wet Location Light Kits (K9401) Available (pg. 413) Sold Separately
- · Maximum CFM High Speed 6,374/Low Speed 1,773
- *Accessory Blades Available (pg. 434)

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,217	46	92	\$13





F589-MW | Mossoro Walnut™ Finish • Mossoro Walnut™ Blades



F589-ORB | Oil Rubbed Bronze Finish • Dark Maple Blades



Optional Blade Finishes

FB107P-DM FB107P-DW FB107P-MM



SUNDOWNER®

16° Blade Pitch • 5-Blades 54" Sweep • 6" Downrod

- · Galvanized Steel 6" Downrod · Stainless Steel Hardware
- · All Weather Blades 3-Speed Pull Chain
- · Poly Molded and ABS Components
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · UL Wet Location Light Kits (K9401) Available (pg. 413) Sold Separately
- · Maximum CFM High Speed 6,401/Low Speed 1,747
- *Accessory Blades Available (pg. 434)

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,217	46	92	\$13



F589-BI/AI | Black Iron with Aged Iron Accents Finish • Black Iron Finish Blades



Optional Blade Finishes

FB107P-DM

FB107P-DW

FB107P-MM



SUNDANCE™

12° Blade Pitch • 5-Blades 52" Sweep • 6" Downrod

- · Galvanized Steel 6" Downrod Stainless Steel Hardware
- · All Weather Blades 3-Speed Pull Chain
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · UL Wet Location Light Kits (K9401) Available (pg. 413) Sold Separately
- · Maximum CFM 52"- High Speed 5,832/Low Speed 1,808

Energy Guide (Excluding Lights)

3,946	40	98	\$11
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST







SUNDANCE™

12° Blade Pitch • 5-Blades 42" • 6" Downrod

- · Galvanized Steel 6" Downrod Stainless Steel Hardware
- · All Weather Blades 3-Speed Pull Chain
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · UL Wet Location Light Kits (K9401) Available (pg. 413) Sold Separately
- · Maximum CFM 42"- High Speed 3,342/Low Speed 1,239

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
2,388	33	73	\$9







F572-WH | White Finish • White Blades



CONTRACTOR SERIES

By MinkaAire®

Minka-Aire® began developing a more extensive professional program in 2015. Our designers worked together with home builders, project managers, specifiers, and hospitality pros to create fans that meet the high demands and needs of those in the field.

The Minka-Aire® Contractor Series is inspired by classic Minka-Aire® styling where the form and function demands of the builder and project business stand at attention. Designed to provide long time comfort and durability while incorporating everything that comes with Minka-Aire®.

Precision engineered from modern materials, and crafted with input from contractors on the ground, you can count on the craftsmanship, quality, and utility of the Minka-Aire® Contractor Series. Your job is hard enough – don't settle for second rate ceiling fans.



CONTRACTOR SERIES By MinkaAire®

TACTICAL TO PRACTICAL

Purpose built ceiling fans. Always ready to perform.

CONTRACTOR DNA

Design Durable High Quality Innovation Price/Value All Purpose

We recognize that in the field, when you need ceiling fans for the job, you need it fast. That's why most orders are picked, packed, and shipped within two business days.





12° Blade Pitch • 5-Blades 54" Sweep • 6" Downrod

- · Low Profile LED Light Uses 16W LED (Included) 3 Year Warranty
- · 896LM 3,000k CRI 80
- · Hand Held Remote Control Included (pg. 419)
- \cdot Maximum CFM High Speed 4,602/Low Speed 1,793

Energy Guide (Excluding Lights)

	RFLOW CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,	286	43	76	\$12

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









RCS213 Remote Control

· 3 Speed Fan Control

F619L-BN | Brushed Nickel Finish • Silver Blades • Etched Lens



F619L-WHF | Flat White Finish • Flat White Blades • Etched Lens





AIRETOR

with LED Light

12° Blade Pitch · 5-Blades 52" Sweep · 6" Downrod

- · Integrated Light Uses 16W LED (Included) 3 Year Warranty
- · 836LM · 3,000K · CRI 90
- · 3-Speed Pull Chain
- · Maximum CFM High Speed 4,762/Low Speed 1,946

Energy Guide (Excluding Lights)

3,442	40	86	\$11
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST





F673L-ORB Oil Rubbed Bronze Finish · Oil Rubbed Bronze Blades · White Frosted Glass



F673L-BN/SL | Brushed Nickel Finish • Silver Blades • White Frosted Glass



F673L-WHF | Flat White Finish • Flat White Blades • White Frosted Glass





F670L-WHF

Flat White Finish Flat White Blades White Frosted Glass

AIRETOR III

with LED Light

12° Blade Pitch • 3-Blades 54" Sweep • 6" Downrod

- · Integrated Light Uses 16W LED (Included) 3 Year Warranty
- · 829LM · 3,000K · CRI 90 · 3-Speed Pull Chain
- · Maximum CFM High Speed 4,495/Low Speed 1,988

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,320	41	82	\$11



F670L-CL Coal Black Finish • Coal Black Blades • White Frosted Glass



 $\textbf{F670L-ORB} \mid \text{Oil Rubbed Bronze Finish} \cdot \text{Oil Rubbed Bronze Blades} \cdot \text{White Frosted Glass}$



F670L-BN/SL | Brushed Nickel Finish • Silver Blades • White Frosted Glass



QUIET CONFIDENCE









with LED Light

21° Blade Pitch • 3-Blades 44" Sweep • 6" Downrod

- · Integrated Light Uses 16W LED (Included) 3 Year Warranty
- · 921LM 3,000K CRI 90
- · 3-Speed Pull Chain
- · Maximum CFM High Speed 3,278/ Low Speed 1,354

Energy Guide (Excluding Lights)

2,386	34	69	\$10
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST



 $\textbf{F676L-ORB} \mid \text{Oil Rubbed Bronze Finish} \cdot \text{Oil Rubbed Bronze Blades} \cdot \text{White Lens}$



F676L-BRS/SL | Brilliant Silver Finish · Silver Blades · White Lens



F676L-WHF | Flat White Finish • Flat White Blades • White Lens





F671L-BN/SL

Brushed Nickel Finish Silver Blades **Etched White Lens**

PURE

with LED Light

- 12° Blade Pitch 3-Blades 48" Sweep
- Flush Mount
- · Integrated Light Uses 16W LED (Included) 3 Year Warranty
- · 1,083LM · 3,000K · CRI 90
- · 3-Wire Installation Wall Control Included (pg. 421)
- · Converts to Electronic Control
- · Maximum CFM High Speed 3,891/Low Speed 1,577
- · 10' Drop from Ceiling

Energy Guide (Excluding Lights)

(CFM)	USE (WATTS)	(CFM Per Watt)	YEARLY ENERGY COST
2,807	28	101	\$8

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







WC116L Wall Control

- · 4 Speed Fan Control · Full Range Light Dimmer



F671L-WHF | Flat White Finish · Flat White Blades · Etched White Lens





WATT

13° Blade Pitch •

- 5-Blades 60" Sweep
- 6" Downrod

- DC 125 x 30mm Motor
- · 3-Speed Pull Chain DC Motor
- · Wall Control Optional (WDC 1300)
- · Universal Light Kit Adaptable

· Maximum CFM - High Speed 6,068/Low Speed 2,525

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,407	21	206	\$6











with LED Ligh

13° Blade Pitch • 5-Blades 60" Sweep

- 6" Downrod
- · Light Uses 2-9W LED (Included) 3 Year Warranty
- · 810LM · 3,000K · CRI 90
- · DC 125 x 30mm Motor
- · 3-Speed Pull Chain DC Motor
- · Wall Control Optional (WDC 1300)
- · Maximum CFM High Speed 6,028 /Low Speed 2,513

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,991	20	251	\$6







F552L-BN | Brushed Nickel Finish • Silver Blades • White Frosted Glass



F552L-WH | White Finish ⋅ White Blades ⋅ White Frosted Glass



F552L-CL Coal Black Finish · Coal Black Blades · White Frosted Glass



F552L-ORB Oil Rubbed Bronze Finish • Rustic Wood Blades • White Frosted Glass





- 6" Downrod
- · 26W LED (Included) 3 Year Warranty
- · 2,233LM · 3,000K · CRI 90
- · DC 145 x 18mm Motor
- · 3-Speed Pull Chain DC Motor
- · Wall Control Optional (WDC 1200)
- · Maximum CFM High Speed 5,029 /Low Speed 1,746

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,490	21	167	\$6







F553L-CL Coal Black Finish · Coal Black Blades · Etched White Glass



F553L-ORB | Oil Rubbed Bronze Finish • Medium Maple/ Dark Walnut Blades • Etched White Glass



F553L-WHF | Flat White Finish • Flat White Blades • Etched White Glass





CONTRACTOR UNI-PACK

with LED Light

12° Blade Pitch • 5-Blades 52" Sweep • 6" Downrod


- · Low Profile LED Light Uses 26W LED (Included) 3 Year Warranty
- · 1,531 Lumens · 3,000K · CRI 90 · 3-Speed Pull Chain
- · Solid Cap and Finial Adaptation for Remote Control Use Included
- · Maximum CFM High Speed 5,089/Low Speed 1,435

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,392	43	80	\$12









with LED Light

12° Blade Pitch • 4 or 5-Blades 52" Sweep

6" Downrod

- · Integrated Light Uses 9W LED (Included) 3 Year Warranty
- · 1,302LM · 3,000K · CRI 90
- · 3-Speed Pull Chain · Cap for Non-Light Use (Included)
- · Pre-Installed One-Piece Motor Blade Iron Gasket
- · Maximum CFM High Speed 4,276/Low Speed 1,569 · 1302 Lumens
- *Accessory Blades Available (pg. 434)

Energy Guide (Excluding Lights)

3,007	(WATTS)	(CFM Per Watt)	cost
AIRFLOW (CFM)	ENERGY	AIRFLOW	ESTIMATED YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move



Optional Blade Finishes

FB103S-DM FB103S-NW FB103S-LM FB103S-ML FB103S-NM



F448L-CL | Coal Black Finish • Coal Black Blades • Frosted White Glass



F448L-ORB | Oil Rubbed Bronze Finish • Medium Maple Blades • Frosted White Glass



F448L-WH | White Finish · White Blades · Frosted White Glass





CONTRACTOR

with LED Light

12° Blade Pitch • 5-Blades 52" Sweep • 6" Downrod

- · Integrated Light Uses 16W LED (Included) 3 Year Warranty
- · 1,209LM · 3,000K · CRI 90 · Hand Held Remote Control Included (pg. 419)
- · Replacements LED Assembly (Part #6F844LK01)
- · Maximum CFM High Speed 5,314/Low Speed 1,756

Energy Guide (Excluding Lights)

3,646	(WAITS)	(CFM Per Waff)	\$12
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







RCS213 Remote Control

- \cdot 3 Speed Fan Control
- On/Off Plus Full Range Light Dimmer

F556L-ORB

Etched Lens



F556L-BN/DW

Brushed Nickel Finish Reversible Medium Maple/Dark Walnut Blades Frosted White Glass



F556L-HBZ

Heirloom Bronze Finish/Barnwood Blades



F556L-BNK

Burnished Nickel Finish/Savannah Grey Blades Etched Lens



F556L-BN

Brushed Nickel Finish/Silver Blades Etched Lens



F556L-BWH

Bone White Finish/Bone White Blades Etched Lens



F556L-WHF

Flat White Finish/Flat White Blades Etched Lens



F556L-WH

White Finish/White Blades Etched Lens





CONTRACTOR PLUS

12° Blade Pitch • 5-Blades 52" Sweep • 6" Downrod

- · 3-Speed Pull Chain
- · Universal Light Kit Adaptable (pg. 412) Sold Separately
- · Maximum CFM High Speed 5,314/Low Speed 1,756

Energy Guide (Excluding Lights)

(CI WI)	(WATTS)	(CFM Per Watt)	COST
AIRFLOW (CFM)	ENERGY	AIRFLOW	ESTIMATED YEARLY ENERGY





F556-BN/DW

Brushed Nickel Finish Reversible Medium Maple/ Dark Walnut Blades

> Shown with Medium Maple Blades Reversible to Dark Walnut Blades

F556-ORB

Oil Rubbed Bronze Finish Reversible Medium Maple/

Dark Walnut Blades

Shown with Dark Walnut Blades Reversible to Medium Maple Blades





F556-HBZ

Heirloom Bronze Finish Barnwood Blades



Burnished Nickel Finish Savannah Grey Blades





F556-WHF

Flat White Finish Flat White Blades



SUPRA® 32"

- 22° Blade Pitch 6-Blades 32" Sweep
- · 6-Ply Warp Resistant Blades · Quick Connect Detachable Switch Cup
- · 3-Speed Pull Chain · Universal Light Kit Adaptable (pg. 412) Sold Separately
- · Maximum CFM High Speed 2,944/Low Speed 917

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
2,034	39	53	\$11

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move

FB422-DC	FB422-MM
FB422-DM	FB422-NW
FB422-DW	FB422-WO
FB422-LC	FB422-WP
FB422-LM	

^{*}Accessory Blades Available (pg. 434)

F562-ORB | Oil Rubbed Bronze Finish • Medium Maple Blades



F562-WH | White Finish • White Blades









SUPRA® 44"

14° Blade Pitch • 5-Blades 44" Sweep

- 6" Downrod
- · 6-Ply Warp Resistant Blades · Quick Connect Detachable Switch Cup
- · 3-Speed Pull Chain · Universal Light Kit Adaptable (pg. 412) Sold Separately
- · Maximum CFM High Speed 5,064/Low Speed 1,257

Energy Guide (Excluding Lights)

3,360	48	71	\$13
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move

FB423-DC	FB423-NW
FB423-DM	FB423-WO
FB423-LC	FB423-WP
FB423-LM	

^{*}Accessory Blades Available (pg. 434)





F563-WH | White Finish • White Blades





Kocoa Finish Reversible Toned Medium Maple/ Medium Maple Blades

SUPRA® 52"

- 14° Blade Pitch 5-Blades 52" Sweep
- 6" Downrod
- · 6-Ply Warp Resistant Blades · 3-Speed Pull Chain
- · Quick Connect Detachable Switch Cup
- · Universal Light Kit Adaptable (pg. 412) Sold Separately
- · Maximum CFM High Speed 4,907/Low Speed 1,362
- *Accessory Blades Available (pg. 434)

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,246	45	73	\$13

All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move

FB424-DC	FB424-NW
FB424-DM	FB424-WO
FB424-DW	
FB424-LC	
FB424-LM	







F569L-ORB

Oil Rubbed Bronze Finish Medium Maple Blades

SUPRA® 52"

14° Blade Pitch • 5-Blades 52" Sweep

6" Downrod

- · 6-Ply Warp Resistant Blades
- · LED Light Kit Uses 1-4W Mini-Can LED Bulb (Included)
- · Hand Held Remote Control System Included (pg. 418)
- · Maximum CFM High Speed 5,841/Low Speed 1,372

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,746	46	81	\$13

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









RCS213 Remote Control

- · 3 Speed Fan Control
- · On/Off Plus Full Range Light Dimmer

F569L-BS | Brushed Steel Finish • Silver Blades • Opal Glass



F569L-WH | White Finish • White Blades • Opal Glass





Brushed Steel Finish Dark Walnut Blades

CONTRACTOR 42"

- 12° Blade Pitch 5-Blades 42" Sweep 4" Downrod
- · 3-Speed Pull Chain · Quick Connect Detachable Switch Cup
- · Pre-Installed One-Piece Motor/Blade Iron Gasket
- · Universal Light Kit Adaptable (pg. 412) Sold Separately
- · Maximum CFM High Speed 2,718/Low Speed 1,393
- *Accessory Blades Available (pg. 434)

Energy Guide (Excluding Lights)

2,067	31	67	\$9
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

F546-ORB | Oil Rubbed Bronze Finish • Medium Maple Blades



F546-BS | Brushed Steel Finish • Silver Blades



F546-WH | White Finish • White Blades





CONTRACTOR 52"

12° Blade Pitch • 4 or 5-Blades 52" Sweep

4" Downrod

- · 4" Downrod (Uses ¾" I.D. DR5 Series Downrod)
- · 3-Speed Pull Chain · Quick Connect Detachable Switch Cup
- · Pre-Installed One-Piece Motor/Blade Iron Gasket
- · Universal Light Kit Adaptable (pg. 412) Sold Separately
- · Maximum CFM High Speed 4,391/Low Speed 1,356

Energy Guide (Excluding Lights)

2,968	39	77	\$11
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move

FB103S-DM	FB103S-NW
FB103S-LC	FB103S-RW
FB103S-LM	FB103S-WO
FB103S-ML	
FB103S-NM	

^{*}Accessory Blades Available (pg. 434)



F547-ORB | Oil Rubbed Bronze Finish • Medium Maple Blades



F547-BS | Brushed Steel Finish · Silver Blades



F547-WH | White Finish • White Blades





MESA

12° Blade Pitch • 5-Blades 42" or 52" Sweep • Flush Mount

- · Flush Mount 8¾" Overall Ceiling Drop
- · 3-Speed Pull Chain · One-Piece Stamped Body
- · Quick Connect Detachable Switch Cup
- · Universal Light Kit Adaptable (pg. 412) Sold Separately
- · Maximum CFM 42" High Speed 2,780/Low Speed 1,341
- · Maximum CFM 52" High Speed 3,709/Low Speed 1,253

Energy Guide (Excluding Lights)

,	`	, , ,
ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
31	69	\$9
38	67	\$11
	USE (WATTS)	USE (WATTS) EFFICIENCY (CFM Per Watt) 31 69

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move

42" 52"



F566-WH | 42" Sweep ⋅ White Finish ⋅ White Blades







UNIVERSAL LIGHT KITS



K9110L

LED **Etched White Glass** 26W LED 1647 Lumens 12 ¼"Dia. x 3 ¾"H Includes Brushed Nickel, Oil Rubbed Bronze & White Caps LED Receiver Required*



K9120L

Etched White Glass 26W LED 1647 Lumens 12 ¼"Dia. x 3 ¾"H Includes Brushed Nickel, Oil Rubbed Bronze & White Caps LED Receiver Required* Dimmable via pull chain only Not dimmable with remote control



K9115L

LED

Etched White Glass 26W LED 1647 Lumens 12 ¼"Dia. x 2 ½"H Includes Brushed Nickel, Oil Rubbed Bronze & White Caps LED Receiver Required*

*For remote control use model number #RCS223L. Must be ordered separately.



*K9448L

Two Light Frosted White Glass 9W LED (Incl.) 12"Dia. x 5"H



K9515L-1

Three Light Frosted White 3-4W LED(Incl.) 12 ¼"Dia. x 2 ½"H Includes Brushed Nickel & White Caps



LED

K9525L-1

LED

Three Light Frosted White 3-4W LED (Incl.) 12 ¼"Dia. x 2 ½"H

Includes Brushed Nickel & White Caps



LED

AC100	Swirled Glass
AC100-BCW	Belcaro Walnut™
AC100-BS	Brushed Steel
AC100-BWH	Bone White
AC100-DBB	Dark Brushed Bronze
AC100-FB	French Beige
AC100-FPWH	Frosted White
AC100-KA	Косоа
AC100-ORB	Oil Rubbed Bronze

AC100-PBL	Provencal Blanc
AC100-PI	Patina Iron
AC100-PW	Pewter
AC100-STW/ GOW	Sterling Walnut [™] / Golden Walnut
AC100-SWH	Shell White





K9373L-BS



K9373L-WH

UNIVERSAL LIGHT KITS







K9375L-BS

K9375L-ORB











Opal Glass 9W 3000K LED Bulb (incl) 10 ½"Dia. x 5 ½"H

K9401L-DRF

K9401L-TCL

K9401L-ORB

K9401L-WH









One Light Opal Glass 9W 3000K LED Bulb (incl)



7 ¾"Dia. x 8 ½"H **K9402L-ORB**



K9402L-44

CUSTOM LED LIGHT KITS

K9873L

LED Light 20W Dimmable LED (Incl.) 7 ¼"Dia. x 1 ¼"H 1,100 Lumens 3,000 Kelvin CRI 90 Etched Lens







Compatible with the F873 and F874 Simple Flush Fans Only

K9873L-CL

K9873L-GRY

K9873L-WHF

Finish Codes

CUSTOM LED LIGHT KITS

K9886L

LED Light 20W Dimmable LED (Incl.) 6 1/2"Dia. x 1 3/4"H 1,430 Lumens 3,000 Kelvin CRI 90 **Etched Lens**

Compatible with the F886 and F896 Xtreme H₂O Fans Only



K9886L-BNW



K9886L-CL



K9886L-ORB



K9886L-SI



K9886L-WHF

K9787L

LED Light 20W Dimmable LED (Incl.) 5"Dia. x 1 ½"H 1,300 Lumens

3.000 Kelvin CRI 90 Etched Lens Compatible with the

F786 Simple 44" and F787 Simple 52"and 65"



K9787L-BNW



K9787L-CL



K9787L-ORB



K9787L-SL



K9787L-WHF



K9787L-SBR

K9727L

Fans Only

LED Light 17W LED (Incl.) 6 ¾"Dia. x 5"H 500 Lumens 2,700 Kelvin CRI 90 **Etched Glass**



K9727L-BN



K9727L-CL



K9727L-DK

Compatible with the F727 Rudolph Fans Only

Includes WC116L wall control.



K9727L-ORB



K9727L-WHF

K9933L

LED Light 20W Dimmable LED (Incl.)



Etched Lens

Compatible with the F933 Bowie Fan Only

K9933L

GLASS SHADES



2018A Opal 4 ¾"Dia. x 4 ½"H



2548 Etched Opal 5 ¾"Dia. x 4 ½"H



2549 Etched Marble 5 ¾"Dia. x 4 ½"H



2560 Frosted/Clear 5"Dia. x 4 ¾"H



2565 Etched Seeded 4¾"Dia. x 4¾"H



2645 Linen 5"Dia. x 5 ¼"H



4099 4" Opal Glass Shade 8 ½"Dia. x 5 ½"H



UNIVERSAL LIGHT KITS

K35 Three Light 13W Spiral Medium Base (Incl.) 2 ¼"Side Shade 7 ¼"Dia. x 3 ½"H K35L-KA K35-MCG K35L-PW K35L LED 9W 3000K LED Bulb (incl) 2 1/4"Side Shade 7 ¼"Dia. x 3 ½"H K35L-ORB K35L-44 K35L-BNK



Finish Codes

UNIVERSAL LIGHT KITS

K9614

Three Light 60W Candelabra Base (Incl.) 2 ¼" Side Shade 8 ½"Dia. x 3 ¼"H

> Compatible with the F614 Timeless Fans Only



K9614L-DBB



K9614-MCG

K9614L LED

4W 3000K LED Bulb (incl) 2 ¼" Side Shade 8 ½"Dia. x 3 ¼"H

Compatible with the F614 Timeless Fans Only



K9614L-PW



K9614L-BNK



K9614L-HBZ

K9659L LED

4W 3000K

LED Bulb (incl) 2 ¼" Side Shade 7 ½"Dia. x 3 ½"H

Compatible with the F659 Classica Fans Only



K9659L-DRF



K9659L-FB



K9659L-PBL

Finish Codes



FULL FUNCTION HAND HELD REMOTE CONTROL

An ultra-thin design exclusive to Minka-Aire®, the remote enables the user with one finger to control all functions of Minka-Aire® ceiling fans.

AireControl® by Minka-Aire® controls all functions: reverse, uplight (where applicable), fan light, speed control, as well as off-on (RCS212 & WCS212)

RCS213, RCS223, WCS213 and WCS223 controls do not include the reverse function.

Included is a holster if you want to wall mount the control for your convenience.







RC400 AireControl® Remote System

32 Bit

- Six Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer
- Includes One (1) Hand Held Remote Control, Wall Holster
- Operates at Distance of 23' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is
- Can be Used in Conjunction with WC400 Wall Mount AireControl®

U.S. Patent(s): D533,514; D551,008





RC500

AireControl® Remote System 256 Bit

- · Six Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer
- Includes One (1) Hand Held Remote Control, Wall Holster
- Operates at Distance of 23' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is
- Can be Used in Conjunction with WC500 Wall Mount AireControl®

U.S. Patent(s): D533,514; D551,008





RC600

AireControl® Remote System 32 Bit

- Six Speed Fan Control in Forward and Reverse
- · On/Off Plus Full Range Light Dimmer
- Includes One (1) Hand Held Remote Control, Wall Holster
- Operates at Distance of 23' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is
- Can be Used in Conjunction with WC600 Wall Mount AireControl®

U.S. Patent(s): D533,514; D551,008

Please Note: 256 Bit remote systems are not compatible with 32 Bit remote systems.





RC1000 **Speed Control**

- 1.024 Frequency Combinations
- Six Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer
- Includes One (1) Hand Held Remote Control, Wall Holster
- Operates at Distance of 23' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with WC1000 Wall Mount AireControl®

U.S. Patent(s): D533,514; D551,008; 8,253,272





RCS212

Full Function Hand Held AireControl® Remote System 256 Bit

- Three Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer with Independent Up/Downlight Control
- Includes One (1) Hand Held Remote Control, Wall Holster
- Operates at Distance of 20-40' Distance: Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with WCS212 Wall Mount AireControl®

U.S. Patent(s): D533,514; D551,008;





RCS213

Hand Held AireControl® **Remote System** 256 Bit

- Three Speed Fan Control
- · On/Off Plus Full Range Light Dimmer
- Includes One (1) Hand Held Remote Control, Wall Holster
- Operates at Distance of 20-40' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with WCS213 Wall AireControl®

U.S. Patent(s): D533,514: D551,008: 8 253 272





RCS223

Hand Held AireControl® Remote System 256 Bit

- · Three Speed Fan Control
- On/Off Plus Full Range Light Dimmer
- Includes One (1) Hand Held Remote Control. Wall Holster and Canopy Mounted Receiver
- Operates at Distance of 20-40' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with WCS213 Wall AireControl®

U.S. Patent(s): D533,514; D551,008; 8.253.272



RCS223L

Hand Held AireControl® **Remote System for LED** 256 Bit (Non-Dimming)

- Three Speed Fan Control
- · On/Off Light Control Only
- Includes One (1) Hand Held Remote Control, Wall Holster and Canopy Mounted Receiver
- Operates at Distance of 20-40' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with WCS213 Wall AireControl®

U.S. Patent(s): D533.514: D551.008: 8.253.272





WCS212

Full Function AireControl® 256 Bit

- Three Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer with Independent Up/Downlight Control
- Operates at Distance of 20-40' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with RCS212 Hand Held AireControl®
- Includes Brown, Ivory and White Finish Inner/Outer Plates

U.S. Patent(s): D533,514; 8,253,272

Please Note:

12 Volt Battery Included for Hand Held Remotes

256 Bit remote systems are not compatible with 32 Bit remote systems.





WCS213 AireControl® 256 Bit

- Three Speed Fan Control
- On/Off Plus Full Range Light Dimmer
- Operates at Distance of 20-40' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with RCS213 Hand Held AireControl®
- Includes Brown, Ivory and White Finish Inner/Outer Plates

U.S. Patent(s): D533,514; 8,253,272





WCS223 AireControl® 256 Bit

- · Three Speed Fan Control
- On/Off Plus Full Range Light Dimmer
- Operates at Distance of 20-40' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with RCS213 Hand Held AireControl®
- Includes Brown, Ivory and White Finish Inner/Outer Plates

U.S. Patent(s): D533,514; 8,253,272





WC400 AireControl* 32 Bit

- · Six Speed Fan Control in Forward and Reverse
- · On/Off Plus Full Range Light Dimmer
- Operates at Distance of 23' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with RC400 Hand Held AireControl®
- Includes Brown, Ivory and White Finish Inner/Outer Plates

U.S. Patent(s): D533,514





WC500 AireControl® 256 Bit

- · Six Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer
- Operates at Distance of 23' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with RC500 Hand Held AireControl®
- Includes Brown, Ivory and White Finish Inner/Outer Plates

U.S. Patent(s): D533,514





WC600 AireControl® 32 Bit

- Six Speed Fan Control in Forward and Reverse
- · On/Off Plus Full Range Light Dimmer
- Operates at Distance of 23' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with RC600 Hand Held AireControl®
- Includes Brown, Ivory and White Finish Inner/Outer Plates

U.S. Patent(s): D533,514





WC1000 **Speed Control** 1024 Bit

- 1.024 Frequency Combinations
- · Six Speed Fan Control in Forward and Reverse
- · On/Off Plus Full Range Light Dimmer
- Operates at Distance of 23' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with RC1000 Wall Mount AireControl®
- Includes Brown, Ivory and White Finish Inner/Outer Plates

U.S. Patent(s): D533,514; 8,253,272

Please Note: 256 Bit remote systems are not compatible with 32 Bit remote systems.



WC105-WH Speed Control

- Four Speed Fan Control
- 2-Wire Installation



WC110L Speed Control

- For F510L LED Fans Only
- Four Speed Fan Control
- Full Range Dimmer
- 3-Wire Installation



WC116 **Speed Control**

- For F727 Fans Only
- Four Speed Fan Control
- 2-Wire Installation



WC106-WH Speed Control

- Four Speed Fan Control
- 3-Wire Installation



WC115 **Speed Control**

- For F624 Fans Only
- Four Speed Fan Control
- 2-Wire Installation



WDC1200 **Speed Control**

- For DC F553L Fans
- Three Speed Fan Control
- Full Range Dimmer
- 4-Wire Installation



WC106L **Speed Control**

- Four Speed Fan Control
- Full Range Dimmer
- 3-Wire Installation
- LED Application



WC116L

Speed Control

- For K9727L Light kits (Included in the Light Kit)
- Four Speed Fan Control
- 3-Wire Installation
- · Dimming Capable



WDC1300 **Speed Control**

- For F551 and F552L
- Three Speed Fan Control
- Full Range Dimmer
- 3-Wire Installation

BULB REFERENCE



Watts: 10W / 20W XENON JCX 12V G4 BI-PIN BASE

Frosted Clear
JX4-20 (20W) JX4C-10 (10W)
JX4C-20 (20W)



Watts: 35W / 50W XENON JCX 12V GY6.35 BI-PIN BASE


<u>Frosted</u> JX6-35 (35W) JX6-50 (50W)



Watts: 25W / 35W / 40W / 60W / 75W G9 XENON 120V G9 BASE


JX9C-025 (25W) JX9C-040 (40W)

Frosted JX9-025 (25W) JX9-035 (35W) JX9-040 (45W) JX9-060 (60W) JX9-075 (75W)



Watts: 20W / 50W XENON 120V DC (BAYONET)

JXB15-20 (20W) JXB15-50 (50W)




Watts: 75W XENON 120V E12 (CANDELABRA) BASE

Frosted JDXF-12-075 (75W)



Watts: 50W / 75W / 100W MINI-CAN XENON 120V E11 (CANDELABRA) BASE

<u>Frosted</u> JDX-050 (50W) JDX-75 (75W)



Watts: 50W / 75W / 100W MINI-CAN HALOGEN 120V E11 (CANDELABRA) BASE

Frosted JDC-50 (50W) JDC-75 (75W) Clear JD-50 (50W) JD-75 (75W) JDC-100 (100W) JD-100 (100W)



JDD XENON 120V E12 (CANDELABRA) BASE Frosted JDX2F-050 (50W) Clear JDX2-050 (50W)



Watts: 100W / 150W 78MM 120V DOUBLE ENDED HALOGEN (J-TYPE) R7S BASE

JB-100 (100W) JB-150 (150W)



Watts: 8W DC / 10W AC / 11W AC / 14W AC LED MODULE

L-L8-MD590 (8W) L-AC10-MODULE (10W) L-AC10-MD770 (11W) L-AC14-MD950 (14W)



PAR16 HALOGEN E26 (MEDIUM) BASE

PAR16-50 (50W)



Watts: 35W / 50W HALOGEN MR16 120V GU10 BASE

JGU-035 (35W) JGU-50 (50W)



Watts: 20W / 35W / 50W HALOGEN MR16 GX5.3 BI-PIN BASE

Frosted JMR16-20 (20W 120V) JMR16-35 (35W 120V) JMR16-C-35 (35W 12V) JMR16-50/120V (50W 120V) JMR16-C-50 (50W 12V)

<u>Clear</u> JMR16-C-20 (20W 12V)



Watts: 13W / 26W SPIRAL CFL E26 (MEDIUM) BASE FLB-13S (13W)



Watts: 13W / 26W SPIRAL CFL

GU24 BASE FLB-13M (13W) FLB-26M (26W)



Watts: 18W / 26W SQUAT SPIRAL CFL **GU24 BASE**

FLS-18M (18W) FLS-26M (26W)




LED FERRO E26 (MEDIUM) BASE

L-LB06-FW58 (6W)



FFRRO E26 (MEDIUM) BASE E26-FW1910-40W (40W)



100W T10 120V

E26 (MEDIUM) BASE Clear JT10-040C (40W) JT10-060C (60W) Frosted JT10-060F (60W)

JT10-100C (100W)




T8 120V E12 (CANDELABRA) BASE <u>Clear</u> E12-FW1910-60W (60W)

Watts: 27W FULL 24 CFL GX10q-4 BASE JT4-27 (27W)



CFI GX10q-4 BASE JT2-27 (27W)





Watts: 32W FC12T9 T9 CIRCULINE G10Q

FLC-22 (22W FLC-32 (32W) FLC-40 (40W)



Watts: 8W / 13W FILIORESCENT T5 G13 BI-PIN BASE Ballast: BLST08-T5 JT5-8 JT5-13



C7 CFL E12 (CANDELABRA) BASE FLB-07C (7W)



MR16 E17 BASE JDR-75 (75W)



L-LB04C-E12 (4W)




LED B10.5 B10.5 C7
E12 (CANDELABRA) BASE E12 (CANDELABRA) BASE E12 (CANDELABRA) BASE



ECCC-15 (15W)



RR30 E26 (MEDIUM) BASE




Watts: 40W / 60W E26 (MEDIUM) BASE



75W / 100W

A19



E26 (MEDIUM) BASE E12 (CANDELABRA) BASE







E26 (MEDIUM) BASE



E26 (MEDIUM) BASE





E26 (MEDIUM) BASE

FAN MODEL	FAN NAME	RCS212	RCS213	RCS223	WC105-WH	WC106-WH	WC106L	WCS212	WCS213	WCS223
F307	ANYWHERE									
F402L	GYRO [™] WET	•						INCL.		
F410L	SLANT				RC400 INCL.,	COMPATIBLE	WITH WC	400		
F448L	CONTRACTOR UNI-PACK			•		•				•
F465L	CONCEPT IV			RC1	000 INCLUDE	D, COMPATIB	LE WITH V	VC1000		
F467L	CONCEPT III			RC1	000 INCLUDE	D, COMPATIB	LE WITH V	VC1000		
F474L	CONCEPT [™] II WET 52"	•						INCL.		
F476L	CONCEPT [™] I WET 52"	۰						INCL.		
F477L	CONCEPT [™] I WET 58"	۰						INCL.		
F502L	TRADITIONAL GYRO™	۰						INCL.		
F510L	SPACESAVER				WALL CON	TROL INCLUD	ED WC110	L		
F513	NEW ERA	INCL.						•		
F517L	CONCEPT [™] I 52"	INCL.						•		
F518L	CONCEPT™ II 44"	INCL.						٠		
F519L	CONCEPT™ II 52"	INCL.						•		
F521L	ALUMA						INCL.			
F522L	мојо			۰		٠				•
F523L	ALUMA WET		INCL.						•	
F524	ROTO			•	INCL.					•
F532	SUNSEEKER				•	•				
F534L	LUN-AIRE					E WITH WCS2				
F535L	ROTO LED		INCL.						•	
F539	GREAT ROOM TRADITIONAL	•						INCL.		
F543L	SWEPT				RC400 INCL.,	COMPATIBLE	WITH WC	400		
F544L	CALAIS™		INCL.			•			•	
F546	CONTRACTOR 42"			•	•	•				•

• = Compatibility

PLEASE NOTE: 256 Bit remote systems are not compatible with 32 Bit remote systems. - 256 Bit systems have a Green LED and Green receiver boxes. - 32 Bit systems have a Red LED and Black receiver boxes. - 1024 Bit systems have a Red LED and Black receiver boxes.

FAN MODEL	FAN NAME	RCS212	RCS213	RCS223	WC105-WH	WC106-WH	WC106L	WCS212	WCS213	WCS223
F547	CONTRACTOR 52"			•	•	•				•
F551	WATT			3 SPEED	DC PULL CH	AIN, COMPAT	IBLE WITH	WDC 1300)	
F552L	WATT II			3 SPEED	DC PULL CH	AIN, COMPAT	IBLE WITH	WDC 1300)	
F553L	MINUTE		3 SPEED DC PULL CHAIN, COMPATIBLE WITH)	
F556L	CONTRACTOR LED		INCL.						٠	
F562	SUPRA® 32"			•	•	٠				•
F563	SUPRA® 44"			•	•	•				•
F565	MESA [™] 52"				•	•				
F566	MESA [™] 42"				•	•				
F568	SUPRA® 52"			•	•	•				•
F569L	SUPRA® 52"		INCL.			COMPATIB	LE WITH W	/C116L		
F571	SUNDANCE [™] 52"				•	•				
F572	SUNDANCE [™] 42"				•	•				
F581L	GAUGUIN™	•						INCL.		
F582L	RAINMAN [™]		•			•			INCL.	
F589	SUNDOWNER [®]				•	•				
F593L	TRADITIONAL CONCEPT [™] 44"	•						INCL.		
F594L	TRADITIONAL CONCEPT [™] 52"	•						INCL.		
F602L	GYRO™	•						INCL.		
F614	TIMELESS			•	•	•				•
F617L	RAPTOR			RC	600 INCLUDE	D, COMPATIB	LE WITH V	VC600		
F619L	STOUT		INCL						٠	
F623L	ORB			RC	S213 INCLUDE	D, COMPATIB	LE WITH V	VCS213		
F624	ROTO XL				WALL CON	NTROL INCLUE	DED WC115			
F625L	SKINNIE 44"			RC1	000 INCLUDE	D, COMPATIB	LE WITH V	VC1000		
F626L	SKINNIE			RC1	000 INCLUDE	D, COMPATIB	LE WITH V	VC1000		
F631L	AUDREY		INCL.						•	
F632L	MARILYN		INCL.						•	
F633L	GORDON		INCL.						•	

^{• =} Compatibility

PLEASE NOTE: 256 Bit remote systems are not compatible with 32 Bit remote systems.

^{- 256} Bit systems have a Green LED and Green receiver boxes.


^{- 32} Bit systems have a Red LED and Black receiver boxes.

^{- 1024} Bit systems have a Red LED and Black receiver boxes.

FAN MODEL	FAN NAME	RCS212	RCS213	RCS223	WC105-WH	WC106-WH	WC106L	WCS212	WCS213	WCS223
F644L	ROTO FLUSH		INCL.						•	
F656L	CONTRACTOR UNI-PACK LED					E WITH WCS2				
F659	CLASSICA			٠	•	٠				٠
F662	VAPOR			RC1	000 INCLUDE	D, COMPATIB	LE WITH W	/C1000		
F663	AVTUR			RC1	000 INCLUDE	D, COMPATIB	LE WITH W	/C1000		
F670L	AIRETOR III					E WITH WCS2 RECEIVER LO				
F671L	PURE		•			WC116L (INCL	UDED)		•	
F673L	AIRETOR					E WITH WCS2 RECEIVER LO				
F676L	VITAL		•		;	3 SPEED PULL	CHAIN		•	
F678L	TWIST			RC1	000 INCLUDE	D, COMPATIB	LE WITH W	/C1000		
F684L	CLEAN			RC	400 INCLUDE	D, COMPATIB	LE WITH W	/C400		
F688	KOLA			•	•	•				•
F689	KOLA-XL	INCL.						٠		
F690L	ESPACE		INCL.						•	
F692L	VEER		INCL.						•	
F695	KAFÉ			•	•	٠				•
F696	KAFÉ-XL	INCL.						٠		
F701L	DELANO®		•			٠			INCL.	
F702L	VOLTERRA™		٠			٠			INCL.	
F705L	NAPOLI™	٠						INCL.		
F714L	CURL			RC1	000 INCLUDE	D, COMPATIB	LE WITH W	/C1000		
F715DL	NAPOLI TM II			RC	500 INCLUDE	D, COMPATIB	LE WITH W	/C500		
F717L	KELVYN		INCL.						•	
F727	RUDOLPH		WALL	CONTROL	. INCLUDED W	C116, COMPA	TIBLE WITH	H RCS223	& WCS223	
F728	RUDOLPH WET				RC	C600 INCLUDI	ED			
F729	STEAL				INCL.					
F734L	STRATA		INCL.							
F738D	PANCAKE			RC	500 INCLUDE	D, COMPATIB	LE WITH W	/C500		

FAN MODEL	FAN NAME	RCS212 RCS213 RCS223 WC105-WH WC106-WH WC106L WCS212 WCS213 WCS223
F742L	MOLINO	RC1000 INCLUDED, COMPATIBLE WITH WC1000
F742L	SABOT	
		RC600 INCLUDED, COMPATIBLE WITH WC600 RC400 INCLUDED, COMPATIBLE WITH WC400
F747L	TIMBER 68"	
F749L	SKYHAWK	RC1000 INCLUDED, COMPATIBLE WITH WC1000
F753	JAVA	INCL.
F753L	JAVA LED	INCL.
F754L	JAVA XTREME 84"	RC1000 INCLUDED, COMPATIBLE WITH WC1000
F756L	FUTURE	RC1000 INCLUDED, COMPATIBLE WITH WC1000
F759L	CLASSICA GALLERY EDITION	INCL.
F765L	TRANSONIC	INCL.
F767L	SKYMASTER	RC1000 INCLUDED, COMPATIBLE WITH WC1000
F771L	ELLIPSE	RC1000 INCLUDED, COMPATIBLE WITH WC1000
F781L	СНИВВУ	RC1000 INCLUDED, COMPATIBLE WITH WC1000
F782L	CHUBBY II	RC1000 INCLUDED, COMPATIBLE WITH WC1000
F786	SIMPLE 44"	RC400 INCLUDED, COMPATIBLE WITH WC400
F787	SIMPLE 52"	RC400 INCLUDED, COMPATIBLE WITH WC400
F788L	DREAM STAR	RC400 INCLUDED, COMPATIBLE WITH WC400
F789	SIMPLE 65"	RC1000 INCLUDED, COMPATIBLE WITH WC1000
F796L	FALCO	INCL.
F802L	VINTAGE GYRO™	• INCL.
F803DL	ARTEMIS™	RC400 INCLUDED, COMPATIBLE WITH WC400
F828	SYMBIO	RC400 INCLUDED, COMPATIBLE WITH WC400
F832L	TRIPLE	RC400 INCLUDED, COMPATIBLE WITH WC400
F833	KEWL	• INCL. •
F839L	AIREWAVE	RC1000 INCLUDED, COMPATIBLE WITH WC1000
F843	WAVE	INCL.
F844	LIGHT WAVE	INCL.
F845	LIGHT WAVE 44"	INCL.
F847L	TIMBER 84"	RC600 INCLUDED, COMPATIBLE WITH WC600
F848	LIGHT WAVE 65"	INCL.
F853	AVIATION	RC500 INCLUDED, COMPATIBLE WITH WC500
F853L	AVIATION LED	RC500 INCLUDED, COMPATIBLE WITH WC500

FAN MODEL	FAN NAME	RCS212	RCS213	RCS223	WC105-WH	WC106-WH	WC106L	WCS212	WCS213	WCS223
F854	WAVE 44"		INCL.						•	
F855	WAVE 65"		INCL.						•	
F862L	PINUP			RCI	1000 INCLUDE	D, COMPATIB	LE WITH V	VC1000		
F864L	BARN			RC	400 I INCLUD	ED, COMPATIE	BLE WITH	WC400		
F865L	BARN H2O			RC	1000 INCLUDE	D, COMPATIB	LE WITH V	VC1000		
F866L	DECO			RC	1000 INCLUDE	D, COMPATIB	LE WITH V	VC1000		
F868L	SLEEK			RC	C600 INCLUDE	D, COMPATIB	LE WITH V	VC600		
F870	WINDMOLEN			RC	C400 INCLUDE	D, COMPATIB	LE WITH V	VC400		
F873	SIMPLE FLUSH 52"			RC	1000 INCLUDE	D, COMPATIB	LE WITH V	VC1000		
F874	SIMPLE FLUSH 60"			RC	1000 INCLUDE	D, COMPATIB	LE WITH V	VC1000		
F887	XTREME			RC	C400 INCLUDE	D, COMPATIB	LE WITH V	VC400		
F888L	SLIPSTREAM			RC	C400 INCLUDE	D, COMPATIB	LE WITH V	VC400		
F896-65	XTREME H₂O			RC	C400 INCLUDE	D, COMPATIB	LE WITH V	VC400		
F896-84	XTREME H₂O			RC	C400 INCLUDE	D, COMPATIB	LE WITH V	VC400		
F900L	CRISTAFANO [™]	۰						INCL.		
F902L	BLING			RC	2400 INCLUDE	D, COMPATIB	LE WITH V	VC400		
F903L	ARTEMIS [™] IV			RC	C400 INCLUDE	D, COMPATIB	LE WITH V	VC400		
F905L	ARTEMIS [™] XL5			RC	C600 INCLUDE	D, COMPATIB	LE WITH V	VC600		
F933	BOWIE			RCI	1000 INCLUDE	D, COMPATIB	LE WITH V	VC1000		
F988L	GÉANT			RC	2400 INCLUDE	D, COMPATIB	LE WITH V	VC400		
F1000	DYNO		INCL.						٠	
F1001	DYNO XL			RC	C600 INCLUDE	D, COMPATIB	LE WITH V	VC600		



FINISH	ABDD	BCW	BG	ВІ	BK	BN	BNK	BNW	BRS	BS	BWH	СН	CL	CSBR	DBB	DRB	DRFF	FB	GI	GL	GM	GRY	GS	нвх	нт	KA	LN	МВМ	SM	DM
DR5 Series Down	NROD	ARE ¾	" I.D.																											
DR500-COUPLER	•**	•	•	•	•	•	•	•	-	•	•	•	•	•	•	•	•	•	•	•	•	-	•	•	•	•	•	-	-	-
DR503	•	•	•	•	•	•	•	•	-	•	•	-	•	-	•	•	•	•	•	•	•	-	-	•	•	•	•	-	-	-
DR504	•	•	-	-	-	•	-	-	-	-	-	-	-	-	-	•	-	-	-	•	-	-	-	-	-	-	-	-	-	-
DR506	-	-	-	-	-	•	•	-	-	•	-	-	•	-	-	-	-	-	-	-	-	•	-	-	-	-	-	-	-	-
DR510	-	-	-	-	-	•	•	•	-	•	-	-	•	-	-	-	-	-	-	-	-	-	-	•	-	-	-	•	•	•
DR512	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR518	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR524	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR536	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR548	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR560	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR572	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Minka-Aire® 45°	SLOPI	E CEILI	ING A	DAPT	er Kit	s (SC	CA)																							
* A245 ¾" I.D.	•**	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
A180	-	•	-	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	-	•	-	•	•	•	•	•	•	•
*** A581	-	_	•	-	-	-	-	-	-	-	-	-		_	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-

Minka-Aire® offers a full selection of downrods in 59 finishes and 8 lengths to complement any Minka-Aire® ceiling fan. * A245 ¾" l.D. is also available in PR (Primer) finish. ** For F524-ABD, only. *** For F581, only.



FINISH	MP	MW	ODK	ORB	PBL	PI	PN	PW	RD	RRB	SBR	SDBK	SI	SL	STW/GOW	SWH	TCL	Tww	VB	VI	WA	WH/44	WHF
DR5 Series Down	IROD A	RE ¾	" I.D.																				
DR500-Coupler	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR503	•	•	•	•	•	•	•	•	•	•	-	-	•	•	•	•	-	-	•	-	-	•	•
DR504	-	-	-	•	-	-	•	-	-	•	-	-	-	•	-	-		-	•	-	-	•	-
DR506	-	-	•	•	-	-	-	•	-	-	-	-	-	-	-	-		-	-	-	-	•	•
DR510	-	-	-	•	-	-	•	-	-	-	-	•	-	-	-	-	•	•	-	-	•	-	-
DR512	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR518	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR524	•	•	•	•	•	•	•	•	•	•	•	-	•	•	•	•	•	•	•	•	•	•	•
DR536	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR548	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR560	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR572	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
MINKA-AIRE® 45°	Slope	Ceili	ng Ad	APTER	KITS	(SCA	.)																
* A245 ¾" I.D.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
A180	•	•	•	•	•	•	•	•	•	-	•	-	•	-	•	•	•	•	-	•	-	•	•
*** A581	-	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	•

All component parts and hardware supplied with your Minka-Aire® ceiling fan have been designed and engineered to assure proper and safe installation of your new ceiling fan. Substituting parts or hardware, such as, but not limited to the hanger ball and the hanger bracket, not supplied with your ceiling fan by Minka-Aire®, will void the Minka-Aire® Warranty.



Low Ceiling Adapter

A180

For use on: F513, F522L, F534L, F546, F547, F548, F562, F563, F568, F569L, F588, F589, F596L, F614, F620L, F656L, F659, F688, F689, F690L, F695, F696, F759L

Low Ceiling Adapter

A581

For use on: F581



A581-BG



A581-ORB



A581-WHF



Downrod Coupler DR500

(¾" I.D.)

For those occasions when you need to hang your ceiling fan on a longer than 72" downrod, simply use one of our downrod couplers (DR500) available in finishes to match all our fans and downrods. The coupler enables you to couple our $\frac{3}{4}$ " downrods together and hang fans on total downrod lengths of up to 144".

F738 and F739L Fans Only



Internal Threaded Downrod (3/4" I.D.)

	ASL	BN	DK	ORB	WHF
DR1506		•	•		•
DR1512	•		•		•
DR1518	•	•	•		•
DR1524	•	•	•		•
DR1536	•		•		•
DR1548	•		•		•
DR1560	•		•		•
DR1572	•		•		•







A245-BN (¾" I.D.) | Slope Ceiling Adapter Kit (SCA) U.S. Patent(s): 7.510.160


Minka-Aire® 45° Slope Ceiling Adapter Kit (SCA)

Minka-Aire® SCA Kit was designed to meet the needs of the home building industry as demand increases for higher, more steeply angled ceilings. Minka-Aire® A245 SCA is used with 3/4" I.D. DR5 Series Downrod.

The above kit as shown includes the mounting bracket, the angled ball assembly and locking pin. For fans that weigh in excess of 35lbs, simply use the hanging bracket that comes with the fan in the box (75lbs rating standard) and the kit's angled ball assembly and locking pin. (Fan model numbers F528, F529 and F531 do not apply because of their unique Downbridge[™] hanging systems)

When ordering SCA specify finish to match your needs.

Sloped Ceiling Application with standard hanging systems for slopes up to a maximum of 21°



Sloped Ceiling Installation

Minka-Aire® ceiling fans equipped with universal hanging systems may be hung from standard or vaulted ceilings up to 21° pitch.

FINISHES



Hand-painted finishes and components made from natural material may reflect variations in color and texture. These are not imperfections and enhance the unique appearance of each and every Minka-Aire® fixture. Specifications are subject to change at any time.

FINISHES



Hand-painted finishes and components made from natural material may reflect variations in color and texture. These are not imperfections and enhance the unique appearance of each and every Minka-Aire® fixture. Specifications are subject to change at any time.

*Estimated CFM

MODEL NUMBER	PAGE	FAN NAME	HIGH SPEED	LOW SPEED
F307	224	Anywhere	1,122	605
F402L	226	Gyro™ Wet	3,474	1,954
F410L	148	Slant	3,859	730
F448L	330	Contractor Uni-Pack	4,276	1,569
F467L	273	Concept III	6,056	1,637
F465L	274	Concept IV	6,249	1,668
F474L	270	Concept™ II Wet 52"	5,333	2,467
F476L	264	Concept™ I Wet 52"	5,389	3,262
F477L	268	Concept™ I Wet 58"	5,315	2,741
F502L	160	Traditional Gyro™	3,088	1,773
F510L	150	Spacesaver	2,016	664
F513	162	New Era	4,801	1,754
F517L	152	Concept™ I 52"	5,236	2,087
F518L	154	Concept™ II 44"	3,656	1,465
F519L	157	Concept™ II 52"	5,423	1,874
F521L	147	Aluma	4,237	1,400
F522L	194	Мојо	4,168	2,055
F523L	280	Aluma Wet	3,864	1,861
F524	122	Roto	4,422	1,553
F532	298	Sunseeker	5,657	1,849
F534L	196	Lun-Aire	5,198	2,176
F535L	42	Roto LED	4,422	1,553
F539	164	Great Room Traditional	10,659	3,723
F543L	138	Swept	6,896	2,670
F544L	187	Calais™	3,956	1,345
F546	347	Contractor 42"	3,166	1,491
F547	348	Contractor 52"	4,391	1,356
F551	322	Watt	6,068	2,525
F552L	324	Watt II	6,028	2,513

*Estimated CFM

MODEL NUMBER	PAGE	FAN NAME	HIGH SPEED	LOW SPEED
F553L	327	Minute	5,029	1,746
F556	334	Contractor Plus	5,314	1,756
F556L	332	Contractor LED	5,314	1,756
F562	336	Supra® 32"	2,944	917
F563	340	Supra® 44"	5,064	1,257
F565	350	Mesa™ 52"	3,709	1,253
F566	351	Mesa™ 42"	2,780	1,341
F568	342	Supra® 52"	4,907	1,362
F569L	344	Supra® 52"-SP	5,841	1,372
F571	304	Sundance™ 52"	5,832	1,808
F572	306	Sundance™ 42"	3,342	1,239
F581L	292	Gauguin™	5,201	2,522
F582L	294	Rainman™	4,824	1,988
F589	300	Sundowner®	6,374	1,773
F594L	278	Traditional Concept™ 52"	5,092	1,818
F602L	161	Gyro™	4,709	3,335
F614	168	Timeless	4,444	1,920
F617L	126	Raptor	6,959	2,088
F619L	310	Stout	4,602	1,793
F623L	140	Orb	4,985	2,257
F624	262	Roto XL	6,576	2,637
F625L	248	Skinnie 44"	6,000*	3,000*
F626L	250	Skinnie	8,037	3,069
F631L	64	Audrey	1,143	731
F632L	65	Marilyn	1,052	684
F633L	66	Gordon	1,443	1,057
F644L	50	Roto Flush	4,078	2,208
F656L	328	Contractor Uni-Pack LED	5,089	1,435
F659	182	Classica	4,389	1,796

*Estimated CFM

MODEL NUMBER PAGE FAN NAME HIGH SPEED LOW SPEED F662 32 Vapor 5,900 3,000 F659 182 Avtur 5,400 2,000 F670L 314 Airetor III 4,495 1,988 F671L 320 Pure 3,891 1,577 F673L 312 Airetor 4,762 1,946 F675L 288 Seacrest 5,752 1,827 F676L 318 Vital 3,278 1,354 F678L 96 Twist 5,330 1,804 F681L 296 Groton 5,675 2,000 F684L 90 Clean 10,340 4,039 F688 172 Kola 4,901 1,401 F689 174 Kola-XL 6,497 1,608 F690L 198 Espace 5,075 1,744 F692L 52 Veer 5,000* 2,000* F695					
F659 182 Avtur 5,400 2,000 F670L 314 Airetor III 4,495 1,988 F671L 320 Pure 3,891 1,577 F673L 312 Airetor 4,762 1,946 F675L 288 Seacrest 5,752 1,827 F676L 318 Vital 3,278 1,354 F678L 96 Twist 5,330 1,804 F68IL 296 Groton 5,675 2,000 F681L 296 Groton 5,675 2,000 F684L 90 Clean 10,340 4,039 F688 172 Kola 4,901 1,401 F689 174 Kola-XL 6,497 1,608 F690L 198 Espace 5,075 1,744 F692L 52 Veer 5,000* 2,000* F695 176 Kafé-XL 6,305 1,457 F701L 184	MODEL NUMBER	PAGE	FAN NAME	HIGH SPEED	LOW SPEED
F670L 314 Airetor III 4,495 1,988 F671L 320 Pure 3,891 1,577 F673L 312 Airetor 4,762 1,946 F675L 288 Seacrest 5,752 1,827 F676L 318 Vital 3,278 1,354 F678L 96 Twist 5,330 1,804 F681L 296 Groton 5,675 2,000 F684L 90 Clean 10,340 4,039 F688 172 Kola 4,901 1,401 F689 174 Kola-XL 6,497 1,608 F690L 198 Espace 5,075 1,744 F692L 52 Veer 5,000* 2,000* F695 176 Kafé 4,766 1,213 F696 178 Kafé-XL 6,305 1,457 F701L 184 Delano® 5,097 2,100 F705 192	F662	32	Vapor	5,900	3,000
F671L 320 Pure 3,891 1,577 F673L 312 Airetor 4,762 1,946 F675L 288 Seacrest 5,752 1,827 F676L 318 Vital 3,278 1,354 F678L 96 Twist 5,330 1,804 F68L 96 Groton 5,675 2,000 F681L 296 Groton 5,675 2,000 F681L 296 Groton 10,340 4,039 F684L 90 Clean 10,340 4,039 F688 172 Kola 4,901 1,401 F689 174 Kola-XL 6,497 1,608 F690L 198 Espace 5,075 1,744 F692L 52 Veer 5,000* 2,000* F695 176 Kafé 4,766 1,213 F696 178 Kafé-XL 6,305 1,457 F701L 184	F659	182	Avtur	5,400	2,000
F673L 312 Airetor 4,762 1,946 F675L 288 Seacrest 5,752 1,827 F676L 318 Vital 3,278 1,354 F678L 96 Twist 5,330 1,804 F68L 296 Groton 5,675 2,000 F684L 90 Clean 10,340 4,039 F688 172 Kola 4,901 1,401 F689 174 Kola-XL 6,497 1,608 F690L 198 Espace 5,075 1,744 F692L 52 Veer 5,000* 2,000* F695 176 Kafé 4,766 1,213 F696 178 Kafé-XL 6,305 1,457 F701L 184 Delano® 5,097 2,100 F702L 186 Volterra™ 5,134 1,974 F705 192 Napoli™ 7,608 2,895 F714L 82 Curl 7,411 1,487 F715DL 193 Napoli™ II <td>F670L</td> <td>314</td> <td>Airetor III</td> <td>4,495</td> <td>1,988</td>	F670L	314	Airetor III	4,495	1,988
F675L 288 Seacrest 5,752 1,827 F676L 318 Vital 3,278 1,354 F678L 96 Twist 5,330 1,804 F681L 296 Groton 5,675 2,000 F684L 90 Clean 10,340 4,039 F688 172 Kola 4,901 1,401 F689 174 Kola-XL 6,497 1,608 F690L 198 Espace 5,075 1,744 F692L 52 Veer 5,000* 2,000* F695 176 Kafé 4,766 1,213 F696 178 Kafé-XL 6,305 1,457 F701L 184 Delano® 5,097 2,100 F702L 186 Volterra™ 5,134 1,974 F705 192 Napoli™ 7,608 2,895 F714L 82 Curl 7,411 1,487 F715DL 193	F671L	320	Pure	3,891	1,577
F676L 318 Vital 3,278 1,354 F678L 96 Twist 5,330 1,804 F681L 296 Groton 5,675 2,000 F684L 90 Clean 10,340 4,039 F688 172 Kola 4,901 1,401 F689 174 Kola-XL 6,497 1,608 F690L 198 Espace 5,075 1,744 F692L 52 Veer 5,000* 2,000* F695 176 Kafé 4,766 1,213 F696 178 Kafé-XL 6,305 1,457 F701L 184 Delano® 5,097 2,100 F702L 186 Volterra™ 5,134 1,974 F705 192 Napoli™ 7,608 2,895 F714L 82 Curl 7,411 1,487 F715DL 193 Napoli™ II 6,839 2,881 F717L 56	F673L	312	Airetor	4,762	1,946
F678L 96 Twist 5,330 1,804 F68IL 296 Groton 5,675 2,000 F684L 90 Clean 10,340 4,039 F688 172 Kola 4,901 1,401 F689 174 Kola-XL 6,497 1,608 F690L 198 Espace 5,075 1,744 F692L 52 Veer 5,000* 2,000* F695 176 Kafé 4,766 1,213 F696 178 Kafé-XL 6,305 1,457 F701L 184 Delano® 5,097 2,100 F702L 186 Volterra™ 5,134 1,974 F705 192 Napoli™ 7,608 2,895 F714L 82 Curl 7,411 1,487 F715DL 193 Napoli™ II 6,839 2,881 F717L 56 Kelvyn 4,603 1,733 F727 210	F675L	288	Seacrest	5,752	1,827
F681L 296 Groton 5,675 2,000 F684L 90 Clean 10,340 4,039 F688 172 Kola 4,901 1,401 F689 174 Kola-XL 6,497 1,608 F690L 198 Espace 5,075 1,744 F692L 52 Veer 5,000* 2,000* F695 176 Kafé 4,766 1,213 F696 178 Kafé-XL 6,305 1,457 F701L 184 Delano® 5,097 2,100 F702L 186 Volterra™ 5,134 1,974 F705 192 Napoli™ 7,608 2,895 F714L 82 Curl 7,411 1,487 F715DL 193 Napoli™ II 6,839 2,881 F717L 56 Kelvyn 4,603 1,733 F727 210 Rudolph 5,757 1,554 F728 44	F676L	318	Vital	3,278	1,354
F684L 90 Clean 10,340 4,039 F688 172 Kola 4,901 1,401 F689 174 Kola-XL 6,497 1,608 F690L 198 Espace 5,075 1,744 F692L 52 Veer 5,000* 2,000* F695 176 Kafé 4,766 1,213 F696 178 Kafé-XL 6,305 1,457 F701L 184 Delano® 5,097 2,100 F702L 186 Volterra™ 5,134 1,974 F705 192 Napoli™ 7,608 2,895 F714L 82 Curl 7,411 1,487 F715DL 193 Napoli™ II 6,839 2,881 F717L 56 Kelvyn 4,603 1,733 F727 210 Rudolph 5,757 1,554 F728 44 Rudolph Wet 5,800 3,000	F678L	96	Twist	5,330	1,804
F688 172 Kola 4,901 1,401 F689 174 Kola-XL 6,497 1,608 F690L 198 Espace 5,075 1,744 F692L 52 Veer 5,000* 2,000* F695 176 Kafé 4,766 1,213 F696 178 Kafé-XL 6,305 1,457 F701L 184 Delano® 5,097 2,100 F702L 186 Volterra™ 5,134 1,974 F705 192 Napoli™ 7,608 2,895 F714L 82 Curl 7,411 1,487 F715DL 193 Napoli™ II 6,839 2,881 F717L 56 Kelvyn 4,603 1,733 F727 210 Rudolph 5,757 1,554 F728 44 Rudolph Wet 5,800 3,000	F681L	296	Groton	5,675	2,000
F689 174 Kola-XL 6,497 1,608 F690L 198 Espace 5,075 1,744 F692L 52 Veer 5,000* 2,000* F695 176 Kafé 4,766 1,213 F696 178 Kafé-XL 6,305 1,457 F701L 184 Delano® 5,097 2,100 F702L 186 Volterra™ 5,134 1,974 F705 192 Napoli™ 7,608 2,895 F714L 82 Curl 7,411 1,487 F715DL 193 Napoli™ II 6,839 2,881 F717L 56 Kelvyn 4,603 1,733 F727 210 Rudolph 5,757 1,554 F728 44 Rudolph Wet 5,800 3,000	F684L	90	Clean	10,340	4,039
F690L 198 Espace 5,075 1,744 F692L 52 Veer 5,000* 2,000* F695 176 Kafé 4,766 1,213 F696 178 Kafé-XL 6,305 1,457 F701L 184 Delano® 5,097 2,100 F702L 186 Volterra™ 5,134 1,974 F705 192 Napoli™ 7,608 2,895 F714L 82 Curl 7,411 1,487 F715DL 193 Napoli™ II 6,839 2,881 F717L 56 Kelvyn 4,603 1,733 F727 210 Rudolph 5,757 1,554 F728 44 Rudolph Wet 5,800 3,000	F688	172	Kola	4,901	1,401
F692L 52 Veer 5,000* 2,000* F695 176 Kafé 4,766 1,213 F696 178 Kafé-XL 6,305 1,457 F701L 184 Delano® 5,097 2,100 F702L 186 Volterra™ 5,134 1,974 F705 192 Napoli™ 7,608 2,895 F714L 82 Curl 7,411 1,487 F715DL 193 Napoli™ II 6,839 2,881 F717L 56 Kelvyn 4,603 1,733 F727 210 Rudolph 5,757 1,554 F728 44 Rudolph Wet 5,800 3,000	F689	174	Kola-XL	6,497	1,608
F695 176 Kafé 4,766 1,213 F696 178 Kafé-XL 6,305 1,457 F701L 184 Delano® 5,097 2,100 F702L 186 Volterra™ 5,134 1,974 F705 192 Napoli™ 7,608 2,895 F714L 82 Curl 7,411 1,487 F715DL 193 Napoli™ II 6,839 2,881 F717L 56 Kelvyn 4,603 1,733 F727 210 Rudolph 5,757 1,554 F728 44 Rudolph Wet 5,800 3,000	F690L	198	Espace	5,075	1,744
F696 178 Kafé-XL 6,305 1,457 F701L 184 Delano® 5,097 2,100 F702L 186 Volterra™ 5,134 1,974 F705 192 Napoli™ 7,608 2,895 F714L 82 Curl 7,411 1,487 F715DL 193 Napoli™ II 6,839 2,881 F717L 56 Kelvyn 4,603 1,733 F727 210 Rudolph 5,757 1,554 F728 44 Rudolph Wet 5,800 3,000	F692L	52	Veer	5,000*	2,000*
F701L 184 Delano® 5,097 2,100 F702L 186 Volterra™ 5,134 1,974 F705 192 Napoli™ 7,608 2,895 F714L 82 Curl 7,411 1,487 F715DL 193 Napoli™ II 6,839 2,881 F717L 56 Kelvyn 4,603 1,733 F727 210 Rudolph 5,757 1,554 F728 44 Rudolph Wet 5,800 3,000	F695	176	Kafé	4,766	1,213
F702L 186 Volterra™ 5,134 1,974 F705 192 Napoli™ 7,608 2,895 F714L 82 Curl 7,411 1,487 F715DL 193 Napoli™ II 6,839 2,881 F717L 56 Kelvyn 4,603 1,733 F727 210 Rudolph 5,757 1,554 F728 44 Rudolph Wet 5,800 3,000	F696	178	Kafé-XL	6,305	1,457
F705 192 Napoli™ 7,608 2,895 F714L 82 Curl 7,411 1,487 F715DL 193 Napoli™ II 6,839 2,881 F717L 56 Kelvyn 4,603 1,733 F727 210 Rudolph 5,757 1,554 F728 44 Rudolph Wet 5,800 3,000	F701L	184	Delano®	5,097	2,100
F714L 82 Curl 7,411 1,487 F715DL 193 Napoli™ II 6,839 2,881 F717L 56 Kelvyn 4,603 1,733 F727 210 Rudolph 5,757 1,554 F728 44 Rudolph Wet 5,800 3,000	F702L	186	Volterra™	5,134	1,974
F715DL 193 Napoli™ II 6,839 2,881 F717L 56 Kelvyn 4,603 1,733 F727 210 Rudolph 5,757 1,554 F728 44 Rudolph Wet 5,800 3,000	F705	192	Napoli™	7,608	2,895
F717L 56 Kelvyn 4,603 1,733 F727 210 Rudolph 5,757 1,554 F728 44 Rudolph Wet 5,800 3,000	F714L	82	Curl	7,411	1,487
F727 210 Rudolph 5,757 1,554 F728 44 Rudolph Wet 5,800 3,000	F715DL	193	Napoli™ II	6,839	2,881
F728 44 Rudolph Wet 5,800 3,000	F717L	56	Kelvyn	4,603	1,733
	F727	210	Rudolph	5,757	1,554
F720 214 Charl C.007 1400	F728	44	Rudolph Wet	5,800	3,000
F/29 214 Stedi 6,095 1,498	F729	214	Steal	6,093	1,498
F734L 290 Strata 4,648 1,925	F734L	290	Strata	4,648	1,925
F738D 144 Pancake 5,040 2,396	F738D	144	Pancake	5,040	2,396
F742L 246 Molino 7,166 2,772	F742L	246	Molino	7,166	2,772
F745 143 Sabot 4,941 1,344	F745	143	Sabot	4,941	1,344
F747L 74 Timber 8,341 3,834	F747L	74	Timber	8,341	3,834
F749L 76 Skyhawk 7,284 2,421	F749L	76	Skyhawk	7,284	2,421
F753 283 Java 5,314 2,751	F753	283	Java	5,314	2,751

*Estimated CFM

		Estimated Crivi		
MODEL NUMBER	PAGE	FAN NAME	HIGH SPEED	LOW SPEED
F753L	284	Java LED	5,771	2,834
F754L	286	Java Xtreme 84"	8,388	4,177
F756L	222	Future	6,500*	2,000*
F759L	180	Classica - Gallery Edition	4,878	1,892
F765L	36	Transonic	5,810	2,500
F767L	22	Skymaster	6,500	3,200
F771L	84	Ellipse	5,854	3,165
F781L	58	Chubby	6,391	2,733
F782L	60	Chubby II	6,431	2,656
F786	252	Simple 44"	5,289	1,626
F787	256	Simple 52"	6,231	2,009
F788L	87	Dream Star	5,666	1,723
F789	260	Simple 65"	5,289*	1,626*
F796L	46	Falco	5,000	3,000
F802L	158	Vintage Gyro™	3,255	2,063
F803DL	132	Artemis™	7,157	2,295
F828	124	Symbio	6,117	1,693
F833	216	Kewl	4,981	1,499
F839L	24	Airewave	6,500	3,200
F843	108	Wave	4,466	1,674
F844	102	Light Wave	4,453	1,497
F845	100	Light Wave 44"	3,673	1,599
F847L	72	Timber	8,341	3,834
F848	104	Light Wave 65"	5,718	1,280
F853	114	Aviation	5,093	2,127
F853L	118	Aviation LED	5,093	2,127
F854	106	Wave 44"	3,657	1,628
F855	110	Wave 65"	5,713	1,871
F862L	40	Pinup	6,573	2,628
F864L	68	Barn	9,155	3,712
F865L	242	Barn H2O	12,402	4,550
F866L	220	Deco	7,978	3,980

*Estimated CFM

MODEL NUMBER	PAGE	FAN NAME	HIGH SPEED	LOW SPEED
F868L	78	Sleek	6,006	1,715
F870L	244	Windmolen	8,725	4,261
F873	26	Simple Flush 52"	5,500	2,000
F874	28	Simple Flush 60"	6,000	2,200
F887-72	94	Xtreme 72"	10,942	4,673
F887-96	95	Xtreme 96"	13,080	9,152
F888L	238	Slipstream	8,243	3,918
F896-65	230	Xtreme H2O 65"	9,036	3,765
F896-84	234	Xtreme H2O 84"	10,989	5,150
F900L	188	Cristafano™	7,644	2,897
F902L	190	Bling	5,274	1,819
F903L	128	Artemis™ IV	8,129	3,264
F905L	136	Artemis™ XL5	6,076	3,396
F933	54	Bowie	5,000*	2,000*
F988L	236	Géant	11,160	4,630
F1000	202	Dyno	4,509	1,520
F1001	207	Dyno XL	5,987	1,807



		Blade Sweep	No of Blades	Blade Pitch	Motor Size	RPM (Hi/Low)	Warranty	LightKit	Downrod ¾" ID	Lead Wire	Dimension A	Dimension B	Hanging Weight (LBS)
F307	Anywhere	15"	3	23°	82 x 25	985/491	Limited Lifetime	N/A	6"	118"	N/A	N/A	20
F402L	Gyro™ Wet	42"	6	20°	82 x 25	1350/720	Limited Lifetime	Integrated	6"	80"	19½"	173/4"	30
F410L	Slant	36"	3	20°	DC125 x 20	300/150	Limited Lifetime	Integrated	6"	80"	15"	10½"	15
F448L	Contractor Uni- Pack	52"	5	12°	153 x 13	162/56	Limited Lifetime	Included	4"	80"	17¼"	9¾"	17
F465L	Concept IV	54"	3	14°	DC 153 x 15	150/35	Limited Lifetime	Integrated	6"	80"	13 1/2"	10 1/4"	18
F467L	Concept III	54"	3	14°	DC 153 x 15	150/35	Limited Lifetime	Integrated	N/A	12"	12 1/4"	9 1/4"	18
F474L	Concept™ II Wet 52"	52"	3	14°	188 x 20	170/92	Limited Lifetime	Integrated	N/A	8"	12"	8½"	26
F476L	Concept™l Wet 52"	52"	3	14°	188 x 20	168/93	Limited Lifetime	Integrated	6"	80"	20½"	17"	25
F477L	Concept™l Wet 58"	58"	3	14°	188 x 22	158/68	Limited Lifetime	Integrated	6"	80"	18¼"	14¼"	27
F502L	Traditional Gyro™	42"	6	20°	80 x 25	1350/720	Limited Lifetime	Integrated	4½" & 12"	80"	17"	16½"	40
F510L	Spacesaver	26"	3	14°	153 x 12	392/170	Limited Lifetime	Integrated	N/A	8"	11"	7¼"	12
F513	New Era	52"	4	14°	172 x 16	199/67	Limited Lifetime	Adaptable	6"	80"	15½"	123/4"	18
F516L	Concept™I 44"	44"	3	14°	153 x 15	189/91	Limited Lifetime	Integrated	6"	80"	17½"	14¼"	22
F517L	Concept™I 52"	52"	3	14°	172 x 20	183/70	Limited Lifetime	Integrated	6"	80"	17½"	14¼"	25
F518L	Concept™ II 44"	44"	3	14°	153 x 15	181/79	Limited Lifetime	Integrated	N/A	8"	11½"	8¼"	24
F519L	Concept™ II 52"	52"	3	14°	172 x 20	172/66	Limited Lifetime	Integrated	N/A	8"	11½"	8¼"	27
F521L	Aluma	52"	4	12°	153 x 15	187/100	Limited Lifetime	Integrated	6"	80"	15¾"	12¼"	17
F522L	Mojo	52"	5	12°	153 x 15	162/60	Limited Lifetime	Included	6"	80"	17"	11½"	18
F523L	Aluma Wet	52"	4	12°	153 x 20	166/73	Limited Lifetime	Integrated	6"	80"	16½"	13¼"	19
F524	Roto	52"	3	22°	153 x 15	210/112	Limited Lifetime	N/A	6"	80"	113/4"	9½"	11
F532	Sunseeker	60"	5	14°	188 x 25	135/50	Limited Lifetime	Integrated	6"	80"	16½"	14¾"	28
F534L	Lun-Aire	54"	5	12°	172 x 17	150/70	Limited Lifetime	Integrated	6"	80"	15¼"	10½"	25
F535L	Roto LED	52"	3	22°	153 X 15	210/112	Limited Lifetime	Integrated	6"	80"	11½"	13"	
F539	Great Room Traditional	72"	5	14°	212 x 25	126/45	Limited Lifetime	Adaptable	6"	80"	15¼"	13"	35
F543L	Swept	56"	4	26°	DC123 x 30	191/51	Limited Lifetime	Integrated	6"	80"	14½"	12"	14
F544L	Calais™	52"	5	14°	172 x 17	165/62	Limited Lifetime	Integrated	N/A	8"	12"	7½"	27
F546	Contractor 42"	42"	5	12°	153 x 10	214/113	Limited Lifetime	Adaptable	4"	80"	12¼"	9¾"	14
F547	Contractor 52"	52"	5	12°	153 x 13	162/67	Limited Lifetime	Adaptable	4"	80"	12¾"	10¼"	13
F551	Watt	60"	5	13°	125 x 30	170/60	Limited Lifetime	Adaptable	6"	80"	16"	13"	15
F552L	Watt II	60"	5	13°	DC 125 x 30	170/60	Limited Lifetime	Integrated	6"	80"	20½"	13"	20
F553L	Minute	52"	5	12°	DC 145 x 18	183/69	Limited Lifetime	Adaptable	6"	80"	18"	13 ½"	25
F556	Contractor Plus	52"	5	12°	153 x 15	183/69	Limited Lifetime	Adaptable	6"	80"	14¾"	13"	15
F556L	Contractor LED	52"	5	12°	153 x 15	183/69	Limited Lifetime	Adaptable	6"	80"	16"	14¼"	15
F562	Supra® 32"	32"	6	22°	153 x 16	267/93	Limited Lifetime	Adaptable	6"	80"	14¾"	13"	15

Minka-Aire® ceiling fans are warranted to be free from defects in material and workmanship only if purchased from an authorized Minka-Aire® distributor:

 $Fan motor - Limited Lifetime Warranty \ to \ original \ purchaser \ with \ proof of \ purchase \ as \ long \ as \ fan \ remains \ in its \ original \ installation \ location \ and \ is \ installed \ using \ only \ the \ original \ hardware \ provided \ (including \ hanger \ bracket).$

All other parts and controls - warranted to original purchaser with proof of purchase for one (1) year from date of purchase.

		Blade Sweep	No of Blades	Blade Pirch	Motor Size	RPM (Hi/Low)	Warranty	Light Kit	Downrod ¾" ID	Lead Wire	Dimension A	Dimension B	Hanging Weight (LBS)
F563	Supra® 44"	44"	5	14°	188 x 15	243/77	Limited Lifetime	Adaptable	6"	80"	14½"	13¼"	19
F563	Supra® 44" -SP	44"	5	14°	188 x 15	243/77	Limited Lifetime	Included	6"	80"	27½"	13¼"	22
F565	Mesa™ 52"	52"	5	12°	153 x 14	176/65	Limited Lifetime	Adaptable	N/A	8"	8¾"	6½"	13
F566	Mesa™ 42"	42"	5	12°	153 x 10	211/92	Limited Lifetime	Adaptable	N/A	8"	73/4"	5¾"	11
F568	Supra® 52"	52"	5	14°	188 x 15	179/58	Limited Lifetime	Adaptable	6"	80"	15¼"	13¼"	20
F569	Supra® 52" -SP	52"	5	14°	188 x 15	168/53	Limited Lifetime	Included	6"	80"	19½"	13¼"	24
F571	Sundance™ 52"	52"	5	12°	153 x 15	182/63	Limited Lifetime	Adaptable	6"	80"	14½"	13½"	16
F572	Sundance™ 42"	42"	5	12°	153 x 10	233/103	Limited Lifetime	Adaptable	6"	80"	14¾"	12½"	13
F581L	Gauguin™	52"	4	14°	188 x 20	148/76	Limited Lifetime	Integrated	6"	80"	17½"	18¼"	25
F582L	Rainman™	54"	5	14°	172 x 20	145/70	Limited Lifetime	Integrated	6"	80"	23¾"	13¼"	28
F588	Ultra-Max™ -SP	54"	5	14°	188 x 25	201/65	Limited Lifetime	Adaptable	6"	80"	143/4"	12¾"	24
F589	Sundowner®	54"	5	16°	188 x 20	185/51	Limited Lifetime	Adaptable	6"	80"	15"	13"	28
F593L	Traditional Concept™ 44"	44"	3	14°	153 x 17	221/105	Limited Lifetime	Integrated	N/A	8"	11"	7½"	19
F594L	Traditional Concept™ 52"	52"	3	14°	172 x 20	178/60	Limited Lifetime	Integrated	N/A	8"	11"	7½"	23
F602L	Gyro™	42"	6	20°	82 x 25	1350/720	Limited Lifetime	Integrated	6"	80"	16¼"	18¼"	31
F614	Timeless	54"	5	14°	188 x 15	163/58	Limited Lifetime	K9614	6"	80"	16½"	14¼"	21
F617L	Raptor	60"	5	14°	DC172 x 12	150/60	Limited Lifetime	Integrated	6"	80"	13¾"	11"	29
F619L	Stout	54"	5	12°	153 x 17	153/67	Limited Lifetime	Integrated	6"	80	15½	121/2	15
F623L	Orb	54"	4	14°	153 x 17	142/65	Limited Lifetime	Included	6"	80"	16½"	10¼"	20
F624	Roto XL	62"	3	20°	172 x 16	188/96	Limited Lifetime	N/A	6"	80"	12¾"	113/4"	14
F625L	Skinnie 44"	44"	3	18°	DC123x15								
F626L	Skinnie	56"	3	18°	DC123 x 30	158/51	Limited Lifetime	Integrated	6"	80"	12	8½	12
F631L	Audrey	25"	3	18°	80 x 70	1300/700	Limited Lifetime	Integrated	6"	80"	N/A	15"	20
F632L	Marilyn	30"	3	18°	80 x 70	1300/700	Limited Lifetime	Integrated	6"	80"	N/A	24"	25
F633L	Gordon	29"	3	18°	80 x 70	1300/700	Limited Lifetime	Integrated	6"	80"	N/A	16"	20
F644L	Roto Flush	52"	3	22°	153 x 17	163/92	Limited Lifetime	Integrated	N/A	18"	10¼"	8½"	16
F656L	Contractor Uni-Pack LED		5	12°	172 x 14	197/58	Limited Lifetime	Integrated	6"	80"	17"	12½"	19
F659	Classica	54"	5	14°	172 x 16	188/64	Limited Lifetime	K9659	6"	80"	16¾"	13"	23
F662	Vapor	60"	3	14°	DC85 x 28	160/65	Limited Lifetime	N/A	6"	80"	10"	7¾"	
F663	Avtur	60"	3	16°	DC85 x 28	180/60	Limited Lifetime	N/A	N/A	12"	14½"	11"	
F670L	Airetor III	54"	3	12°	153 x 17	150/60	Limited Lifetime	Integrated	6"	80"	13	8½	12
F671L	Pure	48"	3	12°	153 x 17	165/60	Limited Lifetime	Integrated	N/A	12"	10"	7 3/4"	14
F673L	Airetor	52"	5	12°	153 x 17	150/60	Limited Lifetime	Integrated	6"	80"	13"	8.5"	14
F676L	Vital	44"	3	21°	153 x 15	140/60	Limited Lifetime	Integrated	6"	80"	14 3/4"	8 3/4"	12
F678L	Twist	52"	3	16°	DC120 x 15	167/71	Limited Lifetime	Integrated	6"	80"	14 ½"	9 3/4"	20
F681L	Groton	56"	5	12°	188 x 25	135/50	Limited Lifetime	Integrated	10"	80"	20¼"	15½"	38
F684L	Clean	60"	5	12°	DC123 x 30	160/50	Limited Lifetime	Integrated	6"	80"	16"	15"	20
F688	Kola	52"	5	12°	172 x 14	190/61	Limited Lifetime	Adaptable	6"	80"	15½"	13¼"	18
F689	Kola-XL	60"	5	12°	188 x 20	160/44	Limited Lifetime	Adaptable	6"	80"	15½"	13¼"	23

Minka-Aire @ ceiling fans are warranted to be free from defects in material and workmanship only if purchased from an authorized and workmanship only of purchased from an authorized from the following fant of the following factors are warranted to be free from defects in material and workmanship only of purchased from the following factors are warranted from the factors are warrantMinka-Aire® distributor:

 $Fan \,motor\,-\,Limited\,Lifetime\,Warranty\,to\,original\,purchaser\,with\,proof\,of\,purchase\,as\,long\,as\,fan\,remains\,in\,its\,original\,installation$ location and is installed using only the original hardware provided (including hanger bracket). All other parts and controls - warranted to original purchaser with proof of purchase for one (1) year from date of purchase.

		Blade Sweep	No of Blades	Blade Pirch	Motor Size	RPM (Hi/Low)	Warranty	Light Kit	Downrod 34" ID	Lead Wire	Dimension A	Dimension B	Hanging Weight (LBS)
F690L	Espace	52"	5	14°	172 x 17	161/59	Limited Lifetime	Integrated	6"	80"	14½"	10½"	21
F692L	Veer	56"	3	12°	172×20	128/52	Limited Lifetime	Integrated	6"	80"	15½"	13"	27
F695	Kafé	52"	5	12°	172 x 14	190/61	Limited Lifetime	Adaptable	6"	80"	15"	12¾"	18
F696	Kafé-XL	60"	5	12°	188 x 20	160/44	Limited Lifetime	Adaptable	6"	80"	15"	12¾"	23
F701L	Delano®	52"	5	14°	172 x 20	160/65	Limited Lifetime	Integrated	6"	80"	18"	10"	28
F702L	Volterra™	52"	5	14°	172 x 20	159/71	Limited Lifetime	Integrated	6"	80"	18¼"	10"	28
F705L	Napoli™	56"	5	14°	188 x 25	153/59	Limited Lifetime	Integrated	12"	80"	25"	17¼"	40
F711L	Delano® II	52"	5	14°	172 x 20	150/68	Limited Lifetime	Integrated	N/A	8"	11"	6¼"	25
F714L	Curl	60"	3	Variable	DC168 x 15	100/60	Limited Lifetime	Integrated	6"	80	12½	101/2	20
F715DL	Napoli™ II	68"	5	14°	DC120 x 25	109/44	Limited Lifetime	Integrated	12"	80"	25¾"	17¾"	46
F717L	Kelvyn	52"	5	14°	153 x 15	150/60	Limited Lifetime	Integrated	6"	80"	15"	12"	20
F726	Spectre	60"	4	14°	DC188 x 10	163/48	Limited Lifetime	Integrated	6"	80"	15¼"	113/4"	18
F727	Rudolph	52"	3	14°	172 x 16	139/57	Limited Lifetime	K9727L	6"	80"	15½"	13½"	20
F728	Rudolph Wet	60"	3	16°	DC145 x 18	160/50	Limited Lifetime	N/A	6"	80"	21"	14"	
F729	Steal	54"	3	5°	188 x 15	170/65	Limited Lifetime	Adaptable	6"	80"	13½"	111/4"	30
F734L	Strata	52"	4	12°	172 x 17	163/81	Limited Lifetime	Integrated	6"	80"	18"	14½"	21
F738	Pancake	52"	4	12°	153 x 18	180/70	Limited Lifetime	N/A	6"	12"	9¾"	7¾"	14
F742L	Molino	65"	3	14°	DC153 x 15	131/49	Limited Lifetime	Integrated	6"	80"	14 1/2"	11"	19
F745	Sabot	52"	5	12°	DC172 x 12	173/50	Limited Lifetime	Integrated	6"	80"	12"	11"	13
F747L	Timber	68"	3	23°	DC172 x 25	105/50	Limited Lifetime	Integrated	10"	80"	15"	13½"	16
F749L	SkyHawk™	60"	3	14°	DC153 x 20	160/35	Limited Lifetime	Integrated	6"	80"	15 3/4"	11 3/4"	16
F753	Java	54"	3	14°	153 x 18	150/71	Limited Lifetime	N/A	6"	80"	14¾"	13¼"	16
F753L	Java LED	54"	3	14°	153 x 18	150/71	Limited Lifetime	Integrated	6"	80"	15¾"	14¼"	17
F754L	Java Xtreme 84"	84"	3	16°	DC120 x 25	90/50	Limited Lifetime	Integrated	6"	80"	15 ½"	12 ½"	35
F756L	Future	65"	8	14°	DC120 x 25		Limited Lifetime	Integrated	6"	80"	13¾"	11"	
F759L	Classica Gallery Edition	54"	5	14°	172 x 16	188/64	Limited Lifetime	Adaptable	6"	80"	16¼"	13¼"	27
F765L	Transonic	56"	5	12°	172 x 16	125/51	Limited Lifetime	Integrated	6"	80"	15"	14"	
F767L	Skymaster	65"	5	16°	DC120 x 25	160/35	Limited Lifetime	Integrated	6"	80"	13¾"	10¼"	
F771L	Ellipse	60"	5	16°	DC120 x 20	150/45	Limited Lifetime	Integrated	6"	80"	13 1/4"	8 3/4"	14
F781L	Chubby	58"	5	18°	DC120 x 15	150/45	Limited Lifetime	Integrated	6"	80"	14 ¼"	10"	25
F782L	Chubby II	58"	5	18°	DC120 x 15	150/45	Limited Lifetime	Integrated	N/A	12"	12 ¾"	8 3/4"	20
F786	Simple 44"	44"	3	26°	DC123 x 30	196/51	Limited Lifetime	K9787L	6"	74"	12¾"	111/4"	10
F787	Simple 52"	52"	3	14°	DC123 x 30	191/148	Limited Lifetime	K9787L	6"	80"	12½"	10¾"	11
F788L	Dream Star	60"	8	Variable	DC168 x 30	105/50	Limited Lifetime	Integrated	12"	80"	16½"	8½"	15
F789	Simple 65"	65"	3	14°									
F802L	Vintage Gyro™	42"	6	20°	82 x 25	1350/720	Limited Lifetime	Integrated	6"	80"	16¾"	18"	34
F803DL	Artemis™	58"	3	Variable	188 x 25	133/69	Limited Lifetime	Integrated	6"	80"	15½"	12"	26
F828	Symbio	56"	5	15°	DC125 x 30	161/48	Limited Lifetime	Integrated	6"	80"	17¾"	15¾"	16

		Blade Sweep	No of Blades	Blade Pitch	Motor Size	RPM (Hi/Low)	Warranty	Light Kit	Downrod 34" ID	Lead Wire	Dimension A	Dimension B	Hanging Weight (LBS)
F833	Kewl	52"	3	22°	153 x 15	201/104	Limited Lifetime	N/A	6"	80"	14"	10"	12
F839	Airewave	65"	3	16°	DC120 x 25	150/45	Limited Lifetime	Integrated	6"	80"	21¼"	13"	
F843	Wave	52"	3	48°	172 x 14	153/61	Limited Lifetime	N/A	6"	80"	12½"	8½"	12
F844	Light Wave	52"	3	48°	172 x 14	139/57	Limited Lifetime	Integrated	6"	80"	13¾"	8½"	14
F845	Light Wave 44"	44"	3	Variable	153 x 17	139/57	Limited Lifetime	Integrated	6"	80"	13¾	8½	14
F847L	Timber	84"	3	14°	DC172 x 25		Limited Lifetime	Integrated	10"	80"	15"	13½"	22
F848	Light Wave 65"	65"	3	Variable	188 x 20	133/69	Limited Lifetime	Integrated	6"	80"	13¾	81/2	20
F853	Aviation	60"	3	Variable	DC120 x 25	115/89	Limited Lifetime	N/A	6"	80"	14"	12¼"	16
F853L	Aviation LED	60"	3	Variable	DC120 x 25	115/44	Limited Lifetime	Integrated	6"	80"	13"	10½"	20
F854	Wave 44"	44"	3	Variable	153 x 17	153/61	Limited Lifetime	Integrated	6"	80"	121/2	8½	14
F855	Wave 65"	65"	3	Variable	188 x 20	153/61	Limited Lifetime	Integrated	6"	80"	12½	8½	20
F862L	Pinup	60"	10	23°	DC172 x 12	150/72	Limited Lifetime	Integrated	6"	80"	15"	14"	
F864L	Barn	65"	10	16°	DC168 x 30	110/30	Limited Lifetime	Integrated	10"	80"	21"	18"	33
F865L	Barn H2O	84"	10	16°	DC 168 x 30	110/30	Limited Lifetime	Integrated	10"	80"	21"	18"	45
F866L	Deco	65"	6	12°	DC 156 x 12	104/47	Limited Lifetime	Integrated	6"	78"	13¾"	11"	25
F868L	Sleek	60"	3	12°	DC172 x 12	140/50	Limited Lifetime	Integrated	6"	80"	11½"	9¼"	12
F870L	Windmolen	65"	12	24°	DC123 x 30	76/33	Limited Lifetime	Integrated	10"	80"	18½"	14"	26
F873	Simple Flush 52"	52"	3	18°	DC123 x 15	180/50	Limited Lifetime	Adaptable	N/A	12"	9"	7¼"	
F874	Simple Flush 60"	60"	3	18°	DC123 x 15	160/50	Limited Lifetime	Adaptable	N/A	12"	9"	7¼"	
F887	Xtreme 72"	72"	9	4°	DC165 x 12	120/51	Limited Lifetime	N/A	6"	80"	13½"	12"	22
F887	Xtreme 96"	96"	9	4°	DC165 x 12	72/51	Limited Lifetime	N/A	6"	80"	13½"	12"	25
F888	Slipstream	65"	8	14°	DC165 x 25	98/78	Limited Lifetime	Integrated	6"	80"	17¼"	13"	25
F896	Xtreme H2O 65"	65"	8	9°	DC123 x 30	130/50	Limited Lifetime	K9886L	6"	80"	12"	111/4"	45
F896	Xtreme H2O 84"	84"	8	9°	DC123 x 30	90/50	Limited Lifetime	K9886L	6"	80"	13¾"	12½"	45
F900L	Cristafano™	68"	5	14°	212 x 25	112/49	Limited Lifetime	Integrated	16"	80"	19¾"	13"	42
F902L	Bling	56"	5	14°	DC125 x 30	170/80	Limited Lifetime	Integrated	6"	80"	17¾"	9"	20
F903L	Artemis™ IV	64"	4	Variable	DC123 x 30	154/51	Limited Lifetime	Integrated	6"	80"	16"	7¾"	20
F905	Artemis™ XL5	62"	5	28°	DC172 x 25	91/74	Limited Lifetime	Integrated	6"	80"	16¼"	123/4"	21
F933	Bowie	60"	3	Variable									
F796L	Falco	54"	4	12°	153 X 18	140/65	Limited Lifetime	Integrated	6"	80"	16"	13"	
F988	Géant	110"	8	9°	DC188 x 28	110/55	Limited Lifetime	Integrated	16"	80"	23"	20"	49
F1000	Dyno	52"	5	12°	153 x 17	175/63	Limited Lifetime	Integrated	6"	80"	14½"	11½"	15
F1001	Dyno XL	60"	5	12°	DC172 x 12	135/55	Limited Lifetime	N/A	6"	80"	14"	11½"	22

		AC100-FPWH	354	F448L-ORB	331
GLASS SHADES		AC100-KA	354	F448L-WH	331
		AC100-ORB	354	F465L-BNW	. 275
2018A	357	AC100-PBL	354	F465L-CL	. 275
2548	357	AC100-PI	354	F465L-ORB	. 274
2549	357	AC100-PW	354	F465L-WH	. 275
2560	357	AC100-STW/GOW	354	F467L-BNW	. 272
2565	357	AC100-SWH	354	F467L-CL	. 273
2645	357	DR503370,	371	F467L-ORB	. 273
4099	357	DR504 370,	371	F467L-WH	. 273
		DR506370,	371	F474L-ORB	271
HANGING SYSTEMS		DR510 370,	371	F474L-WH	. 270
		DR512 370,	371	F476L-BNW	. 264
A180 370, 371,	372	DR518 370,	371	F476L-ORB	. 265
A245 370,	371	DR524 370,	371	F476L-WH	. 265
A245-BN	373	DR536370,	371	F477L-BNW	. 269
A581 370, 371		DR548 370,	371	F477L-ORB	. 268
A581-BG	293	DR560370,	371	F477L-WH	. 269
A581-ORB	372	DR572 370,	371	F502L-BCW	. 160
A581-WHF	372	F307-COVER	225	F510L-BS	151
A662-SBR	33			F510L-CL	150
DR500	372	FANS		F510L-ORB	151
GC900188,	357			F510L-WH	151
		F307-BN	224	F513-KA	163
ACCESSORIES		F307-MBK	225	F513-ORB	163
		F402L-BNW	226	F513-WH	162
AC100	354	F402L-ORB	226	F517L-BN	153
AC100-BCW	354	F410L-BS	148	F517L-ORB	152
AC100-BS	354	F410L-WH	149	F517L-WH	153
AC100-BWH	354	F448L-BS	331	F518L-BN	155
AC100-DBB	354	F448L-BS/DW	330	F518L-ORB	154
AC100-FB	354	F448L-CL	331	F518L-PN	155

F518L-WH	155	F535L-WHF	43	F553L-WHF	327
F519L-BN	156	F539-BNK	164	F556-BN	334
F519L-ORB	157	F539-HBZ	165	F556-BN/DW	335
F519L-WH	157	F539-ORB	165	F556-BNK	335
F521L-ABD	146	F543L-CL	139	F556-CL	334
F521L-ORB	147	F543L-DK	138	F556-HBZ	335
F521L-WHF	147	F543L-KA	139	F556L-BN	333
F522L-BN	194	F543L-SL	139	F556L-BN/DW	333
F522L-CL	195	F543L-WHF	139	F556L-BNK	333
F522L-ORB	195	F544L-BCW	187	F556L-BWH	333
F522L-ORB/TS	194	F546-BS	347	F556L-CL	332
F522L-WH	195	F546-BS/DW	346	F556L-HBZ	333
F523L-ABD	280	F546-ORB	347	F556L-ORB	332
F523L-ORB	281	F546-WH	347	F556L-WH	333
F523L-WHF	281	F547-BS	349	F556L-WHF	333
F524-ABD	123	F547-BS/DW	348	F556-ORB	335
F524-CL	123	F547-ORB	349	F556-WHF	335
F524-DK	123	F547-WH	349	F562-BS	336
F524-ORB	123	F551-BN	323	F562-ORB	337
F524-WHF	122	F551-BNK	323	F562-WH	337
F532-BNW	299	F551-CL	322	F563-BS/DW	. 340
F532-DRF	299	F551-ORB	322	F563-ORB	341
F532-ORB	299	F551-PN	323	F563-WH	341
F532-SI	299	F551-WH	323	F565-BN	351
F532-WHF	298	F552L-BN	325	F565-WH	350
F534L-BN	197	F552L-BNK	324	F566-WH	351
F534L-CL	197	F552L-CL	325	F568-BCW	343
F534L-CL/SG	196	F552L-ORB	325	F568-BS/DW	343
F534L-ORB	197	F552L-WH	325	F568-KA	342
F534L-WH	197	F553L-BN/DW	326	F568-ORB	342
F535L-ABD	43	F553L-CL	327	F568-SWH	343
F535L-CL	42	F553L-ORB	327	F568-WH	343

F569L-BS	345	F614-ORB	169	F656L-BNK	329
F569L-ORB	344	F614-PW	170	F656L-CL	328
F569L-WH	345	F617L-BN	127	F656L-HBZ	329
F571-ORB	305	F617L-GM	127	F656L-ORB	329
F571-WH	304	F617L-ORB/AB	127	F656L-PN	329
F572-CL	307	F617L-WHF	126	F656L-WH	329
F572-ORB	306	F619L-BN	311	F659-DRF	182
F572-WH	307	F619L-CL/BN	310	F659-FB	183
F581L-BG	292	F619L-WHF	311	F659-PBL	183
F581L-ORB	293	F623L-BBR/SBR	141	F659-PI	183
F581L-WHF	293	F623L-BC/SBR	141	F662-CL	32
F582L-BNW	295	F623L-BS/BN	141	F662-CL/TK	33
F582L-GL	295	F623L-WHF/BN	141	F662-WHF	33
F582L-ORB	295	F623L-WHF/SBR	140	F663-BS/SWG	34
F582L-SI	294	F624-ABD	263	F663-SBR/WHF	35
F589-BI/AI	303	F624-CL	263	F663-WHF/BW	35
F589-MW	301	F624-ORB	262	F670L-BN/SL	315
F589-ORB	301	F624-WHF	263	F670L-CL	315
F589-TCL	300	F625L-CL	249	F670L-ORB	315
F589-WH	302	F625L-ORB	249	F670L-WHF	314
F593L-ORB	277	F625L-WHF	248	F671L-BN/SL	320
F593L-PW	276	F626L-CL	251	F671L-CL	321
F593L-WH	277	F626L-GRY	250	F671L-WHF	321
F594L-ORB	278	F626L-ORB	251	F673L-BN/SL	313
F594L-PW	279	F626L-WHF	251	F673L-CL	312
F594L-WH	279	F631L-CL/DK	64	F673L-ORB	313
F602L-BN/CH	161	F632L-CL	65	F673L-WHF	313
F602L-RRB	161	F633L-CL	66	F675L-CL	288
F614-BNK	168	F644L-BN	51	F675L-ORB	289
F614-DBB	169	F644L-CL	50	F675L-WHF	289
F614-FB	171	F644L-WHF	51	F676L-BRS/SL	319
F614-HBZ	171	F656L-BN/DW	328	F676L-CL	318

F676L-ORB	319	F696-HBZ	179	F738D-WHF144
F676L-WHF	319	F696-KA	179	F742L-BNK 247
F678L-CL	97	F696-WH	179	F742L-CL/SG 247
F678L-DK	96	F701L-DRF	185	F742L-SBR246
F678L-GRY	97	F701L-PN	184	F742L-WHF 247
F678L-WHF	97	F702L-BCW	186	F745-BN143
F681L-ORB	296	F702L-VB	186	F745-CL143
F681L-SDBK/WS	297	F705L-STW	192	F745-DK143
F684L-GI/BN	91	F714L-BN/CL	82	F745-ORB142
F684L-MBK/BN	90	F714L-BN/SL	83	F747L-BN/CL 75
F684L-ORB/TB	91	F714L-WHF	83	F747L-HBZ/AW 74
F684L-PN	91	F715DL-STW	193	F747L-HBZ/MP 75
F688-DBB	173	F717L-BN/SL	56	F749L-BN 77
F688-KA	172	F717L-CL	57	F749L-BNK 76
F688-WH	173	F717L-WHF	57	F749L-CL 77
F689-DBB	175	F727-BN/MM	211	F749L-WHF 77
F689-KA	174	F727-BN/SL	213	F753-BNW 283
F689-WH	175	F727-CL	210	F753-CL283
F690L-BN/SL	198	F727-DK	213	F753-KA 282
F690L-CL	199	F727-ORB	212	F753L-BNW 285
F690L-ORB/MM	199	F727-WHF	211	F753L-CL284
F690L-WH	199	F728-CL	45	F753L-KA 285
F692L-BN/SL	53	F728-ORB	44	F753L-PN 285
F692L-CL	52	F728-WHF	45	F753L-WHF285
F692L-WHF	53	F729-BN	215	F753-PN 283
F695-BNK	176	F729-CL	214	F753-WHF 283
F695-CL	177	F729-GM	215	F754L-BNW 287
F695-HBZ	177	F729-WHF	215	F754L-CL 287
F695-KA	177	F734L-GL	291	F754L-KA286
F695-WH	177	F734L-ORB	290	F754L-WHF 287
F696-BNK	178	F734L-SI	291	F756L-BNW 222
F696-CL	179	F738D-DK	145	F756L-CL 223

F756L-WHF	223	F789-BNW	260	F843-WH	109
F759L-PBL	180	F789-CL	261	F844-CL	103
F765L-BN/SL	37	F789-ORB	261	F844-DK	103
F765L-CL	36	F789-SL	261	F844-DRF	102
F765L-WHF	37	F789-WHF	261	F844-SL	103
F767L-CL	22	F796L-BN/SL	47	F844-WH	103
F767L-SBR/WHF	23	F796L-CL/SBR	46	F845-CL	101
F767L-WHF	23	F796L-WHF	47	F845-DK	100
F771L-BN/CL	85	F802L-KA	158	F845-DRF	101
F771L-BN/SL	84	F802L-ORB	159	F845-SL	101
F771L-BN/WH	85	F803DL-CL	134	F845-WH	101
F781L-BNW	58	F803DL-DK	132	F847L-HBZ/AW	72
F781L-CL	59	F803DL-LN	135	F847L-HBZ/MP	73
F781L-WHF	59	F803DL-MP	133	F848-CL	105
F782L-BNW	61	F803DL-SL	135	F848-DK	104
F782L-CL	60	F803DL-TL	133	F848-DRF	105
F782L-WHF	61	F803DL-WH	133	F848-SL	105
F786-BNW	254	F828-BN	125	F848-WH	105
F786-CL	253	F828-BN/DW	124	F853-BN/AMP	116
F786-ORB	252	F828-BN/WH	125	F853-BN/CL	115
F786-SBR/CL	253	F828-ORB	125	F853-BN/DK	114
F786-SL	255	F828-WHF	125	F853-BN/MM	115
F786-WHF	255	F833-BK	217	F853-BN/SL	117
F787-BNW	258	F833-SL	217	F853L-BN/AMP	118
F787-CL	256	F833-WH	216	F853L-BN/CL	119
F787-ORB	257	F839L-DM	25	F853L-BN/DK	119
F787-SBR/CL	257	F839L-MBM	24	F853L-BN/SL	119
F787-SL	259	F839L-SM	25	F853L-BN/WH	119
F787-WHF	259	F843-CL	109	F853-SBR/CL	117
F788L-GS	86	F843-DK	109	F853-WH	117
F788L-ORB	87	F843-DRF	108	F854-CL	107
F788L-WH	87	F843-SL	109	F854-DK	107

F854-DRF	107	F874-GRY	28	F903L-ORB	129
F854-WH	106	F874-WHF	29	F903L-SBR/MBK	129
F855-CL	111	F887-72-BN	95	F903L-SBR/WHF	128
F855-DK	111	F887-72-ORB	94	F905L-DK	137
F855-DRF	111	F887-96-BN	95	F905L-LN	136
F855-SL	110	F887-96-ORB	94	F905L-SL	137
F855-WH	111	F888L-BNW	240	F905L-WH	137
F862L-CL	40	F888L-CL	239	F933-CL	55
F862L-WHF	41	F888L-CL/DK	238	F933-WHF	54
F864L-BNK	69	F888L-DK	239	F988L-ALM	236
F864L-CL/SG	69	F888L-ORB	241	F1000-BN	205
F864L-HBZ	69	F888L-WHF	241	F1000-BNK	205
F864L-WHF/SVG	68	F896-52-BNW	228	F1000-BN/SL	203
F865L-BNK	243	F896-52-CL	229	F1000-CL	202
F865L-CL/SG	242	F896-52-ORB	229	F1000-HBZ	204
F865L-HBZ	243	F896-52-SI	229	F1000-ORB	203
F866L-BNW	221	F896-52-WHF	229	F1000-WH	203
F866L-CL	220	F896-65-BNW	230	F1001-BN	207
F866L-WHF	221	F896-65-CL	231	F1001-BNK	208
F868L-BN	79	F896-65-ORB	233	F1001-BN/SL	209
F868L-CL/CL	79	F896-65-SI	232	F1001-CL	206
F868L-ORB	79	F896-65-WHF	233	F1001-HBZ	209
F868L-SBR/WHF	78	F896-84-BNW	234	F1001-ORB	207
F868L-WHF	79	F896-84-CL	235	F1001-WH	207
F870L-BS	245	F896-84-ORB	235		
F870L-ORB	244	F896-84-SI	235	LIGHT KITS - UN	IVERSAL
F870L-TCL	245	F896-84-WHF	235		
F870L-TW	245	F900L-BCW	188	K34L-44	358
F873-CL	26	F902L-CH	191	K34L-BCW	358
F873-GRY	27	F902L-ORB	190	K34L-BNK	358
F873-WHF	27	F903L-BN/SL	129	K34L-BS	358
F874-CL	29	F903L-GM/MBK .	129	K34L-DBB	358

K34L-HBZ 358		K9886L-ORB356
K34L-KA 358		K9886L-SI235, 356
K34L-ORB 358	LIGHT KITS - CUSTOM	K9886L-WHF 356
K35L-44 358		K9933L 54, 55, 356
K35L-BNK 358	K9614L-BNK359	
K35L-KA 358	K9614L-DBB359	CONTROL SYSTEMS
K35L-ORB 358	K9614L-HBZ359	
K35L-PW 358	K9614L-PW359	RC400360
K35-MCG 358	K9614-MCG359	RC500360
K9363L 357	K9659L-DRF359	RC600360
K9373L-BS 354	K9659L-FB359	RC1000361
K9373L-WH354	K9659L-PBL359	RCS212361
K9375L-BS 355		RCS213 361
K9375L-ORB 355	LIGHT KITS - CUSTOM LED	RCS223 361
K9401L-DRF 355		RCS223L 361
K9401L-ORB355	K9727L-BN 213, 356	WC105-WH 363
K9401L-TCL 355	K9727L-CL 356	WC106L 363
K9401L-WH 355	K9727L-DK 356	WC106-WH 363
K9402L-44 355	K9727L-ORB356	WC110L 363
K9402L-ORB355	K9727L-WHF 211, 356	WC115 363
K9448L 354	K9787L-BNW356	WC116 363
K9500L 357	K9787L-CL 261, 356	WC116L 363
K9515L-1 354	K9787L-ORB356	WC400 362
K9525L-1 354	K9787L-SBR356	WC500 362
	K9787L-SL 356	WC600 362
LIGHT KITS - UNIVERSAL LED	K9787L-WHF 356	WC1000 362
	K9873L-CL26, 29, 355	WCS212 361
K9110L 354	K9873L-GRY355	WCS213 362
K9115L 354	K9873L-WHF 355	WCS223 362
K9120L 354	K9886L-BNW 356	WDC1200 363
	K9886L-CL231, 356	WDC1300 363

NOTES

FINISH CODES

Minka-Aire® Finishes

AB......Antique Brass

ABD/ABDD Brushed Aluminum

BC......Brushed Carbon

BCW.....Belcaro Walnut™

BG....Bahama Beige™

BI/AI...Black Iron with Aged Iron Accents

BK...Black

BN...Brushed Nickel

CSBR............ Champagne Soft Brass DBB............... Dark Brushed Bronze DK............... Distressed Koa DM................. Dark Maple

DRB...... Dark Restoration Bronze™

DRFF...... Driftwood FB.... French Beige GI.... Grey Iron GL... Galvanized

GRY..... Grey

GS..... Graphite Steel
HBZ..... Heirloom Bronze

HT.....Heritage™

IBRIlluminati Bronze™

KA......Kocoa LN.....Liquid Nickel MBK...... Matte Black

MBM Matte Black Maple

MCG.....Mottled Copper with Gold Highlights

MP......Maple Finish
MW.....Mossoro Walnut™
ODK......Distress Koa (Outdoor)
ORB....Oil Rubbed Bronze
PBL.....Provencal Blanc

Pl.....Patina Iron
PN.....Polished Nick

PW.....Pewte

RRBRestoration Bronze

SBR......Soft Brass
SDBK.....Sand Black
SI....Smoked Iron

SL.....Silver


SM Sterling Maple


STW/GOW.. Sterling Walnut™/Golden Walnut

SWH......Shell White
TB.....Toned Brass
TCL....Textured Coal Black


TL.....Translucent
TWW.....Textured White
VB....Volterra Bronze™
VI....Vintage Iron
WH/044...White
WHF....Flat White

Dimensions A and B were measured with the shortest downrod enclosed with the fan.









Minka-Aire® ceiling fans are suitable for year-round use and can contribute to your comfort in the summer and winter. With our reverse switch, in the winter you will be able to move the heat from your ceiling and circulate the air in your living area. In the summer you will save energy by recirculating air from the outside into your room and also if your air conditioning is used, save on energy costs.











World Headquarters

1151 Bradford Circle Corona, California 92882

Showroom

Dallas Market Center 2100 Stemmons, Suite 4103 Dallas, Texas 75207

Toll: 800.221.7977 • 951.735.9220 • Fax: 951.735.9758

sales@minkagroup.net

minka.com