



# MODERN FORMS

Chandeliers & Pendants	2
Interior Sconces	46
Bath & Flush Mounts	64
Exterior	72
Task	84


Within these pages, you will find plentiful products that meet ADA and Dark Sky compliance, many with universal voltage input (120V–277V) or other custom order options, all in a variety of sizes to permit maximum versatility in style and application. We also invite you to explore the possibilities of working with a true manufacturer, where your needs may require something custom. For more information, please contact:  
[custom@modernforms.com](mailto:custom@modernforms.com)



# CHANDELIERS & PENDANTS

# LUZERNE

An eye-catching bundle of reeded glass cylinders are nested together creating a striking prismatic effect. Substantial finished hardware elegantly complements the delicate crystalline elements. The textural juxtapositions raise the bar for lighting design. Advanced ACLED technology helps achieve a clean, architectural look.




CHANDELIERS & PENDANTS



- Extruded reeded glass
- Inner plate creates a mirrored effect
- Oval canopy with minimal hardware
- Six 12" and two 6" downrods included (additional sold separately)
- Slope ceiling adaptable. Hang straight swivels up to 90 degrees
- Thin canopy conceals a proprietary 120/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-30156	56"	27W	120/277V	2855	2078	AB Aged Brass BN Brushed Nickel

Example: PD-30156-AB




# BENTLEY

Romantic modernism comes to light with Bentley. Rich, hand-stitched black leather combined with an aged brass finish makes this pendant the perfect choice for illuminating surfaces below.



- Smooth pebble grain leather
- Spin-on round canopy with minimal hardware
- Three 12" and one 6" downrods included (additional sold separately)
- Slope ceiling adaptable. Hang straight swivels up to 90 degrees
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-88324	24"	43W	120-277V	3792	986	BK/AB Black/Aged Brass 

Example: PD-88324-BK/AB



# BENTLEY

Romantic modernism comes to light with Bentley. Rich, hand-stitched black leather, combined with an aged brass finish, makes this pendant the perfect choice for illuminating surfaces below.



- Smooth pebble grain leather
- Slide-on rectangular canopy with minimal hardware
- Six 12" and two 6" downrods included (additional sold separately)
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-88344	44"	43W	120-277V	5373	1397	BK/AB Black/Aged Brass

Example: PD-88344-BK/AB



# HUGO

Shapely sophistication. An elongated trumpet is accented by a concave etched diffuser that projects a perfect spectrum of warm illumination.



- Three 12" and one 6" downrods included (additional sold separately)
- Conical canopy with minimal hardware
- Slope ceiling adaptable. Hang straight swivels up to 90 degrees
- No driver or transformer required
- Dimmer: ELV
- Rated Life: 54,000 hours
- Color Temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-20324	24"	23W	120V	1800	408	BK Black BN Brushed Nickel

Example: PD-20324-BN




# HELIOS

A fresh context with layers of light. A lustrous gold leaf dome suspended within a clear glass teardrop--a seductive shape offering lovely, warm luminescence.



- Hand applied gold leafed glass will lend itself to variations in each individually unique piece
- Three 12" and one 6" downrods included (additional sold separately)
- Slope ceiling adaptable. Hang straight swivels up to 90 degrees
- Spin-on round canopy with minimal hardware
- Thin canopy conceals a proprietary 120/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-74318	17"	12W	120/277V	780	661	AB/GL Aged Brass/Gold Leaf 


Example: PD-74318-AB/GL






# ALFA

Modish and timeless, this breathtaking, curved form flows seamlessly with various types of art and architecture. A smooth bronze finish complements the luxurious gold leaf interior.



- Hand applied gold leafed interior
- Spin-on round canopy with minimal hardware
- Three 12" and one 6" downrods included (additional sold separately)
- Slope ceiling adaptable. Hang straight swivel up to 90 degrees
- Thin canopy conceals a proprietary 120/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-90324	24"	19W	120/277V	1493	1150	BZ/GL Bronze/Gold Leaf 

Example: PD-90324-BZ/GL



# ILLUSION

Perfect in design and function. Oval shaped, etched opal glass provides beautiful and consistent illumination from integral LEDs concealed within.



- Mouth blown etched opal glass
- Spin-on round canopy with minimal hardware
- Three 12" and one 6" downrods included (additional sold separately)
- Slope ceiling adaptable. Hang straight swivel.
- Thin canopy conceals a proprietary 120/277V driver
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-72316-30	3000K	16"	20W	120/277V	3370	1554	AB Aged Brass
PD-72322-30		22"	29W		5055	2331	BK Black

Example: PD-72322-30-AB  
 For 2700K add "-27"; 3500K add "-35" before the finish: PD-72322-35-AB

CHANDELIERS & PENDANTS



# ORION




A modern style with a perfect geometric shape. Interlocking rings with stunning Spanish alabaster diffusers make this elaborate luminaire an ideal fit for any interior. Each ring casts an eye-catching array of ample ambient light.



- Up and downward illumination
- First quality Spanish alabaster
- Natural stone features unique veining and color variation
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Slide-on rectangular canopy with minimal hardware
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-56246	46"	47W	120-277V	4000	1967	AB Aged Brass BK Black

Example: PD-56246-BK



# ROLLINS

Gentle luminosity. A dynamic elliptical silhouette is softened by an alabaster shade whose variegated beauty is brought to life in a soothing glow from integrated LEDs.



CHANDELIERS & PENDANTS



- First quality Spanish alabaster
- Natural stone features unique veining and color variation
- Spin-on round canopy with minimal hardware
- Three 12" and one 6" downrods included (additional sold separately)
- Slope ceiling adaptable. Hang straight swivels up to 90 degrees
- Thin canopy conceals a proprietary 120/277V driver
- Dimmer: ELV
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90





Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-26316	16"	14W	120/277V	669	512	AB Aged Brass BK Black

Example: PD-26316-BK



# MINX

An elegant shower of artisanal sparkles. A troika of sleek illuminated prisms suspends from a curvaceous ceiling canopy in varying heights and finishes. A brilliant display of luminosity casts a warm glow with elements encapsulating reclaimed crystal shards, complemented with plated hardware.



- Artisanal reclaimed K5 crystal shades
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 55,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-78003R	3 LIGHTS	13W	120-277V	1075	847	AB Aged Brass
PD-78005R	5 LIGHTS	22W	120-277V	1790	1484	AN Antique Nickel

Example: PD-78003R-AB



# MINX

Elegant artisanal sparkles. Held aloft, long-lasting LEDs provide functional downlighting. A sleek mini pendant that works by itself or in multiples.



- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Contains reclaimed crystal shards
- Minimal exposed hardware
- Title 24 option available (special order)
- Dimmer: ELV
- Universal Driver 120V-220V-277V driver installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-78013	13"	4W	120-277V	252	243	AB Aged Brass AN Antique Nickel

Example: PD-78013-AN  
For Title 24 option, add a "T24" before the finish: PD-78013-T24-AB



# CYMBAL

Resonating like a vibrant note stands this elegant halo of light. The heart of this creation enticingly illuminates a ring of cloudy skies. Holistic beauty is accentuated with architectural finishes.



NEW BK FINISH



- Artisan crafted hazy cloud acrylic
- Each unique piece lends itself to variations in milkiness
- Spin-on round canopy with minimal hardware
- Three 12" and one 6" downrods included (additional sold separately)
- Slope ceiling adaptable. Hang straight swivels up to 90 degrees
- Thin canopy conceals a proprietary 120/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90

\*See complementary piece on page 59




Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-62114	14"	9W	120/277V	500	377	AB BK Aged Brass Black

Example: PD-62114-AB

# EZRA

A hazy droplet captured within a distinctive keyhole frame softens illumination from integrated LEDs into a gentle glow.



- Artisan crafted hazy cloud acrylic
- Each unique piece lends itself to variations in milkiness
- Spin-on round canopy with minimal hardware
- Three 12" and one 6" downrods included (additional sold separately)
- Slope ceiling adaptable. Hang straight swivels up to 90 degrees
- Thin canopy conceals a proprietary 120/277V driver
- Dimmer: ELV
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

\*See complementary piece on page 58



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-96318	18"	14W	120/277V	840	628	BK Black

Example: PD-96318-BK

# ECHELON

Contemporary composition. Spherical etched opal glass is perfectly bisected by lustrous planes of metal, creating a halo of bright LED light.




CHANDELIERS & PENDANTS



- Mouth blown etched opal glass with decorative metal fins
- Spin-on round canopy with minimal hardware
- Three 12" and one 6" downrods included (additional sold separately)
- Slope ceiling adaptable. Hang straight swivel up to 90 degrees
- Thin canopy conceals a proprietary 120/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90



PD-94316



PD-94324

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-94316	16"	14W	120/277V	1390	641	AB Aged Brass
PD-94324	24"	19W	120/277V	2970	1369	BK Black




Example: PD-94324-AB





# ECHELON

Contemporary composition. Silhouetted within a pair of smooth, gracefully curved shapes, opal glass brightens spaces with warm illumination.



- Mouth blown etched opal glass with decorative metal fins
- Spin-on round canopy with minimal hardware
- Three 12" and one 6" downrods included (additional sold separately)
- Slope ceiling adaptable. Hang straight swivels up to 90 degrees
- Thin canopy conceals a proprietary 120/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-94322	22"	20W	120/277V	3915	1804	AB Aged Brass BK Black

Example: PD-94322-BK



# AMARI

Cool, connective, sculptural. Two interlocking panels render a thought provoking aesthetic. Subtle ambient illumination commands attention of this floating work of art.



\*See complementary pieces on pages 34 and 50



- Ambient illumination
- Slide-on square canopy with minimal hardware
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Thin canopy conceals a 120V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-79014	14"	28W	120V	765	646	AB Aged Brass BK Black

Example: PD-79014-AB



# AMARI

Cool, connective, sculptural. Two interlocking panels render a thought provoking aesthetic. Subtle ambient illumination commands attention of this floating work of art.



\*See complementary pieces on pages 32 and 50




- Ambient illumination
- Slide-on square canopy with minimal hardware
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Thin canopy conceals a proprietary universal 120/277V driver
- Dimmer: ELV
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90




Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-79032	32"	57W	120/277V	2830	2407	AB Aged Brass BK Black

Example: PD-79032-BK




# HUSTLER

Run the table with generous illumination from this billiard-inspired pendant. Oblong, black with dark walnut, and designed to win over family and guests alike.



- Up and downward illumination
- Natural wood grain and color variation with each unique piece
- Slide-on rectangular canopy with minimal hardware
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-70354	54"	85W	120-277V	3304	1592	BK/DW Black/Dark Walnut 

Example: PD-70354-BK/DW



# INTRASECTION

A sleek, breathtaking combination of forms and clean lines from every angle. Functional downlights illuminate surfaces below.



CHANDELIERS & PENDANTS



- Downward illumination
- Sculptural metalwork
- Slide-on rectangular canopy with minimal hardware
- Six 12" and two 6" downrods included (additional sold separately)
- Slope ceiling adaptable. Hang straight swivels up to 90 degrees
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-68356	56"	201W	120V	9846	6159	BK Black

Example: PD-68356-BK



# BLACK JACK

Sleek surfboard of illumination. Right on the cutting edge of design, from nose to tail with robust light in between.



CHANDELIERS & PENDANTS



- Up and downward illumination
- Oval canopy with minimal hardware
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Thin canopy conceals a proprietary 120/277V driver
- Dimmer: ELV
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-44344	44"	55W	120/277V	5400	3381	BK Black

Example: PD-44344-BK



# VESTA

Intricate and intriguing. Like an intergalactic space station, Vesta integrates an array of rings into a singular profile of beautiful ambient illumination.



CHANDELIERS & PENDANTS



- Ambient illumination
- Slide-on rectangular canopy with minimal hardware
- Six 12" and two 6" downrods included (additional sold separately)
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-76350	50"	86W	120-277V	5261	2938	BK Black

Example: PD-76350-BK



# ILIOS

Enjoy fine living with your invitation to embrace a ring with unparalleled minimalist style. An iconic centerpiece that illuminates with an etched acrylic LED diffuser that transcends the standards for dining areas, entryways and other residential spaces.



- Ambient illumination
- Spin-on round canopy with minimal hardware
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-86332	32"	46W	120-277V	3141	1616	BK Black
PD-86342	42"	70W		4718	2425	

Example: PD-86342-BK








# INTERIOR SCONCES

# SARTRE

Layered geometry is complemented by rich dark topstitched leather. Illumination reflects down from the stylish mix of the aged brass and black frame while also casting light above the luxurious shade.



- Up and down illumination
- Smooth pebble grain leather and geometric metalwork
- Thin canopy conceals a proprietary 120/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-80332	32"	27W	120/277V	1458	1082	BK/AB Black/Aged Brass

Example: WS-80332-BK/AB



# AMARI

Cool, connective, sculptural. Two interlocking panels render a thought provoking aesthetic. Subtle ambient illumination commands attention of this floating work of art.



- Ambient illumination
- Thin canopy conceals a proprietary 120/277V driver
- Can be mounted on wall in all orientations
- Conversion plate included to accommodate for 4" junction box
- Dimmer: ELV
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90

\*See complementary pieces on pages 32 and 34


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-79022	22"	27W	120/277V	1150	980	AB Aged Brass BK Black

Example: WS-79022-BK




# HARMONIX

Like a dynamic instrument of musical chimes, Harmonix plays to the rhythm of light. Beautiful vibrant illumination.



- Ambient illumination
- Thin canopy conceals a proprietary 120/277V driver
- Can be mounted on wall in all orientations
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- Color Temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-87920	20"	28W	120/277V	1248	1211	BK/AB Black/Aged Brass 

Example: WS-87920-BK/AB




# ZURICH

Invite the beauty and elegance of black and gold marble in your interiors with a wall luminaire that presents extravagance and glamour. LED backlighting reflects a golden glow from a rectangular aged brass metallic plane.



- Golden black marble accent with unique veining and natural color variation in each distinctive piece
- Ambient and downward illumination
- Thin canopy conceals a proprietary 120/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-48318	18"	19W	120/277V	680	467	BK/AB Black/Aged Brass 

Example: WS-48318-BK/AB




# MERCER

Dramatic luxury and sophistication from exquisite black and gold marble banded by gleaming aged brass. Sheer brilliance: a beautiful contrast.



- Golden black marble accent with unique veining and natural color variation in each distinctive piece
- Up, down, and ambient illumination
- Can be mounted on wall vertically or upside down
- Thin canopy conceals a proprietary 120/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-50324	24"	19W	120/277V	540	402	BK/AB Black/Aged Brass 

Example: WS-50324-BK/AB



# EZRA

A hazy droplet captured within a distinctive keyhole frame softens illumination from integrated LEDs into a gentle, inviting glow for any wall in your space.



\*See complementary piece on page 27



- Ambient illumination
- Artisan crafted hazy cloud acrylic. Each unique piece lends itself to variations in milkyiness
- Thin canopy conceals a proprietary 120/277V driver
- Dimmer: ELV
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-96318	18"	14W	120/277V	840	628	BK Black

Example: WS-96318-BK





# CYMBAL

Resonating like a vibrant note stands this elegant halo of light. The heart of this creation enticingly illuminates a ring of cloudy skies. Holistic beauty is accentuated with architectural finishes.



- Ambient illumination
- Artisan crafted hazy cloud acrylic. Each unique piece lends itself to variations in milkyiness
- Round canopy with minimal hardware
- Thin canopy conceals a proprietary 120/277V driver
- Can be mounted on wall and ceiling in all orientations
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- Color Temp: 3000K
- CRI: 90



\*See complementary piece on page 26

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-62110	10"	9W	120/277V	580	434	AB Aged Brass BK Black

Example: WS-62110-AB




# ROWLINGS

Alluring alabaster pairs with the intrigue of gold tones to mesmerize. Soft illumination highlights the nuances of the stone and casts warm reflections from the circular plates, creating an artful visual.



- Down and ambient illumination
- First class quality Spanish alabaster
- Natural alabaster with unique veining in each crafted piece
- Thin canopy conceals a proprietary 120V-220V-277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- Color Temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-82310	10"	23W	120-277V	1463	598	AB Aged Brass BK Black


Example: WS-82310-BK





# TOULOUSE


Add a dose of luxury from the rich and varied look of carved alabaster. Simply held by two metal accents. Diffused illumination glows from the stone creating an elegant, refined aesthetic.



- Ambient illumination
- First class quality Spanish alabaster
- Natural alabaster with unique veining in each crafted piece
- No driver or transformer required
- Can be mounted on wall in all orientations
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- Color Temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-98318	18"	17W	120V	1600	538	AB AN

Example: WS-98318-AB



INTERIOR SCONCES





# BATH & FLUSH MOUNTS

# TERRA



Urbane and sleek. Reclaimed crystalline shards add sparkle and drama with continuous shadow-free LED illumination. An instantly modern classic.



BATH & FLUSH MOUNTS



- Artisanal reclaimed K5 crystal shade
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Can be mounted on wall in all directions
- Dimmer: ELV
- Rated Life: 55,000 hours
- Color temp: 3000K
- CRI: 90




Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-84320	20"	16W	120-277V	2495	898	AB Aged Brass
WS-84334	34"	30W	120-277V	5070	1826	BK Black

Example: WS-84320-AB




# LIOR

Gorgeous illuminated lines of light. Gracefully curving into a refined linear wall luminaire that adds modern elegance to any space.



WS-58329



WS-58338



- Each unique free formed handcrafted piece lends itself to variations in size and curvature
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Can be mounted on wall in all directions
- Dimmer: ELV
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90




Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-58329	29"	31W	120-277V	2513	1284	BK Black
WS-58338	38"	43W	120-277V	3050	1559	BK Black

Example: WS-58329-BK




# ECHELON

Contemporary composition. A dome of etched opal glass is perfectly bisected by lustrous planes of metal, creating a halo of brilliant LED illumination.



- Mouth-blown etched opal glass
- No driver or transformer required
- Can be mounted on ceiling or wall in all orientations
- Dimmer: ELV
- Rated Life: 54,000 hours
- Color Temp: 3000K
- CRI: 90



BATH & FLUSH MOUNTS

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-94314	14"	29W	120V	2315	1067	AB Aged Brass BK Black

Example: FM-94314-BK







# EXTERIOR

# BEACON

Like gentle drops of pouring rain on a window pane, clear seeded glass brings fluidity and interest to this cylinder of light.



WS-W92313



WS-W92318



- Clear mouth-blown hammered seeded glass
- Thin canopy conceals a proprietary 120V/277V driver
- Can be mounted on wall vertically or upside down
- Dimmer: ELV
- Rated Life: 54,000 hours
- Color Temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W92313	13"	8W	120/277V	535	409	BK Black
WS-W92318	18"	14W		1055	811	


Example: WS-W92313-BK



EXTERIOR

# HAZE

Like gilded rays of a sun drenched sky. Dramatic enticing streaks of light evoked from wispy opal glass with an etched back surface. A symphony of illumination.



WS-W64322

WS-W64316



- Front and downward illumination
- Artisanal wispy handcrafted glass shade. Each unique piece lends itself to slight variations.
- No driver or transformer required
- Dimmer: ELV
- Rated Life: 54,000 hours
- Color Temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W64316	16"	11W	120V	623	441	BK
WS-W64322	22"	18W		1072	587	Black

Example: WS-W64322-BK




EXTERIOR





# AEGIS

A shield designed and engineered to protect your home and family. Aegis stands tall and towers towards the sky above.



EXTERIOR



- Up and down illumination
- Built in color temperature adjustability. Switch from 3000K/3500K/4000K
- Proprietary universal 120V-220V-277V driver concealed within the fixture
- Can be mounted on wall vertically or upside down
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 50,000 hours
- CRI: 90

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W22320-30	3000K	20"	22W	120-277V	1146	530	BK Black


Example: WS-W22320-30-BK  
 For 3500K add "-35"; 4000K add "-40" before the finish: WS-W22320-35-BK



# MIDNIGHT



A minimalist rectangular design delivering visual interest and wonderful ambient illumination through mitered glass from the front and side edges of this exterior LED luminaire.



EXTERIOR



- Front and ambient illumination
- Built in color temperature adjustability. Switch from 3000K/3500K/4000K
- May be mounted on wall in all orientations
- No driver or transformer required
- Dimmer: ELV
- Rated Life: 54,000 hours
- CRI: 90


Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W66216-30		16"	17W		1654	415	
WS-W66226-30	3000K	26"	23W	120V	2356	561	BK Black <input type="checkbox"/>
WS-W66236-30		36"	36W		3200	610	

Example: WS-W66216-30-BK  
 For 3500K add "-35", 4000K add "-40" before the finish: WS-W66216-35-BK



# MYLA

Luxury and quality never looked so good, both inside and out. An elegant modern pendant with an etched glass diffuser. Perfect for outdoor kitchens and other spaces.



- Slope ceiling adaptable. Hang straight swivels up to 90 degrees
- Spin-on round canopy with minimal hardware
- Three 12" and one 6" downrods included (additional sold separately)
- No driver or transformer required
- Built in color temperature adjustability. Switch from 3000K/3500K/4000K
- Dimmer: ELV, TRIAC
- CRI: 90

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-W24320-30	3000K	20"	61W	120V	3220	2738	BK Black

Example: PD-W24320-30-BK  
 For 3500K add "-35"; 4000K add "-40" before the finish: PD-W24320-35-BK







# TASK

# NEXUS

A sculptural accent. Luxurious details of smooth black and gold marble paired with an elegantly ribbed neck create a tasteful task light that gleams with natural beauty.



\*Built-in USB port at the base of the canopy



- Golden black marble accent with unique veining and natural color variation in each distinctive piece
- Articulating light source up to 330 degrees horizontally and 90 degrees vertically
- On/off toggle switch
- Driver concealed within the canopy
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
BL-54307	7"	6W	120V	360	59	BK/AB Black/Aged Brass

Example: BL-54307-BK/AB



# ASPIRE

Focused and bright. The clean symmetry of lustrous metal combined with a perfectly aligned circular backplate and neck creates a sleek, minimalistic design. A perfect balance of form and function.



\*Built-in USB port at the base of the canopy



- Rotatable light source up to 330 degrees
- On/off toggle switch
- Driver concealed within the canopy
- Rated Life: 54,000 hours
- Color Temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
BL-46305	5"	8W	120V	310	125	AB Aged Brass BK Black BN Brushed Nickel

Example: BL-46305-AB



# STYLUS

Functionality celebrating engineering. A striking silhouette that combines unique decorative elements, this adjustable reading light is perfect for illuminating niches in bedrooms in fine homes and boutique hotels. Available with a black exterior and gorgeous gold interior.



\*See complementary piece on page 90



- Articulating light source up to 330 degrees
- Knurled on/off rotary switch integrated into the base of the arm
- Two-tone black and gold finish
- Built-in USB port at the base of the canopy
- Driver concealed within the canopy
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
BL-24908	8"	7W	120V	328	226	BK/GO Black/Gold


Example: BL-24908-BK/GO



TASK

# STYLUS


Functionality celebrating engineering. A striking silhouette that combines unique decorative elements, this large Mid-Century Modern adjustable reading light is perfect for illuminating niches in living areas and bedrooms in fine homes and boutique hotels. Available with a black exterior and gorgeous gold interior.



\*See complementary piece on page 88



- Universal 120V-220V-277V driver installs in junction box, driver dimensions: 3.4" x 1.3" x 1.2"
- Fixed wall bracket. Rotatable head and articulating arm
- Arm adjusts horizontally up to 330 degrees and vertically up to 45 degrees
- Two-tone black and gold finish
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
BL-24959	59"	12W	120-277V	429	295	BK/GO Black/Gold 

Example: BL-24959-BK/GO



## ALPHABETICAL INDEX

---

### A

ALFA ••• 14  
ASPIRE ••• 87  
AEGIS ••• 78  
AMARI ••• 32, 34, 50

### B

BEACON ••• 74  
BENTLEY ••• 6, 8  
BLACK JACK ••• 40

### C

CYMBAL ••• 26, 59

### E

ECHELON ••• 28, 30, 70  
EZRA ••• 27, 58

### H

HARMONIX ••• 52  
HAZE ••• 76  
HELIOS ••• 12  
HUGO ••• 10  
HUSTLER ••• 36

### I

ILIOS ••• 44  
ILLUSION ••• 16  
INTRASECTION ••• 38

### L

LIOR ••• 68  
LUZERNE ••• 4

### M

MERCER ••• 56  
MIDNIGHT ••• 80  
MINX ••• 22, 24  
MYLA ••• 82

### N

NEXUS ••• 86

### O

ORION ••• 18

### R

ROLLINS ••• 20  
ROWLINGS ••• 60

### S

SARTRE ••• 48  
STYLUS ••• 88, 90

### T

TERRA ••• 66  
TOULOUSE ••• 62

### V

VESTA ••• 42

### Z

ZURICH ••• 54

## NUMERICAL INDEX

---

### B

BL-24908 ••• 88  
BL-24959 ••• 90  
BL-46305 ••• 87  
BL-54307 ••• 86

### F

FM-94314 ••• 70

### P

PD-20324 ••• 10  
PD-26316 ••• 20  
PD-30156 ••• 4  
PD-44344 ••• 40  
PD-56246 ••• 18  
PD-62114 ••• 26  
PD-68356 ••• 38  
PD-70354 ••• 36  
PD-72316 ••• 16  
PD-72322 ••• 16  
PD-74318 ••• 12  
PD-76350 ••• 42

PD-78003R ••• 22  
PD-78005R ••• 22  
PD-78013 ••• 24  
PD-79014 ••• 32  
PD-79032 ••• 34  
PD-86332 ••• 44  
PD-86342 ••• 44  
PD-88324 ••• 6  
PD-88344 ••• 8  
PD-90324 ••• 14  
PD-94316 ••• 28  
PD-94322 ••• 30  
PD-94324 ••• 28  
PD-96318 ••• 27  
PD-W24320 ••• 82

### W

WS-48318 ••• 54  
WS-50324 ••• 56  
WS-58329 ••• 68  
WS-58338 ••• 68  
WS-62110 ••• 59  
WS-79022 ••• 50  
WS-80332 ••• 48  
WS-82310 ••• 60

WS-84320 ••• 66  
WS-84334 ••• 66  
WS-87920 ••• 52  
WS-96318 ••• 58  
WS-98318 ••• 62  
WS-W22320 ••• 78  
WS-W64316 ••• 76  
WS-W64322 ••• 76  
WS-W66216 ••• 80  
WS-W66226 ••• 80  
WS-W66236 ••• 80  
WS-W92313 ••• 74  
WS-W92318 ••• 74

### Headquarters

Tel: 800.526.2588  
Fax: 800.526.2585

44 Harbor Park Dr  
Port Washington, NY 11050

### East Manufacturing Facility

44 Harbor Park Dr  
Port Washington, NY 11050

### Central Manufacturing Facility

1600 Distribution Ct  
Lithia Springs, GA 30122

### West Manufacturing Facility

1750 S Archibald Ave  
Ontario, CA 91761

Consult our manufacturing facility to take advantage of our custom capabilities in large quantities. For up to date product specifications and assistance please visit [modernforms.com](http://modernforms.com) or call **1-800-526-2588**. We retain the right to modify the design of our products at any time as part of the company's continuous improvement program. Please refer to our website for the latest product specifications.

© Copyright 2023 Modern Forms

MODERNFORMS.COM



## MODERN FORMS

Many LED luminaire designs within contain patent pending features. Modern Forms will not hesitate to enforce its intellectual property rights through injunctive relief and seek further relief through damages if it has reason to believe the patents are being infringed upon. We retain the right to modify the design of our products at any time as part of the company's continuous improvement program. Please refer to our website for the latest product specifications.

Copyright © 2023 by WAC Lighting. All rights reserved. This catalog is copyrighted and WAC Lighting will use all measures available to it under the law against anyone who copies or derives from its copyrighted work.

[MODERNFORMS.COM](http://MODERNFORMS.COM)