

MOEN®

COMMERCIAL PRICE CATALOG





Products that Address Your Highest Priorities

From leaks and vandalism to normal wear and tear, worries never cease where commercial and institutional fixtures are concerned. That's why Moen® Commercial engineers and designers plan for every imaginable scenario—and plan for it in advance. The result is a full line of faucets and valves facilities managers can rely on from the number one faucet brand in North America.

Our products will help you:

- Reduce maintenance costs
- Resist vandalism
- Save water while maintaining performance
- Cut your total cost of ownership

On the pages ahead, we welcome you to discover all the many reasons you can count on Moen Commercial to provide the best solutions for your most challenging environments.

CONTENTS

- 4 | M•DURA™ Heavy-Duty Faucet
- 16 | M•PRESS™ Heavy-Duty Metering Faucets
- 18 | M•BITION™ Medium-Duty Faucets
- 25 | M•POWER™ Sensor-Operated Faucets
- 33 | M•POWER™ Sensor-Operated Flush Valves
- 37 | M•DURA™ Heavy-Duty Manual Flush Valves
- 40 | M•DURA™ Heavy-Duty Showering
- 57 | Service Kits Line List

WE'RE HERE TO HELP YOU MEET EVERY CHALLENGE

Anticipating every need, your Moen Commercial representative will help you find the right solutions that will serve you well for years. With our experienced guidance, you'll not only satisfy regulations and requirements, but also create aesthetically pleasing environments thanks to our trend-setting, residential-inspired styles. Your representative is committed to ensuring your fixtures' suitability for demanding uses, as indicated by the symbols below:

Icon Key



Moen 5-Year Limited Warranty

We are so confident in the high performance of our products that we back them with a 5-Year Limited Warranty. If they should drip, leak or prove to have a finish defect, we will send you the needed replacement parts, free of charge. Just call 1-800-BUY-MOEN or see your Moen dealer for complete details.



Eco-Friendly

With the growing demand for eco-friendly products, Moen Commercial offers many fixtures whose water savings exceed industry standards.



ADA Compliant

With very few exceptions, fixtures from Moen Commercial comply with the Americans with Disabilities Act (ADA).



BAA Compliant

A wide range of our products meet the current requirements of the Buy American Act (BAA).



Safe Drinking Water Act

Moen products comply with the Safe Drinking Water Act's stringent lead safety standards. Each product in this catalog has been identified by the following icons where applicable:



NSF 61/9 and 372 compliant



NSF 372 compliant



Non-drinking water faucet

To see our full line of faucets and valves, visit moencommercial.com.



Meets WaterSense® Criteria

We offer many products which meet WaterSense criteria to contribute toward meeting the LEED® standards and maximizing all LEED points.* While helping you achieve the ambitious environmental standards, Moen Commercial can also help you ensure essential function. For instance, installing extremely low-flow fixtures that save water could end up being costlier elsewhere. Without enough water pressure to clear your pipes of solids, the performance, maintenance and sanitation of pipes can quickly become serious issues. Exceedingly low-flow fixtures also provide consumers with a disappointing experience. Being LEED certified doesn't mean sacrificing performance to save water. With the highly knowledgeable guidance of a Moen Commercial representative, you can build beautifully efficient properties without increasing health risks and down grading the consumer experience.

*Projects pursuing LEED certification earn points across several areas that address sustainability issues, and based on the number of points achieved, a project receives one of four LEED rating levels: Certified, Silver, Gold or Platinum.



Moen M•PACT® Common Valve System

With M•PACT, you can change your faucet style without replacing any plumbing. It's as easy as changing a light bulb.

DURALAST® Duralast® Cartridge





Provides the smooth feel and reliable operation of a new faucet from the first time you use it to the last.

M•DURA™ Heavy-Duty Faucets








M•DURA Single-Mount Lavatory Faucet / 9417 & 9419 Series

M•DURA™ Heavy-Duty Faucets

	MODEL	LIST	FINISH/CONNECT	CASE QTY
ONE-HANDLE SINGLE-MOUNT LAVATORY FAUCET				
 <ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • cartridge type: 1255® Duralast® • flow type: vandal resistant aerated • mount type: single mount • supply length: 22" • deckplate: sold separately • temp. limit stop: yes • drain assembly not included • no lift rod hole • lever handle • material: brass <p>♿ DURALAST® ♿ ▲</p>	<p>🔥 1.2 GPM (4.5 L/min) max.</p> <p>9417F12 283.00 Chrome 3</p>			
	<p>🌊 0.5 GPM (1.9 L/min) max.</p> <p>9417F05 283.00 Chrome 3</p>			
	<p>4" DECKPLATE SOLD SEPARATELY</p>			
	<p>99559 38.25 Chrome 20</p>			
 <ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • cartridge type: 1255® Duralast® • flow type: vandal resistant aerated • mount type: single mount • supply length: 22" • deckplate: sold separately • temp. limit stop: yes • drain assembly: metal • lever handle • material: brass <p>♿ DURALAST® ♿ ▲</p>	<p>🔥 1.2 GPM (4.5 L/min) max.</p> <p>9419F12 314.45 Chrome 3</p>			
	<p>🌊 0.5 GPM (1.9 L/min) max.</p> <p>9419F05 314.45 Chrome 3</p>			
	<p>4" DECKPLATE SOLD SEPARATELY</p>			
	<p>99559 38.25 Chrome 20</p>			
 <ul style="list-style-type: none"> • connection size: 3/8" compression • cartridge type: ceramic disc • flow type: aerated • mount type: single mount • supply length: 22" • temp. limit stop: yes • drain assembly not included • no lift rod hole • lever handle • material: brass <p>♿ ▲</p>	<p>🔥 1.2 GPM (4.5 L/min) max.</p> <p>8417F12 255.75 Chrome 6</p>			
	<p>🌊 0.5 GPM (1.9 L/min) max.</p> <p>8417F05 255.75 Chrome 6</p>			
 <ul style="list-style-type: none"> • connection size: 3/8" compression • cartridge type: ceramic disc • flow type: aerated • mount type: single mount • supply length: 22" • temp. limit stop: yes • drain assembly: metal • lever handle • material: brass <p>♿ ▲</p>	<p>🔥 1.2 GPM (4.5 L/min) max.</p> <p>8419F12 290.50 Chrome 6</p>			
	<p>🌊 0.5 GPM (1.9 L/min) max.</p> <p>8419F05 290.50 Chrome 6</p>			


























COMMERCIAL

M•DURA™ Heavy-Duty Faucets

	MODEL	LIST	FINISH/CONNECT	CASE QTY
ONE-HANDLE CENTERSET LAVATORY FAUCET				
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • cartridge type: ceramic disc • flow type: aerated • mount type: centerset • temp. limit stop: yes • drain assembly not included • no lift rod hole • lever handle • material: brass <p>♿ ▲</p>	<p>🔥 1.2 GPM (4.5 L/min) max.</p> <p>8413F12 185.15 Chrome 3</p> <p>♻️ 0.5 GPM (1.9 L/min) max.</p> <p>8413F05 185.15 Chrome 3</p> <p>♻️ 0.35 GPM (1.32 L/min) max.</p> <p>8413F03 185.15 Chrome 3</p>			
	 <ul style="list-style-type: none"> • connection size: 1/2" IPS • cartridge type: ceramic disc • flow type: aerated • mount type: centerset • temp. limit stop: yes • drain assembly: metal • lever handle • material: brass <p>♿ ▲</p>	<p>2.2 GPM (8.3 L/min) max.</p> <p>8414 220.95 Chrome 6</p> <p>🔥 1.2 GPM (4.5 L/min) max.</p> <p>8414F12 220.95 Chrome 3</p> <p>8414F12BN 287.20 Brushed Nickel 3</p>		
		 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic hot/cold • flow type: vandal resistant aerated • mount type: centerset • temp. limit stop: yes • drain assembly not included • no lift rod hole • lever handle • material: brass <p>♿ ▲</p>	<p>2.2 GPM (8.3 L/min) max.</p> <p>8416 198.85 Chrome 6</p> <p>♻️ 0.5 GPM (1.9 L/min) max.</p> <p>8416F05 198.85 Chrome 3</p>	
WIDESPREAD LAVATORY FAUCET				
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic hot/cold • flow type: vandal resistant aerated • mount type: widespread • drain assembly not included • no lift rod hole • lever handle • material: brass <p>♿ ♻️ ▲</p>	<p>♻️ 0.5 GPM (1.9 L/min) max.</p> <p>8220F05 338.60 Chrome 3</p>			
	 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic hot/cold • flow type: vandal resistant aerated • mount type: widespread • drain assembly not included • no lift rod hole • wrist blade handle • material: brass <p>♿ ♻️ ▲</p>	<p>🔥 1.2 GPM (4.5 L/min) max.</p> <p>8228F12 360.00 Chrome 3</p> <p>♻️ 0.5 GPM (1.9 L/min) max.</p> <p>8228F05 360.00 Chrome 3</p>		

COMMERCIAL

M•DURA™ Heavy-Duty Faucets

	MODEL	LIST	FINISH/CONNECT	CASE QTY
TWO-HANDLE CENTERSET LAVATORY FAUCET				
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic hot/cold • flow type: vandal resistant aerated • mount type: centerset • drain assembly not included • no lift rod hole • lever handle • material: brass <p>    </p>	<p>  1.2 GPM (4.5 L/min) max. 8210F12 216.20 Chrome 6 </p> <p>  0.5 GPM (1.9 L/min) max. 8210F05 216.20 Chrome 6 </p>			
	 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic hot/cold • flow type: vandal resistant aerated • mount type: centerset • drain assembly not included • no lift rod hole • smooth lever handle • material: brass <p>    </p>	<p>  1.2 GPM (4.5 L/min) max. 8210SMF12 216.20 Chrome 6 </p> <p>  0.5 GPM (1.9 L/min) max. 8210SMF05 216.20 Chrome 6 </p>		
		 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic hot/cold • flow type: vandal resistant aerated • mount type: centerset • drain assembly not included • no lift rod hole • wrist blade handle • material: brass <p>    </p>	<p>  1.2 GPM (4.5 L/min) max. 8215F12 239.75 Chrome 6 </p> <p>  0.5 GPM (1.9 L/min) max. 8215F05 239.75 Chrome 6 </p> <p>  0.35 GPM (1.32 L/min) max. 8215F03 239.75 Chrome 6 </p>	
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic hot/cold • flow type: vandal resistant aerated • mount type: centerset • drain assembly not included • no lift rod hole • smooth wrist blade handle • material: brass <p>    </p>			<p>  1.2 GPM (4.5 L/min) max. 8215SMF12 239.75 Chrome 6 </p>	
MANUAL-TO-METERING CONVERSION KIT				
 <ul style="list-style-type: none"> • excludes 8242, 8244 and modern lavs • includes hot/cold color indicator rings 	52120	180.85	Chrome	12








M•DURA™ Heavy-Duty Faucets

MODEL LIST FINISH/CONNECT CASE QTY

TWO-HANDLE CENTERSET GOOSENECK FAUCET				
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic hot/cold • spout reach: 3.60" • flow type: vandal resistant laminar • mount type: centerset • drain assembly not included • no lift rod hole • lever handle • material: brass <p>    </p>	1.2 GPM (4.5 L/min) max. 8270	257.15	Chrome	6
	 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic hot/cold • spout reach: 3.60" • flow type: vandal resistant laminar • mount type: centerset • drain assembly not included • wrist blade handle • material: brass <p>    </p>	1.2 GPM (4.5 L/min) max. 8278	270.95	Chrome
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic hot/cold • spout reach: 3.60" • flow type: vandal resistant laminar • mount type: centerset • drain assembly not included • smooth wrist blade handle • material: brass <p>    </p>	2.2 GPM (8.3 L/min) max. 8278SM	270.95	Chrome	6
	1.2 GPM (4.5 L/min) max. 8278SMF12	270.95	Chrome	6
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic hot/cold • spout reach: 5.25" • flow type: vandal resistant laminar • mount type: centerset • drain assembly not included • wrist blade handle • material: brass <p>    </p>	1.2 GPM (4.5 L/min) max. 8279	293.20	Chrome	6
	 <ul style="list-style-type: none"> • includes optional 2.0 gpm laminar flow spout base conversion kit • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic hot/cold • spout reach: 5.25" • flow type: vandal resistant laminar • mount type: centerset • drain assembly not included • smooth wrist blade handle • material: brass <p>    </p>	2.2 GPM (8.3 L/min) max. aerated / 2.0 GPM (7.6 L/min) max. laminar 8279SM	288.30	Chrome
	1.2 GPM (4.5 L/min) max. 8279SMF12	288.30	Chrome	6
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • spout not included • vandal resistant: yes • cartridge type: ceramic hot/cold • mount type: centerset • drain assembly not included • wrist blade handle • material: brass <p>    </p>	8276	230.80	Chrome	6

M•DURA™ Heavy-Duty Faucets

MODEL LIST FINISH/CONNECT CASE QTY

WIDESPREAD GOOSENECK FAUCET				
	<ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic hot/cold • spout reach: 5.25" • flow type: aerated • mount type: widespread • drain assembly not included • wrist blade handle • material: brass 	<p>▲ 1.2 GPM (4.5 L/min) max.</p> <p>8248 344.35 Chrome 6</p>		
	<ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic hot/cold • spout reach: 5.25" • flow type: aerated • mount type: widespread • drain assembly not included • smooth wrist blade handle • material: brass 	<p>▲ 1.2 GPM (4.5 L/min) max.</p> <p>8248SMF12 344.35 Chrome 3</p>		
	<ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic hot/cold • spout reach: 8.00" • flow type: aerated • mount type: widespread • drain assembly not included • wrist blade handle • material: brass 	<p>1.5 GPM (5.7 L/min) max.</p> <p>8225 351.60 Chrome 6</p>		
	<ul style="list-style-type: none"> • includes optional 1.5 gpm laminar flow spout base conversion kit • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic hot/cold • spout reach: 8.00" • flow type: vandal resistant aerated • mount type: widespread • drain assembly not included • smooth wrist blade handle • material: brass 	<p>1.5 GPM (5.7 L/min) max. aerated / 1.5 GPM (5.7 L/min) max. laminar</p> <p>8225SMF15 351.60 Chrome 3</p>		
	<ul style="list-style-type: none"> • connection size: 1/2" IPS • spout not included • vandal resistant: yes • cartridge type: ceramic hot/cold • mount type: widespread • drain assembly not included • wrist blade handle • material: brass 	<p>8229 293.15 Chrome 6</p>		
	<ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic hot/cold • spout reach: 8.00" • flow type: vandal resistant aerated • mount type: widespread • drain assembly not included • lever handle • material: brass 	<p>1.5 GPM (5.7 L/min) max.</p> <p>8227 330.20 Chrome 6</p>		
	<ul style="list-style-type: none"> • connection size: 1/2" IPS • spout not included • vandal resistant: yes • cartridge type: ceramic hot/cold • mount type: widespread • drain assembly not included • lever handle • material: brass 	<p>8226 271.65 Chrome 6</p>		

See Commercial Product Icon Key, page 3

















COMMERCIAL

M•DURA™ Heavy-Duty Kitchen Faucets











	MODEL	LIST	FINISH/CONNECT	CASE QTY
TWO-HANDLE KITCHEN FAUCET				
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic hot/cold • spout reach: 8.00" • flow type: aerated • mount type: widespread • side spray included • drain assembly not included • lever handle • material: brass <p>    </p>	1.5 GPM (5.7 L/min) max.			
8242	378.75	Chrome		6
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic hot/cold • spout reach: 8.00" • flow type: aerated • mount type: widespread • side spray included • drain assembly not included • wrist blade handle • material: brass <p>    </p>	1.5 GPM (5.7 L/min) max.			
8244	400.05	Chrome		6
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic hot/cold • spout reach: 8.00" • flow type: aerated • drain assembly not included • lever handle • material: brass <p>    </p>	1.5 GPM (5.7 L/min) max.			
8287	324.55	Chrome		6
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • spout not included • vandal resistant: yes • cartridge type: ceramic hot/cold • drain assembly not included • lever handle • material: brass <p>    </p>				
8280	260.40	Chrome		6
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic hot/cold • spout reach: 8.00" • flow type: aerated • drain assembly not included • wrist blade handle • material: brass <p>    </p>	1.5 GPM (5.7 L/min) max.			
8289	345.80	Chrome		6
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • spout not included • vandal resistant: yes • cartridge type: ceramic hot/cold • drain assembly not included • wrist blade handle • material: brass <p>    </p>				
8285	281.75	Chrome		6

COMMERCIAL

M•DURA™ Heavy-Duty Kitchen Faucets





















	MODEL	LIST	FINISH/CONNECT	CASE QTY
ONE-HANDLE KITCHEN FAUCET				
 <ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • cartridge type: 1255® Duralast® • spout reach 9.00" • flow type: aerated • supply length: 22" • temp. limit stop: yes • side spray: yes • drain assembly not included • lever handle • material: brass <p>  DURALAST®   </p>	<p>1.5 GPM (5.7 L/min) max.</p> <p>8707 190.45 Chrome 6</p>			
	 <ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • cartridge type: 1255® Duralast® • spout reach 12.00" • flow type: aerated • supply length: 22" • temp. limit stop: yes • side spray: yes • drain assembly not included • lever handle • material: brass <p>  DURALAST®   </p>	<p>1.5 GPM (5.7 L/min) max.</p> <p>8717 282.25 Chrome 6</p>		
 <ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • cartridge type: 1255® Duralast® • spout reach 9.00" • flow type: aerated • supply length: 22" • temp. limit stop: yes • drain assembly not included • lever handle • material: brass <p>  DURALAST®   </p>		<p>1.5 GPM (5.7 L/min) max.</p> <p>8701 159.85 Chrome 12</p>		
	ONE-HANDLE WALLMOUNT KITCHEN FAUCET			
 <ul style="list-style-type: none"> • connection size: 1/2" eccentric; IPS • vandal resistant: yes • cartridge type: 1255® Duralast® • spout reach 9.00" • flow type: aerated • mount type: wallmount • temp. limit stop: yes • drain assembly not included • lever handle • material: brass <p>  DURALAST®   </p>	<p>1.5 GPM (5.7 L/min) max.</p> <p>8713 479.65 Chrome 12</p>			

M•DURA™ Heavy-Duty Multi-Purpose Faucets

		MODEL	LIST	FINISH/CONNECT	CASE QTY
ONE-HANDLE MULTI-PURPOSE FAUCET					
	<ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • cartridge type: 1255® Duralast® • flow type: aerated • mount type: widespread • supply length: 22" • temp. limit stop: yes • side spray: yes • drain assembly not included • lever handle • material: brass 	1.5 GPM (5.7 L/min) max.			
		8138	314.55	Chrome	6
					
	<ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • cartridge type: 1255® Duralast® • flow type: aerated • mount type: widespread • supply length: 22" • temp. limit stop: yes • drain assembly not included • lever handle • material: brass 	1.5 GPM (5.7 L/min) max.			
		8137	264.25	Chrome	6
					
TWO-HANDLE CENTERSET UTILITY FAUCET					
	<ul style="list-style-type: none"> • connection size: 1/2" IPS • 3/4" garden hose thread • vandal resistant: yes • cartridge type: ceramic hot/cold • spout reach: 6.50" • flow type: vandal resistant aerated • mount type: centerset • drain assembly not included • lever handle • material: brass 	Unrestricted			
		8277	233.90	Chrome	6
					
TWO-HANDLE WALLMOUNT UTILITY FAUCET					
	<ul style="list-style-type: none"> • connection size: 1/2" eccentric; IPS • vandal resistant: yes • cartridge type: ceramic hot/cold • spout reach 12.00" • flow type: aerated • mount type: wallmount • drain assembly not included • lever handle • material: brass 	1.5 GPM (5.7 L/min) max.			
		8119	327.30	Chrome	6
					
	<ul style="list-style-type: none"> • connection size: 1/2" eccentric; IPS • vandal resistant: yes • cartridge type: ceramic hot/cold • spout reach 8.00" • flow type: aerated • mount type: wallmount • drain assembly not included • wrist blade handle • material: brass 	1.5 GPM (5.7 L/min) max.			
		8126	328.15	Chrome	6
					

COMMERCIAL

M•DURA™ Heavy-Duty Laboratory Faucets

	MODEL	LIST	FINISH/CONNECT	CASE QTY
TWO-HANDLE WALLMOUNT SERVICE SINK FAUCET				
 <ul style="list-style-type: none"> • connection size: 1/2" eccentric IPS • 3/4" garden hose thread • vandal resistant: yes • cartridge type: ceramic hot/cold • spout reach: 9.38" • mount type: wallmount • wall bracket and vacuum breaker included • pail hook included • drain assembly not included • lever handle • material: brass <p>    </p>	Unrestricted			
	8230	225.00	Chrome	3
 <ul style="list-style-type: none"> • connection size: 1/2" eccentric IPS • 3/4" garden hose thread • vandal resistant: yes • cartridge type: ceramic hot/cold • spout reach: 10.25" • mount type: wallmount • wall bracket, vacuum breaker, and backflow preventers included • pail hook included • drain assembly not included • lever handle • material: brass <p>    </p>	Unrestricted			
	8124	277.40	Chrome	6
ONE-HANDLE LABORATORY FAUCET				
 <ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • cartridge type: ceramic hot/cold • spout reach: 5.25" • flow type: aerated • mount type: single mount • supply length: 22" • cold only: yes • drain assembly not included • lever handle • material: brass <p>    </p>	2.2 GPM (8.3 L/min) max.			
	8103	188.45	Chrome	6
TWO-HANDLE LABORATORY FAUCET				
 <ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • cartridge type: ceramic hot/cold • spout reach: 5.25" • flow type: aerated • mount type: single mount • supply length: 22" • drain assembly not included • lever handle • material: brass <p>    </p>	2.2 GPM (8.3 L/min) max.			
	8113	279.20	Chrome	6
 <ul style="list-style-type: none"> • connection size: 3/8" compression • serrated hose nozzle • vandal resistant: yes • cartridge type: ceramic hot/cold • spout reach: 6.00" • mount type: single mount • supply length: 22" • vacuum braker included • drain assembly not included • lever handle • material: brass <p>    </p>	Unrestricted			
	8116	345.15	Chrome	6

M•DURA™ Heavy-Duty Spouts

DOUBLE-BEND SPOUTS



S0003



S0010

Model Number	Reach	Base to Aerator*	Overall Height	Weight Each Pounds	Case Quantity	List Price
S0000 ▲	6.00"	2.00"	4.325"	0.89	12	57.00
S0001 ▲	6.00"	3.75"	7.375"	1.20	12	68.55
S0002 ▲	6.00"	5.00"	9.125"	1.64	12	70.00
S0003 ▲	6.00"	5.75"	9.75"	1.60	12	68.55
S0004 ▲	6.00"	8.50"	12.75"	1.71	12	82.35
S0007 ▲	8.00"	6.00"	9.75"	1.90	12	70.00
S0009 ▲	10.00"	5.75"	9.75"	2.20	12	75.45
S0010 ▲	12.00"	0.50"	3.125"	1.40	12	82.35
S0011 ▲	12.00"	6.00"	9.75"	1.64	12	68.55

MULTI-BEND SPOUTS



Model Number	Reach	Base to Aerator*	Overall Height	Weight Each Pounds	Case Quantity	List Price
S0012 ▲	18.00"	3.75"	7.75"	2.40	12	149.65

VACUUM-BREAKER SPOUTS



SV003

Model Number	Reach	Base to Aerator*	Overall Height	Weight Each Pounds	Case Quantity	List Price
SV003 ■	6.00"	5.75"	10.50"	2.15	12	141.35
SV006 ■	8.00"	0.50"	4.00"	1.40	12	131.80
SV010 ■	12.00"	0.50"	4.00"	1.70	12	138.65

All spouts include 2.2 gpm [8.3 lpm] max. aerators (except as noted below). Spouts are designed for use only with 8100 and 8200 series aerators.

* Height from spout nut base plane to aerator

** Threaded-end gooseneck spouts – spout tip is threaded, no aerator included

*** Smooth-end gooseneck spouts – spout tip is smooth and will not take an aerator; flow is controlled by 1.5gpm laminar flow spout base insert.

M•DURA™ Heavy-Duty Spouts

GOOSENECK SPOUTS



Model Number	Reach	Base to Aerator*	Overall Height	Weight Each Pounds	Case Quantity	List Price
S0020 ▲	3.625"	6.25"	8.75"	1.47	12	70.00
S0030 ▲	5.25"	5.50"	10.00"	1.55	12	76.90
S0050 ▲	8.00"	6.125"	11.375"	1.65	12	85.10
S0060 ▲	8.00"	10.00"	12.00"	1.10	12	105.75
S0070 ▲	9.50"	6.50"	9.175"	1.81	12	92.00

THREADED-END GOOSENECK SPOUTS



Model Number	Reach	Base to Aerator**	Overall Height	Weight Each Pounds	Case Quantity	List Price
S0030T ▲	5.25"	N/A	10.00"	1.55	12	59.30
S0050T ▲	8.00"	N/A	11.375"	1.85	12	67.45

SMOOTH-END GOOSENECK SPOUTS



Model Number	Reach	Base to Aerator***	Overall Height	Weight Each Pounds	Case Quantity	List Price
S0030NA ▲	5.25"	8.125"	10.00"	1.15	6	79.20

LAMINAR FLOW KITS



Model Number	Description	List Price
52655	laminar flow spout, flow control in base spout, 0.5 gpm (1.9 L/m)	33.00
52652	laminar flow spout, flow control in base spout, 1.5 gpm (5.7 L/m)	34.45
52653	laminar flow spout, flow control in base spout, 1.0 gpm (3.8 L/m)	20.75

All spouts include 2.2 gpm [8.3 lpm] max. aerators (except as noted below). Spouts are designed for use only with 8100 and 8200 series aerators.

* Height from spout nut base plane to aerator

** Threaded-end gooseneck spouts - spout tip is threaded, no aerator included







*** Smooth-end gooseneck spouts - spout tip is smooth and will not take an aerator; flow is controlled by 1.5gpm laminar flow spout base insert.

M•PRESS™ Heavy-Duty Metering Faucets



M•PRESS Single-Mount Metering Faucet / 8884

M•PRESS™ Heavy-Duty Metering Faucets









	MODEL	LIST	FINISH/CONNECT	CASE QTY
ECO-PERFORMANCE SINGLE-MOUNT METERING FAUCET				
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • flow type: vandal resistant multi-laminar • mount type: single mount • timing preset: yes • drain assembly not included • material: brass 		Ø 0.5 GPM (1.9 L/min) max.		
	8884	194.70	Chrome	6
	4" DECKPLATE SOLD SEPARATELY			
	99550	34.95	Chrome	12
ECO-PERFORMANCE SINGLE-MOUNT EXTENDED REACH METERING FAUCET				
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • flow type: vandal resistant multi-laminar • mount type: single mount • timing preset: yes • drain assembly not included • material: brass 		Ø 0.5 GPM (1.9 L/min) max.		
	8894	221.10	Chrome	6
	4" DECKPLATE SOLD SEPARATELY			
	99551	34.95	Chrome	12
ECO-PERFORMANCE CENTERSET METERING FAUCET				
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • flow type: vandal resistant multi-laminar • mount type: centerset • timing preset: yes • drain assembly not included • material: brass 		Ø 0.5 GPM (1.9 L/min) max.		
	8886	358.90	Chrome	6
	4" DECKPLATE SOLD SEPARATELY			
ECO-PERFORMANCE WIDESPREAD METERING FAUCET				
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • flow type: vandal resistant multi-laminar • mount type: widespread • timing preset: yes • drain assembly not included • material: brass 		Ø 0.5 GPM (1.9 L/min) max.		
	8889	459.40	Chrome	6
	4" DECKPLATE SOLD SEPARATELY			
DURAMETER METERING CARTRIDGE				
 <ul style="list-style-type: none"> • brass pressure-independent replacement cartridge 	52100	97.45	N/A or Unfinished	24
MANUAL-TO-METERING CONVERSION KIT				
 <ul style="list-style-type: none"> • excludes 8242, 8244 and modern lavs • includes hot/cold color indicator rings 	52120	180.85	Chrome	12

M•BITION™ Medium-Duty Faucets



























M•BITION Single-Handle Lavatory Faucet / 8430 Series

M•BITION™ Medium-Duty Lavatory Faucets

	MODEL	LIST	FINISH/CONNECT	CASE QTY
SINGLE-MOUNT LAVATORY FAUCET				
 <ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • cartridge type: 1255® Duralast® • flow type: vandal resistant aerated • mount type: single mount • supply length: 24" • temp. limit stop: yes • drain assembly not included • no lift rod hole • lever handle <p> DURALAST®  </p>	1.2 GPM (4.5 L/min) max.			
	9480	175.15	Chrome	3
	4" DECKPLATE SOLD SEPARATELY			
	99559	38.25	Chrome	20
 <ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • cartridge type: 1255® Duralast® • flow type: vandal resistant aerated • mount type: single mount • supply length: 24" • temp. limit stop: yes • drain assembly: metal • lever handle <p> DURALAST®  </p>	1.2 GPM (4.5 L/min) max.			
	9482	194.60	Chrome	3
	4" DECKPLATE SOLD SEPARATELY			
	99559	38.25	Chrome	20




COMMERCIAL

M•BITION™ Medium-Duty Lavatory Faucets





























ONE-HANDLE CENTERSET LAVATORY FAUCET		MODEL	LIST	FINISH/CONNECT	CASE QTY
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: 1255® Duralast® • flow type: vandal resistant aerated • mount type: centerset • temp. limit stop: yes • drain assembly not included • removable plug button in lift rod hole • lever handle <p>  </p>	<p>1.2 GPM (4.5 L/min) max.</p> <p>8400</p>	193.85	Chrome	12	
	<p>1.2 GPM (4.5 L/min) max.</p> <p>8420</p>	224.95	Chrome	12	
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: 1255® Duralast® • flow type: vandal resistant aerated • mount type: centerset • temp. limit stop: yes • drain assembly: metal • lever handle <p>  </p>	<p>1.2 GPM (4.5 L/min) max.</p> <p>8425</p>	219.05	Chrome	12	
	<p>1.2 GPM (4.5 L/min) max.</p> <p>8422</p>	203.35	Chrome	12	
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: 1255® Duralast® • flow type: vandal resistant aerated • mount type: centerset • temp. limit stop: yes • drain assembly: grid strainer waste • lever handle <p>  </p>	<p>0.5 GPM (1.9 L/min) max.</p> <p>8422F05</p>	203.35	Chrome	12	
	<p>1.2 GPM (4.5 L/min) max.</p> <p>8422</p>	203.35	Chrome	12	
	<p>1.2 GPM (4.5 L/min) max.</p> <p>8430</p>	151.55	Chrome	12	
 <ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • cartridge type: 1255® Duralast® • flow type: vandal resistant aerated • mount type: centerset • supply length: 28" • temp. limit stop: yes • drain assembly not included • removable plug button in lift rod hole • lever handle <p>  </p>	<p>1.2 GPM (4.5 L/min) max.</p> <p>8430CBN</p>	197.05	Classic Brushed Nickel	12	
	<p>0.5 GPM (1.9 L/min) max.</p> <p>8430F05</p>	151.55	Chrome	12	
	<p>1.2 GPM (4.5 L/min) max.</p> <p>8430</p>	151.55	Chrome	12	
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: 1255® Duralast® • flow type: vandal resistant aerated • mount type: centerset • temp. limit stop: yes • drain assembly not included • removable plug button in lift rod hole • lever handle <p>  </p>	<p>1.2 GPM (4.5 L/min) max.</p> <p>8432</p>	186.55	Chrome	12	
	<p>0.5 GPM (1.9 L/min) max.</p> <p>8432F05</p>	186.55	Chrome	12	
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: 1255® Duralast® • flow type: vandal resistant aerated • mount type: centerset • temp. limit stop: yes • drain assembly: metal • lever handle <p>  </p>	<p>1.2 GPM (4.5 L/min) max.</p> <p>8432</p>	186.55	Chrome	12	
	<p>0.5 GPM (1.9 L/min) max.</p> <p>8432F05</p>	186.55	Chrome	12	

COMMERCIAL





M•BITION™ Medium-Duty Lavatory Faucets

	MODEL	LIST	FINISH/CONNECT	CASE QTY
ONE-HANDLE CENTERSET LAVATORY FAUCET (CONTINUED)				
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: 1255[®] Duralast[®] • flow type: vandal resistant aerated • mount type: centerset • temp. limit stop: yes • drain assembly: grid strainer waste • removable plug button in lift rod hole • lever handle 	<p>🔥 1.2 GPM (4.5 L/min) max.</p>			
	8434	179.85	Chrome	12
 <ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • cartridge type: 1255[®] Duralast[®] • flow type: vandal resistant aerated • mount type: centerset • supply length: 28" • temp. limit stop: yes • drain assembly not included • removable plug button in lift rod hole • lever handle 	<p>🔥 1.2 GPM (4.5 L/min) max.</p>			
	8439	161.35	Chrome	12
	8439F05	161.35	Chrome	12
 <ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • cartridge type: 1255[®] Duralast[®] • flow type: vandal resistant aerated • mount type: centerset • supply length: 28" • temp. limit stop: yes • drain assembly: metal • lever handle 	<p>🔥 1.2 GPM (4.5 L/min) max.</p>			
	8437	196.25	Chrome	12
	8437CBN	255.15	Classic Brushed Nickel	12







M•BITION™ Medium-Duty Lavatory Faucets

	MODEL	LIST	FINISH/CONNECT	CASE QTY
WIDESPREAD LAVATORY FAUCET				
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: 1244 • flow type: aerated • mount type: widespread • drain type: lift rod • drain assembly: metal • lever handle   	1.2 GPM (4.5 L/min) max. 8922	278.75	Chrome	6
	 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: 1244 • flow type: aerated • mount type: widespread • drain assembly: grid strainer waste • lever handle   	1.2 GPM (4.5 L/min) max. 8924	298.30	Chrome
TWO-HANDLE CENTERSET LAVATORY FAUCET				
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: 1244 • flow type: vandal resistant aerated • mount type: centerpiece • drain assembly not included • removable plug button in lift rod hole • wrist blade handle   	1.2 GPM (4.5 L/min) max. 8800	179.90	Chrome	6
	8800F05	179.90	Chrome	6
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: 1244 • flow type: vandal resistant aerated • mount type: centerpiece • drain assembly: grid drain waste • removable plug button in lift rod hole • wrist blade handle   	1.2 GPM (4.5 L/min) max. 8810	206.25	Chrome	6
	 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: 1244 • flow type: vandal resistant aerated • mount type: centerpiece • drain assembly: metal • wrist blade handle   	1.2 GPM (4.5 L/min) max. 8820	212.50	Chrome
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: 1244 • spout reach: 6.00" • flow type: aerated • mount type: centerpiece • drain assembly not included • removable plug button in lift rod hole • lever handle   	1.2 GPM (4.5 L/min) max. 8915	132.25	Chrome	12
	 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: 1244 • spout reach: 6.00" • flow type: aerated • mount type: centerpiece • drain assembly: metal • lever handle   	1.2 GPM (4.5 L/min) max. 8917	155.90	Chrome

M•BITION™ Medium-Duty Kitchen Faucets

		MODEL	LIST	FINISH/CONNECT	CASE QTY
TWO-HANDLE KITCHEN FAUCET					
	<ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: 1244 • spout reach: 8.50" • flow type: aerated • side spray: yes • drain assembly not included • lever handle 	2.0 GPM (7.6 L/min) max.			
		8792	295.60	Chrome	6
	<ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: 1244 • spout reach: 9.00" • flow type: aerated • drain assembly not included • lever handle 	1.5 GPM (5.7 L/min) max.			
		8780	129.50	Chrome	6
	<ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: 1244 • spout reach: 9.00" • flow type: aerated • drain assembly not included • wrist blade handle 	1.5 GPM (5.7 L/min) max.			
		8798	207.60	Chrome	6
	<ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: 1244 • spout reach: 8.50" • flow type: aerated • drain assembly not included • wrist blade handle 	1.5 GPM (5.7 L/min) max.			
		8799	270.60	Chrome	6

M•BITION™ Medium-Duty Bar/Pantry Faucets

	MODEL	LIST	FINISH/CONNECT	CASE QTY
TWO-HANDLE BAR/PANTRY FAUCET				
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: 1244 • spout reach: 4.56" • flow type: aerated • mount type: centerset • drain assembly not included • wrist blade handle 	1.2 GPM (4.5 L/min) max.			
	8938	179.35	Chrome	6
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: 1244 • spout reach: 4.56" • flow type: aerated • mount type: centerset • drain assembly not included • lever handle 	1.2 GPM (4.5 L/min) max.			
	8957	138.15	Chrome	12
 <ul style="list-style-type: none"> • connection size: 1/2" IPS • vandal resistant: yes • cartridge type: 1244 • spout reach: 4.75" • flow type: aerated • mount type: centerset • drain assembly not included • wrist blade handle 	1.2 GPM (4.5 L/min) max.			
	8948	176.95	Chrome	6

COMMERCIAL











M•POWER™ Below-Deck Sensor-Operated Faucets & Soap Dispensers



Align® Below-Deck Sensor-Operated Modern Faucet / 8559

Align® Below-Deck Sensor-Operated Modern Soap Dispenser / 8560



M•POWER™ Sensor-Operated Faucets



		MODEL	LIST	FINISH/CONNECT	CASE QTY	
ALIGN® BELOW-DECK SENSOR-OPERATED MODERN FAUCET						
 <ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • power source: 4AA included with optional AC* • flow type: vandal resistant multi-laminar • mount type: single mount • supply length: 24" • non-mixing: yes • drain assembly not included • material: brass 		Ø 0.5 GPM (1.9 L/min) max.				
		8559	615.25	Chrome	6	
		8559BN	769.05	Brushed Nickel	6	
		8559BL	830.60	Matte Black	6	
		4" DECKPLATE SOLD SEPARATELY				
		182546	37.45	Chrome	12	
		182546BN	46.80	Brushed Nickel	12	
		182546BL	51.50	Matte Black	12	
		8" DECKPLATE SOLD SEPARATELY				
		99558	49.15	Chrome	20	
	99558BN	61.45	Brushed Nickel	20		
	99558BL	67.55	Matte Black	20		
ALIGN® BELOW-DECK SENSOR-OPERATED MODERN SOAP DISPENSER						
 <ul style="list-style-type: none"> • easily refillable 1500ml foam soap reservoir included • material: brass 		8560	539.15	Chrome	3	
		8560BN	673.95	Brushed Nickel	3	
		8560BL	727.85	Matte Black	3	
		BRASS SPACER SOLD SEPARATELY				
		181149	71.10	Chrome	12	
		181149BN	88.90	Brushed Nickel	12	
		181149BL	96.00	Matte Black	12	
	BELOW-DECK SENSOR-OPERATED TRANSITIONAL CENTERSET FAUCET					
	 <ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • power source: 4AA included with optional AC* • flow type: vandal resistant laminar • mount type: centerset • supply length: 24" • non-mixing: yes • drain assembly not included • material: brass 		Ø 0.5 GPM (1.9 L/min) max.			
			CA8301	623.50	Chrome	3
		CA8301BN	779.40	Brushed Nickel	3	
		CA8301BL	841.75	Matte Black	3	
BELOW-DECK SENSOR-OPERATED TRANSITIONAL FAUCET						
 <ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • power source: 4AA included with optional AC* • flow type: vandal resistant laminar • mount type: singlemount • supply length: 24" • non-mixing: yes • drain assembly not included • material: brass 		Ø 0.5 GPM (1.9 L/min) max.				
		CA8302	615.25	Chrome	6	
		CA8302BN	769.05	Brushed Nickel	6	
		CA8302BL	830.60	Matte Black	6	
		4" DECKPLATE SOLD SEPARATELY				
		182546	37.45	Chrome	12	
		182546BN	46.80	Brushed Nickel	12	
		182546BL	51.50	Matte Black	12	
		8" DECKPLATE SOLD SEPARATELY				
		99558	49.15	Chrome	20	
	99558BN	61.45	Brushed Nickel	20		
	99558BL	67.55	Matte Black	20		
BELOW-DECK SENSOR-OPERATED TRANSITIONAL SOAP DISPENSER						
 <ul style="list-style-type: none"> • easily refillable 1500ml foam soap reservoir included • material: brass 		8558	539.15	Chrome	3	
		8558BN	673.95	Brushed Nickel	3	
		8558BL	727.85	Matte Black	3	
		BRASS SPACER SOLD SEPARATELY				
		181148	82.20	Chrome	12	
		181148BN	102.75	Brushed Nickel	12	
		181148BL	111.00	Matte Black	12	



*Convert to AC power with the following accessories: for single- or multi-unit AC applications, order one (1) multi-unit transformer (104630) which powers up to (8) units, and one (1) faucet AC connector (182538) per unit. See Commercial Product Icon Key, page 3


M•POWER™ Sensor-Operated Faucets

MODEL LIST FINISH/CONNECT CASE QTY

BELOW-DECK SENSOR-OPERATED GOOSENECK MIXING FAUCET				
 <ul style="list-style-type: none"> • connection size: 3/8" compression • power source: 4AA included with optional AC* • flow type: multi-stream laminar • mount type: singlemount • supply length: 24" • drain assembly not included • material: brass 	Ø 0.5 GPM (1.9 L/min) max.			
	8562	1117.10	Chrome	3
	4" DECKPLATE SOLD SEPARATELY			
	182546	37.45	Chrome	12
8" DECKPLATE SOLD SEPARATELY				
99558	49.15	Chrome	20	

BELOW-DECK SENSOR-OPERATED GOOSENECK FAUCET				
 <ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • power source: 4AA included with optional AC* • flow type: vandal resistant multi-laminar • mount type: singlemount • supply length: 24" • non-mixing: yes • drain assembly not included • material: brass 	Ø 0.5 GPM (1.9 L/min) max.			
	CA8303	693.80	Chrome	3
	4" DECKPLATE SOLD SEPARATELY			
	182546	37.45	Chrome	12
8" DECKPLATE SOLD SEPARATELY				
99558	49.15	Chrome	20	

BELOW-DECK SENSOR-OPERATED FAUCET WITHOUT SPOUT				
 <ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • power source: 4AA included with optional AC* • mount type: singlemount • supply length: 24" • non-mixing: yes • drain assembly not included • material: brass • spout not included 	8565	639.80	Chrome	3
	4" DECKPLATE SOLD SEPARATELY			
	182546	37.45	Chrome	12
	8" DECKPLATE SOLD SEPARATELY			
99558	49.15	Chrome	20	

GRID DRAIN WITH OVER-FLOW				
 <ul style="list-style-type: none"> • grid strainer • tail piece • drain body 	123816	31.50	Chrome	12




















*Convert to AC power with the following accessories: for single- or multi-unit AC applications, order one (1) multi-unit transformer (104630) which powers up to (8) units, and one (1) faucet AC connector (182538) per unit.

M•POWER™ Above-Deck Sensor-Operated Faucets












M•POWER Above-Deck Sensor-Operated Lavatory Faucet / 8551 Series

M•POWER™ Sensor-Operated Faucets

		MODEL	LIST	FINISH/CONNECT	CASE QTY
ABOVE-DECK SENSOR-OPERATED MODERN FAUCET					
 <ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • power source: battery powered 4AA included • flow type: vandal resistant multi-laminar • mount type: single mount • supply length: 24" • non-mixing: yes • drain assembly not included <p>    </p>	<ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • power source: AC power • flow type: vandal resistant multi-laminar • mount type: single mount • supply length: 24" • non-mixing: yes • drain assembly not included <p>    </p>	<p>Ø 0.5 GPM (1.9 L/min) max.</p>			
	8551	644.95	Chrome	6	
	4" DECKPLATE SOLD SEPARATELY				
	99556	38.25	Chrome	20	
8" DECKPLATE SOLD SEPARATELY					
99558	49.15	Chrome	20		
AC ABOVE-DECK SENSOR-OPERATED MODERN FAUCET					
 <ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • power source: AC power • flow type: vandal resistant multi-laminar • mount type: single mount • supply length: 24" • non-mixing: yes • drain assembly not included <p>    </p>	<p>Ø 0.5 GPM (1.9 L/min) max.</p>				
	8551AC	663.95	Chrome	6	
	4" DECKPLATE SOLD SEPARATELY				
	99556	38.25	Chrome	20	
8" DECKPLATE SOLD SEPARATELY					
99558	49.15	Chrome	20		
ABOVE-DECK SENSOR-OPERATED MODERN MIXING FAUCET					
 <ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • power source: battery powered 4AA included • flow type: vandal resistant multi-laminar • mount type: single mount • supply length: 24" • temperature & manual override: yes • drain assembly not included • handle type: lever <p>    </p>	<p>Ø 0.5 GPM (1.9 L/min) max.</p>				
	8552	719.95	Chrome	6	
	4" DECKPLATE SOLD SEPARATELY				
	99556	38.25	Chrome	20	
8" DECKPLATE SOLD SEPARATELY					
99558	49.15	Chrome	20		
AC ABOVE-DECK SENSOR-OPERATED MODERN MIXING FAUCET					
 <ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • power source: AC powered • flow type: vandal resistant multi-laminar • mount type: single mount • supply length: 24" • temperature & manual override: yes • drain assembly not included • handle type: lever <p>    </p>	<p>Ø 0.5 GPM (1.9 L/min) max.</p>				
	8552AC	719.95	Chrome	6	
	4" DECKPLATE SOLD SEPARATELY				
	99556	38.25	Chrome	20	
8" DECKPLATE SOLD SEPARATELY					
99558	49.15	Chrome	20		
ABOVE-DECK SENSOR-OPERATED TRANSITIONAL FAUCET					
 <ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • power source: battery powered 4AA included • flow type: vandal resistant multi-laminar • mount type: single mount • supply length: 24" • non-mixing: yes • drain assembly not included <p>    </p>	<p>Ø 0.5 GPM (1.9 L/min) max.</p>				
	8553	644.95	Chrome	6	
	8553BN	806.20	Brushed Nickel	6	
	8553BL	870.70	Matte Black	6	
	4" DECKPLATE SOLD SEPARATELY				
	99557	38.25	Chrome	20	
	99557BN	47.85	Brushed Nickel	20	
	99557BL	52.60	Matte Black	20	
	8" DECKPLATE SOLD SEPARATELY				
	99558	49.15	Chrome	20	
99558BN	61.45	Brushed Nickel	20		
99558BL	67.55	Matte Black	20		

COMMERCIAL

M•POWER™ Sensor-Operated Faucets

		MODEL	LIST	FINISH/CONNECT	CASE QTY
AC ABOVE-DECK SENSOR-OPERATED TRANSITIONAL FAUCET					
 <ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • power source: AC powered • flow type: vandal resistant multi-laminar • mount type: single mount • supply length: 24" • non-mixing: yes • drain assembly not included 	<ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • power source: battery powered 4AA included • flow type: vandal resistant multi-laminar • mount type: single mount • supply length: 24" • temperature & manual override: yes • drain assembly not included • handle type: lever 	Ø 0.5 GPM (1.9 L/min) max.			
	8553AC	663.95	Chrome	6	
	8553ACBN	829.95	Brushed Nickel	6	
	8553ACBL	896.35	Matte Black	6	
	4" DECKPLATE SOLD SEPARATELY				
	99557	38.25	Chrome	20	
	99557BN	47.85	Brushed Nickel	20	
	99557BL	52.60	Matte Black	20	
	8" DECKPLATE SOLD SEPARATELY				
	99558	49.15	Chrome	20	
	99558BN	61.45	Brushed Nickel	20	
	99558BL	67.55	Matte Black	20	
ABOVE-DECK SENSOR-OPERATED TRANSITIONAL MIXING FAUCET					
 <ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • power source: battery powered 4AA included • flow type: vandal resistant multi-laminar • mount type: single mount • supply length: 24" • temperature & manual override: yes • drain assembly not included • handle type: lever 	Ø 0.5 GPM (1.9 L/min) max.				
	8554	719.95	Chrome	6	
	8554BN	899.95	Brushed Nickel	6	
	8554BL	971.95	Matte Black	6	
	4" DECKPLATE SOLD SEPARATELY				
	99557	38.25	Chrome	20	
	99557BN	47.85	Brushed Nickel	20	
	99557BL	52.60	Matte Black	20	
	8" DECKPLATE SOLD SEPARATELY				
	99558	49.15	Chrome	20	
	99558BN	61.45	Brushed Nickel	20	
	99558BL	67.55	Matte Black	20	
AC ABOVE-DECK SENSOR-OPERATED TRANSITIONAL MIXING FAUCET					
 <ul style="list-style-type: none"> • connection size: 3/8" compression • vandal resistant: yes • power source: AC power • flow type: vandal resistant multi-laminar • mount type: single mount • supply length: 24" • temperature & manual override: yes • drain assembly not included • handle type: lever 	Ø 0.5 GPM (1.9 L/min) max.				
	8554AC	719.95	Chrome	6	
	8554ACBN	899.95	Brushed Nickel	6	
	8554ACBL	971.95	Matte Black	6	
	4" DECKPLATE SOLD SEPARATELY				
	99557	38.25	Chrome	20	
	99557BN	47.85	Brushed Nickel	20	
	99557BL	52.60	Matte Black	20	
	8" DECKPLATE SOLD SEPARATELY				
	99558	49.15	Chrome	20	
	99558BN	61.45	Brushed Nickel	20	
	99558BL	67.55	Matte Black	20	
LOW-FLOW THERMOSTATIC MIXING VALVE					
 <ul style="list-style-type: none"> • connection: 1/2" female thread; IPS • includes 3/8" compression adapters • no. of ports: three 	Ø 0.35 GPM (1.32 L/min) max.				
	104451	185.95	Chrome	12	

COMMERCIAL

M•POWER™ Sensor-Operated Faucets

THERMOSTATIC MIXING VALVE SERVICE KITS

Part No.	Description	List Price	Case Qty
175916	1/2" IPS Adapter Kit	17.55	12
175917	1/2" CC Adapter Kit	17.55	1
175918	1/2" Cold Expansion PEX Adapter Kit	17.55	12
181040	1/2" Crimp Ring PEX Adapter Kit	17.55	12
175921	3/8" Compression Adapter Kit	17.55	12
175925	Fitting Nut Kit	17.55	12
175926	Screen Washer and Seal Washer Kit	17.55	12


See page 25 for sensor-operated faucet accessories.

	MODEL	LIST	FINISH/CONNECT	CASE QTY
GRID DRAIN WITH OVER-FLOW				



• grid strainer	123816	62.00	Chrome	12
• tail piece	123816BN	86.85	Brushed Nickel	12
• drain body	123816B L	95.90	Matte Black	12

LOW-FLOW THERMOSTATIC MIXING VALVE



- stainless steel box and cover with vandal resistant screws
- thermostatic mixing valve with adjustable temperature control cartridge
- 1/2" copper connection
- 1/4" turn stops
- hot/cold check valves prevent possible backflow on water supply inlets
- stainless steel internal strainer protects against line trash
- listed to ASSE standard 1070
- lavatory faucet application
- min. flow rate at 45 pso=0.35 gpm (1.32 lpm)

	MODEL	LIST	FINISH/CONNECT	CASE QTY
0.35 GPM (1.32 L/min) max.				
	15440	452.80	N/A or Unfinished	2

MULTI-UNIT POWER AC TRANSFORMER



- 2 gang junction box
- powers up to 8 products
- input: 100/240V AC, 50-60 HZ
- output: +12V DC, 1.5A

	104630	109.90	N/A or Unfinished	12
--	--------	--------	-------------------	----

COMMERCIAL

M•POWER™ Sensor-Operated Faucets

SENSOR-OPERATED FAUCET ACCESSORIES

Part No.	Description	List Price
174055	Battery Housing for Above and Below-Deck Models	35.05
174056	Solenoid Repair Kit for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	111.40
174057	Strain Relief and Sensor Cable Extension for 8551-8554	30.95
174060	Mounting Hardware for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	19.60
174061	Manual Temperature Control Handle Kit 8552, 8554, 8552AC, 8554AC	27.50
174061BN	Manual Temperature Control Handle Kit 8554, 8554CBN	34.40
174061BL	Manual Temperature Control Handle Kit 8554, 8554CBL	37.85
174062	T10 Torx Key and Screw for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	10.15
174065	In-Line Filter with Check Valve for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	55.60
174066	Filter Screen for Filter Housing for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	6.45
174335	Sensor and Bracket for 8553, 8554, 8553AC, 8554AC	220.05
174336	Override Plug Button for 8552, 8552AC	21.85
174337	Override Plug Button for 8554, 8554AC	21.85
174337BN	Override Plug Button for 8554BN, 8554ACBN	27.30
174337BL	Override Plug Button for 8554BL, 8554ACBL	30.00
99556	4" Deckplate designed for 8551, 8551AC, 8552, 8552AC	38.25
99557	4" Deckplate designed for 8553, 8553AC, 8554, 8554AC	38.25
99557BN	4" Deckplate designed for 8553, 8553AC, 8554, 8554AC	47.85
99557BL	4" Deckplate designed for 8553, 8553AC, 8554, 8554AC	52.60
99558	8" Deckplate for 8559, CA8302, 8562, CA8303, 8565, 8551, 8551AC, 8552, 8552AC, 8553, 8553AC, 8554, 8554AC	49.15
99558BN	8" Deckplate for 8559, CA8302, 8562, CA8303, 8565, 8551, 8551AC, 8552, 8552AC, 8553, 8553AC, 8554, 8554AC	61.45
99558BL	8" Deckplate for 8559, CA8302, 8562, CA8303, 8565, 8551, 8551AC, 8552, 8552AC, 8553, 8553AC, 8554, 8554AC	67.55
52016F05	0.5 gpm Multi-Stream Laminar Flow Aerator	21.35
52016F10	1.0 gpm Aerator	21.35
S003DNA	Smooth-End Spout with 1.5 gpm Laminar Flow Base Insert	79.20
104630	Multi-Unit AC Transformer (powers up to 8 units)	113.20
182534	Control Box for Gooseneck and Above-Deck AC Models	57.45
182535	Control Box for CA83021, 8559, CA8302	154.80
182536	Control Box Wall Mounting Hardware	10.95
182537	IR Sensor Assembly and Bracket for Below-Deck Models	170.30
182538	AC Connector	24.10
182540	Cable Harness and Vandal Sleeve for Below-Deck Non-Mixing Models	58.30
182542	Centerset Deck Gasket for CA8301	18.70
182543	Transitional Deck Gasket for CA8302	18.60
182544	Modern Deck Gasket for 8559	18.60
182546	4" Deckplate for 8559, CA8302, 8562, CA8303, 8565	37.45
182546BN	4" Deckplate for 8559, CA8302, 8562, CA8303, 8565	46.80
182546BL	4" Deckplate for 8559, CA8302, 8562, CA8303, 8565	51.50
182547	Override Plug Button	27.05

SENSOR-OPERATED SOAP DISPENSER ACCESSORIES






Part No.	Description	List Price
182413	Non-Drip Foam Soap Pump	63.85
182414	1500mL Foam Soap Bottle	18.05
182415	Control Box for Sensor Soap	131.70
182416	Mounting Bracket, Vandal Shield and Mounting Hardware for Sensor Soap	108.95
182418	Soap Net	37.50
182420	Wire Vandal Sheathing for Sensor Soap	47.75
182421	D-Cell Battery Box for Sensor Soap	69.20
182422	Sensor, Bracket and Screw for Sensor Soap	170.30
181148	Transitional Deck Spacer for 8558	82.20
181148BN	Transitional Deck Spacer for 8558	102.75
181148BL	Transitional Deck Spacer for 8558	111.00
181149	Modern Deck Spacer for 8560	71.10
181149BN	Modern Deck Spacer for 8560	88.90
181149BL	Modern Deck Spacer for 8560	96.00

M•POWER™ Sensor-Operated Flush Valves







M•POWER Sensor-Operated Flush Valve / 8312

M•POWER™ Sensor-Operated Flush Valves

	MODEL	LIST	FINISH/CONNECT	CASE QTY	
1-1/2" DC SENSOR-OPERATED CLOSET FLUSH VALVE					
 <ul style="list-style-type: none"> flush valve type: water closet vandal resistant: yes battery-powered (4AA included) flush valve technology: accuset piston cast brass material easy front battery access mechanical override 		3.5 GPF (13.0 LPF)			
	8310S35	655.60	Chrome	3	
			1.6 GPF (6.0 LPF)		
	8310	655.60	Chrome	3	
		1.28 GPF (4.8 LPF)			
	8311	655.60	Chrome	3	
1-1/2" DC SENSOR-OPERATED CLOSET FLUSH VALVE - DUAL FLUSH					
 <ul style="list-style-type: none"> flush valve type: water closet dual flush vandal resistant: yes battery-powered (4AA included) flush valve technology: accuset piston cast brass material easy front battery access mechanical override 		1.0 GPF (3.8 LPF) and 1.6 GPF (6.0 LPF)			
	8310DF16	688.25	Chrome	3	
1-1/2" AC SENSOR-OPERATED CLOSET FLUSH VALVE					
 <ul style="list-style-type: none"> flush valve type: water closet vandal resistant: yes AC powered required 12V transformer: sold separately flush valve technology: accuset piston cast brass material easy front battery access mechanical override 		1.6 GPF (6.0 LPF)			
	8310AC16	655.60	Chrome	3	
			1.28 GPF (4.8 LPF)		
	8311AC12	655.60	Chrome	3	
1-1/2" AC SENSOR-OPERATED CLOSET FLUSH VALVE - DUAL FLUSH					
 <ul style="list-style-type: none"> flush valve type: water closet dual flush vandal resistant: yes AC powered required 12V transformer: sold separately flush valve technology: accuset piston cast brass material easy front battery access mechanical override 		1.0 GPF (3.8 LPF) and 1.6 GPF (6.0 LPF)			
	8310ACDF16	688.25	Chrome	3	
3/4" DC SENSOR-OPERATED URINAL FLUSH VALVE					
 <ul style="list-style-type: none"> flush valve type: urinal vandal resistant: yes battery-powered (4AA included) flush valve technology: accuset piston cast brass material easy front battery access mechanical override 		1.0 GPF (3.8 LPF)			
	8312	655.60	Chrome	3	
			0.5 GPF (1.9 LPF)		
	8315	655.60	Chrome	3	
		0.125 GPF (0.5 LPF)			
	8316	655.60	Chrome	3	

For one (1) or multi-unit AC applications, order one (1) multi-unit transformer [104630] which powers up to eight (8) units.

M•POWER™ Sensor-Operated Flush Valves

		MODEL	LIST	FINISH/CONNECT	CASE QTY
3/4" AC SENSOR-OPERATED URINAL FLUSH VALVE					
 <ul style="list-style-type: none"> • flush valve type: urinal • vandal resistant: yes • AC powered required 12V transformer: sold separately • flush valve technology: accuset piston • cast brass material • easy front battery access • mechanical override 		1.0 GPF (3.8 LPF)			
		8312AC10	655.60	Chrome	3
		0.5 GPF (1.9 LPF)			
		8315AC05	655.60	Chrome	3
		0.125 GPF (0.5 LPF)			
		8316AC	655.60	Chrome	3
DC SENSOR-OPERATED CLOSET FLUSH VALVE RETROFIT KIT					
 <ul style="list-style-type: none"> • flush valve type: water closet retrofit • vandal resistant: yes • battery-powered (4AA included) • flush valve technology: accuset piston • cast brass material • easy front battery access • mechanical override 		3.5 GPF (13.0 LPF)			
		8310SR35	548.60	Chrome	3
		1.6 GPF (6.0 LPF)			
		8310R16	548.60	Chrome	3
		1.28 GPF (4.8 LPF)			
		8310SR128	548.60	Chrome	3
DC SENSOR-OPERATED CLOSET FLUSH VALVE RETROFIT KIT - DUAL FLUSH					
 <ul style="list-style-type: none"> • flush valve type: water closet retrofit • dual flush • vandal resistant: yes • battery-powered (4AA included) • flush valve technology: accuset piston • cast brass material • easy front battery access • mechanical override 		1.0 GPF (3.8 LPF) and 1.6 GPF (6.0 LPF)			
		8310RDF16	575.90	Chrome	3
DC SENSOR-OPERATED URINAL FLUSH VALVE RETROFIT KIT					
 <ul style="list-style-type: none"> • flush valve type: urinal retrofit • vandal resistant: yes • battery-powered (4AA included) • flush valve technology: accuset piston • cast brass material • easy front battery access • mechanical override 		1.0 GPF (3.8 LPF)			
		8312R10	548.60	Chrome	3
		0.5 GPF (1.9 LPF)			
		8312SR05	548.60	Chrome	3
		0.125 GPF (0.5 LPF)			
		8312SR125	548.60	Chrome	3

COMMERCIAL

For one (1) or multi-unit AC applications, order one (1) multi-unit transformer (104630) which powers up to eight (8) units.

See Commercial Product Icon Key, page 3

M•POWER™ Sensor-Operated Flush Valves**SENSOR-OPERATED FLUSH VALVE ACCESSORIES**










Part No.	Description	List Price
104585	1 ½" Flush Extension Tube-24"	141.75
104587	Flush Valve Trap Primer	172.75
104588	1" Sweat Kit, Flush Valve	32.50
104589	1" Sweat Kit, Flush Valve 6" Long	52.25
104555	1" Angle Stop Valve Flush Valve	132.20
104556	¾" Angle Stop Valve Flush Valve	132.20
104570	Vacuum Breaker Kit	21.65
104571	Brass Valve Body Nut Flush Valve	28.90
104578	1 ½" Brass Flush Valve Tube	55.20
104579	1 ¼" Brass Flush Tube	59.90
104580	¾" Brass Flush Tube	55.30
104581	1 ½" Top Spud Assembly	38.65
104582	1 ¼" Top Spud Assembly	35.15
104583	¾" Top Spud Assembly	30.30
104584	Urinal Tailpiece (24" x ¾")	89.95
104617	Flush Valve Battery Pack	35.00
104618	Front Shroud 1.6 gpf	82.80
104619	Front Shroud 1.28 gpf	82.80
104620	Front Shroud 3.5 gpf	82.80
104621	Front Shroud 1.0 gpf	82.80
104622	Front Shroud 0.5 gpf	82.80
104623	Front Shroud 1.0/1.6 gpf	82.80
104624	Front Shroud 0.125 gpf	82.80
104625	Rear Shroud DC	39.00
104626	Rear Shroud AC	40.05
104627	Flush Valve Override Assembly	37.30
104628	Piston and Manifold Tool	110.20
104630	Multi-Unit AC Transformer (powers up to 8 units)	113.20
104631	AC Cover Tube and Escutcheon	37.40
104633	Solenoid Manifold and Tool	133.35
104634	Flush Valve Override Cap	26.35

M•DURA™ Heavy-Duty Manual Flush Valves



M•DURA Heavy-Duty Manual Urinal Flush Valve / 8312M Series

M•DURA™ Heavy-Duty Manual Flush Valves

		MODEL	LIST	FINISH/CONNECT	CASE QTY
1-1/2" MANUAL CLOSET FLUSH VALVE					
 <ul style="list-style-type: none"> flush valve type: water closet flush valve technology: accuset piston cast brass material  	3.5 GPF (13.0 LPF)				
	8310M35	204.25	Chrome	3	
	1.6 GPF (6.0 LPF)				
	8310M16	204.25	Chrome	3	
	1.28 GPF (4.8 LPF)				
	8310M128	204.25	Chrome	3	
3/4" MANUAL URINAL FLUSH VALVE					
 <ul style="list-style-type: none"> flush valve type: urinal flush valve technology: accuset piston cast brass material  	1.0 GPF (3.8 LPF)				
	8312M10	204.25	Chrome	3	
	0.5 GPF (1.9 LPF)				
	8312M05	204.25	Chrome	3	
	0.125 GPF (0.5 LPF)				
	8312M0125	204.25	Chrome	3	
MANUAL CLOSET FLUSH VALVE RETROFIT KIT					
 <ul style="list-style-type: none"> flush valve type: water closet retrofit flush valve technology: accuset piston cast brass material  	1.28 GPF (4.8 LPF)				
	8310MR128	164.35	Chrome	6	

M•DURA™ Heavy-Duty Manual Flush Valves

MANUAL FLUSH VALVE ACCESSORIES

Part No.	Description	List Price
104540	M•DURA™ 2 1/4" Extension (standard) Nipple (compatible with Delany angle stops)	43.95
104541	M•DURA™ 1 3/4" Extension Nipple (compatible with Delany angle stops)	38.45
104542	M•DURA™ 2 3/4" Extension Nipple (compatible with Delany angle stops)	53.50
104543	M•DURA™ 3 1/4" Extension Nipple (compatible with Delany angle stops)	59.00
104544	M•DURA™ 3 3/4" Extension Nipple (compatible with Delany angle stops)	65.85
104545	M•DURA™ 4 1/4" Extension Nipple (compatible with Delany angle stops)	72.70
104546	M•DURA™ 2 1/8" Extension (standard) Nipple	38.45
104547	M•DURA™ 2 1/2" Extension Nipple	42.60
104548	M•DURA™ 3" Extension Nipple	45.30
104549	M•DURA™ 3 1/2" Extension Nipple	49.40
104550	M•DURA™ 4" Extension Nipple	54.95
104551	M•DURA™ 4 1/2" Extension Nipple	59.00
104552	M•DURA™ 5" Extension Nipple	65.85
104553	M•DURA™ 5 1/2" Extension Nipple	70.00
104554	M•DURA™ 6" Extension Nipple	75.45
104555	M•DURA™ 1" Angle Stop	132.20
104556	M•DURA™ 3/4" Angle Stop	132.20
104557	M•DURA™ Angle Stop Repair Kit	23.10
104560	M•DURA™ Offset Flush Tube 2 1/2" x 1 1/2"	51.35
104561	M•DURA™ Cap Assembly	72.45
104563	M•DURA™ 3.5 gpf (13.2 lpf) Piston	97.45
104564	M•DURA™ 1.6 gpf (6.0 lpf) Piston	97.45
104565	M•DURA™ 1.28 gpf (4.8 lpf) Piston	97.45
104566	M•DURA™ 1.0 gpf (3.8 lpf) Piston	97.45
104567	M•DURA™ 0.5 gpf (1.9 lpf) Piston	97.45
104568	M•DURA™ 0.125 gpf (0.5 lpf) Piston	97.45
104569	M•DURA™ Handle Assembly	29.30
104570	M•DURA™ Vacuum Breaker Assembly	21.65
104571	M•DURA™ Body Nut	28.90
104572	M•DURA™ Angle Stop Replacement Cap	7.50
104578	M•DURA™ Flush Tube 8 1/2" x 1 1/2"	55.20
104579	M•DURA™ Flush Tube 8" x 1 1/4"	59.90
104580	M•DURA™ Flush Tube 8" x 1 3/4"	55.30
104581	M•DURA™ 1 1/2" Top Spud Assembly	38.65
104582	M•DURA™ 1 1/4" Top Spud Assembly	35.15
104583	M•DURA™ 3/4" Top Spud Assembly	30.30
104584	M•DURA™ Flush Extension Tube 24" x 3/4"	89.95
104585	M•DURA™ Flush Extension Tube 24" x 1 1/2"	141.75
104588	M•DURA™ Sweat Kit (1" supply) 3" length	32.50
104589	M•DURA™ Sweat Kit (1" supply) 6" length	52.25
104590	M•DURA™ Cap Assembly with 3.5 gpf Marking	31.05
104591	M•DURA™ Cap Assembly with 1.6 gpf Marking	31.05
104592	M•DURA™ Cap Assembly with 1.28 gpf Marking	31.05
104593	M•DURA™ Cap Assembly with 1.0 gpf Marking	31.05
104594	M•DURA™ Cap Assembly with 0.5 gpf Marking	31.05
104595	M•DURA™ Cap Assembly with 0.125 gpf Marking	31.05
104597	M•DURA™ Tail Piece and Interior Cap Tool	20.75
104598	M•DURA™ Sweat Kit (3/4" supply) 3" length	30.60
104599	M•DURA™ Sweat Kit (3/4" supply) 6" length	54.95
104609	M•DURA™ Piston Gaskets	12.00

BEDPAN WASHER ACCESSORIES












Part No.	Description	List Price
104573	M•DURA™ Bedpan Washer Seal Kit	27.95
104574	M•DURA™ Bedpan Washer Seal Kit	61.10
104575	M•DURA™ Bedpan Washer Arm Assembly	54.80
104577	M•DURA™ Bedpan Washer Spray Face	13.15
104600	M•DURA™ Offset Flush Tube 8" x 1 1/2"	58.95

M•DURA™ Heavy-Duty Showering



M•DURA Modern Heavy-Duty Shower System / T9342 Series

M•DURA™ Heavy-Duty Showering





















	MODEL	LIST	FINISH/CONNECT	CASE QTY
POSI-TEMP® PRESSURE-BALANCE TUB/SHOWER WITH HANDSHOWER ON SLIDEBAR				
 <ul style="list-style-type: none"> • connection: 1/2" • single-function standard showerhead • single-function handshower with non-positive pause • non-diverting tub spout length 5" • hose: 72" metal • Posi-Temp® and transfer valve included • cartridge: 1222HD • check stops: yes • valve meets ASSE performance requirements • 30" slide bar included† • drop ell included 	2.5 GPM (9.5 L/min) max.			
	8343	734.30	Chrome	1
POSI-TEMP® PRESSURE-BALANCE TUB/SHOWER TRIM WITH HANDSHOWER ON SLIDEBAR				
 <ul style="list-style-type: none"> • connection: 1/2" • single-function standard showerhead • single-function handshower with non-positive pause • non-diverting tub spout length 5" • hose: 72" metal • Posi-Temp® and transfer valves sold separately • 30" slide bar included† • drop ell included 	2.5 GPM (9.5 L/min) max.			
	T8343	392.85	Chrome	1
	T8343CBN	577.60	Classic Brushed Nickel	1
 <ul style="list-style-type: none"> • connection: 1/2" • single-function standard showerhead • single-function handshower with non-positive pause • non-diverting tub spout length 5" • hose: 72" metal • Posi-Temp® and transfer valves sold separately • 30" slide bar included† • drop ell included 	1.5 GPM (5.7 L/min) max.			
	T8343EP15	392.85	Chrome	1
	T8343EP15CBN	577.60	Classic Brushed Nickel	1
POSI-TEMP® MIXING SHOWER VALVE				
 <ul style="list-style-type: none"> • cartridge type: ceramic disc • valve type: transfer • no. of ports: four 	8370HD	143.85	1/2" CC without Integral stops	6
	8371HD	173.10	1/2" CC with Integral stops	6
	8372HD	173.10	1/2" IPS with Integral stops	6
	8373HD	173.10	1/2" PEX with Integral stops	6
	8374HD	186.60	1/2" CPVC with Integral stops	6
	8375HD	173.10	1/2" Cold Exp. PEX w/ Integral Stops	6
THREE-FUNCTION TRANSFER VALVE				
 <ul style="list-style-type: none"> • cartridge type: ceramic disc • valve type: transfer • no. of ports: four • functions: three independent 	3360	211.70	1/2" CC	6
HOW TO ORDER VALVES: PAGES 54-56				
				

*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

† Slide bar is not a grab bar. Not to be used as support.

See Commercial Product Icon Key, page 3

M•DURA™ Heavy-Duty Showering


















		MODEL	LIST	FINISH/CONNECT	CASE QTY					
POSI-TEMP® PRESSURE-BALANCE SHOWER ONLY TRIM WITH HANDSHOWER ON SLIDEBAR										
 <ul style="list-style-type: none"> • connection: 1/2" • single-function standard showerhead • single-function handshower with non-positive pause • hose: 72" metal • Posi-Temp® and transfer valves sold separately • 30" slide bar included† • drop ell included • marked with red/blue temperature indicators 		1.5 GPM (5.7 L/min) max. T9342EP15 508.35 Chrome 1								
										
POSI-TEMP® MIXING SHOWER VALVE										
 <ul style="list-style-type: none"> • cartridge type: ceramic disc • valve type: transfer • no. of ports: four 		8370HD	143.85	1/2" CC without Integral stops	6					
			8371HD	173.10	1/2" CC with Integral stops	6				
			8372HD	173.10	1/2" IPS with Integral stops	6				
			8373HD	173.10	1/2" PEX with Integral stops	6				
			8374HD	186.60	1/2" CPVC with Integral stops	6				
			8375HD	173.10	1/2" Cold Exp. PEX w/ Integral Stops	6				
										
THREE-FUNCTION TRANSFER VALVE										
 <ul style="list-style-type: none"> • cartridge type: ceramic disc • valve type: transfer • no. of ports: four • functions: three independent 		3360	211.70	1/2" CC	6					
										
HOW TO ORDER VALVES: PAGES 54-56										
	TRIM PART #	+		VALVE PART #	+		VALVE PART #	=		COMPLETE FAUCET
POSI-TEMP® PRESSURE-BALANCE SHOWER ONLY TRIM WITH HANDSHOWER ON SLIDE BAR GRAB BAR										
 <ul style="list-style-type: none"> • connection: 1/2" • single-function standard showerhead • single-function handshower with non-positive pause • hose: 72" metal • Posi-Temp® and transfer valves sold separately • 24" slide bar / grab bar included • drop ell included • marked with red/blue temperature indicators 		1.5 GPM (5.7 L/min) max. T9342GBM15 559.15 Chrome 1								
										
POSI-TEMP® MIXING SHOWER VALVE										
 <ul style="list-style-type: none"> • cartridge type: ceramic disc • valve type: transfer • no. of ports: four 		8370HD	143.85	1/2" CC without Integral stops	6					
			8371HD	173.10	1/2" CC with Integral stops	6				
			8372HD	173.10	1/2" IPS with Integral stops	6				
			8373HD	173.10	1/2" PEX with Integral stops	6				
			8374HD	186.60	1/2" CPVC with Integral stops	6				
			8375HD	173.10	1/2" Cold Exp. PEX w/ Integral Stops	6				
										
THREE-FUNCTION TRANSFER VALVE										
 <ul style="list-style-type: none"> • cartridge type: ceramic disc • valve type: transfer • no. of ports: four • functions: three independent 		3360	211.70	1/2" CC	6					
										
HOW TO ORDER VALVES: PAGES 54-56										
	TRIM PART #	+		VALVE PART #	+		VALVE PART #	=		COMPLETE FAUCET

*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

† Slide bar is not a grab bar. Not to be used as support.

See Commercial Product Icon Key, page 3

M•DURA™ Heavy-Duty Showering

	MODEL	LIST	FINISH/CONNECT	CASE QTY		
POSI-TEMP® PRESSURE-BALANCE SHOWER ONLY WITH HANDSHOWER ON SLIDEBAR						
 <ul style="list-style-type: none"> • connection: 1/2" • single-function standard showerhead • single-function handshower with non-positive pause • hose: 72" metal • Posi-Temp® and transfer valve included • cartridge: 1222HD • check stops: yes • valve meets ASSE performance requirements • 30" slide bar included† • drop ell included  	2.5 GPM (9.5 L/min) max.					
	8342	714.95	Chrome	1		
	1.5 GPM (5.7 L/min) max.					
	8342EP15	714.95	Chrome	1		
POSI-TEMP® PRESSURE-BALANCE SHOWER ONLY TRIM WITH HANDSHOWER ON SLIDEBAR						
 <ul style="list-style-type: none"> • connection: 1/2" • single-function standard showerhead • single-function handshower with non-positive pause • hose: 72" metal • Posi-Temp® and transfer valves sold separately • 30" slide bar included† • drop ell included  	2.5 GPM (9.5 L/min) max.					
	T8342	371.85	Chrome	1		
	T8342CBN	546.55	Classic Brushed Nickel	1		
	1.5 GPM (5.7 L/min) max.					
	T8342EP15	371.85	Chrome	1		
	T8342EP15CBN	546.55	Classic Brushed Nickel	1		
 <ul style="list-style-type: none"> • connection: 1/2" • single-function standard showerhead • single-function handshower with non-positive pause • hose: 72" metal • Posi-Temp® and transfer valves sold separately • 30" slide bar included† • drop ell included  	T8342NH	362.90	Chrome	1		
	T8342NHCBN	497.65	Classic Brushed Nickel	1		
POSI-TEMP® MIXING SHOWER VALVE						
  <ul style="list-style-type: none"> • cartridge type: ceramic disc • valve type: transfer • no. of ports: four 	8370HD	143.85	1/2" CC without Integral stops	6		
	8371HD	173.10	1/2" CC with Integral stops	6		
	8372HD	173.10	1/2" IPS with Integral stops	6		
	8373HD	173.10	1/2" PEX with Integral stops	6		
	8374HD	186.60	1/2" CPVC with Integral stops	6		
	8375HD	173.10	1/2" Cold Exp. PEX w/ Integral Stops	6		
THREE-FUNCTION TRANSFER VALVE						
  <ul style="list-style-type: none"> • cartridge type: ceramic disc • valve type: transfer • no. of ports: four • functions: three independent 	3360	211.70	1/2" CC	6		
HOW TO ORDER VALVES: PAGES 54-56						
 TRIM PART #	+	 VALVE PART #	+	 VALVE PART #	=	 COMPLETE FAUCET

*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).










† Slide bar is not a grab bar. Not to be used as support.

See **Commercial Product Icon Key**, page 3

COMMERCIAL

M•DURA™ Heavy-Duty Showering

MODEL LIST FINISH/CONNECT CASE QTY

POSI-TEMP® PRESSURE-BALANCE VALVE ONLY TRIM WITH HANDSHOWER ON SLIDE BAR GRAB BAR				
 <ul style="list-style-type: none"> • connection: 1/2" • single-function handshower with non-positive pause • hose: 72" metal • valve sold separately • 24" slide bar / grab bar included • drop ell included • marked with red/blue temperature indicators 	1.5 GPM (5.7 L/min) max.			
	T9346GBM15	492.60	Chrome/Stainless	1
POSI-TEMP® MIXING SHOWER VALVE				
 <ul style="list-style-type: none"> • cartridge type: ceramic disc • valve type: transfer • no. of ports: four 	8370HD	143.85	1/2" CC without Integral stops	6
	8371HD	173.10	1/2" CC with Integral stops	6
	8372HD	173.10	1/2" IPS with Integral stops	6
	8373HD	173.10	1/2" PEX with Integral stops	6
	8374HD	186.60	1/2" CPVC with Integral stops	6
	8375HD	173.10	1/2" Cold Exp. PEX w/ Integral Stops	6
HOW TO ORDER VALVES: PAGES 54-56				
 TRIM PART # +  VALVE PART # =  COMPLETE FAUCET				
POSI-TEMP® PRESSURE-BALANCE VALVE ONLY WITH HANDSHOWER ON SLIDE BAR				
 <ul style="list-style-type: none"> • connection: 1/2" • single-function handshower with non-positive pause • hose: 72" metal • Posi-Temp® valve included • cartridge: 1222HD • check stops: yes • valve meets ASSE performance requirements • 30" slide bar included † • drop ell included 	2.5 GPM (9.5 L/min) max.			
	8346	507.60	Chrome	4
	1.5 GPM (5.7 L/min) max.			
	8346EP15	507.60	Chrome	4








COMMERCIAL

*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

† Slide bar is not a grab bar. Not to be used as support.

See **Commercial Product Icon Key**, page 3

M•DURA™ Heavy-Duty Showering












		MODEL	LIST	FINISH/CONNECT	CASE QTY
POSI-TEMP® PRESSURE-BALANCE VALVE ONLY TRIM WITH HANDSHOWER ON SLIDE BAR					
 <ul style="list-style-type: none"> • connection: 1/2" • single-function handshower with non-positive pause • hose: 72" metal • Posi-Temp® valve sold separately • 30" slide bar included† • drop ell included 		2.5 GPM (9.5 L/min) max.			
		T8346	343.15	Chrome	4
		T8346CBN	486.55	Classic Brushed Nickel	4
		1.5 GPM (5.7 L/min) max.			
		T8346EP15	343.15	Chrome	4
		T8346EP15CBN	486.55	Classic Brushed Nickel	4
POSI-TEMP® MIXING SHOWER VALVE					
 <ul style="list-style-type: none"> • cartridge type: ceramic disc • valve type: transfer • no. of ports: four 		8370HD	143.85	1/2" CC without Integral stops	6
		8371HD	173.10	1/2" CC with Integral stops	6
		8372HD	173.10	1/2" IPS with Integral stops	6
		8373HD	173.10	1/2" PEX with Integral stops	6
		8374HD	186.60	1/2" CPVC with Integral stops	6
		8375HD	173.10	1/2" Cold Exp. PEX w/ Integral Stops	6
<p>HOW TO ORDER VALVES: PAGES 54-56</p> <div style="display: flex; align-items: center; justify-content: center;">  <div style="margin: 0 10px;"> <p>TRIM PART #</p> </div> <div style="margin: 0 10px;">+</div>  <div style="margin: 0 10px;"> <p>VALVE PART #</p> </div> <div style="margin: 0 10px;">=</div>  <div style="margin: 0 10px;"> <p>COMPLETE FAUCET</p> </div> </div>					

*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

† Slide bar is not a grab bar. Not to be used as support.

See **Commercial Product Icon Key**, page 3














M•DURA™ Heavy-Duty Showering

		MODEL	LIST	FINISH/CONNECT	CASE QTY	
POSI-TEMP® PRESSURE-BALANCE TUB/SHOWER						
 <ul style="list-style-type: none"> • connection: 1/2" • single-function standard showerhead • tub spout length: 5.5" • Posi-Temp® valve included • cartridge: 1222HD • check stops: yes • valve meets ASSE performance requirements 		1.5 GPM (5.7 L/min) max.				
		8389EP15	262.55	Chrome	6	
POSI-TEMP® PRESSURE-BALANCE TUB/SHOWER TRIM						
 <ul style="list-style-type: none"> • connection: 1/2" • single-function standard showerhead • tub spout length: 5.5" • Posi-Temp® valve sold separately 		2.5 GPM (9.5 L/min) max.				
		T8389	102.60	Chrome	3	
		1.5 GPM (5.7 L/min) max.				
	T8389EP15	102.60	Chrome	3		
	T8389EP15CBN	160.25	Classic Brushed Nickel	3		
 <ul style="list-style-type: none"> • connection: 1/2" • single-function standard showerhead • tub spout length: 5.5" • Posi-Temp® valve sold separately 		1.5 GPM (5.7 L/min) max.				
		T9389EP15	170.65	Chrome	3	
POSI-TEMP® MIXING SHOWER VALVE						
 <ul style="list-style-type: none"> • cartridge type: ceramic disc • valve type: transfer • no. of ports: four 		8370HD	143.85	1/2" CC without Integral stops	6	
		8371HD	173.10	1/2" CC with Integral stops	6	
		8372HD	173.10	1/2" IPS with Integral stops	6	
		8373HD	173.10	1/2" PEX with Integral stops	6	
		8374HD	186.60	1/2" CPVC with Integral stops	6	
		8375HD	173.10	1/2" Cold Exp. PEX w/ Integral Stops	6	
HOW TO ORDER VALVES: PAGES 54-56		 TRIM PART #	+	 VALVE PART #	=	 COMPLETE FAUCET

COMMERCIAL












*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

M•DURA™ Heavy-Duty Showering

		MODEL	LIST	FINISH/CONNECT	CASE QTY
POSI-TEMP® PRESSURE-BALANCE SHOWER ONLY					
 <ul style="list-style-type: none"> • connection: 1/2" • single-function standard showerhead • Posi-Temp® valve included • cartridge: 1222HD • check stops: yes • valve meets ASSE performance requirements 	<p>2.5 GPM (9.5 L/min) max.</p> <p>8375</p>	229.90	Chrome	12	
	<p>1.5 GPM (5.7 L/min) max.</p> <p>8375EP15</p>	229.90	Chrome	12	
POSI-TEMP® PRESSURE-BALANCE SHOWER ONLY TRIM					
 <ul style="list-style-type: none"> • connection: 1/2" • single-function standard showerhead • Posi-Temp® valve sold separately 	<p>2.5 GPM (9.5 L/min) max.</p> <p>T8375</p>	67.00	Chrome	3	
	<p>1.5 GPM (5.7 L/min) max.</p> <p>T8375EP15</p>	67.00	Chrome	3	
 <ul style="list-style-type: none"> • connection: 1/2" • showerhead sold separately • Posi-Temp® valve sold separately 	T8375NH	47.50	Chrome	3	
	T8375NHCBN	79.35	Classic Brushed Nickel	3	
 <ul style="list-style-type: none"> • connection: 1/2" • single-function standard showerhead • Posi-Temp® valve sold separately 	<p>1.5 GPM (5.7 L/min) max.</p> <p>T9375EP15</p>	134.15	Chrome	3	
POSI-TEMP® MIXING SHOWER VALVE					
 <ul style="list-style-type: none"> • cartridge type: ceramic disc • valve type: transfer • no. of ports: four 	8370HD	143.85	1/2" CC without Integral stops	6	
	8371HD	173.10	1/2" CC with Integral stops	6	
	8372HD	173.10	1/2" IPS with Integral stops	6	
	8373HD	173.10	1/2" PEX with Integral stops	6	
	8374HD	186.60	1/2" CPVC with Integral stops	6	
	8375HD	173.10	1/2" Cold Exp. PEX w/ Integral Stops	6	
<p>HOW TO ORDER</p> <p>VALVES: PAGES 54-56</p> <div style="display: flex; align-items: center; justify-content: center;">  +  =  </div>					
















*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

M•DURA™ Heavy-Duty Showering


		MODEL	LIST	FINISH/CONNECT	CASE QTY
POSI-TEMP® PRESSURE-BALANCE VALVE ONLY					
 <ul style="list-style-type: none"> • connection: 1/2" • Posi-Temp® valve included • cartridge: 1222HD • check stops: yes • valve meets ASSE performance requirements 		8370	204.05	Chrome	12
	POSI-TEMP® PRESSURE-BALANCE VALVE ONLY TRIM				
 <ul style="list-style-type: none"> • connection: 1/2" • Posi-Temp® valve sold separately 		T8370	38.80	Chrome	3
		T8370CBN	70.80	Classic Brushed Nickel	3
 <ul style="list-style-type: none"> • connection: 1/2" • Posi-Temp® valve sold separately 		T9370	107.20	Chrome	3
POSI-TEMP® MIXING SHOWER VALVE					
 <ul style="list-style-type: none"> • cartridge type: ceramic disc • valve type: transfer • no. of ports: four 		8370HD	143.85	1/2" CC without Integral stops	6
		8371HD	173.10	1/2" CC with Integral stops	6
		8372HD	173.10	1/2" IPS with Integral stops	6
		8373HD	173.10	1/2" PEX with Integral stops	6
		8374HD	186.60	1/2" CPVC with Integral stops	6
		8375HD	173.10	1/2" Cold Exp. PEX w/ Integral Stops	6
HOW TO ORDER VALVES: PAGES 54-56	 TRIM PART #	+	 VALVE PART #	=	 COMPLETE FAUCET

*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

M•DURA™ Heavy-Duty Showering

		MODEL	LIST	FINISH/CONNECT	CASE QTY
M-CORE® 3-SERIES VALVE ONLY					
 <ul style="list-style-type: none"> • connection: 1/2" • M-CORE® valve included • cartridge: M-CORE pressure balanced with volume and temperature control • check stops: yes • valve meets ASSE performance requirements 		U8350	262.95	Chrome	3
M-CORE® 3-SERIES VALVE ONLY TRIM					
 <ul style="list-style-type: none"> • connection: 1/2" • cartridge: M-CORE pressure balanced with volume and temperature control • valve sold separately 		UT8350	195.40	Chrome	3
		UT8350CBN	250.75	Classic Brushed Nickel	3
M-CORE® MIXING SHOWER VALVE					
 <ul style="list-style-type: none"> • tub/shower or shower only application • ports: four with adj. temp. limit stops • included: test plug and cross flow plug 		U140CI	72.60	1/2" CC/IPS	6
		U140X	72.60	1/2" Crimp Ring PEX + CC/IPS Tub	6
		U140CX	72.60	1/2" Cold Exp. PEX + CC/IPS Tub	6
		U140V	88.95	1/2" CPVC + CC/IPS Tub	6
 <ul style="list-style-type: none"> • tub/shower or shower only application • ports: four with adj. temp. limit stops • quarter turn stops: included 		U140CIS	104.50	1/2" CC/IPS	6
		U140XS	104.50	1/2" Crimp Ring PEX + CC/IPS Tub	6
		U140CXS	104.50	1/2" Cold Exp. PEX + CC/IPS Tub	6
		U140VS	120.85	1/2" CPVC + CC/IPS Tub	6
 <ul style="list-style-type: none"> • shower only application • ports: three 		U130CI	72.60	1/2" CC/IPS	6
		U130X	72.60	1/2" Crimp Ring PEX	6
		U130CX	72.60	1/2" Cold Exp. PEX	6
 <ul style="list-style-type: none"> • shower only application • ports: three • quarter turn stops: included 		U130CIS	104.50	1/2" CC/IPS	6
		U130XS	104.50	1/2" Crimp Ring PEX	6
		U130CXS	104.50	1/2" Cold Exp. PEX	6
<p>Four port valves can be used with either Tub/Shower or Shower Only applications. Three port valves can ONLY be used with Shower Only applications.</p>					
 TRIM PART # +  VALVE PART # =  COMPLETE FAUCET					













M•DURA™ Heavy-Duty Showering

		MODEL	LIST	FINISH/CONNECT	CASE QTY
THREE-FUNCTION TRANSFER VALVE ONLY					
	<ul style="list-style-type: none"> • connection: 1/2" • transfer valve included • cartridge type: transfer 	8360	251.00	Chrome	6
THREE-FUNCTION TRANSFER VALVE ONLY TRIM					
	<ul style="list-style-type: none"> • connection: 1/2" • transfer valve sold separately 	T8360	49.60	Chrome	3
		T8360CBN	90.60	Classic Brushed Nickel	3
	<ul style="list-style-type: none"> • connection: 1/2" • transfer valve sold separately 	T9360	137.20	Chrome	3
	<ul style="list-style-type: none"> • connection: 1/2" • transfer valve sold separately 	T4192	154.80	Chrome	12
THREE-FUNCTION TRANSFER VALVE					
	<ul style="list-style-type: none"> • cartridge type: ceramic disc • valve type: transfer • no. of ports: four • functions: three independent 	3360	211.70	1/2" CC	6
HOW TO ORDER VALVES: PAGE 55	 TRIM PART #	+	 VALVE PART #	=	 COMPLETE FAUCET
24" X 1-1/4" SLIDE BAR GRAB BAR WITH HANDSHOWER WITHOUT VALVE					
	<ul style="list-style-type: none"> • connection: 1/2" • single-function handshower • handshower includes: non-positive pause • 72" metal hose • slidebar / grab bar and drop ell included 	2.5 GPM (9.5 L/min) max. 52124GBM25	259.00	Chrome/Stainless	3

COMMERCIAL

M•DURA™ Heavy-Duty Showering









MODEL LIST FINISH/CONNECT CASEQTY

24" X 1-1/2" SLIDE BAR GRAB BAR WITH HANDSHOWER WITHOUT VALVE				
 <ul style="list-style-type: none"> • connection: 1/2" • single-function eco-performance handshower • handshower includes: non-positive pause • 72" metal hose • slidebar / grab bar and drop ell included 	<p>2.5 GPM (9.5 L/min) max.</p>			
	52224GBM25	264.90	Chrome/Stainless	3
	<p>1.75 GPM (6.65 L/min) max.</p>			
	52224GBM17	264.90	Chrome/Stainless	3
	<p>1.5 GPM (5.7 L/min) max.</p>			
52224GBM15	264.90	Chrome/Stainless	3	
52224GBM15CBN	542.95	Classic Brushed Nickel	3	
24" X 1-1/2" SLIDE BAR GRAB BAR WITH HANDSHOWER WITHOUT VALVE				
 <ul style="list-style-type: none"> • connection: 1/2" • single-function handshower • handshower includes: non-positive pause • 59" plastic hose • slidebar / grab bar and drop ell included 	<p>2.5 GPM (9.5 L/min) max.</p>			
	52224GBP25	229.70	Chrome/Stainless	3
	36" X 1-1/2" SLIDE BAR GRAB BAR WITH HANDSHOWER WITHOUT VALVE			
	 <ul style="list-style-type: none"> • connection: 1/2" • single-function eco-performance handshower • handshower includes: non-positive pause • 72" metal hose • slidebar / grab bar and drop ell included 	<p>2.5 GPM (9.5 L/min) max.</p>		
		52236GBM25	288.45	Chrome/Stainless
<p>1.75 GPM (6.65 L/min) max.</p>				
52236GBM17		288.45	Chrome/Stainless	3
<p>1.5 GPM (5.7 L/min) max.</p>				
52236GBM15	288.45	Chrome/Stainless	3	
52236GBM15CBN	590.10	Classic Brushed Nickel	3	
30" SLIDE BAR WITH HANDSHOWER WITHOUT VALVE				
 <ul style="list-style-type: none"> • connection: 1/2" • single-function handshower • handshower includes: non-positive pause • 72" metal hose • slidebar and drop ell included † 	<p>2.5 GPM (9.5 L/min) max.</p>			
	52710	300.65	Glacier/Chrome	6
	52710CBN	598.40	Classic Brushed Nickel	6
	<p>1.5 GPM (5.7 L/min) max.</p>			
	52710EP15	300.65	Chrome	6
52710EP15CBN	598.40	Classic Brushed Nickel	6	
 <ul style="list-style-type: none"> • connection: 1/2" • three-function eco-performance handshower • handshower includes: non-positive pause • 72" metal hose • slidebar and drop ell included † 	<p>1.75 GPM (6.65 L/min) max.</p>			
	52740EP17	300.05	Chrome	6
	HANDSHOWER WITH WALL BRACKET WITHOUT VALVE			
	 <ul style="list-style-type: none"> • connection: 1/2" • single-function eco-performance handshower • handshower includes: non-positive pause • 72" metal hose • drop ell included 	<p>1.5 GPM (5.7 L/min) max.</p>		
		52748EP15	219.35	Chrome

† Slide bar is not a grab bar. Not to be used as support.
See Commercial Product Icon Key, page 3




COMMERCIAL

M•DURA™ Heavy-Duty Showering

		MODEL	LIST	FINISH/CONNECT	CASE QTY
HANDSHOWER					
	<ul style="list-style-type: none"> • 1/2" connection • single-function handshower with non-positive pause • integral double check valve in handshower 	2.5 GPM (9.5 L/min) max.			
		8349	82.30	Chrome	6
		1.75 GPM (6.65 L/min) max.			
		8349EP17	82.30	Chrome	6
		8349EP17CBN	119.85	Classic Brushed Nickel	6
		1.5 GPM (5.7 L/min) max.			
8349EP15	82.30	Chrome	6		
8349EP15CBN	119.85	Classic Brushed Nickel	6		
HANDSHOWER					
	<ul style="list-style-type: none"> • 1/2" connection • single-function eco-performance handshower with non-positive pause • integral double check valve in handshower 	1.5 GPM (5.7 L/min) max.			
		9349EP15	116.80	Chrome	6
SHOWER ARM AND FLANGE					
	<ul style="list-style-type: none"> • connection: 1/2" IPS • length 6" • all metal 	A705	57.75	Chrome	12
		A705CBN	86.55	Classic Brushed Nickel	12
VANDAL-RESISTANT SHOWERHEAD					
	<ul style="list-style-type: none"> • 1/2" connection • single-function eco-performance showerhead • vandal resistant 	1.5 GPM (5.7 L/min) max.			
		9263EP15	79.35	Chrome	12
	<ul style="list-style-type: none"> • 1/2" connection • single-function eco-performance showerhead • vandal resistant 	1.5 GPM (5.7 L/min) max.			
		5263EP15	58.05	Chrome	12
		5263EP15CBN	105.95	Classic Brushed Nickel	12
		1.75 GPM (6.65 L/min) max.			
5263EP17	58.05	Chrome	12		
5263EP17CBN	105.95	Classic Brushed Nickel	12		
	<ul style="list-style-type: none"> • 1/2" connection • single-function eco-performance showerhead • vandal resistant 	1.5 GPM (5.7 L/min) max.			
		52716EP15	76.45	Chrome	20

M•DURA™ Heavy-Duty Showering













MODEL LIST FINISH/CONNECT CASE QTY

VANDAL-RESISTANT WALLMOUNT SHOWERHEAD				
	<ul style="list-style-type: none"> • 1/2" connection • single-function eco-performance showerhead • vandal resistant • wallmounted 	2.5 GPM (9.5 L/min) max.		
		8290	130.15	Chrome 12
	<ul style="list-style-type: none"> • 1/2" connection • single-function eco-performance showerhead • vandal resistant • wallmounted 	1.5 GPM (5.7 L/min) max.		
		8290EP15	125.10	Chrome 12
	<ul style="list-style-type: none"> • 1/2" connection • single-function eco-performance showerhead • vandal resistant • wallmounted • pivoting nozzle 	2.5 GPM (9.5 L/min) max.		
		8292	135.85	Chrome 12






TUB/SHOWER ACCESSORIES

Part No.	Finish	Description	List Price
15856	Chrome	Diverter tub spout, 1/2" slip fit, vandal-resistant	65.50
15856CBN	Classic Brushed Nickel	Diverter tub spout, 1/2" slip fit, vandal-resistant	95.40
100686	Chrome	Slide bar swivel bracket for handshower	54.65
100686CBN	Classic Brushed Nickel	Slide bar swivel bracket for handshower	78.55
104414	Chrome	Wall-mounted bracket for handshower	59.00
52711	---	Slide bar/Grab bar bracket - 1-1/2" diameter	54.50
52714	---	Slide bar/Grab bar bracket - 1-1/4" diameter	54.50
SMA1000CH**	Chrome	SecureMount™ anchors, 1 pair, for use with bedpan washer wallmount flange and grab bars	40.15
A725	Chrome	Drop ell	67.40
A725CBN	Classic Brushed Nickel	Drop ell	89.45
A726	Chrome	69" metal hose (vacuum breaker sold separately)	136.95
A723	Chrome	59" plastic hose (vacuum breaker sold separately)	33.65
A780	Chrome	80" metal hose (vacuum breaker sold separately)	161.50
52703	Chrome	Optional vacuum breaker for handshower, 1/2" IPS connections	72.65

M•DURA™ Heavy-Duty Tub/Shower Valves


		MODEL	LIST	FINISH/CONNECT	CASE QTY
M•CORE™ CARTRIDGE					
	<ul style="list-style-type: none"> • Single-handle replacement cartridge M-CORE® 3-Series • pressure balanced cartridge with volume and temperature control • includes temperature limit stops 	1213	110.00	N/A or Unfinished	12
BRASS POSI-TEMP® CARTRIDGE					
	<ul style="list-style-type: none"> • graphite composite pressure-balancing spool design • material: brass 	1222HD	110.35	N/A or Unfinished	18
M-CORE® MIXING SHOWER VALVE WITH STOPS					
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included • test plug: included 	U140CIS	104.50	N/A or Unfinished	6
		U140X	104.50	N/A or Unfinished	6
		U140CXS	104.50	N/A or Unfinished	6
		U140VS	120.85	N/A or Unfinished	6
M-CORE® MIXING SHOWER VALVE					
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • test plug: included • cross flow plug: included 	U140CI	72.60	N/A or Unfinished	6
		U140X	72.60	N/A or Unfinished	6
		U140CX	72.60	N/A or Unfinished	6
		U140V	88.95	N/A or Unfinished	6
BRASS POSI-TEMP® ROUGH-IN VALVE					
	<ul style="list-style-type: none"> • ports: four • cartridge: 1222HD • valve type: pressure balancing cycling valve 	8370HD	143.85	1/2" CC	6
BRASS POSI-TEMP® ROUGH-IN VALVE					
	<ul style="list-style-type: none"> • ports: four • cartridge: 1222HD • valve type: pressure balancing cycling valve • stops included 	8371HD	173.10	1/2" CC	6

M•DURA™ Heavy-Duty Tub/Shower Valves

		MODEL	LIST	FINISH/CONNECT	CASE QTY
BRASS POSI-TEMP® ROUGH-IN VALVE					
	<ul style="list-style-type: none"> • ports: four • cartridge: 1222HD • pressure balancing cycling valve • stops included 	8372HD	173.10	1/2" IPS	6
BRASS POSI-TEMP® ROUGH-IN VALVE					
	<ul style="list-style-type: none"> • ports: four • cartridge: 1222HD • pressure balancing cycling valve • stops included 	8373HD	173.10	1/2" crimp ring PEX	6
BRASS POSI-TEMP® ROUGH-IN VALVE					
	<ul style="list-style-type: none"> • ports: four • cartridge: 1222HD • pressure balancing cycling valve • stops included 	8374HD	186.60	1/2" CPVC	6
BRASS POSI-TEMP® ROUGH-IN VALVE					
	<ul style="list-style-type: none"> • ports: four • cartridge: 1222HD • pressure balancing cycling valve • stops included 	8375HD	173.10	1/2" cold expansion PEX	6
THREE-FUNCTION TRANSFER VALVE					
	<ul style="list-style-type: none"> • ports: four • cartridge: ceramic disc • valve type: transfer • functions: three independent 	3360	211.70	1/2" CC	6

*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

M•DURA™ Heavy-Duty Tub/Shower Valves

	MODEL	LIST	FINISH/CONNECT	CASE QTY
HIGH-FLOW THERMOSTATIC MIXING VALVE				
 <ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 	104465	185.95	1/2" CC	12
	104466	185.95	1/2" IPS	12
	104464	185.95	1/2" Crimp Ring PEX	12
	104463	185.95	1/2" Cold Expansion PEX	12

THERMOSTATIC MIXING VALVE SERVICE KITS				
Part No.	Finish	Description	List Price	Case Qty
175916	N/A or Unfinished	1/2" IPS Adapter Kit	17.55	12
175917	N/A or Unfinished	1/2" CC Adapter Kit	17.55	1
175918	N/A or Unfinished	1/2" Cold Expansion PEX Adapter Kit	17.55	12
181040	N/A or Unfinished	1/2" Crimp Ring PEX Adapter Kit	17.55	12
175921	N/A or Unfinished	3/8" Compression Adapter Kit	17.55	12
175925	N/A or Unfinished	Fitting Nut Kit	17.55	12

Model No.	UPC Code	Product Description	Case Qty	List Price
100040	N/A or Unfinished	ctrtrdge 3 fnct srvc kit	125.05	026508087527
100078	N/A or Unfinished	hdw mtg comm xfer 3F	23.35	026508096284
100078CBN	Brushed Nickel	hdw mtg comm xfer 3F	12.00	026508244821
100079	Chrome	hdl comm xfer 3F chr	39.40	026508096291
100079CBN	Brushed Nickel	hdl comm xfer 3F cbn	57.25	026508239797
100080	N/A or Unfinished	slv comm xfer 3F chr	54.70	026508096307
100080CBN	Brushed Nickel	slv comm xfer 3F cbn	79.65	026508244760
100087	N/A or Unfinished	comm xfer 3F	8.75	026508096321
101867	N/A or Unfinished	pivot retain & temp limit stop	14.40	026508068373
104020	Chrome	manual temp handle 8305 series	26.05	026508189337
104021	Chrome	solenoid vlv repair kit 8302 - 04	57.70	026508189344
104334	N/A or Unfinished	control module 8310 (closet)	186.55	026508155479
104400	Chrome	elec. faucet in-line filter w/check valv	63.35	026508167670
104401	N/A or Unfinished	acc sani AC power adpt multi unit	106.35	026508108192
104402	N/A or Unfinished	l cable 24 power lead	33.65	026508108208
104403	N/A or Unfinished	control module 8312, 8314 (urinal)	186.55	026508155486
104404	N/A or Unfinished	control module 8305, 8307 (DC)	199.75	026508155493
104405	N/A or Unfinished	control module 8306 (AC)	199.75	026508155509
104406	N/A or Unfinished	AC adapter for flush valves	35.80	026508182444
104424	N/A or Unfinished	sani mixing vlv w/integral check	65.80	026508084229
104425	N/A or Unfinished	sani mixing tee w/integral check	25.70	026508084212
104426	Chrome	gskt deck sani bar/lav elec sglmt	37.35	026508084205
104427	N/A or Unfinished	acc sani AC power adpt sgl unit	72.05	026508084199
104429	Chrome	spt 5.75" sani bar elec gooseneck chr	47.55	026508084588
104430	Chrome	spt 5.38" sani bar elec gooseneck chr	63.60	026508084595
104431	Chrome	spt 6" sani ber elec swing chr	50.30	026508084601
104432	Chrome	spt 8" sani ber elec swing chr	51.55	026508084618
104433	Chrome	spt 8.38" sani bar elec gooseneck chr	96.85	026508084625
104434	Chrome	pc board lav/bar	318.95	026508084632
104435	N/A or Unfinished	flush vlv solenoid rpr kit 8310, 8312, 8	159.85	026508155523
104437	N/A or Unfinished	flush vlv control disc vlv 8310,8312,831	46.70	026508155530
104438	Chrome	fltr screen lav/bar	9.75	026508084656
104439	Chrome	hdw solenoid/housing	349.60	026508084663
104440	N/A or Unfinished	flush vlv battery hldr 8310,8312,8314	7.40	026508155547
104441	N/A or Unfinished	elec. faucet in-line filter washer	2.75	026508167663
104443	Chrome	hdw supply rod wlmt	18.70	026508084687
104444	N/A or Unfinished	sppty line 8305, 8306,8307	34.70	026508081914
104446	N/A or Unfinished	plug in power adptr (w/cable) 8306	68.65	026508155554
104447	N/A or Unfinished	hex key wrench 8305, 8306, 8307	3.40	026508155561
104449	Chrome	vp screws & o-rings for flush valves	42.05	026508157725
104450	Chrome	solenoid coil kit e-faucets 8305-8307	145.30	026508157732
104452	N/A or Unfinished	control module 8310 (closet 1.28)	186.55	026508200629
104453	Chrome	AC tube and flange for flush valve	66.55	026508200636
104454	Chrome	AC flush valve cap	107.95	026508200643
104455	Chrome	DC flush valve cap	94.60	026508200650
104456	N/A or Unfinished	sensor eye casing	14.65	026508200667
104458	N/A or Unfinished	split washer for electronic spout	2.90	026508200681
104459	N/A or Unfinished	battery holder for electronic faucet	7.40	026508200698
104461	Chrome	manual override button	35.05	026508200728
104500	Chrome	2-1/4" delany (standard) nipple	42.65	026508176634
104501	Chrome	1-3/4" delany nipple	37.35	026508176641
104502	Chrome	2-3/4" delany nipple	51.95	026508176658
104503	Chrome	3-1/4" delany nipple	57.30	026508176665
104504	Chrome	3-3/4" delany nipple	63.95	026508176672
104505	Chrome	4-1/4" delaney nipple	70.60	026508176689
104506	Chrome	2-1/8" sloan (standard) nipple	37.35	026508176696
104507	Chrome	2-1/2" sloan nipple	41.35	026508176702
104508	Chrome	3" sloan nipple	44.00	026508176719
104509	Chrome	3-1/2" sloan nipple	47.95	026508176726
104510	Chrome	4" sloan nipple	53.35	026508176733
104511	Chrome	4-1/2" sloan nipple	57.30	026508176740
104512	Chrome	5" sloan nipple	63.95	026508176757
104513	Chrome	5-1/2" sloan nipple	67.95	026508176764
104514	Chrome	6" sloan nipple	73.25	026508176771
104520	N/A or Unfinished	sensor eye for flush valve	89.30	026508189191
104523	Chrome	angle stop repair kit	22.45	026508189221
104524	Chrome	manual override button	42.05	026508189238
104527	N/A or Unfinished	o-ring for flush valve seat	6.40	026508189269
104534	Chrome	1.5 gpm aerator for 83-5 series	20.75	026508200711
104536	Chrome	plastic flush valve cap mount (1 cap per	21.30	026508213179
104537	N/A or Unfinished	piston tip assembly service kit (10 tips	40.05	026508213186
104539	Chrome	security set screw e-faucets	5.40	026508213209
104770	Chrome	mcp metal drain round knob	23.70	026508210123
104775	Chrome	mcp metal drain fluted	26.05	026508210130

Model No.	Finish	Product Description	UPC Code	List Price
106321	N/A or Unfinished	hdl ext 1.000 5f xfer vlv chr	115.65	02650808158
109146	N/A or Unfinished	sani cable/sensor eye 6'	248.40	026508102398
116715	Chrome	spt assy 8948 bar	38.65	026508133453
121520	Chrome	hdl lr w/scw hd cmp chr	25.25	026508134757
121521	Chrome	hdl lr w/scw hd cmp chr	22.45	026508134740
121549	N/A or Unfinished	crtrge 1h 40mm hd cmp	26.05	026508134719
121550	N/A or Unfinished	crtrge 2h hot 28mm hd cmp	14.55	026508134726
121551	N/A or Unfinished	crtrge 2h cold hd 28mm cmp	14.55	026508134733
121620	N/A or Unfinished	crtrge 1h 40mm hd cmp	26.05	026508136683
12523	N/A or Unfinished	bshg stem support wrist blade handle bag	2.75	026508053959
129900	Chrome	lever handle 6" chrome kit	37.35	026508165072
129902	Brushed Nickel	lever handle 6" brushed nickel	33.35	026508165096
140860	N/A or Unfinished	deck gasket for 8210-8219 series, 8886	17.85	026508253274
14690	N/A or Unfinished	crtrge sani ceramic disc heavy comm	60.00	026508025550
14695	N/A or Unfinished	crtrge sani ceramic disc extd heavy comm	60.00	026508025567
14834	Chrome	hdl sani wbh h chr 1	65.35	026508035870
14834CBN	Classic Brushed Nickel	hdl sani wbh h cbn 1	95.15	026508239827
14838CBN	Classic Brushed Nickel	hdl sani wbh c cbn 1	95.15	026508239834
14838	Chrome	hdl sani wbh c chr 1	65.35	026508035863
16000	Chrome	hdl knb metering 1h/2h chr	72.20	026508167038
16264	Chrome	spt sani 2h h-fl kd&bar chr	130.60	026508036129
162649	N/A or Unfinished	extension service kit	118.60	026508234594
163127	N/A or Unfinished	cartridge kit	125.05	026508234563
163128	Chrome	escutcheon, chr	77.95	026508234570
163128CBN	Classic Brushed Nickel	escutcheon, cbn	116.95	026508239865
163215	N/A or Unfinished	c-clip for fixed spout	11.85	026508255360
16350	Chrome	fra sani male thrd 0.5 gpm slowclose chr	20.15	026508036662
16352	N/A or Unfinished	sani slowclose crtrdge lav	117.80	026508044896
16360	Chrome	aerator key chr	5.70	026508228944
52000	N/A or Unfinished	cer disc cart, hot	17.35	026508160503
52001	N/A or Unfinished	cer disc cart -cold	17.35	026508160510
52002	N/A or Unfinished	cart nut kit mcp	24.10	026508160527
52003	Chrome	widespread esc.	40.05	026508160534
52005	N/A or Unfinished	torx wrench	5.30	026508160541
52006	Chrome	vandal res aerator	12.00	026508160558
52008	Chrome	lvr hndl cold	26.70	026508160572
52009	Chrome	lvr hdle hot	26.70	026508160589
52010	Chrome	commercial hdl service kit chr	53.35	026508165041
52011	Chrome	commercial hdl service kit chr	53.35	026508165058
52012	N/A or Unfinished	vacuum breaker service kit	18.70	026508182451
52015	Chrome	lever handle kit	49.35	026508212554
52016F03	Chrome	aerator .35gpm vand-resistant chr	20.75	026508236277
52016F15	Chrome	aerator 1.5gpm vand-resistant chr	20.75	026508236291
52016F22	Chrome	aerator 2.2gpm vand-resistant chr	20.75	026508236307
52019	Chrome	wallmount connection for 8124 [1 per box]	70.60	026508212561
52020	Chrome	wallmount connection for 8230 [1 per box]	70.60	026508212578
52021	Chrome	hd widespread spout kit	122.60	026508212585
52022	N/A or Unfinished	set screw for widespread spout	2.05	026508212592
52023	N/A or Unfinished	widespread mounting kit	36.00	026508212608
52024	N/A or Unfinished	set screw metering	2.05	026508212615
52025	N/A or Unfinished	friction washer series spts (2 per bag)	3.40	026508212622
52028	Chrome	center spout hub	66.55	026508228340
52035	Chrome	lever handle (hot/cold) chr	26.70	026508229576
52110	Chrome	metering handle	72.20	026508207642
52122	Chrome	metering escut w/color rings	55.70	026508207215
52125	N/A or Unfinished	metering, cartridge nut	27.95	026508207222
52600	Chrome	fra sani male thrd 0.5 gpm rosetta chr	18.70	026508026205
52601	Chrome	fra sani female thrd 0.5 gpm rosetta chr	18.70	026508026229
52602	Chrome	fra sani male thrd 0.5 gpm vp chr	20.15	026508026250
52603	Chrome	fra sani female thrd 0.5 gpm vp chr	20.15	026508026281
52608	Chrome	fra sani male thrd 1.5 gpm laminar chr	18.70	026508030394
52609	Chrome	fra sani female thrd 1.5 gpm laminar chr	18.70	026508026502
52610	Chrome	fra sani male thrd 1.5 gpm vp chr	20.15	026508030400
52611	Chrome	fra sani female thrd 1.5 gpm vp chr	20.15	026508035856
52612	Chrome	fra sani male thrd 2.0 gpm laminar chr	18.70	026508035894
52613	Chrome	fra sani female thrd 2.0 gpm laminar chr	18.70	026508035900
52614	Chrome	fra sani male thrd 2.0 gpm vp chr	20.15	026508027851
52615	Chrome	fra sani female thrd 2.0 gpm vp chr	20.15	026508027868
52618	Chrome	aerator male thrd .35 gpm vp chr	15.00	026508035917
52620	Chrome	m-dura serrated laboratory hose nozzle	29.40	026508035979
54036	N/A or Unfinished	hot/cold indicators	12.30	026508241462
840013	N/A or Unfinished	nut, adj temp limit stop cart brs	24.05	026508239568
840014	N/A or Unfinished	nut, adj temp limit stop cart brs	50.35	026508239575
840015F03	N/A or Unfinished	aerator .35gpm recessed vand-resistant	15.00	026508236338

Model No.	Finish	Product Description	UPC Code	List Price
840015F15	N/A or Unfinished	aerator 1.5gpm recessed vand-resistant	15.00	026508236369
840015F12	N/A or Unfinished	aerator 1.2gpm recessed vand-resistant	33.10	026508269640
840015F22	N/A or Unfinished	aerator 2.2gpm recessed vand-resistant	15.00	026508236352
870112	Chrome	single-mount escutcheon chr	15.85	026508244142
870113	Chrome	deck plate	53.05	026508244067
870114	Chrome	9" spout assembly kit chr	136.40	026508244159
870115	Chrome	12" spout assembly kit chr	140.40	026508244166
870116	Chrome	hardware package	154.65	026508246375
881111	Chrome	handle kit, 8894	26.70	026508235201
881121	Chrome	ws metering spout kit, chr	122.60	026508235249
92191	Chrome	1dl sani dx bld chr 2	59.95	026508032923
93379	Chrome	hdl cvr sani kd/lav 1h lr chr	21.00	026508040089
93455CBN	Classic Brushed Nickel	escutcheon screws, cbn	13.95	026508244722
93455	Chrome	esct scrw sani ts chr [2]	12.00	026508040119
176415	Chrome	vacuum breaker kit for 8124 and 8232	27.95	026508276037
176787	N/A or Unfinished	rectangular bracket- commercial kitchen	16.05	026508276044
183073	N/A or Unfinished	cage spacer kit for 8138	14.20	026508271513
183082	N/A or Unfinished	mounting hardware kit for 8138	26.25	026508271520
187104	N/A or Unfinished	mod sensor/bracket 8551 (AC), 8552 (AC)	213.65	026508277911
191187	N/A or Unfinished	8894 mounting hardware	13.05	026508291207
52016SLC05	N/A or Unfinished	cAChe 0.5 gpm slc vr aerator	20.75	026508274293
52016SLC12	N/A or Unfinished	cAChe 1.2 gpm slc vr aerator	20.75	026508269121
52016SLC22	N/A or Unfinished	cAChe 2.2 gpm slc vr aerator	20.75	026508274309
52018F12	N/A or Unfinished	1.2gpm cache vandal-resistant laminar	20.75	026508270288
59001	Chrome	modern 1h M-dura handle kit	41.40	026508012376
59002	N/A or Unfinished	M-dura 1h cartridge & retaining nut	33.95	026508012383
59003	N/A or Unfinished	M-dura atls & o-ring	16.90	026508012390
59004	Chrome	modern 1h M-dura dome	27.00	026508012406
59005	N/A or Unfinished	M-dura cache pca jr vr aerator key	4.90	026508261613
59006	Chrome	M-dura waste assembly with lift rod chr	69.90	026508012413
59007	N/A or Unfinished	mod 1h M-dura mounting kit	27.45	026508007457
59008	Chrome	mod ws M-dura handle kit	42.55	026508261491
59009	N/A or Unfinished	mod ws M-dura red/blue rings	6.85	026508261620
59010	Chrome	mod ws M-dura handle hub kit	82.40	026508261507
59011	N/A or Unfinished	ws M-dura mounting kit	28.70	026508261514
59012	Chrome	mod ws M-dura diverting spout 0.5gpm	194.40	026508261637
59013	Chrome	mod ws M-dura diverting spout 1.5gpm	194.40	026508261644
59014	Chrome	mod ws M-dura nondiverting spout 0.5gpm	195.75	026508261651
59015	Chrome	mod ws M-dura nondiverting spout 1.5gpm	195.75	026508261668
59016	Chrome	mod M-dura shower posi escutcheon	34.85	026508261521
59017	Chrome	mod M-dura shower posi handle kit	53.30	026508261538
59018	Chrome	mod M-dura shower 3F escutcheon	59.15	026508261675
59019	Chrome	mod M-dura shower 3F handle kit	67.20	026508261682
59021	Chrome	mod M-dura diverting tub spout	101.45	026508261545
59022	Chrome	mod M-dura nondiverting tub spout	93.70	026508261699
59023	N/A or Unfinished	mod M-dura tub spout gate kit	18.40	026508261705
59024	Chrome	M-dura ws waste assy mod lift rod chr	87.65	026508261552
59025	N/A or Unfinished	ws M-dura mounting kit (lift rod version)	53.50	026508261569
59027	Chrome	modern 1h M-bition handle kit	42.25	026508264737
59029	Chrome	3/32 set screw with allen wrench	6.10	026508264744
59030	N/A or Unfinished	modern 1h lav valve body o-ring	6.10	026508264751
59031	Chrome	M-bition waste assembly	48.30	026508264768
59033	Chrome	ws M-bition lift rod	17.50	026508264775
59034	Chrome	ws M-bition spout 1.2 gpm with lift rod	168.90	026508264782
59035	Chrome	3s M-bition spout 1.2 gpm w/o lift rod	166.60	026508264799
59036	Chrome	ws M-bition handle trim kit	81.55	026508264805
59037	Chrome	ws M-bition handle set screw/plugbutton	5.30	026508264812
150628CBN	Classic Brushed Nickel	handle dome cbn	11.85	026508239841
183085	Chrome	fra sani female thrd 1.2 gpm vp chr	20.15	-
52016F12	Chrome	aerator 1.2gpm vand-resistant chr	11.25	026508269619
52018F22	N/A or Unfinished	aerator 2.2gpm laminar vand-resist	11.85	026508232934
840011	Chrome	3" handle M-bition 1h lav chr	98.60	026508237076
840011CBN	Classic Brushed Nickel	3" handle M-bition 1h lav cbn	147.95	026508243299
840012	Chrome	4" handle M-bition 1h lav chr	98.60	026508237083
870121	Chrome	spout assembly kit chr	124.20	026508271278

Model No.	UPC	Page Number	Case Qty.	List Price
3360	26508222768	55	6	211.7
5263EP15	26508237236	52	12	58.05
5263EP15CBN	26508237243	52	12	105.95
5263EP17	26508237250	52	12	58.05
5263EP17CBN	26508237267	52	12	105.95
8103	26508162309	13	6	188.45
8113	26508162279	13	6	279.2
8116	26508162316	13	6	345.15
8119	26508162330	12	6	327.3
8124	26508026168	13	6	277.4
8126	26508162347	12	6	328.15
8137	26508185476	12	6	264.25
8138	26508199046	12	6	314.55
8210F05	26508235430	7	6	216.2
8210F12	26508266847	7	6	216.2
8210SMF05	26508258866	7	6	216.2
8210SMF12	26508266854	7	6	216.2
8215F03	26508235447	7	6	239.75
8215F05	26508235454	7	6	239.75
8215F12	26508266946	7	6	239.75
8215SMF12	26508266830	7	6	239.75
8220F05	26508235508	6	3	338.6
8225	26508162439	9	3	351.6
8225SMF15	26508238684	9	3	351.6
8226	26508155431	9	6	271.65
8227	26508162255	9	3	330.2
8228F05	26508235522	6	3	360
8228F12	26508266823	6	3	360
8229	26508162262	9	6	293.15
8230	26508172179	13	3	225
8242	26508185483	10	3	378.75
8244	26508185490	10	3	400.05
8248	26508181089	9	3	344.35
8248SMF12	26508267073	9	3	344.35
8270	26508154618	8	6	257.15
8276	26508167717	8	6	230.8
8277	26508199060	12	6	233.9
8278	26508167809	8	6	270.95
8278SM	26508238714	8	6	270.95
8278SMF12	26508267080	8	6	270.95
8279	26508167816	8	6	293.2
8279SM	26508238738	8	6	288.3
8279SMF12	26508267097	8	6	288.3
8280	26508154632	10	6	260.4
8285	26508161203	10	6	281.75
8287	26508162231	10	6	324.55
8289	26508162248	10	6	345.8
8290	26508154069	53	12	130.15
8290EP15	26508213360	53	12	125.1
8292	26508172186	53	12	135.85
8310	26508006412	34	3	655.6
8310AC16	26508167649	34	3	655.6
8310ACDF16	26508205969	34	3	688.25
8310DF16	26508205976	34	3	688.25
8310S35	26508265123	34	3	655.6
8310R16	26508160329	35	3	548.6
8310RDF16	26508205983	35	3	575.9
8310SR128	26508265178	35	3	548.6
8310SR35	26508265192	35	3	548.6
8310M128	26508236529	38	3	204.25
8310M16	26508236536	38	3	204.25
8310M35	26508236543	38	3	204.25
8310MR128	26508236550	38	6	164.35
8311	26508199077	34	3	655.6
8311AC12	26508199091	34	3	655.6

Model No.	UPC	Page Number	Case Qty.	List Price
8312	26508152225	34	3	655.6
8312AC10	26508167656	35	3	655.6
8312R10	26508160305	35	3	548.6
8312SR05	26508265260	35	3	548.6
8312SR125	26508265284	35	3	548.6
8312M0125	26508236574	38	3	204.25
8312M05	26508236581	38	3	204.25
8312M10	26508236598	38	3	204.25
8315	26508199084	34	3	655.6
8315AC05	26508199107	35	3	655.6
8316	26508205990	34	3	655.6
8316AC	26508213223	35	3	655.6
8342	26508078266	43	1	714.95
8342EP15	26508213377	43	1	714.95
8343	26508083130	41	1	734.3
8346	26508063347	44	4	507.6
8346EP15	26508213384	44	4	507.6
8349	26508015094	52	6	82.3
8349EP15	26508213391	52	6	82.3
8349EP15CBN	26508237045	52	6	119.85
8349EP17	26508228647	52	6	82.3
8349EP17CBN	26508237052	52	6	119.85
8360	26508086810	50	6	251
8370HD	26508228470	54	6	143.85
8370	26508013960	48	12	204.05
8371HD	26508228487	54	6	173.1
8372HD	26508228494	54	6	173.1
8373HD	26508228500	54	6	173.1
8374HD	26508228517	54	6	186.6
8375HD	26508239803	54	6	173.1
8375	26508040423	47	12	229.9
8375EP15	26508213407	47	12	229.9
8389EP15	26508213414	46	6	262.55
8400	26508015063	20	12	193.85
8413F03	26508234440	6	3	185.15
8413F05	26508234457	6	3	185.15
8413F12	26508266564	6	3	185.15
8414	26508137123	6	3	220.95
8414F12	26508269954	6	3	220.95
8414F12BN	26508271773	6	3	287.2
8416	26508017272	6	3	198.85
8416F05	26508234471	6	3	198.85
8417F05	26508234495	5	6	255.75
8417F12	26508266571	5	6	255.75
8419F05	26508227848	5	6	290.5
8419F12	26508266588	5	6	290.5
8420	26508015070	20	12	224.95
8422	26508232125	20	12	203.35
8422F05	26508232149	20	12	203.35
8425	26508015087	20	12	219.05
8430	26508066454	20	12	151.55
8430CBN	26508235348	20	12	197.05
8430F05	26508232156	20	12	151.55
8432	26508066461	20	12	186.55
8432F05	26508264706	20	12	186.55
8434	26508066478	21	12	179.85
8437	26508232163	21	12	196.25
8437CBN	26508235355	21	12	255.15
8439	26508232170	21	12	161.35
8439F05	26508232675	21	12	161.35
8551	26508249901	29	6	644.95
8551AC	26508249918	29	6	663.95
8552	26508249925	29	6	719.95
8552AC	26508249932	29	6	719.95
8553	26508249949	29	6	644.95

Model No.	UPC	Page Number	Case Qty.	List Price	Model No.	UPC	Page Number	Case Qty.	List Price
8553BL	26508343715	29	6	870.7	52224GBM25	26508226995	51	3	264.9
8553BN	26508343722	29	6	806.2	52224GBP25	26508227008	51	3	229.7
8553AC	26508249956	30	6	663.95	52236GBM15	26508227015	51	3	288.45
8553ACBL	26508344590	30	6	896.35	52236GBM15CBN	26508237007	51	3	590.1
8553ACBN	26508344606	30	6	829.95	52236GBM17	26508227022	51	3	288.45
8554	26508249963	30	6	719.95	52236GBM25	26508227046	51	3	288.45
8554AC	26508249970	30	6	719.95	52652	26508036198	15	24	33
8554ACBL	26508344613	30	6	971.95	52653	26508029336	15	24	34.45
8554ACBN	26508344620	30	6	899.95	52655	26508029510	15	24	20.75
8554BL	26508343739	30	6	971.95	52703	26508026083	53	12	72.65
8554BN	26508343746	30	6	899.95	52710	26508063361	51	6	300.65
8558	26508271995	26	3	539.15	52710CBN	26508237106	51	6	598.4
8558BL	26508343753	26	3	727.85	52710EP15	26508213346	51	6	300.65
8558BN	26508343760	26	3	673.95	52710EP15CBN	26508237144	51	6	598.4
8559	26508271483	26	6	615.25	52711	26508228630	53	12	54.5
8559BL	26508341599	26	6	830.6	52714	26508249871	53	12	54.5
8559BN	26508343777	26	6	769.05	52716EP15	26508213353	52	20	76.45
8560BL	26508343784	26	1	727.85	52740EP17	26508228524	51	6	300.05
8560	26508272008	26	3	539.15	52748EP15	26508234754	51	6	219.35
8560BN	26508343791	26	3	673.95	99550	26508207659	17	12	34.95
8562	26508271490	27	3	1117.1	99551	26508220689	17	12	34.95
8565	26508271506	27	3	639.8	99556	26508252130	29	20	38.25
8701	26508129739	11	6	159.85	99557	26508252147	29	20	38.25
8707	26508206515	11	6	190.45	99557BL	26508343968	29	20	52.6
8713	26508020951	11	6	479.65	99557BN	26508343975	29	20	47.85
8717	26508237649	11	6	282.25	99558	26508252154	29	20	49.15
8780	26508021859	23	6	129.5	99558BL	26508343708	29	20	67.55
8792	26508125717	23	6	295.6	99558BN	26508343869	29	20	61.45
8798	26508003930	23	6	207.6	99559	26508258859	5	20	38.25
8799	26508013779	23	6	270.6	100686	26508057711	53	60	54.65
8800	26508007778	22	6	179.9	100686CBN	26508246436	53	60	78.55
8800F05	26508235317	22	6	179.9	104414	26508081525	53	-	59
8810	26508007785	22	6	206.25	104451	26508199282	30	12	185.95
8820	26508007792	22	6	212.5	104540	26508245293	39	20	43.95
8884	26508093238	17	6	194.7	104541	26508245309	39	20	38.45
8886	26508093245	17	6	358.9	104542	26508245316	39	20	53.5
8889	26508093252	17	6	459.4	104543	26508245323	39	20	59
8894	26508220672	17	6	221.1	104544	26508245330	39	20	65.85
8915	26508094143	22	12	132.25	104545	26508245347	39	20	72.7
8917	26508030325	22	12	155.9	104546	26508245354	39	20	38.45
8922	26508039175	22	6	278.75	104547	26508245361	39	20	42.6
8924	26508039205	22	6	298.3	104548	26508245378	39	20	45.3
8938	26508003954	24	6	179.35	104549	26508245385	39	20	49.4
8948	26508061695	24	6	176.95	104550	26508245392	39	20	54.95
8957	26508030264	24	12	138.15	104551	26508245408	39	20	59
9263EP15	26508255438	52	12	79.35	104552	26508245415	39	20	65.85
9349EP15	26508255452	52	6	116.8	104553	26508245422	39	20	70
9417F05	26508257296	5	3	283	104554	26508245439	39	20	75.45
9417F12	26508266977	5	3	283	104555	26508246535	39	20	132.2
9419F05	26508255483	5	3	314.45	104556	26508244074	39	20	132.2
9419F12	26508266984	5	3	314.45	104557	26508244081	39	20	23.1
9480	26508255490	19	3	175.15	104560	26508247891	39	12	51.35
9482	26508255506	19	3	194.6	104561	26508246559	39	20	72.45
15440	26508245699	31	2	452.8	104563	26508245446	39	20	97.45
15856	26508015186	53	12	65.5	104564	26508246573	39	20	97.45
15856CBN	26508239858	53	12	95.4	104565	26508245453	39	20	97.45
52016F10	26508228708	32	24	21.35	104566	26508245460	39	20	97.45
52016F05	26508236284	32	100	21.35	104567	26508245477	39	20	97.45
52100	26508207635	17	24	97.45	104568	26508245484	39	20	97.45
52120	26508207048	7	12	180.85	104569	26508245491	39	20	29.3
52120	26508207048	7	12	180.85	104570	26508245507	39	12	21.65
52124GBM25	26508234112	50	3	259	104571	26508246580	39	20	28.9
52224GBM15	26508226964	51	3	264.9	104572	26508245514	39	20	7.5
52224GBM15CBN	26508236970	51	3	542.95	104573	26508246801	39	30	27.95
52224GBM17	26508226971	51	3	264.9	104574	26508246818	39	15	61.1

Model No.	UPC	Page Number	Case Qty.	List Price
104575	26508248010	39	6	54.8
104577	26508246825	39	30	13.15
104578	26508244098	39	12	55.2
104579	26508244104	39	12	59.9
104580	26508244111	39	12	55.3
104581	26508244128	39	20	38.65
104582	26508246832	39	20	35.15
104583	26508246856	39	20	30.3
104584	26508247877	39	12	89.95
104585	26508247884	39	-	141.75
104587	26508248614	36	6	172.75
104588	26508246863	39	20	32.5
104589	26508246870	39	20	52.25
104590	26508247426	39	33	31.05
104591	26508247433	39	33	31.05
104592	26508247440	39	33	31.05
104593	26508247457	39	33	31.05
104594	26508247464	39	33	31.05
104595	26508247471	39	33	31.05
104597	26508246849	39	40	20.75
104598	26508251843	39	20	30.6
104599	26508251850	39	20	54.95
104600	26508252536	39	12	58.95
104609	26508251867	39	20	12
104617	26508273999	36	12	35
104618	26508274002	36	12	82.8
104619	26508274019	36	12	82.8
104620	26508274026	36	12	82.8
104621	26508274033	36	12	82.8
104622	26508274040	36	12	82.8
104623	26508274057	36	12	82.8
104624	26508274064	36	12	82.8
104625	26508274071	36	12	39
104626	26508274088	36	12	40.05
104627	26508274095	36	12	37.3
104628	26508274101	36	12	110.2
104630	26508273609	31	12	113.2
104631	26508274118	36	12	37.4
104633	26508274125	36	12	133.35
104634	26508274132	36	20	26.35
174055	26508235799	32	12	35.05
174056	26508235904	32	12	111.4
174057	26508235911	32	12	30.95
174060	26508235942	32	12	19.6
174061	26508235959	32	12	27.5
174061BL	26508346426	32	12	37.85
174061BN	26508346433	32	12	34.4
174062	26508252765	32	12	10.15
174065	26508252772	32	12	55.6
174066	26508252789	32	12	6.45
174335	26508254394	32	12	220.05
174336	26508254400	32	20	21.85
174337	26508254417	32	20	21.85
174337BL	26508343845	32	20	30
174337BN	26508343852	32	20	27.3
175916	26508261903	31	12	17.55
175917	26508261910	31	1	17.55
175918	26508261927	31	12	17.55
175921	26508266755	31	12	17.55
175925	26508266762	31	12	17.55
175926	26508266779	31	12	17.55
181040	26508266786	31	12	17.55
181148	26508274491	26	12	82.2
181148BL	26508343913	26	12	111
181148BN	26508343920	26	12	102.75

Model No.	UPC	Page Number	Case Qty.	List Price
181149	26508274507	26	12	71.1
181149BL	26508343937	26	12	96
181149BN	26508343944	26	12	88.9
182413	26508272305	32	64	63.85
182414	26508272312	32	12	18.05
182415	26508272329	32	24	131.7
182416	26508272336	32	12	108.95
182418	26508272350	32	12	37.5
182420	26508272374	32	12	47.75
182421	26508272381	32	12	69.2
182422	26508272398	32	12	170.3
182534	26508273708	32	6	57.45
182535	26508273715	32	6	154.8
182536	26508273722	32	20	10.95
182537	26508273739	32	12	170.3
182538	26508273746	32	20	24.1
182540	26508273760	32	12	58.3
182542	26508273777	32	20	18.7
182543	26508273784	32	20	18.6
182544	26508273791	32	20	18.6
182546	26508273807	26	12	37.45
182546BL	26508343692	26	12	51.5
182546BN	26508343951	26	12	46.8
182547	26508273814	32	20	27.05
A723	26508228654	53	20	33.65
A725CBN	26508191224	53	12	89.45
CA8301	26508211076	26	3	623.5
CA8301BL	26508343807	26	3	841.75
CA8301BN	26508343814	26	3	779.4
CA8302	26508211083	26	6	615.25
CA8302BL	26508343821	26	6	830.6
CA8302BN	26508343838	26	6	769.05
CA8303	26508211090	27	3	693.8
S0000	26508181461	14	12	57
S0001	26508025314	14	12	68.55
S0002	26508025321	14	12	70
S0003	26508025338	14	12	68.55
S0004	26508025345	14	12	82.35
S0007	26508025376	14	12	70
S0009	26508025390	14	12	75.45
S0010	26508025406	14	12	82.35
S0011	26508025413	14	12	68.55
S0012	26508025420	14	12	149.65
S0020	26508148112	15	12	70
S0030NA	26508273821	15	6	79.2
S0030	26508148129	15	12	76.9
S0030T	26508269848	15	12	59.3
S0050	26508160718	15	12	85.1
S0050T	26508269855	15	12	67.45
S0060	26508199275	15	12	105.75
S0070	26508181478	15	12	92
SV003	26508025444	14	12	141.35
SV006	26508025475	14	12	131.8
SV010	26508025512	14	12	138.65
T8342	26508228562	43	1	371.85
T8342CBN	26508237151	43	1	546.55
T8342EP15	26508228579	43	1	371.85
T8342EP15CBN	26508237168	43	1	546.55
T8342NH	26508237175	43	1	362.9
T8342NHCBN	26508237182	43	1	497.65
T8343	26508228586	41	1	392.85
T8343CBN	26508237199	41	1	577.6
T8343EP15	26508228593	41	1	392.85
T8343EP15CBN	26508237625	41	1	577.6
T8346	26508228609	45	4	343.15

Model No.	UPC	Page Number	Case Qty.	List Price
T8346CBN	26508235638	45	4	486.55
T8346EP15	26508228616	45	4	343.15
T8346EP15CBN	26508235645	45	4	486.55
T8360	26508222775	50	3	49.6
T8360CBN	26508235652	50	3	90.6
T8370	26508211885	48	3	38.8
T8370CBN	26508235669	48	3	70.8
T8375	26508211892	47	3	67
T8375EP15	26508222782	47	3	67
T8375NH	26508235690	47	3	47.5
T8375NHCBN	26508235706	47	3	79.35
T8389	26508212134	46	3	102.6
T8389EP15	26508222799	46	3	102.6
T8389EP15CBN	26508235720	46	3	160.25
T9342EP15	26508257340	42	1	508.35
T9342GBM15	26508257388	42	1	559.15
T9346GBM15	26508255568	44	1	492.6
T9360	26508255582	50	3	137.2
T9370	26508255599	48	3	107.2
T9375EP15	26508255612	47	3	134.15
T9389EP15	26508255636	46	3	170.65
U8350	26508319697	49	3	262.95
UT8350	26508321126	49	3	195.4
UT8350CBN	26508321133	49	3	250.75