

LP420-3B

42 Space Outdoor Load Center with 200A Main Circuit Breaker

Outdoor Load Center with 200A Main Circuit Breaker Factory Installed, 42 Circuits, NEMA 3R Rated. Includes Enclosure and Door Only

DISCONTINUED

Suggested Replacement SKUs: : LR420-BDD

UPC Code : 078477821947

Country Of Origin : Mexico

- EASY - Leviton's revolutionary design allows the entire Load Center to be wired at rough-in without any circuit breakers present
- SUPERIOR CONDUCTIVITY - All Leviton Load Centers come standard equipped with tin plated copper bussing
- ORGANIZED - Notches stamped into the enclosure for cable ties promote secure and neat wiring

**For applications up to 60A when using copper wire; or 50A when using aluminum wire *Designed for Leviton Circuit Breakers*

Technical Information

Electrical Specifications

Amperage : 200 A

Operating Temperature : -40C to +70C

Short Circuit Current Rating : 22 KA

Spaces / Circuits : 42 / 42

Type of Load Center : Main Breaker

Voltage : 120/240 VAC

Environmental Specifications

NEMA Enclosure Type : NEMA 3R Outdoor

Mechanical Specifications

Busbar Material : Copper, Bright Tin-Plated

Busbar Rating : 225A

Dimensions : 43.5" H x 15" W x 4.4" D

Enclosure Material : Galvanized Steel, Gray Baked Enamel

Ground Connection : 4 AWG - 2/0 AWG Cu/Al

Supply Connections : 3 AWG - 300 MCM Cu/Al

Weight : 59.8 lbs

Product Features

Color : Gray

Warranty : 10-Year Limited

Standards & Certifications

UL 50 : Yes
UL 50E : Yes
UL 67 : Yes
UL 869A : Yes


Patents*

US11887798

This list is provided for patent marking purposes only. A good faith effort is made to maintain the accuracy and completeness of this list. No legal inference should be drawn from the omission of a patent from this list.

Dimensional Drawing

Cover Screw Dimensions



SPECIFICATION SUBMITTAL

JOB NAME: 	CATALOG NUMBERS: 	
JOB NUMBER: 		

Leviton Manufacturing Co., Inc
201 North Service Road, Melville, NY 11747
Telephone: +1-800-323-8920 · FAX: +1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.
T. Monday-Friday): +1-800-824-3005

Leviton Manufacturing of Canada, Ltd.
165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: +1-800-461-2002 ·
FAX: +1-800-824-3005 ·

Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52) 5386- 1797 ·

Visit our Website at: www.leviton.com

© 2026 Leviton Manufacturing Co., Inc. All Rights Reserved. Subject to change without notice.

Leviton has a global presence.

If you would like to know where your local Leviton office is located please go to:
www.leviton.com/company/about-leviton/locations

© 2026 Leviton Manufacturing Co., Inc.