TOTO®

COMMERCIAL PRODUCTS BROCHURE

TOTO®

2016/2017

COMMERCIAL PRODUCTS BROCHURE



TABLE OF CONTENTS

TOTO EVERYWHERE

INNOVATION & TECHNOLOGY HIGHLIGHTS 3-5

ECOPOWER® FAUCETS

INNOVATION & TECHNOLOGY HIGHLIGHTS 7
COMPATIBILITY CHART 8
AXIOM® 9
GOOSENECK 9
GOOSENECK WALL-MOUNT 9
HELIX® 9
HELIX M 10
HELIX WALL-HUNG 10
INTEGRATED FAUCET 10
LIBELLA™ 10
LIBELLA M 11
LIBELLA WALL-MOUNT 11
LIBELLA WALL-MOUNT M 11
STANDARD FAUCET 11

TOILETS & URINALS

INNOVATION & TECHNOLOGY HIGHLIGHTS 13
TOILETS COMPATIBILITY CHART 14
1G® TOILETS 15-16
1.28 GPF TOILETS 17-19
DRAKE® 17-18
ENTRADA™ 19
FLUSHOMETER HET 20
FLUSHOMETER WALL-HUNG HET 20
TOILET SEATS 21
ECOPOWER HET FLUSH VALVE 1.28 22-23
ECOPOWER TOILET FLUSH VALVE 1.6 22-23
MANUAL TOILET FLUSH VALVE 23
URINALS COMPATIBILITY CHART 24
WASHOUT ULTRA HEU 25
WASHOUT HEU 26
ECOPOWER ULTRA HEU FLUSH VALVE 0.125 27
ECOPOWER HEU FLUSH VALVE 0.5 27
ECOPOWER URINAL FLUSH VALVE 1.0 27
MANUAL URINAL FLUSH VALVE 27

LAVATORIES

INNOVATION & TECHNOLOGY HIGHLIGHTS 29
LUMINIST® VESSEL 30
ARVINA® VESSEL 31
SELF-RIMMING 32
ATHERTON™ 33
UNDERCOUNTER 34-35
WALL-HUNG 35

SOAP DISPENSERS

INNOVATION & TECHNOLOGY HIGHLIGHTS 37
SENSOR OPERATED SOAP DISPENSERS 38
SOAP 38-39

CLEAN DRY® HAND DRYERS

INNOVATION & TECHNOLOGY HIGHLIGHTS 41
CLEAN DRY HAND DRYERS 42


COLORS & FINISHES 43

TOTO EVERYWHERE



TOTO products can create beautiful, refreshing bathroom experiences in any situation. We design everything from urinals to hand dryers, so even a football stadium or an airport restroom can be a peaceful, inspiring escape.

We're known for consistent high-performance design and a beautiful, global aesthetic in all our products, so wherever you find TOTO you can experience the same reliability, value and style.



SENSOR FAUCETS | TOILETS | URINALS | FLUSH VALVES | LAVATORIES | HAND DRYERS

In today's fast-paced world, the need for superior performance and reliability means everything. And when it comes to busy commercial buildings, TOTO products are the only choice. We design world-class, eco-friendly plumbing products that help you save water and money without sacrificing an ounce of performance.

LEADERSHIP & VISION

MAKING OUR PLANET A BETTER PLACE, DROP BY DROP.



MEETS CALIFORNIA WATER SAVING REGULATIONS

Water is life's most precious element, and at TOTO, we innovate products to help conserve it. All of our high-efficiency showers, ultra high-efficiency toilets, urinals and commercial faucets meet the California Code of Water Regulations.

CERTIFICATION & COMPLIANCE

TOTO offers a full range of bathroom products that can help professionals in the commercial industry earn LEED points toward certification.

LEED is an internationally recognized green building certification system that provides third-party verification for a building or community. To get maximum LEED points, a new or existing building must reach specified water-usage reduction percentages. The more usage reductions, the more LEED points are earned.

THE AMERICANS WITH DISABILITIES ACT (ADA)

The Americans with Disabilities Act (ADA) was enacted in 1990 to establish design codes to serve people of all ages and abilities. A core principle behind TOTO Total Design, ADA standards consider the needs of everyone without additional adaptation or specialization, optimizing the bathroom experience for all generations in the family home.

By innovating ergonomics and accessibility, and combining them with our global design aesthetic, we give everyone everything that's great about TOTO.

ENVIRONMENTAL RESPONSIBILITY

TOTO plays a significant role in leading the sustainability charge in our industry. In fact, our active role in leading policy and certification organizations demonstrates how we go beyond products or practices to help ensure environmental responsibility across all company activities.

- TOTO is the only plumbing manufacturer to receive the EPA's Water Efficiency Leader Award
- TOTO was the first plumbing products manufacturer to have employees become substainability experts by gaining LEED Accredited Professional status
- TOTO was the first major plumbing products manufacturer to join the United States Green Building Council (USGBC)
- TOTO was the first plumbing products manufacturer to develop third-party verified LCA Transparency Reports for bath products.

EPA WaterSense Partner

United States Green Building Council

Water Efficiency Leader Award

Environmental Protection Agency

LEED AP

Argon Award


Meets California Water Savings Regulations



Product shown: Libella™ Wall-Mount M EcoPower® Faucet

COMMERCIAL ECOPOWER® FAUCETS

Innovation & Technology Highlights



EcoPower sensor faucets harness the energy of running water to power themselves. It's a simple solution that saves water and energy. That's the TOTO theory of sustainability.

The water-powered turbine in the EcoPower faucet creates an electrical current that is stored in rechargeable cells to power the Smart Sensor System. EcoPower replenishes its charge with every use and has no minimum daily usage requirement. This translates into reduced electricity use, lower maintenance costs and better ecology with hands-free, automatic-shut-off functionality.

ECOPOWER ADVANTAGE

- Sustainably engineered to require no external electricity source
- Hydropower system needs no routine battery replacement which lowers maintenance costs
- Strategically placed sensor ensures instantaneous water response, minimizing water wastage
- Hands-free operation reduces the chance of spreading contaminants

TOUCH FREE INSTANT RESPONSE

TOTO COMMERCIAL PERFORMANCE

A WIN-WIN. Unlike other sensor faucets, EcoPower faucets use hydropower to operate the sensor. The flow of water, which meets the most rigorous water saving standards, spins the high-efficiency turbine to both create and store power for operation. TOTO's proprietary sensor technology has been perfected over the past 15 years.

ECOPOWER® FAUCET IDENTIFICATION CHART

PRODUCT	SKU#	KIT (INCLUDES SPOUT & CONTROLLER)					
		0.9 GPC, (10 SEC-ON DEMAND) @ 0.5 GPM			0.19 GPC, (20 SEC-CONTINUOUS) @ 0.5 GPM		
		SINGLE SUPPLY	HOT/COLD MIXING VALVE	THERMOSTATIC MIXING VALVE	SINGLE SUPPLY	HOT/COLD MIXING VALVE	THERMOSTATIC MIXING VALVE
Axiom®	TEL145	TEL145-D10E#CP	TEL145-D10EM#CP	TEL145-D10ET#CP	TEL145-C20E#CP	TEL145-C20EM#CP	TEL145-D20ET#CP
Gooseneck®	TEL155	TEL155-D10E#CP	TEL155-D10EM#CP	TEL155-D10ET#CP	TEL155-C20E#CP	TEL155-C20EM#CP	TEL155-D20ET#CP
Gooseneck Wall-Mount	TEL165	TEL165-D10E#CP	TEL165-D10EM#CP	TEL165-D10ET#CP	TEL165-C20E#CP	TEL165-C20EM#CP	TEL165-D20ET#CP
Helix®	TEL115	TEL115-D10E#CP	TEL115-D10EM#CP	TEL115-D10ET#CP	TEL115-C20E#CP	TEL115-C20EM#CP	TEL115-D20ET#CP
Helix M	TEL125	TEL125-D10E#CP	TEL125-D10EM#CP	TEL125-D10ET#CP	TEL125-C20E#CP	TEL125-C20EM#CP	TEL125-D20ET#CP
Helix Wall-Mount	TEL135	TEL135-D10E#CP	TEL135-D10EM#CP	TEL135-D10ET#CP	TEL135-C20E#CP	TEL135-C20EM#CP	TEL135-D20ET#CP
Libella™	TEL1A5	TEL1A5-D10E#CP	TEL1A5-D10EM#CP	TEL1A5-D10ET#CP	TEL1A5-C20E#CP	TEL1A5-C20EM#CP	TEL1A5-D20ET#CP
Libella M	TEL1B5	TEL1B5-D10E#CP	TEL1B5-D10EM#CP	TEL1B5-D10ET#CP	TEL1B5-C20E#CP	TEL1B5-C20EM#CP	TEL1B5-D20ET#CP
Libella Wall-Mount	TEL1C5	TEL1C5-D10E#CP	TEL1C5-D10EM#CP	TEL1C5-D10ET#CP	TEL1C5-C20E#CP	TEL1C5-C20EM#CP	TEL1C5-D20ET#CP
Libella Wall-Mount M	TEL1D5	TEL1D5-D10E#CP	TEL1D5-D10EM#CP	TEL1D5-D10ET#CP	TEL1D5-C20E#CP	TEL1D5-C20EM#CP	TEL1D5-D20ET#CP
Standard	TEL105*	TEL105-D10E#CP	TEL105-D10EM#CP	TEL105-D10ET#CP	TEL105-C20E#CP	TEL105-C20EM#CP	TEL105-D20ET#CP
Integrated	TEL5LI15R	*Controller integrated into the spout above the deck, 0.15 GPC (15 Sec. On Demand)*					

** Standard spout available in:*
Polished Chrome #CP, Brushed Nickel #BN, Polished Nickel #PN

GPC (Gallons Per Cycle) | GPM (Gallons Per Minute)

ECOPOWER® FAUCET IDENTIFICATION CHART

PRODUCT	SKU#	KIT (INCLUDES SPOUT & CONTROLLER)			AVAILABLE VALVES	
		0.18 GPC, (10 SEC-ON DEMAND) @ 1.0 GPM				
		SINGLE SUPPLY	HOT/COLD MIXING VALVE	THERMOSTATIC MIXING VALVE	HOT/COLD MIXING VALVE	THERMOSTATIC MIXING VALVE
Axiom®	TEL141	TEL141-D10E#CP	TEL141-D10EM#CP	TEL141-D10ET#CP	TLM10	TLT10R
Gooseneck®	TEL151	TEL151-D10E#CP	TEL151-D10EM#CP	TEL151-D10ET#CP		
Gooseneck Wall-Mount	TEL161	TEL161-D10E#CP	TEL161-D10EM#CP	TEL161-D10ET#CP		
Helix®	TEL111	TEL111-D10E#CP	TEL111-D10EM#CP	TEL111-D10ET#CP		
Helix M	TEL121	TEL121-D10E#CP	TEL121-D10EM#CP	TEL121-D10ET#CP		
Helix Wall-Mount	TEL131	TEL131-D10E#CP	TEL131-D10EM#CP	TEL131-D10ET#CP		
Libella™	TEL1A1	TEL1A1-D10E#CP	TEL1A1-D10EM#CP	TEL1A1-D10ET#CP		
Libella M	TEL1B1	TEL1B1-D10E#CP	TEL1B1-D10EM#CP	TEL1B1-D10ET#CP		
Libella Wall-Mount	TEL1C1	TEL1C1-D10E#CP	TEL1C1-D10EM#CP	TEL1C1-D10ET#CP		
Libella Wall-Mount M	TEL1D1	TEL1D1-D10E#CP	TEL1D1-D10EM#CP	TEL1D1-D10ET#CP		
Standard	TEL101*	TEL101-D10E#CP	TEL101-D10EM#CP	TEL101-D10ET#CP		

** Standard spout available in:*
Polished Chrome #CP, Brushed Nickel #BN, Polished Nickel #PN

GPC (Gallons Per Cycle) | GPM (Gallons Per Minute)


ECOPOWER® FAUCETS
OVERVIEW

AXIOM®
ECOPOWER FAUCET
TEL145-D10E (0.5 GPM/0.09 GPC)
TEL145-C20E (0.5 GPM/0.19 GPC)
TEL141-D10E (1.0 GPM/0.18 GPC)

CALGreen



- Self-generating hydropower EcoPower system
- No minimum daily usage requirement
- Micro-sensor positioned underneath the spout head for accurate hand detection ensuring smooth and consistent water distribution
- Vandal resistant aerator housing
- Durable chrome plated spout body
- Single-hole mount
- Kit includes spout body, controller box, and mounting hardware - less supply lines
- Equipped with 0.5 GPM or 1.0 GPM flow control




GOOSENECK
ECOPOWER FAUCET
TEL155-D10E (0.5 GPM/0.09 GPC)
TEL155-C20E (0.5 GPM/0.19 GPC)
TEL151-D10E (1.0 GPM/0.18 GPC)

CALGreen



- Self-generating hydropower EcoPower system
- No minimum daily usage requirement
- Micro-sensor positioned underneath the spout head for accurate hand detection ensuring smooth and consistent water distribution
- Vandal resistant aerator housing
- Durable chrome plated spout body
- Single-hole mount
- Kit includes spout body, controller box, and mounting hardware - less supply lines
- Equipped with 0.5 GPM or 1.0 GPM flow control




GOOSENECK WALL-MOUNT
ECOPOWER FAUCET
TEL165-D10E (0.5 GPM/0.09 GPC)
TEL165-C20E (0.5 GPM/0.19 GPC)
TEL161-D10E (1.0 GPM/0.18 GPC)

CALGreen



- Self-generating hydropower EcoPower system
- No minimum daily usage requirement
- Micro-sensor positioned underneath the spout head for accurate hand detection ensuring smooth and consistent water distribution
- Vandal resistant aerator housing
- Durable chrome plated spout body
- Single-hole mount
- Kit includes spout body, controller box, and mounting hardware - less supply lines
- Equipped with 0.5 GPM or 1.0 GPM flow control




HELIX®
ECOPOWER FAUCET
TEL115-D10E (0.5 GPM/0.09 GPC)
TEL115-C20E (0.5 GPM/0.19 GPC)
TEL111-D10E (1.0 GPM/0.18 GPC)

CALGreen



- Self-generating hydropower EcoPower system
- No minimum daily usage requirement
- Micro-sensor positioned underneath the spout head for accurate hand detection ensuring smooth and consistent water distribution
- Vandal resistant aerator housing
- Durable chrome plated spout body
- Single-hole mount
- Kit includes spout body, controller box, and mounting hardware - less supply lines
- Equipped with 0.5 GPM or 1.0 GPM flow control



For more information on dimensions please refer to product spec sheet.

AVAILABLE FINISHES

#CP Polished Chrome


ECOPOWER® FAUCETS
OVERVIEW


HELIX M
ECOPOWER FAUCET
TEL125-D10E (0.5 GPM/0.09 GPC)
TEL125-C20E (0.5 GPM/0.19 GPC)
TEL121-D10E (1.0 GPM/0.18 GPC)

CALGreen




- Self-generating hydropower EcoPower system
- No minimum daily usage requirement
- Micro-sensor positioned underneath the spout head for accurate hand detection ensuring smooth and consistent water distribution
- Vandal resistant aerator housing
- Durable chrome plated spout body
- Single-hole mount
- Kit includes spout body, controller box, and mounting hardware - less supply lines
- Equipped with 0.5 GPM or 1.0 GPM flow control







HELIX WALL-MOUNT
ECOPOWER FAUCET
TEL135-D10E (0.5 GPM/0.09 GPC)
TEL135-C20E (0.5 GPM/0.19 GPC)
TEL131-D10E (1.0 GPM/0.18 GPC)

CALGreen



- Self-generating hydropower EcoPower system
- No minimum daily usage requirement
- Micro-sensor positioned underneath the spout head for accurate hand detection ensuring smooth and consistent water distribution
- Vandal resistant aerator housing
- Durable chrome plated spout body
- Single-hole mount
- Kit includes spout body, controller box, and mounting hardware - less supply lines
- Equipped with 0.5 GPM or 1.0 GPM flow control






INTEGRATED
ECOPOWER FAUCET
TEL5LI15R (0.5 GPM/0.15 GPC)

CALGreen



- Hydropower self-generating system
- Micro-sensor positioned underneath the spout head for accurate hand detection
- Adjustable temperature control
- Controller integrated into the faucet above the deck for easy installation
- Thermostatic mixer with SMA technology for superior scald protection
- Single-hole mount
- Equipped with 0.5 GPM flow control






LIBELLA™
ECOPOWER FAUCET
TEL1A5-D10E (0.5 GPM/0.09 GPC)
TEL1A5-C20E (0.5 GPM/0.19 GPC)
TEL1A1-D10E (1.0 GPM/0.18 GPC)


CALGreen

NEW



- Hydropower self-generating system
- Consists of spout and controller
- No minimum daily usage requirement
- Micro-sensor positioned underneath the spout head for accurate hand detection ensuring smooth and consistent water distribution
- Vandal resistant aerator housing
- Sensor faucet with aerated flow
- Self adjusting faucet with controller box and mounting hardware, less supply lines
- Single-hole mount
- Equipped with 0.5 GPM or 1.0 GPM flow control





AVAILABLE FINISHES

#CP Polished Chrome

For more information on dimensions please refer to product spec sheet.


LIBELLA M
ECOPOWER FAUCET
TEL1B5-D10E (0.5 GPM/0.09 GPC)
TEL1B5-C20E (0.5 GPM/0.19 GPC)
TEL1B1-D10E (1.0 GPM/0.18 GPC)

CALGreen

NEW



- Hydropower self-generating system
- Consists of spout and controller
- No minimum daily usage requirement
- Micro-sensor positioned underneath the spout head for accurate hand detection ensuring smooth and consistent water distribution
- Vandal resistant aerator housing
- Sensor faucet with aerated flow
- Self adjusting faucet with controller box and mounting hardware, less supply lines
- Single-hole mount
- Equipped with 0.5 GPM or 1.0 GPM flow control
- Available in Polished Chrome (#CP) only




LIBELLA WALL-MOUNT
ECOPOWER FAUCET
TEL1C5-D10E (0.5 GPM/0.09 GPC)
TEL1C5-C20E (0.5 GPM/0.19 GPC)
TEL1C1-D10E (1.0 GPM/0.18 GPC)

CALGreen

NEW



- Hydropower self-generating system
- Consists of spout and controller
- No minimum daily usage requirement
- Micro-sensor positioned underneath the spout head for accurate hand detection ensuring smooth and consistent water distribution
- Vandal resistant aerator housing
- Sensor faucet with aerated flow
- Self adjusting faucet with controller box and mounting hardware, less supply lines
- Single-hole mount
- Equipped with 0.5 GPM or 1.0 GPM flow control
- Available in Polished Chrome (#CP) only




LIBELLA WALL-MOUNT M
ECOPOWER FAUCET
TEL1D5-D10E (0.5 GPM/0.09 GPC)
TEL1D5-C20E (0.5 GPM/0.19 GPC)
TEL1D1-D10E (1.0 GPM/0.18 GPC)

CALGreen

NEW




- Hydropower self-generating system
- Consists of spout and controller
- No minimum daily usage requirement
- Micro-sensor positioned underneath the spout head for accurate hand detection ensuring smooth and consistent water distribution
- Vandal resistant aerator housing
- Sensor faucet with aerated flow
- Self adjusting faucet with controller box and mounting hardware, less supply lines
- Single-hole mount
- Equipped with 0.5 GPM or 1.0 GPM flow control
- Available in Polished Chrome (#CP) only




STANDARD
ECOPOWER FAUCET
TEL105-D10E (0.5 GPM/0.09 GPC)
TEL105-C20E (0.5 GPM/0.19 GPC)
TEL101-D10E (1.0 GPM/0.18 GPC)

CALGreen



- Hydropower self-generating system
- Consists of spout and controller
- No minimum daily usage requirement
- Micro-sensor positioned underneath the spout head for accurate hand detection ensuring smooth and consistent water distribution
- Vandal resistant aerator housing
- Durable chrome plated spout body
- Single-hole mount
- Kit includes spout body, controller box, and mounting hardware - less supply lines
- Equipped with 0.5 GPM or 1.0 GPM flow control
- Available in Polished Chrome (#CP), Polished Nickel (#PN), and Brushed Nickel (#BN) only



For more information on dimensions please refer to product spec sheet.

AVAILABLE FINISHES



1G
ONE GALLON PER FLUSH

1G® TOILETS
1.0 GPF

TOTO's 1G toilets are a perfect solution to help owners and managers of hospitality and multi-family housing properties address their water conservation challenges. The powerful, yet quiet 1G system offers a 35 percent savings over 1.6 GPF toilets —a substantial savings without wavering on our renowned performance.



35% WATER SAVINGS PER YEAR

Reduces water use by 35% or more on average over a standard 1.6 GPF toilet

TOTO 1G TOILETS

5,840 GALLONS Used in Flushing

$175 Operation Cost

PER YEAR

VS.

STANDARD 1.6 GPF TOILETS

9,344 GALLONS Used in Flushing

$280 Operation Cost

PER YEAR

**The average American flushes five times a day at home. Assuming an average household of 3.2 people over 365 days @ 3¢ per gallon.*

Product Shown: Vespin® II 1G®

COMMERCIAL TOILETS, URINALS & FLUSH VALVES

Innovation & Technology Highlights

THE TOTO ADVANTAGE

- Thorough and extensive testing to ensure balanced flushing
- HETs use 1.28 GPF
- HEUs use as little as 0.125 GPF
- TOTO toilet and urinal fixtures are designed for efficient operation, ensuring the highest performance with the lowest consumption levels.




EFVs use the flow of the water to power the entire system...

and when paired with a TOTO high-efficiency commercial toilet or urinal...

equals a balanced system that cannot be matched by combining different toilets and flush valves.

CEFIONTECT™

- Extraordinarily smooth glaze prevents particulates from adhering to ceramic surfaces
- The ion-barrier in CeFiONtect keeps surfaces cleaner, longer
- Less cleaning means less water use and fewer chemicals in the environment




No CeFiONtect

With CeFiONtect

ECOPOWER® FLUSH VALVES

- Hydroelectric turbine uses water to create power
- EcoPower flush valves provide maximum performance in high-traffic commercial spaces
- Self-powering eliminates costs of installing electrical supplies and wiring
- No routine battery replacement means less maintenance costs



TOILETS
COMPARISON CHART

	SKU#			MIN. ROUGH-IN	BOWL			SEAT HEIGHT	RECOM. SEAT	FLUSH. SYSTEM	GPF								OTHER**	
	KIT	BOWL	TANK		ELON.	ROUN.	Sb				1G (3.8L)	1.28 (4.8L)	1.6 (6L)	DUAL						
CARLYLE II 1G	MS614114CUFG	N/A	N/A	12" (10"-14")	•		•	UNIVERSAL	SS114 included	1G	•				•	•	•	•		•
ULTRAMAX II 1G	MS604114CUFG	N/A	N/A	12"	•			UNIVERSAL	SS114 included	1G	•				•	•	•	•		•
VESPIN II 1G	CST474CUF(G)	CT474CUF(G)	ST453U	12" (10"-14")	•		•	UNIVERSAL	SS114	1G	•				•*	•	•	•	R	•
DRAKE II 1G	CST454CUF(G)	C454CUF(G)	ST453U	12"	•			UNIVERSAL	SS114	1G	•				•*	•	•	•	R	•
	CST453CUF(G)	C453CUF(G)	ST453U	12"		•		UNIVERSAL	SS113	1G	•				•*	•	•	•	R	
DRAKE II	CST454CEF(G)	C454CUF(G)	ST454E	12"	•			UNIVERSAL	SS114			•			•*	•	•	•	R	•
	CST453CEF(G)	C453CUF(G)	ST454E	12"		•		UNIVERSAL	SS113			•			•*	•	•	•	R	
ECO DRAKE	CST744EL	C744EL	ST743E	12"	•			ADA	SS114	E+		•				•	•	•	R, B, D, DB, RB	
	CST744SL	C744EL	ST743S	12"	•			ADA	SS114	G+			•			•	•		R, B, D, DB, RB	
	CST744ELN	C744EL	ST744E	12"	•			ADA	SS114	E+		•				•	•	•	R	
	CST744EG	C744EG	ST743E	12"	•			REGULAR	SS114	E+		•			•			•	R, B, D, DB, RB	
	CST744E	C744E	ST743E	12"	•			REGULAR	SS114	E+		•						•	R, B, D, DB, RB	
	CST744SG	C744EG	ST743S	12"	•			REGULAR	SS114	G+			•		•				R, B, D, DB, RB	
	CST744S	C744E	ST743S	12"	•			REGULAR	SS114	G+			•						R, B, D, DB, RB	
	CST744EGN	C744EG	ST744E	12"	•			REGULAR	SS114	E+		•			•			•	R	
	CST744EN	C744E	ST744E	12"	•			REGULAR	SS114	E+		•						•	R	
	CST744EF.10	C744EF.10	ST743E	10"	•			UNIVERSAL	SS114	E+		•				•	•	•	R, B, D, DB, RB	
	CST744SF.10	C744EF.10	ST743S	10"	•			UNIVERSAL	SS114	G+			•			•	•		R, B, D, DB, RB	
	CST744EFN.10	C744EF.10	ST744E	10"	•			UNIVERSAL	SS114	E+		•				•	•	•	R	
	CST743E	C743E	ST743E	12"		•		REGULAR	SS113	E+		•						•	R, B, D, DB, RB	
	CST743S	C743E	ST743S	12"		•		REGULAR	SS113	G+			•						R, B, D, DB, RB	
	CST743EN	C743E	ST744E	12"		•		REGULAR	SS113	E+		•						•	R	
ENTRADA	CST244EF	C244EF	ST243E	12"	•			UNIVERSAL	SS114	E+		•				•	•	•	R	
	CST243EF	C243EF	ST243E	12"		•		UNIVERSAL	SS113	E+		•				•		•	R	

*#51: Less CeFiONtect
**R: Right Hand Trip Lever available
**B: Bolt Down Lid available
**D: Insulated Tank available
**DB: Insulated Tank and Bolt Down Lid available
**RB: Right Hand Trip Lever and Bolt Down Lid available

TOILET FLUSH VALVE
COMPATIBILITY CHART


	PRODUCT	SKU#		FLUSHOMETER			
				ECOPOWER®		MANUAL	
				1.28 GPF	1.6 GPF	1.28 GPF	1.6 GPF
TOILET	Floor Mounted Top Spud	CT705EN(G)	Exposed	TET1LA32#CP TET6LA32#CP	TET1GA32#CP TET6GA32#CP	TMT1LN32#CP	TMT1NNC-32
			Concealed	TET2LA32#SS TET3LA32#SS	TET2GA32#SS TET3GA32#SS		
	Floor Mounted Top Spud	CT705ELN(G)	Exposed	TET1LA32#CP TET6LA32#CP	TET1GA32#CP TET6GA32#CP	TMT1LN32#CP	TMT1NNC-32
			Concealed	TET2LA32#SS TET3LA32#SS	TET2GA32#SS TET3GA32#SS		
	Wall-Mounted Top Spud	CT708E(G)	Exposed	TET1LA32#CP TET6LA32#CP	TET1GA32#CP TET6GA32#CP	TMT1LN32#CP	TMT1NNC-32
			Concealed	TET2LA32#SS TET3LA32#SS	TET2GA32#SS TET3GA32#SS		
	Wall-Mounted Back Spud	CT708EV(G)	Concealed	TET2LA31#SS TET3LA31#SS	TET2GN31#SS TET3GA31#SS		


1G 1.0 GPF TOILETS OVERVIEW

CARLYLE® II 1G
ONE-PIECE TOILET
1.0 GPF
MS614114CUFG



- Tornado Flush™, ultra high-efficiency (1.0 GPF/3.8 LPF)
- CeFiONtect™ ceramic glaze
- ADA Compliant
- Universal Height
- Decorative one-piece toilet with high profile design
- Elongated front bowl with SoftClose® seat (SS114)
- Standard 12" rough-in, less supply
- Optional 10" and 14" rough-in available
- Chrome trip lever
- Meets water efficiency and performance standards
- Available in #01 Cotton only
- Skirted design
- Connect+™ models available







ULTRAMAX® II 1G®
ONE-PIECE TOILET
1.0 GPF
MS604114CUFG



- Tornado Flush, ultra high-efficiency (1.0 GPF/3.8 LPF)
- CeFiONtect ceramic glaze
- ADA Compliant
- Universal Height
- Decorative one-piece toilet with high profile design
- Elongated front bowl with SoftClose seat (SS114)
- Standard 12" rough-in, less supply
- Chrome trip lever
- Meets water efficiency and performance standards
- Connect+ models available







VESPIN® II 1G
TWO-PIECE TOILET
1.0 GPF
CST474CUF(R)(G)



- Tornado Flush, ultra high-efficiency (1.0 GPF/3.8 LPF)
- CeFiONtect ceramic glaze
- ADA Compliant
- Universal Height
- Decorative two-piece design with high-profile tank
- Elongated front bowl and tank set, less seat
- Standard 12" rough-in, less supply
- Optional 10" and 14" rough-in available
- Chrome trip lever
- Meets water efficiency and performance standards
- Skirted design
- Available in #01 Cotton only
- Connect+ models available





For more information on dimensions please refer to product spec sheet.

AVAILABLE COLORS


#01 Cotton | *#12 Sedona Beige* | *#03 Bone* | *#11 Colonial White* | *#51 Ebony*


1.0 GPF TOILETS
OVERVIEW

DRAKE® II 1G
TWO-PIECE TOILET
1.0 GPF
CST454CUF(R)(G)



- Tornado Flush, ultra high-efficiency (1.0 GPF/3.8 LPF)
- CeFiONtect ceramic glaze
- ADA Compliant
- Universal Height
- Decorative two-piece design with high-profile tank
- Elongated front bowl and tank set, less seat
- Standard 12" rough-in, less supply
- Chrome trip lever
- Meets water efficiency and performance standards
- Connect+ models available







DRAKE® II 1G - ROUND FRONT
TWO-PIECE TOILET
1.0 GPF
CST453CUFG(R)



- Tornado Flush™, ultra high-efficiency (1.0 GPF/3.8 LPF)
- CeFiONtect™ ceramic glaze
- ADA Compliant
- Universal Height
- Decorative two-piece design with high-profile tank
- Round front bowl and tank set, less seat
- Standard 12" rough-in, less supply
- Chrome trip lever
- Meets water efficiency and performance standards
- Available in #01 Cotton only
- Available in the first half of 2016





AVAILABLE COLORS

#01 Cotton · *#12 Sedona Beige* · *#03 Bone* · *#11 Colonial White* · *#51 Ebony*

For more information on dimensions please refer to product spec sheet.

1.28 GPF TOILETS
OVERVIEW

ECO DRAKE®
TWO-PIECE TOILET
1.28 GPF
CST744E(R)(G)



- E-Max® flushing system, high-efficiency (1.28 GPF/4.8 LPF)
- Optional CeFiONtect™ ceramic glaze
- Two-piece toilet with high-profile tank
- Elongated front bowl and tank set, less seat
- Chrome trip lever
- 12" Rough-in, less supply
- Meets water efficiency and performance standards
- Tank option: bolt down lid, or/ and insulated tank available

ECO DRAKE - ADA
TWO-PIECE TOILET
1.28 GPF
CST744EL(R)



- E-Max flushing system, high-efficiency (1.28 GPF/4.8 LPF)
- Universal Height
- Two-piece toilet with high-profile tank
- Elongated front bowl and tank set, less seat
- Chrome trip lever
- 12" Rough-in, less supply
- ADA compliant
- Meets water efficiency and performance standards
- Tank option: bolt down lid, or/ and insulated tank available

ECO DRAKE - 10"
TWO-PIECE TOILET
1.28 GPF
CST744EF(R).10



- E-Max flushing system, high-efficiency (1.28 GPF/4.8 LPF)
- Universal Height
- Two-piece toilet with high-profile tank
- Elongated front bowl and tank set, less seat
- ADA compliant
- Chrome trip lever
- 10" Rough-in, less supply
- Meets water efficiency and performance standards
- Tank option: bolt down lid, or/ and insulated tank available

ECO DRAKE - ROUND
TWO-PIECE TOILET
1.28 GPF
CST743E(R)



- E-Max flushing system
- Two-piece toilet with high-profile tank
- Round front bowl and tank set, less seat
- Chrome trip lever
- 12" Rough-in, less supply
- Meets water efficiency and performance standards
- Tank option: bolt down lid, or/ and insulated tank available

For more information on dimensions please refer to product spec sheet.

AVAILABLE COLORS


- #01 Cotton
- #12 Sedona Beige
- #03 Bone
- #11 Colonial White
- #51 Ebony

1.28 GPF TOILETS
OVERVIEW

ECO DRAKE® TRANSITIONAL
TWO-PIECE TOILET
1.28 GPF
CST744E(R)(G)N




- Transitional Design
- E-Max® flushing system, high-efficiency (1.28 GPF/4.8 LPF)
- Optional CeFiONtect™ ceramic glaze
- Two-piece toilet with high-profile tank
- Elongated front bowl and tank set, less seat
- Chrome trip lever
- 12" Rough-in, less supply
- Meets water efficiency and performance standards



ECO DRAKE TRANSITIONAL - ADA
TWO-PIECE TOILET
1.28 GPF
CST744EL(R)N




- Transitional Design
- E-Max flushing system, high-efficiency (1.28 GPF/4.8 LPF)
- Universal Height
- Two-piece toilet with high-profile tank
- Elongated front bowl and tank set, less seat
- Chrome trip lever
- 12" Rough-in, less supply
- ADA compliant
- Meets water efficiency and performance standards



ECO DRAKE TRANSITIONAL - 10"
TWO-PIECE TOILET
1.28 GPF
CST744EF(R)N.10




- Transitional design
- E-Max flushing system, high-efficiency (1.28 GPF/4.8 LPF)
- Universal Height
- Two-piece toilet with high-profile tank
- Elongated front bowl and tank set, less seat
- ADA compliant
- Chrome trip lever
- 10" Rough-in, less supply
- Meets water efficiency and performance standards



ECO DRAKE TRANSITIONAL - ROUND
TWO-PIECE TOILET
1.28 GPF
CST743E(R)N



- Transitional design
- E-Max flushing system
- Two-piece toilet with high-profile tank
- Round front bowl and tank set, less seat
- Chrome trip lever
- 12" Rough-in, less supply
- Meets water efficiency and performance standards



AVAILABLE COLORS

#01 Cotton · *#12 Sedona Beige* · *#03 Bone* · *#11 Colonial White* · *#51 Ebony*

For more information on dimensions please refer to product spec sheet.

1.28 GPF TOILETS
OVERVIEW

ENTRADA™
TWO-PIECE TOILET
1.28 GPF
CST244EF(R) (Elongated)

E+ U CALGreen




- E-Max® flushing system, high-efficiency (1.28 GPF/4.8 LPF)
- Elongated bowl
- Universal Height
- ADA compliant
- Close coupled, elongated front bowl and tank set, less toilet seat
- Chrome trip lever
- Optional right-hand trip lever(R)
- 12" Rough-in
- Available in #01 Cotton only


ENTRADA
TWO-PIECE TOILET
1.28 GPF
CST243EF(R) (Round)


E+ U CALGreen




- E-Max flushing system, high-efficiency (1.28 GPF/4.8 LPF)
- Rounded bowl
- Universal Height
- Close coupled, round front bowl and tank set, less toilet seat
- Chrome trip lever
- Optional right-hand trip lever(R)
- 12" Rough-in
- Available in #01 Cotton only









For more information on dimensions please refer to product spec sheet.

AVAILABLE COLORS

#01 Cotton

COMMERCIAL TOILETS
OVERVIEW

COMMERCIAL FLUSHOMETER HIGH-EFFICIENCY TOILET
1.28 GPF
CT705EN(G)

CALGreen



- Floor-mounted
- Elongated front bowl, less seat
- Optional CeFiONtect™ ceramic glaze (G) - CeFiONtect prevents debris, mold and bacteria from sticking to ceramic surfaces, leading to fewer chemicals and less water in cleaning
- 1-1/2" Inlet top spud
- 10"-12" rough-in
- For compatible flush valves, see page 14
- Available in cotton #01 only

COMMERCIAL FLUSHOMETER HIGH-EFFICIENCY TOILET
1.28 GPF
CT705ELN(G)

CALGreen



- Floor-mounted
- ADA compliant
- Elongated front bowl, less seat
- Optional CeFiONtect ceramic glaze(G) - CeFiONtect prevents debris, mold and bacteria from sticking to ceramic surfaces, leading to fewer chemicals and less water in cleaning
- 1-1/2" Inlet top spud
- 10"-12" rough-in
- For compatible flush valves, see page 14
- Available in cotton #01 only

COMMERCIAL FLUSHOMETER HIGH-EFFICIENCY WALL-HUNG TOILET
1.28 GPF
CT708E(G)

CALGreen



- Wall-mounted
- ADA compliant
- Elongated front bowl, less seat
- Optional CeFiONtect ceramic glaze (G) - CeFiONtect prevents debris, mold and bacteria from sticking to ceramic surfaces, leading to fewer chemicals and less water in cleaning
- 1-1/2" Inlet top spud
- For compatible flush valves, see page 14


COMMERCIAL FLUSHOMETER HIGH-EFFICIENCY WALL-HUNG TOILET
1.28 GPF
CT708EV(G)


CALGreen




- Wall-mounted
- ADA compliant
- Elongated front bowl, less seat
- Optional CeFiONtect ceramic glaze (G) - CeFiONtect prevents debris, mold and bacteria from sticking to ceramic surfaces, leading to fewer chemicals and less water in cleaning
- 1-1/2" Back spud inlet
- For compatible flush valves, see page 14


12" rough-in dimensions








12" rough-in dimensions














AVAILABLE COLORS

#01 Cotton

For more information on dimensions please refer to product spec sheet.

TOILET SEATS
OVERVIEW

COMMERCIAL
SEAT
SC534





- Elongated open front toilet seat
- Mounting hardware included

COMMERCIAL
SEAT
SC134



- Open front toilet seat and cover
- Mounting hardware included





For more information on dimensions please refer to product spec sheet.

AVAILABLE COLORS


#01 Cotton

TOILET FLUSH VALVES
OVERVIEW


ECOPOWER® CONCEALED TOILET FLUSH VALVE
TET2LA - 1.28 GPF
TET2GA - 1.6 GPF

CALGreen


NEW



- Self-powered hydroelectric flush valve system
- No minimum daily usage requirement
- 14" x 12" stainless steel cover plate with solid bronze valve body
- Neutral rough-in and adjustable tail piece connection
- Self-cleaning piston valve with 360° filter screen
- Manual flush override
- Smart sensor with self-adjusting detection range
- 6-second detection time to prevent ghost flushing
- ADA compliant
- Available in Stainless Steel (#SS) only



Top Spud Wall Mount 1-1/2" | Back Spud Wall Mount 1-1/2" | Top Spud Floor Mount 1-1/2"




ECOPOWER CONCEALED TOILET FLUSH VALVE
TET3LA - 1.28 GPF
TET3GA - 1.6 GPF

CALGreen


NEW



- Self-powered hydroelectric flush valve system
- No minimum daily usage requirement
- 4" x 4" brushed stainless steel cover plate with solid bronze valve body
- Neutral rough-in and adjustable tail piece connection
- Self-cleaning piston valve with 360° filter screen
- Manual flush override
- Smart sensor with self-adjusting detection range
- 6-second detection time to prevent ghost flushing
- ADA compliant
- Available in Stainless Steel (#SS) only



Top Spud Wall Mount 1-1/2" | Back Spud Wall Mount 1-1/2" | Top Spud Floor Mount 1-1/2"




ECOPOWER EXPOSED TOILET FLUSH VALVE
TET1LA - 1.28 GPF
TET1GA - 1.6 GPF

CALGreen

NEW



- Self-powered hydroelectric flush valve system
- No minimum daily usage requirement
- Durable chrome plated body with tamper-proof screws and solid bronze valve body
- Self-cleaning piston valve with 360° filter screen
- Neutral rough-in and adjustable tail piece connection
- True mechanical flush override
- Smart sensor with self-adjusting detection range
- 6-second detection time to prevent ghost flushing
- ADA compliant
- Available in Polished Chrome (#CP) only



**Only applies to 1.28 GPF toilet flush valves.*

For more information on dimensions please refer to product spec sheet.

TOILET FLUSH VALVES
OVERVIEW

ECOPOWER EXPOSED 24" VACUUM BREAKER TOILET FLUSH VALVE
TET6LA - 1.28 GPF
TET6GA - 1.6 GPF

CALGreen

MANUAL TOILET FLUSH VALVE
TMT1LN32 - 1.28 GPF
TMT1NNC-32 - 1.6 GPF

CALGreen


NEW





- Self-powered hydroelectric flush valve system
- No minimum daily usage requirement
- Durable chrome plated body with tamper-proof screws and solid bronze valve body
- Self-cleaning piston valve with 360° filter screen
- Neutral rough-in and adjustable tail piece connection
- True mechanical flush override
- Smart sensor with self-adjusting detection range
- 6-second detection time to prevent ghost flushing
- For toilet with 1-1/2" top spud inlet using 24" vacuum breaker bar
- ADA compliant
- Available in Polished Chrome (#CP) only

- Manual operated, non-hold open, toilet flush valve complete with 1" angle stop and 1-1/2" vacuum breaker set
- Piston valve action with 1.28/1.6 GPF
- Left/right rough-in
- Top spud exposed
- ADA compliant
- Available in Polished Chrome (#CP) only



For more information on dimensions please refer to product spec sheet.

AVAILABLE FINISHES

#SS Stainless Steel

#CP Polished Chrome

**Only applies to 1.28 GPF toilet flush valves.*

URINAL FLUSH VALVE COMPATIBILITY CHART

				FLUSHOMETER				
				EcoPower®			MANUAL	
	PRODUCT	SKU#		0.125 GPF	0.5 GPF	1.0 GPF	0.5 GPF	1.0 GPF
URINAL	Full Size Top Spud	UT445U	Exposed	TEU1UA12#CP				
	Full Size Back Spud	UT445UV	Concealed	TEU2UA11SS				
				TEU3UA11#SS				
	Compact Top Spud	UT105U(G)	Exposed	TEU1UA12#CP				
	Compact Back Spud	UT105UV(G)	Concealed	TEU2UA113#SS				
				TEU3UA113#SS				
	Full Size Top Spud	UT447E	Exposed		TEU1LA12#CP	TEU1GA12#CP	TMU1LN12#CP	TMU1NNC-12
							TMU1LN22#CP	TMU1NNC-22
	Full Size Back Spud	UT447EV	Concealed		TEU2LA11#SS			
					TEU3LA11#SS			
	Compact Top Spud	UT104E	Exposed		TEU1LA12#CP	TEU1GA12#CP	TMU1LN12#CP	TMU1NNC-12
							TMU1LN22#CP	TMU1NNC-22
	Compact Back Spud	UT104EV	Concealed		TEU2LA11#SS			
					TEU3LA11#SS			


COMMERCIAL URINALS
OVERVIEW

WASHOUT ULTRA HIGH-EFFICIENCY URINAL
0.125 GPF
UT445U

CALGreen



- Full size urinal with integral trap
- Washout flush action with 3/4" top spud inlet
- 0.125 GPF
- Complete with low profile dome strainer
- For compatible flush valves, see page 27





WASHOUT ULTRA HIGH-EFFICIENCY URINAL
0.125 GPF
UT445UV

CALGreen



- Full size urinal with concealed integral trap
- Washout flush action with 3/4" back spud inlet
- 0.125 GPF
- Complete with low profile dome strainer
- For compatible flush valves, see page 27







WASHOUT ULTRA HIGH-EFFICIENCY URINAL
0.125 GPF
UT105U(G)

CALGreen



- Compact urinal with integral trap
- Washout flush action with 3/4" top spud inlet
- Complete with low profile dome strainer
- Optional CeFiONtect™ ceramic glaze(G) - CeFiONtect glaze prevents debris and mold from sticking to ceramic surfaces, leading to fewer chemicals
- For compatible flush valves, see page 27







WASHOUT ULTRA HIGH-EFFICIENCY URINAL
0.125 GPF
UT105UV(G)

CALGreen



- Compact urinal with concealed integral trap
- Washout flush action with 3/4" back spud inlet
- Complete with low profile dome strainer
- Optional CeFiONtect ceramic glaze(G) - CeFiONtect glaze prevents debris and mold from sticking to ceramic surfaces, leading to fewer chemicals
- For compatible flush valves, see page 27





For more information on dimensions please refer to product spec sheet.

AVAILABLE COLORS

#01 Cotton

COMMERCIAL URINALS
OVERVIEW

WASHOUT HIGH-EFFICIENCY URINAL
0.5 GPF
UT447E

CALGreen



- Full size urinal with concealed integral trap
- Washout flush action with 3/4" top spud inlet
- 0.5 GPF
- For compatible flush valves, see page 27

WASHOUT HIGH-EFFICIENCY URINAL
0.5 GPF
UT447EV

CALGreen



- Full size urinal with concealed integral trap
- Washout flush action with 3/4" back spud inlet
- 0.5 GPF
- For compatible flush valves, see page 27

WASHOUT HIGH-EFFICIENCY URINAL
0.5 GPF
UT104E

CALGreen




- Compact urinal with concealed integral trap
- Washout flush action with 3/4" top spud inlet, 0.5 GPF
- For compatible flush valves, see page 27

WASHOUT HIGH-EFFICIENCY URINAL
0.5 GPF
UT104EV

CALGreen



- Compact urinal with concealed integral trap
- Washout flush action with 3/4" back spud inlet, 0.5 GPF
- For compatible flush valves, see page 27



AVAILABLE COLORS

#01 Cotton

For more information on dimensions please refer to product spec sheet.

URINAL FLUSH VALVES
OVERVIEW


ECOPOWER CONCEALED URINAL FLUSH VALVE
TEU2UA - 0.125 GPF
TEU2LA - 0.5 GPF

CALGreen


NEW




- Self-powered hydroelectric flush valve system
- No minimum daily usage requirement
- 14" x 12" stainless steel cover plate with solid bronze valve body
- Neutral rough-in and adjustable tail piece connection
- Self-cleaning piston valve with 360° filter screen‡
- Manual flush override
- Smart sensor with self-adjusting detection range
- 6-second detection time to prevent ghost flushing
- ADA compliant
- Available in Stainless Steel (#SS) only



Top Spud
Wall Mount
3/4"



Back Spud
Wall Mount
1-1/2" & 1-1/4"




ECOPOWER CONCEALED URINAL FLUSH VALVE
TEU3UA - 0.125 GPF
TEU3LA - 0.5 GPF

CALGreen


NEW




- Self-powered hydroelectric flush valve system
- No minimum daily usage requirement
- 4" x 4" brushed stainless steel cover plate with solid bronze valve body
- Neutral rough-in and adjustable tail piece connection
- Self-cleaning piston valve with 360° filter screen‡
- Manual flush override
- Smart sensor with self-adjusting detection range
- 6-second detection time to prevent ghost flushing
- ADA compliant
- Available in Stainless Steel (#SS) only



Top Spud
Wall Mount
3/4"



Back Spud
Wall Mount
1-1/2" & 1-1/4"




ECOPOWER EXPOSED URINAL FLUSH VALVE
TEU1UA - 0.125 GPF
TEU1LA - 0.5 GPF
TEU1GA - 1.0 GPF

CALGreen

NEW



- Self-powered hydroelectric flush valve system
- No minimum daily usage requirement
- Durable chrome plated body with tamper-proof screws and solid bronze valve body
- Self-cleaning piston valve with 360° filter screen‡
- Neutral rough-in and adjustable tail piece connection
- True mechanical flush override
- Smart sensor with self-adjusting detection range and fuzzy logic control‡ to reduce water usage
- 6-second detection time to prevent ghost flushing
- ADA compliant
- Available in Polished Chrome (#CP) only



MANUAL URINAL FLUSH VALVE
TMU1LN12 - 0.5 GPF
TMU1NNC-12 - 1.0 GPF

CALGreen



- Manual operated, non-hold open, urinal flush valve complete with 3/4" angle stop and 3/4" or 1-1/4"vacuum breaker set
- Piston valve action with 0.5/1.0 GPF
- Left/right rough-in
- Top spud exposed
- ADA compliant
- Available in Polished Chrome (#CP) only

AVAILABLE FINISHES

#SS Stainless Steel

#CP Polished Chrome

**Only applies to 0.5 GPF & 0.125 GPF urinal flush valves.*
†Only applies to 0.125 GPF urinal flush valves.
‡ Feature available on specific models.

For more information on dimensions please refer to product spec sheet.



Products shown: Atherton™ Lavatory
Axiom® EcoPower® Faucet

COMMERCIAL
LAVATORIES
Innovation & Technology Highlights

TOTO lavatories deliver the ideal combination of design and functionality. Available in a variety of styles from undercounter to self-rimming, our lavatories offer comfortable use for everyone, regardless of age or physical ability. They're the perfect choice for any commercial space, from hotels to public facilities.



ADA COMPLIANT




The Americans with Disabilities Act (ADA) was enacted in 1990 to establish design codes to serve people of all ages and abilities. A core principle behind TOTO Total Design, ADA standards consider the needs of everyone, no matter their needs, without additional adaptation or specialization, optimizing the bathroom experience for all generations.


VESSEL LAVATORIES
OVERVIEW

LUMINIST®
LIGHT ROUND VESSEL LAVATORY
LLT152#63-BL



- ø15-5/8" Dia. x 2-3/8" H
- Basin ø14" Dia.
- Luminist is a semi-clear epoxy resin that displays exceptional strength and is highly scratch and impact resistant
- LED lighting system
- Without overflow
- Complete with installation template, hardware and chrome drain fitting







LUMINIST
LIGHT ROUND VESSEL LAVATORY
LLT152#63-WH



- ø15-5/8" Dia. x 2-3/8" H
- Basin ø14" Dia.
- Luminist is a semi-clear epoxy resin that displays exceptional strength and is highly scratch and impact resistant
- LED lighting system
- Without overflow
- Complete with installation template, hardware and chrome drain fitting







LUMINIST
RECTANGLE VESSEL LAVATORY
LLT151



- 19-11/16" W x 12-5/8" D x 3-9/16" H
- Basin 17-7/8" W x 10-13/16" D
- Luminist is a semi-clear epoxy resin that displays exceptional strength and is highly scratch and impact resistant
- Without overflow
- Complete with installation template, hardware and chrome drain fitting






LUMINIST
ROUND VESSEL LAVATORY
LLT150



- ø15-3/4" Dia. x 3-9/16" H
- Basin ø14-7/8" Dia.
- Luminist is a semi-clear epoxy resin that displays exceptional strength and is highly scratch and impact resistant
- Without overflow
- Complete with installation template, hardware and chrome drain fitting






For more information on dimensions please refer to product spec sheet.


VESSEL LAVATORIES
OVERVIEW

VERNICA®
RECTANGLE VESSEL LAVATORY
LT155



- 20” x 18”
- Rear overflow
- Fireclay
- ADA compliant
- Complete with installation template







ARVINA®
ROUND VESSEL LAVATORY
LT572



- ø15-3/4” Dia. x 4-15/16” H
- Without overflow
- Vitreous china
- ADA compliant
- Complete with installation template
- Drain sold separately







ARVINA
ROUND VESSEL LAVATORY
LT573



- ø16-9/16” Dia. x 4-15/16” H
- Without overflow
- Vitreous china
- ADA compliant
- Complete with installation template
- Drain sold separately







ARVINA
SQUARE VESSEL LAVATORY
LT574



- 16-9/16” W x 16-9/16” D x 4-15/16” H
- Without overflow
- Fireclay
- ADA compliant
- Complete with installation template
- Drain sold separately





For more information on dimensions please refer to product spec sheet.

AVAILABLE COLORS


#01 Cotton


SELF-RIMMING LAVATORIES
OVERVIEW

SELF-RIMMING LAVATORY
LT401



- 20-3/8" x 17-3/4"
- Oval Self-rimming Lavatory
- ADA compliant
- Vitreous china
- Complete with installation template and sealing compound
- Concealed front overflow
- Faucet not included
- Available in cotton (#01) only







SELF-RIMMING LAVATORY
LT402



- 19-1/4" diameter
- Round Self-rimming Lavatory
- ADA compliant
- Vitreous china
- Complete with installation template and sealing compound
- Concealed front overflow
- Faucet not included
- Available in cotton (#01) only







SELF-RIMMING LAVATORY
LT501



- 20" x 17"
- Oval Self-rimming Lavatory
- ADA compliant
- Vitreous china
- Concealed front overflow
- Complete with installation template and sealing compound
- Faucet not included







SELF-RIMMING LAVATORY
LT502



- 19" diameter
- Round Self-rimming Lavatory
- ADA compliant
- Vitreous china
- Concealed front overflow
- Complete with installation template and sealing compound
- Faucet not included





AVAILABLE COLORS

#01 Cotton *#12 Sedona Beige* *#03 Bone*


For more information on dimensions please refer to product spec sheet.


UNDERCOUNTER LAVATORIES
OVERVIEW

ATHERTON™
UNDERCOUNTER LAVATORY
LT221



- 17”x 13”
- Rectangular Undercounter Lavatory
- ADA compliant
- Vitreous china
- Mounting assembly complete with installation template and mounting screw set
- Front overflow
- Available in cotton (#01) only







ATHERTON
UNDERCOUNTER LAVATORY
LT231



- 17”x 14”
- Oval Undercounter Lavatory
- ADA compliant
- Vitreous china
- Mounting assembly complete with installation template and mounting screw set
- Front overflow
- Available in cotton (#01) only







ATHERTON
UNDERCOUNTER LAVATORY
LT233



- 19”x 15”
- Oval Undercounter Lavatory
- ADA compliant
- Vitreous china
- Mounting assembly complete with installation template and mounting screw set
- Front overflow
- Available in cotton (#01) only







UNDERCOUNTER LAVATORY
LT569



- 17” x 14”
- Oval Undercounter Lavatory
- ADA compliant
- Vitreous china
- Concealed front overflow
- Mounting assembly complete with installation template, mounting screw set





For more information on dimensions please refer to product spec sheet.

AVAILABLE COLORS


#01 Cotton *#12 Sedona Beige* *#03 Bone*


UNDERCOUNTER LAVATORIES
OVERVIEW CONTINUED

UNDERCOUNTER LAVATORY
LT587



- 19" x 15"
- Oval Undercounter Lavatory
- ADA compliant
- Vitreous china
- Concealed front overflow
- Mounting assembly complete with installation template, mounting screw set
- Available in cotton (#01), sedona beige (#12) and bone (#03) only







RECTANGLE UNDERCOUNTER LAVATORY
LT540G



- 21-1/4"x 14-3/8"
- CeFiONtect™ ceramic glaze
- Front overflow
- Mounting assembly complete with installation template and mounting screw set
- Available in cotton (#01) and sedona beige (#12) only







RECTANGLE UNDERCOUNTER LAVATORY
LT542G



- 19"x 12-3/8"
- CeFiONtect ceramic glaze
- Front overflow
- Mounting assembly complete with installation template and mounting screw set
- Available in cotton (#01) and sedona beige (#12) only






RECTANGLE UNDERCOUNTER LAVATORY
LT191(G)



- 20-1/2" x 12-3/8"
- Rear overflow
- Optional CeFiONtect ceramic glaze
- Vitreous china
- Mounting assembly complete with installation template and mounting screw set





AVAILABLE COLORS

#01 Cotton *#12 Sedona Beige* *#03 Bone* *#11 Colonial White* *#51 Ebony*


For more information on dimensions please refer to product spec sheet.

WHEELCHAIR USER'S LAVATORIES
OVERVIEW

UNDERCOUNTER LAVATORY
LT156



- 19-3/4" x 13"
- Rear overflow
- Fired clay
- Mounting assembly complete with installation template and mounting screw set
- Available in cotton (#01) only







WALL-HUNG LAVATORY
LT307



- 21" x 18-1/4" lavatory with back splash
- ADA compliant
- Vitreous china
- Punching for concealed arm carrier
- Wall support concealed arms not supplied by TOTO
- Includes wall hanger
- Soap dispenser hole optional
- Faucet and soap dispenser not included







UNDERCOUNTER LAVATORY
LT308



- 20-1/2" x 27"
- ADA compliant
- Vitreous china
- Punching for concealed arm carrier
- Wall support concealed arms not supplied by TOTO
- No hardware included
- Faucet not included





For more information on dimensions please refer to product spec sheet.

AVAILABLE COLORS

#01 Cotton



Product shown: TOTO Standard Soap Dispenser

COMMERCIAL SOAP DISPENSERS


Innovation Highlights

THE TOTO ADVANTAGE

TOTO's soap dispensers offer automatic, touchless operation for a more hygienic and comfortable experience. Designed for high-traffic commercial spaces, our soap dispensers are available in industry-standard polished chrome, and for more decorative installations, brushed and polished nickel finishes.

- Made from durable material for heavy use in commercial applications
- Biodegradable, Green Seal™ certified soap available
- Foaming soap for efficient cleansing*
- Auto-purge cycle to prevent soap from clogging the spout
- Micro-sensor under the spout for accurate hand detection*
- Low soap indicator
- Low battery indicator*
- Easy-to-refill soap reservoir

**Function available on specific models.*



TOTO STANDARD SOAP DISPENSER

TEST3ADC-12 - Automatic infrared sensor activated, soap dispenser with 1.06 gallon soap tank and 5.8 gallon sub tank. Automatic sensor adjustment on installation.

SENSOR OPERATED SOAP DISPENSER & TOTO SOAP
OVERVIEW

SENSOR OPERATED
SOAP DISPENSER
TES1ADC-05
TES2ADC-05
TES3ADC-05

SENSOR OPERATED
SOAP DISPENSER
TES100AA
TES100DA

TOTO® SOAP 1 GALLON
PACKAGE OF 4, 1 GAL. EACH
TSFB1

TOTO SOAP 5 GALLON
PACKAGE AS 1, 5 GAL. CONTAINER
TSFB5

MULTI-UNIT SYSTEM











- Sensor operated foaming soap dispenser
- Self-adjusting sensor spout with base unit, mounted hardware and supply lines
- Chrome plated
- Single-hole mount
- Multiple unit configurations available*
- Required to use TOTO Soap


- Sensor operated soap dispenser
- Sleek and compact modern design
- Solid brass spout and body
- Removable Soap Tank for easy access and effortless soap refill
- Vandal resistant spout
- Two power options: AC or DC
- Available in polished chrome (#CP) only

- Specially formulated antibacterial soap
- Approved by the FDA for use in Class I & Class II hospital applications
- Warranty requires use of TOTO soap with dispenser

- Specially formulated antibacterial soap
- Approved by the FDA for use in Class I & Class II hospital applications
- Warranty requires use of TOTO soap with dispenser







AVAILABLE FINISHES

#CP Polished Chrome

* Refer to TOTO specification sheet for more details
For more information on dimensions please refer to product spec sheet.

TOTO® SOAP 55 GALLONS
PACKAGED AS 1, 55 GAL. DRUM
TSFB55



- Specially formulated antibacterial soap
- Approved by the FDA for use in Class I & Class II hospital applications
- Warranty requires use of TOTO soap with dispenser

TOTO SCENTED SOAP 1 GALLON
PACKAGE OF 4, 1 GAL. EACH
TSFB1-GS



- Green Seal™ GS-41 certified
- No triclosan
- Biodegradable
- Helps qualify for LEED credits

TOTO SCENTED SOAP 5 GALLON
PACKAGE AS 1, 5 GAL. CONTAINER
TSFB5-GS



- Green Seal GS-41 certified
- No triclosan
- Biodegradable
- Helps qualify for LEED credits



Product shown: Clean Dry® Hand Dryer

COMMERCIAL CLEAN DRY® HAND DRYERS

Innovation & Technology Highlights

TOTO's Clean Dry hand dryers offer high-speed air for an effective, economical solution. Infrared sensor-operated, Clean Dry offers innovative air wicking technology that dries the user's hands in under 12 seconds.


WASTE REDUCTION

LOW **NOISE**

TOTO COMMERCIAL PERFORMANCE

Clean Dry hand dryers reduce energy use by 25 percent over traditional electronic hand dryers that sometimes fail to dry hands completely. Further, Clean Dry dryers are extremely quiet during operation with a low decibel rating between 55 and 62 dB

DECIBEL RATING



TOTO HAND DRYER BENEFITS

- Unobtrusive designs that blend into any bathroom décor
- Environmentally friendly – no paper waste
- Eliminates the cost of providing paper towels, including the man-power needed to restock paper and discard trash
- Double-sided fan simultaneously dries hands from both sides, greatly reducing drying time*
- Washable trays to eliminate water splashing and prevent slip and fall accidents
- Vandal resistant designs

TOTO HAND DRYERS HELP THE ENVIRONMENT



Function available on specific models.

COMMERCIAL HAND DRYERS
OVERVIEW

CLEAN DRY®
HIGH SPEED HAND DRYER
HDR130#SV




- High speed hand dryer
- Hygienic, touch-free operation
- Durable aluminium construction
- Low Operating noise 55dB(A)
- Energy Efficient 390 watts
- AC powered
- Available in silver (#SV)

CLEAN DRY
HIGH SPEED HAND DRYER
HDR101#WH




- High speed hand dryer
- Hygienic, touch-free operation
- Splash resistant
- Water tray to prevent slip and fall
- Space saving, compact design
- Low Operating noise 57dB(A)
- Energy Efficient 390 watts
- AC powered
- Available in white (#WH)



CLEAN DRY
HIGH SPEED HAND DRYER
HDR111#SS




- High speed hand dryer
- Hygienic, touch-free operation
- Splash resistant
- Space saving, in-wall design
- Vandal proof water tray
- Low Operating noise 56dB(A)
- Energy Efficient 390 watts
- AC powered
- Stainless Steel Cover
- Flush mount
- ADA compliant
- Available in stainless steel (#SS)



CLEAN DRY
HIGH SPEED HAND DRYER
HDR120#WH



- Hygienic sensor-activated hand dryer
- Double-sided blowers for faster dry time
- Sleek and compact design
- 208 mph of air speed
- Side panels and water tray to prevent water from trickling to the floor
- Low operating noise 57dB(A)
- Energy efficient
- Available in white (#WH)



AVAILABLE FINISHES

#WH White *#SV Silver* *#SS Stainless Steel*

For more information on dimensions please refer to product spec sheet.

COLORS AND FINISHES

CHINA COLORS

#01 Cotton

#11 Colonial White

#12 Sedona Beige


#03 Bone


#51 Ebony

BRASS FINISHES


#CP Polished Chrome


LifeKoat™
#PN Polished Nickel


LifeKoat™
#BN Brushed Nickel

HAND DRYER COLORS


#WH White


#SS Stainless Steel


#SV Silver

TECHNOLOGY
ICON GUIDE

ECOPOWER®

SMA THERMOSTATIC VALVE TECHNOLOGY

TORNADO FLUSH™ SYSTEM

CEFIONTECT™ GLAZE

AUTO FUNCTIONS

1.0 GPF GRAVITY-FED FLUSHING SYSTEM

E-MAX® FLUSHING SYSTEM

SKIRTED DESIGN

UNIVERSAL HEIGHT

ADA COMPLIANT

GREEN SEAL™ CERTIFIED

WATERSENSE

Meets CEC Water Regulations - Effective 2016

CALGreen Meets CalGreen Water Regulations for new construction and permitted remodel

TOTO USA, INC.
1155 SOUTHERN ROAD
MORROW, GA 30260
800-350-8686

www.totousa.com

#KO-112016-CB
Printed in the U.S.A. 11/16