Viega Product Guide

Catalog 2026



COMPLETE THE SYSTEM

viega



PROPRESS®

OXYGEN CLEANED PRESS TECHNOLOGY

ProPress® Cleaned for Oxygen Service fittings and valves deliver proven reliability for oxygen and high-purity applications, engineered to meet industrial and pharmaceutical standards with the assurance of an industrial warranty.

SCAN TO LEARN MORE

COMING SOON ▸ COMING SOON ▸ COMING SOON ▸ COMING SOON ▸ COMING SOON



HYBRID SYSTEMS

PROVIDED BY VIEGA® PRESS TECHNOLOGY

From hotels to multifamily builds, Viega Hybrid Systems let you mix materials and methods with confidence, saving time, reducing risk, and creating smarter, more efficient installs.



BUILT FOR DATA CENTERS. **ENGINEERED FOR UPTIME.**

Viega delivers reliable, fast-install piping systems engineered for the cooling demands of modern data centers, helping owners, contractors and engineers meet aggressive timelines without compromising performance or uptime.

Registered Trademark:



Superior Performance with Viega System Solutions

Viega introduced press technology to North America in 1999 with Viega ProPress. Now more than 25 years later, Viega press technology has made consistent, secure connections possible on copper, stainless, carbon steel, copper-nickel and PEX. Viega press systems also offer security through innovations like Viega Smart Connect® technology, which is available on many genuine Viega press fittings. Installers can trust a Viega connection and finish a job without worrying, because Viega Smart Connect is the only technology that detects unpressed connections 100% of the time.

Company Information: Viega North America

Phone: (800) 976-9819

Locations:

Corporate Headquarters and Colorado Seminar Center	Broomfield, Colorado
Manufacturing and Distribution Center	McPherson, Kansas
Manufacturing and Distribution Center	Mantua, Ohio
Northeast Distribution Center	Harrisburg, Pennsylvania
West Distribution Center	Reno, Nevada
Experience Center	Queens, New York

Websites:

www.viega.us
www.viega.ca

Standard terms and conditions in this catalog are those in effect on the date of publication of the catalog. Complete installation information and technical specifications are available on viega.us. Viega reserves the right to adjust prices, change its product offering and change standard terms and conditions. To obtain current information, go to viega.us.

Table of Contents



viega

Featured	Featured products from Viega	pg. 9		Featured
Viega ProPress	Copper press system for a wide variety of applications, including potable water	pg. 17		1.1
Viega ProPress 316	316 stainless steel press CTS system for a wide variety of applications, including corrosive chemicals, and potable water	pg. 33		1.2
Viega MegaPress	Carbon steel press system for a wide variety of applications, including water, excluding gas	pg. 43		2.1
Viega MegaPressG	Carbon steel press system for gas applications	pg. 51		2.2
Viega MegaPress FKM	Carbon steel press system with an FKM sealing element for a variety of applications	pg. 61		2.3
Viega MegaPress 304 FKM	304 for stainless steel press IPS system for a wide variety of commercial and industrial applications	pg. 71		2.4
Viega MegaPress 316	316 stainless steel press IPS system for a wide variety of applications, including potable water	pg. 81		2.5
Viega MegaPress 316 FKM	316 for stainless steel press IPS system with an FKM sealing element for a wide variety of applications	pg. 91		2.6

Viega MegaPress CuNi	Copper-nickel system for use in marine applications	pg. 101		2.7
Viega PureFlow Press	Complete plumbing system for residential and commercial applications	pg. 111		3.1
Viega PureFlow Crimp	Complete plumbing system for residential applications	pg. 127		3.2
Viega ManaBloc	The Viega ManaBloc is a water distribution system, allowing control over each supply line from one central location	pg. 141		3.3
Viega Heating and Cooling Solutions	Complete heating and cooling systems for residential, commercial and industrial applications	pg. 149		4.1
Viega Valves	Variety of choices to use with ProPress, MegaPress or PureFlow systems	pg. 169		5.1
Tools	Battery-powered tools, press jaws and rings, and more tools for installing Viega press systems	pg. 195		6.1
Index – Model	Search for products by model number	pg. 210		MODEL NO.
Index – Part	Search for products by part number	pg. 212		PART NO.

Legend

Abbreviation	Definition
AFM	Asbestos-Free Gasket Material
BP	Bolt Pattern
BPd	Bolt Pattern Diameter
BSP	British Standard Pipe
C	Female Copper Tube Size
Closet	Closet Connection
Comp	Compression
Crimp	PEX Crimp Connection
CTS	Copper Tube Size
D	Depth
d	Diameter
d1	Diameter 1
d2	Diameter 2
d3	Diameter 3
DG	Discount Group
EPDM	Ethylene Propylene Diene Monomer
F BSP	Female Union BSP
FKM	Fluorocarbon elastomer
FPT	Female Pipe Thread
FTG	Street
Flare	Flare Connection
G (IPS)	Groove (Iron Pipe Size)
gpm	Gallons Per Minute
H	Height
HDPE	High Density Polyethylene
HNBR	Hydrogenated Nitrile Butadiene Rubber
Hose	Hose Connection
IPS	Iron Pipe Size
L	Length

Abbreviation	Definition
Lav	Lav Connection
Lbs	Pounds
MPT	Male Pipe Thread
NPT	National Pipe Thread for Imperial Connections
OC	On Center
OD	Outside Diameter
P	Press Connection
P1	Press Connection 1
P2	Press Connection 2
P3	Press Connection 3
PB	Polybutylene Connection
pc	Piece
PE	Polyethylene Connection
PEX	Cross-linked Polyethylene
PP	Polypropylene
PTFE	Polytetrafluoroethylene
Part No	Part Number
R	British Standard External Thread (tapered)
SVC	Standard Viega Connection
Rp	British Standard Internal Thread (straight)
s	Wall thickness
Stub	Connection end that is the same size as pipe OD; similar to a street fitting
Supply	Viega ManaBloc Supply Connection
Swivel	Fitting connection that attaches with a nut that has an integral flat gasket to make a seal
V	Volt
W	Width
Wt	Weight

How to Read Dimensions of a Fitting or a Product



Viega ProPress tee
Smart Connect feature
- For use with ASTM B88 tubing
- Copper
- Press connection

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
½	½	½	0.202	10	77377	8
½	½	¾	0.287	10	77382	8
½	½	1	0.320	5	15493	8
¾	½	½	0.278	10	77392	8
¾	½	¾	0.326	5	77397	8



Viega ProPress vent elbow
Smart Connect feature, Zero Lead
- For use with ASTM B88 tubing
- Bronze
- Press connection, female pipe thread

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
½	½	⅛	0.154	2	79635	8
¾	¾	⅛	0.234	2	79640	8



Viega PEX Press manifold
Smart Connect feature
- Only use with lock clip Part No 58075
- Polymer
- Press connection
- Flow through

Outlet(s)	P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2	¾	¾	½	0.202	10	49152	6
3	¾	¾	½	0.255	10	49153	6
4	¾	¾	½	0.318	10	49054	6
4	1	¾	½	0.330	10	49254	6
6	1	1	½	0.455	10	49256	6



Viega PEX Press 90° tub elbow
- Brazed copper
- Press connection, street
Model 2820.0ZL

P	FTG	L1 [in]	L2 [in]	Wt [lb]	Quantity	Part No	DG
½	½	3	6	0.245	25	92221	6



d = Diameter of tubing

Viega ManaBloc distribution manifold
Smart Connect feature
- Press connection
- Color-coded ports for hot and cold water

Components
¼ turn valves, T-handle valve key

Note
Does not include supply connections

Adapter	Port(s)	d	Hot Water Ports hot	Cold Water Ports cold	Wt [lb]	Quantity	Part No	DG
polymer	14	⅜	6	8	5.121	1	49142	2



Manifold cabinet
- Suitable for manifold Model 2804, 2879
- Galvanized steel, epoxy powder-coated finish
Model 2879.6US

W [in]	H [in]	D [in]	Wt [lb]	Quantity	Part No	DG
21	30	4½	29.492	1	15800	4
27	30	4½	29.992	1	15801	4
45	30	4½	45.987	1	15802	4



Viega MegaPress press-in branch connector
- For use with Sch.10 carbon steel pipe only
- Carbon steel
- Press connection, female pipe thread

Components
EPDM sealing element
Model 4812.2

for d	FPT	Wt [lb]	Quantity	Part No	DG
1½	¾	0.454	1	26800	12
2	¾	0.452	1	26805	12
2½	¾	0.458	1	26810	12
3	¾	0.452	1	26815	12
4	¾	0.445	1	26820	12
6	¾	0.441	1	26825	12

Featured products



viega

Featured products

Innovation starts with listening. At Viega, we stay connected to the engineers, contractors, and trades professionals who rely on our products every day. Their feedback drives us to design smarter, more efficient solutions that move the industry forward. Our featured products reflect that commitment, built for performance, reliability, and the future of the trades. For more than 125 years, Viega has led the way in press technology, and we continue to set the standard today.

VALVES

Viega valves are built to endure tough jobsite conditions, deliver secure system connections, and can feature Smart Connect® technology for quick, reliable pressure testing.
With a wide range of configurations, approvals, and accessories, they help reduce labor costs, minimize callbacks, and adapt to any project's specific application needs.

SYSTEM TRANSITION COUPLINGS

Viega offers a broad range of solutions to easily transition between systems.
The newest transition couplings include the MegaPress® ZL Bronze Transition Coupling that is available in two configurations: IPS to CTS - for connecting carbon or galvanized steel to copper or pairing with the Viega PureFlow® x ProPress® fitting to transition from IPS to PureFlow PEX - and IPS to IPS, for connecting carbon or galvanized steel to stainless steel.
Viega also offers the IPS x CTS Stainless transition couplings, now available in ½" through 4" in 316 stainless steel.

MANABLOC, MINIBLOC

The Viega ManaBloc is a factory-tested, corrosion- and scale-resistant water distribution system that lets you control every supply line from one central location for balanced, efficient water flow. Designed for easy installation with PureFlow PEX, it reduces leak points and supports both PureFlow Press and Crimp connections. Now available in a smaller version – MiniBloc.

MEGAPRESS PRESS-IN BRANCH CONNECTOR

The MegaPress Press-In Branch Connector offers an innovative way to create branches or install instrumentation on existing piping without full system drainage, minimizing downtime.
Available for schedule 40 carbon steel pipe in sizes 1½"–6" with a ¾" FPT outlet, it's approved for applications including hydronic heating, cooling water, and compressed gases.

Index

Valves 12
System Transition Couplings 14
ManaBlocs, MiniBlocs 15
MegaPress Press-In Branch Connector 16

viega

Valves



Viega ProPress ball valve
Smart Connect Technology
Zero Lead
- For potable water installations
- Brass
- Press connection
- Full port

Components
EPDM sealing elements, chrome-plated brass ball, lockable metal handle

Model 2971.1XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	8.706	1	**78300**	8
3	3	11.990	1	**78305**	8
4	4	17.963	1	**78310**	8



Viega ProPress swing check valve
Smart Connect Technology
Zero Lead
- For potable water installations
- Not suitable for fuel gas application
- Bronze, brass
- Press connection
- Inline

Components
PTFE valve seat seal

Model 2974.2ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.727	1	**87170**	8
¾	¾	1.102	1	**87175**	8
1	1	1.609	1	**87180**	8
1¼	1¼	2.513	1	**87185**	8
1½	1½	5.554	1	**87190**	8
2	2	5.683	1	**87195**	8



Viega ProPress wafer check valve
- For potable water installations
- Ductile iron, epoxy powder-coated
- Suitable for Viega ProPress and MegaPress flange adapters, compact inline design

Components
Stainless steel hinge pin, EPDM seal, stainless steel spring-loaded double-disc

Note
Lighter than traditional full-body check valves.

Model 2974.3XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	5.510	1	**86975**	8
3	3	7.873	1	**86980**	8
4	4	11.926	1	**86985**	8



Viega ProPress butterfly valve
LUG type
Zero Lead
- For potable water installations
- Ductile iron, epoxy powder-coated
- Top plate actuation compatible in accordance with ISO 5211, suitable for Viega ProPress flange adapters

Components
Multi-position locking handle, EPDM seal, stainless steel disc and stem

Model 2979.8ZL

d	BP	Wt [lb]	Quantity	Part No	DG
2½	4	7.582	1	**87660**	8
3	4	12.276	1	**87665**	8
4	8	17.676	1	**87670**	8

BP = bolt pattern



Viega ProPress wye strainer
Zero Lead
Smart Connect Technology
- For potable water installations
- Not suitable for gas installations
- Bronze, brass
- Press connection
- Mesh 20

Model 2981.1ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.551	1	**87230**	8
¾	¾	0.771	1	**87235**	8
1	1	1.212	1	**87240**	8
1¼	1¼	1.873	1	**87245**	8
1½	1½	2.741	1	**87250**	8
2	2	3.747	1	**87255**	8



Viega ProPress 316 ball valve
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connections
- Full port

Components
Lockable 316 stainless steel handle, stainless steel ball and stem, EPDM sealing elements
Model 4075

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.564	1	**81081**	9
¾	¾	0.778	1	**81086**	9
1	1	1.186	1	**81096**	9
1¼	1¼	1.878	1	**81097**	9
1½	1½	2.676	1	**81106**	9
2	2	4.320	1	**81107**	9



Viega MegaPress 304 FKM ball valve
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- Not suitable for fuel gas application
- 316 stainless steel valve/304 stainless steel press ends

Components
FKM sealing elements, stainless steel ball, 304 locking handle
Model 4170

P	Wt [lb]	Quantity	Part No	DG
½	0.760	1	**29005**	12
¾	1.031	1	**29010**	12
1	1.730	1	**29015**	12
1¼	2.729	1	**29020**	12
1½	3.621	1	**29025**	12
2	5.532	1	**29030**	12



Viega MegaPress ball valve
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Not suitable for fuel gas application
- Carbon steel

Components
Stainless steel ball, EPDM sealing elements, lockable metal handle
Model 4870

P	Wt [lb]	Quantity	Part No	DG
½	0.807	1	**28915**	12
¾	1.115	1	**28920**	12
1	1.750	1	**28925**	12
1¼	2.759	1	**28930**	12
1½	3.778	1	**28935**	12
2	5.847	1	**28940**	12



Viega MegaPress 316 FKM globe valve
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Not suitable for fuel gas application
- 316 stainless steel body and press ends
- Press connections

Components
FKM sealing element, aluminum ADC12 handwheel, stainless steel disc and stem
Model 5985.1

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.939	1	**87630**	14
¾	¾	1.292	1	**87635**	14
1	1	2.023	1	**87640**	14
1¼	1¼	2.914	1	**87645**	14
1½	1½	3.846	1	**87650**	14
2	2	5.424	1	**87655**	14



Viega MegaPressG ball valve
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Bronze, carbon steel
- Press connection

Components
HNBR sealing elements, lockable metal handle
Model 6675

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.844	1	**30600**	12
¾	¾	1.124	1	**30605**	12
1	1	1.757	1	**30610**	12
1¼	1¼	2.704	1	**30615**	12
1½	1½	3.678	1	**30620**	12
2	2	5.704	1	**30625**	12



Viega MegaPressG ball valve
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel
- Press connection

Components
HNBR sealing elements, lockable metal handle
Model 6675XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	18.840	1	**86840**	12
3	3	21.599	1	**86845**	12
4	4	40.113	1	**86850**	12

System Transition Couplings



Viega MegaPress transition coupling Smart Connect Technology
- For transitioning between IPS and CTS systems
- 304 stainless steel
- Press connection

Components
FKM sealing elements, grip ring, separator ring

Model 4113

P (IPS)	P (CTS)	Wt [lb]	Quantity	Part No	DG
½	½	0.218	1	**95465**	14
¾	¾	0.284	1	**95470**	14
1	1	0.430	1	**95475**	14
1¼	1¼	0.619	1	**95840**	14
1½	1½	0.804	1	**95485**	14
2	2	1.042	1	**95490**	14



Viega MegaPress transition coupling Smart Connect Technology
- For transitioning between IPS and CTS systems, use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
EPDM sealing elements, grip ring, separator ring

Model 5113

P (IPS)	P (CTS)	Wt [lb]	Quantity	Part No	DG
½	½	0.214	1	**90465**	14
¾	¾	0.280	1	**90470**	14
1	1	0.425	1	**90475**	14
1¼	1¼	0.626	1	**90890**	14
1½	1½	0.804	1	**90485**	14
2	2	1.031	1	**90490**	14



Viega MegaPress transition coupling Smart Connect Technology
- For transitioning between IPS and CTS systems
- 316 stainless steel
- Press connection

Components
EPDM sealing elements

Model 5113XL

P (IPS)	P (CTS)	Wt [lb]	Quantity	Part No	DG
2½	2½	1.620	1	**90760**	14
3	3	2.193	1	**90765**	14
4	4	3.443	1	**90770**	14



Viega MegaPress transition coupling Smart Connect Technology
- For transitioning between IPS and CTS systems
- 316 stainless steel
- Press connection

Components
FKM sealing elements

Model 6813XL

P (IPS)	P (CTS)	Wt [lb]	Quantity	Part No	DG
2½	2½	1.620	1	**98555**	18
3	3	2.193	1	**98560**	18
4	4	3.454	1	**98565**	18



Viega PureFlow Press transition coupling Smart Connect Technology Zero Lead
- For transitioning between Viega PureFlow Press and Viega ProPress
- Bronze
- Press connection

Components
EPDM sealing elements

Note
ProPress and PureFlow tool and press jaws required

Model 2813PZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.076	10	**99620**	6
½	¾	0.115	10	**99626**	6
¾	½	0.078	10	**99630**	6
¾	¾	0.115	10	**99640**	6
1	¾	0.136	10	**99645**	6
1	1	0.184	10	**99660**	6
1¼	1	0.236	5	**99665**	6
1¼	1¼	0.287	5	**99670**	6
1½	1½	0.447	5	**99680**	6
2	2	0.723	5	**99690**	6



Viega MegaPress transition coupling
Zero Lead
Smart Connect Technology
- For transitioning between IPS sized pipe and CTS sized tube
- Bronze
- Press connection, CTS street

Components
EPDM sealing element, grip ring, separator ring
Model 4813.4ZL

P1	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
½	½	0.159	1	**76575**	12
¾	¾	0.207	1	**76580**	12
1	1	0.324	1	**76585**	12
1¼	1¼	0.548	1	**76590**	12
1½	1½	0.696	1	**76595**	12
2	2	0.963	1	**76600**	12



Viega MegaPress transition coupling
Zero Lead
Smart Connect Technology
- For MegaPress transitions between dissimilar piping
- Bronze
- Press connections

Components
EPDM sealing elements, grip rings, separator rings
Model 4815ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.247	1	**76605**	12
¾	¾	0.315	1	**76610**	12
1	1	0.511	1	**76615**	12
1¼	1¼	0.809	1	**76620**	12
1½	1½	0.992	1	**76625**	12
2	2	1.168	1	**76630**	12



Viega PureFlow Crimp transition coupling
Smart Connect Technology
Zero Lead
- For transitioning between Viega PureFlow Crimp and Viega ProPress
- Bronze
- Crimp connection, press connection

Components
EPDM sealing element

Note
PureFlow Crimp and ProPress tool and press jaws required
Model 5013PZL

Crimp	P	Wt [lb]	Quantity	Part No	DG
½	½	0.064	25	**44350**	5
½	¾	0.102	25	**44355**	5
¾	½	0.071	25	**44360**	5
¾	¾	0.100	25	**44365**	5
1	1	0.150	5	**44370**	5



Viega MegaPress FKM transition coupling
Zero Lead
Smart Connect Technology
- For MegaPress transitions between dissimilar piping
- Bronze
- Press connections

Components
FKM sealing elements, grip rings, separator rings
Model 5915ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.249	1	**76545**	12
¾	¾	0.320	1	**76550**	12
1	1	0.516	1	**76555**	12
1¼	1¼	0.829	1	**76560**	12
1½	1½	1.054	1	**76565**	12
2	2	0.002	1	**76570**	12

ManaBlocs, MiniBlocs



Viega PureFlow ManaBloc manifold
- Polysulfone
- Does not include port adapters, supply adapters

Components
Integrated ¼ turn shutoff valves, T-handle valve key

Note
Supply and outlet threaded connections are not NPT. Use only Viega ManaBloc adapters.
Model V5040.6

Port(s)	d	hot	cold	Wt [lb]	Quantity	Part No	DG
14	½	6	8	5.024	1	**49610**	2
18	½	8	10	5.818	1	**49615**	2
24	½	9	15	8.016	1	**49620**	2
30	½	12	18	9.579	1	**49625**	2
36	½	14	22	10.974	1	**49630**	2



Viega PureFlow MiniBloc zoning manifold
Smart Connect Technology
- For combination systems
- Polysulfone
- Press connection
- Blue color coded ports for cold water
- Does not include supply connections

Components
¼ turn valves, T-handle valve key, optional red valve caps

Note
Supply and outlet threaded connections are not NPT.
Use only Viega ManaBloc adapters.

Model V5650

Adapter	Port(s)	d	Wt [lb]	Quantity	Part No	DG
polymer	3	½	1.804	1	**49033**	2
polymer	4	½	2.007	1	**49043**	2
polymer	6	½	2.456	1	**49063**	2
polymer	8	½	3.337	1	**49083**	2



Viega PureFlow MiniBloc zoning manifold
Smart Connect Technology
- For combination systems
- Press connection
- Color coded ports for hot and cold water
- Does not include supply connections

Components
¼ turn valves, T-handle valve key

Note
Supply and outlet threaded connections are not NPT.
Use only Viega ManaBloc adapters.

Model V5660

Adapter	Port(s)	d	hot	cold	Wt [lb]	Quantity	Part No	DG
polymer	5	½	2	3	2.189	1	**49453**	2
polymer	7	½	3	4	3.130	1	**49473**	2
polymer	10	½	4	6	3.801	1	**49410**	2

MegaPress Press-In Branch Connector



Viega MegaPress press-in branch connector
- For use with Sch. 40 carbon steel pipe only
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components
FKM sealing element

Model 4812.25

for d	FPT	Wt [lb]	Quantity	Part No	DG
1½	¾	0.432	1	**26830**	12
2	¾	0.441	1	**26835**	12
2½	¾	0.441	1	**26840**	12
3	¾	0.410	1	**26845**	12
4	¾	0.410	1	**26850**	12
6	¾	0.388	1	**26855**	12



Viega MegaPress press-in branch connector
- For use with Sch. 40 carbon steel pipe only
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components
EPDM sealing element

Model 4812.35

for d	FPT	Wt [lb]	Quantity	Part No	DG
1½	¾	0.432	1	**26890**	12
2	¾	0.439	1	**26895**	12
2½	¾	0.436	1	**26900**	12
3	¾	0.408	1	**26905**	12
4	¾	0.408	1	**26910**	12
6	¾	0.386	1	**26915**	12

ProPress



viega

ProPress

Viega ProPress is the trusted copper press joining solution. Since its introduction in 1999, it has reduced overall job costs, saved time, and increased reliability on jobsites across the globe. Viega ProPress fittings offer Smart Connect technology to provide installers added confidence in their ability to ensure secure connections. With system-matched tools, rings and press jaws, press connections are made in seconds, making Viega ProPress suitable for virtually any type of project.

FEATURES AND BENEFITS

- Available in sizes ½" to 4"
- Customizable with three sealing elements: EPDM, HNBR and FKM
- More than 400 engineered fitting configurations for copper and Zero Lead bronze from ½" to 4"
- Approved for more than 250 different applications

ZERO LEAD

Zero Lead identifies Viega products meeting the lead-free requirements of NSF-61-372 through testing under NSF/ANSI/CAN 372 (0.25% or less maximum weighted average lead content).

NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A green dot indicates an EPDM sealing element.

Index

Elbows	20
Tees	23
Adapters	25
Flanges	26
Caps	26
Unions	26
Couplings	27
Reducers	29
Cross-Overs	30
Stub-outs	30
Sealing Elements and Gaskets	30
Accessories	31

Elbows



Viega ProPress 90° elbow
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Press connection

Components
EPDM sealing elements
Model 2916

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.116	100	**77317**	8
¾	¾	0.181	100	**77022**	8
1	1	0.278	5	**77027**	8
1¼	1¼	0.364	5	**77032**	8
1½	1½	0.667	1	**77037**	8
2	2	1.059	1	**77042**	8



Viega ProPress 90° elbow
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Press connection

Components
EPDM sealing elements
Model 0916XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	2.101	1	**20623**	8
3	3	3.031	1	**20628**	8
4	4	5.724	1	**20633**	8



Viega ProPress 90° street elbow
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Press connection, street

Components
EPDM sealing element
Model 2916.1

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
½	½	0.104	10	**77347**	8
¾	¾	0.164	10	**77052**	8
1	1	0.265	5	**77057**	8
1¼	1¼	0.353	5	**77062**	8
1½	1½	0.644	1	**77067**	8
2	2	1.025	1	**77072**	8



Viega ProPress 90° street elbow
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Press connection, street

Components
EPDM sealing element
Model 0916.1XL

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
2½	2½	1.955	1	**20638**	8
3	3	2.861	1	**20643**	8
4	4	5.510	1	**20648**	8



Viega ProPress 90° reducing elbow
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Press connection

Components
EPDM sealing elements
Model 2916.3

P1	P2	Wt [lb]	Quantity	Part No	DG
¾	½	0.160	15	**77325**	8
1	¾	0.251	10	**77330**	8



Viega ProPress 90° elbow
Smart Connect Technology
Zero Lead
- For use with ASTM B88 and B75 tubing
- Bronze
- Press connection, female pipe thread

Components
EPDM sealing element
Model 2914.2ZL

P	FPT	Wt [lb]	Quantity	Part No	DG
½	⅜	0.136	5	**79520**	8
½	½	0.181	5	**79525**	8
½	¾	0.243	5	**79530**	8
¾	½	0.245	5	**79535**	8
¾	¾	0.299	5	**79540**	8
1	½	0.313	1	**79545**	8
1	1	0.463	1	**79550**	8
1¼	1¼	0.694	1	**79560**	8
1½	1½	0.961	1	**79565**	8
2	2	1.609	1	**79570**	8



Viega ProPress vent elbow
Smart Connect Technology
Zero Lead
- For use with ASTM B88 and B75 tubing
- Bronze
- Press connection, female pipe thread

Components
EPDM sealing elements
Model 2917.3ZL

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
½	½	⅛	0.162	2	**79635**	8
¾	¾	⅛	0.232	2	**79640**	8



Viega ProPress 90° hi ear elbow
Smart Connect Technology
Zero Lead
- For use with ASTM B88 and B75 tubing
- Bronze
- Press connection, female pipe thread

Components
EPDM sealing element
Model 2925.2ZL

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.221	5	**79205**	8



Viega ProPress 90° drop ear elbow
Smart Connect Technology
Zero Lead
- For use with ASTM B88 and B75 tubing
- Bronze
- Press connection, female pipe thread

Components
EPDM sealing element
Model 2925.5ZL

P	FPT	Wt [lb]	Quantity	Part No	DG
½	⅜	0.242	5	**79185**	8
½	½	0.250	5	**79190**	8
¾	¾	0.430	5	**79195**	8



Viega ProPress double drop elbow
Smart Connect Technology
Zero Lead
- For use with ASTM B88 and B75 tubing
- Bronze
- Press connection, female pipe thread

Components
EPDM sealing elements
Model 2928.7ZL

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
½	½	½	0.390	1	**78800***	8
¾	¾	½	0.544	1	**78802***	8
¾	¾	¾	0.573	1	**78801***	8
1	1	½	0.710	1	**78803***	8

* = Available while supplies last



Viega ProPress 45° elbow
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Press connection

Components
EPDM sealing elements
Model 2926

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.094	10	**77607**	8
¾	¾	0.153	10	**77023**	8
1	1	0.210	5	**77028**	8
1¼	1¼	0.292	5	**77033**	8
1½	1½	0.584	1	**77038**	8
2	2	0.792	1	**77043**	8



Viega ProPress 45° elbow
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Press connection

Components
EPDM sealing elements
Model 0926XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.609	1	**20653**	8
3	3	2.336	1	**20658**	8
4	4	4.214	1	**20663**	8



Viega ProPress 45° street elbow
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Press connection, street

Components
EPDM sealing element
Model 2926.1

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
½	½	0.085	10	**77637**	8
¾	¾	0.140	10	**77053**	8
1	1	0.199	5	**77058**	8
1¼	1¼	0.274	5	**77063**	8
1½	1½	0.538	1	**77068**	8
2	2	0.777	1	**77073**	8



Viega ProPress 45° street elbow
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Press connection, street

Components
EPDM sealing element
Model 0926.1XL

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
2½	2½	1.554	1	**20668**	8
3	3	2.189	1	**20673**	8
4	4	3.964	1	**20678**	8

Tees



Viega ProPress tee
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Press connection

Components
EPDM sealing elements
Model 2918

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
½	½	½	0.202	10	**77377**	8
½	½	¾	0.294	10	**77382**	8
½	½	1	0.310	5	**15493**	8
¾	½	½	0.267	10	**77392**	8
¾	½	¾	0.318	5	**77397**	8
¾	¾	½	0.282	10	**77402**	8
¾	¾	¾	0.324	10	**77387**	8
¾	¾	1	0.382	5	**77407**	8
1	½	¾	0.401	5	**22263**	8
1	½	1	0.438	5	**94767**	8
1	¾	½	0.353	5	**77417**	8
1	¾	¾	0.405	5	**77422**	8
1	¾	1	0.448	5	**77427**	8
1	1	½	0.370	5	**77432**	8
1	1	¾	0.405	5	**77437**	8
1	1	1	0.443	5	**77412**	8
1	1	1¼	0.556	1	**15488**	8
1¼	½	1¼	0.595	1	**22253**	8
1¼	¾	¾	0.500	1	**22258**	8
1¼	¾	1	0.545	1	**22268**	8
1¼	¾	1¼	0.607	1	**22248**	8
1¼	1	½	0.449	1	**22238**	8
1¼	1	¾	0.500	1	**94762**	8
1¼	1	1	0.551	1	**14568**	8
1¼	1¼	½	0.477	1	**94757**	8
1¼	1¼	¾	0.506	1	**77452**	8
1¼	1¼	1	0.536	1	**77447**	8
1¼	1¼	1¼	0.607	1	**77442**	8
1½	1	¾	0.744	1	**79660**	8
1½	1	1	0.782	1	**15458**	8
1½	1	1½	1.083	1	**15463**	8
1½	1¼	¾	0.744	1	**22233**	8
1½	1¼	1	0.804	1	**15453**	8
1½	1¼	1¼	0.851	1	**15483**	8
1½	1½	½	0.714	1	**15448**	8
1½	1½	¾	0.803	1	**77462**	8
1½	1½	1	0.836	1	**77467**	8
1½	1½	1¼	0.877	1	**77472**	8
1½	1½	1½	1.160	1	**77457**	8
2	1¼	1¼	1.115	1	**15518**	8
2	1½	¾	1.018	1	**15513**	8
2	1½	1	1.130	1	**15498**	8
2	1½	1¼	1.201	1	**15508**	8
2	1½	1½	1.352	1	**15503**	8
2	1½	2	1.506	1	**22228**	8
2	2	½	1.003	1	**15538**	8
2	2	¾	1.046	1	**94777**	8
2	2	1	1.126	1	**94772**	8
2	2	1¼	1.210	1	**77487**	8
2	2	1½	1.327	1	**77482**	8
2	2	2	1.496	1	**77477**	8



Viega ProPress tee
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Press connection

Components
EPDM sealing elements
Model 0918XL

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2½	¾	2½	2.059	1	**22317**	8
2½	1	2½	2.014	1	**20689**	8
2½	1½	2½	2.204	1	**20699**	8
2½	2	¾	1.397	1	**22316**	8
2½	2	1	1.413	1	**20709**	8
2½	2	1½	1.670	1	**22283**	8
2½	2	2	1.840	1	**22278**	8
2½	2	2½	2.169	1	**20714**	8
2½	2½	½	1.411	1	**22311**	8
2½	2½	¾	1.389	1	**22309**	8
2½	2½	1	1.521	1	**22293**	8
2½	2½	1¼	1.631	1	**22288**	8
2½	2½	1½	1.809	1	**20803**	8
2½	2½	2	1.940	1	**20688**	8
2½	2½	2½	2.292	1	**20683**	8
3	¾	3	2.953	1	**22318**	8
3	1	3	2.885	1	**20724**	8
3	1½	3	3.044	1	**20727**	8
3	2	2	2.330	1	**20732**	8
3	2	2½	2.605	1	**20734**	8
3	2	3	2.953	1	**20739**	8
3	2½	2	2.466	1	**20744**	8
3	2½	2½	2.865	1	**20749**	8
3	2½	3	3.183	1	**20754**	8
3	3	½	1.951	1	**22315**	8
3	3	¾	1.785	1	**22310**	8
3	3	1	2.063	1	**22308**	8
3	3	1¼	2.129	1	**22313**	8
3	3	1½	2.327	1	**20798**	8
3	3	2	2.499	1	**20698**	8
3	3	2½	2.903	1	**20703**	8
3	3	3	3.251	1	**20693**	8
4	3	2	4.038	1	**20774**	8
4	3	3	4.915	1	**20784**	8
4	4	½	3.313	1	**22314**	8
4	4	¾	3.582	1	**22312**	8
4	4	1	3.652	1	**20794**	8
4	4	1¼	3.665	1	**20795**	8
4	4	1½	3.791	1	**20808**	8
4	4	2	4.020	1	**20713**	8
4	4	2½	4.534	1	**20718**	8
4	4	3	4.853	1	**20723**	8
4	4	4	5.841	1	**20708**	8



Viega ProPress tee
Smart Connect Technology
Zero Lead
- For use with ASTM B88 and B75 tubing
- Bronze
- Press connection, female pipe thread

Components
EPDM sealing elements
Model 2917.2ZL

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
½	½	½	0.237	5	**79580**	8
¾	¾	¼	0.253	5	**79585**	8
¾	¾	½	0.307	5	**79590**	8
¾	¾	¾	0.348	5	**79595**	8
1	1	½	0.414	5	**79760**	8
1	1	¾	0.492	5	**79765**	8
1¼	1¼	½	0.529	1	**79770**	8
1¼	1¼	¾	0.625	1	**79775**	8
1½	1½	½	0.809	1	**79780**	8
1½	1½	¾	0.900	1	**79785**	8
2	2	½	1.018	1	**79790**	8
2	2	¾	1.300	1	**79795**	8



Viega ProPress tee
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Press connection, female pipe thread

Components
EPDM sealing elements
Model 0917.2XL

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	¾	1.541	1	**20883**	8
3	3	¾	2.043	1	**20893**	8
4	4	¾	3.474	1	**20873**	8

Adapters



Viega ProPress adapter
Smart Connect Technology
Zero Lead
- For use with ASTM B88 and B75 tubing
- Bronze
- Press connection, male pipe thread

Components
EPDM sealing element
Model 2911ZL

P	MPT	Wt [lb]	Quantity	Part No	DG
½	⅜	0.091	10	**79210**	8
½	½	0.106	10	**79215**	8
½	¾	0.150	10	**79220**	8
¾	½	0.146	10	**79225**	8
¾	¾	0.155	10	**79230**	8
¾	1	0.237	10	**79235**	8
1	¾	0.235	10	**79240**	8
1	1	0.260	10	**79245**	8
1	1¼	0.458	10	**79250**	8
1¼	1	0.322	1	**79255**	8
1¼	1¼	0.449	5	**79260**	8
1¼	1½	0.522	1	**79265**	8
1½	1¼	0.597	1	**79270**	8
1½	1½	0.548	1	**79275**	8
1½	2	0.934	1	**79280**	8
2	1½	0.844	1	**79285**	8
2	2	0.853	1	**79290**	8



Viega ProPress adapter
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Press connection, male pipe thread

Components
EPDM sealing element
Model 0911XL

P	MPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.585	1	**20823**	8
3	3	2.314	1	**20828**	8
4	4	3.643	1	**20838**	8



Viega ProPress adapter
Zero Lead
- For use with Viega ProPress fittings
- Bronze
- Street, male pipe thread

Model 2911.1ZL

FTG (CTS)	MPT	Wt [lb]	Quantity	Part No	DG
½	⅜	0.066	5	**79375**	8
½	½	0.103	5	**79380**	8
½	¾	0.137	5	**79385**	8
¾	½	0.101	5	**79390**	8
¾	¾	0.152	5	**79395**	8
1	¾	0.166	5	**79400**	8
1	1	0.245	5	**79405**	8
1¼	1¼	0.502	1	**79410**	8
1½	1½	0.563	1	**79415**	8
2	2	0.895	1	**79420**	8



Viega ProPress adapter
Smart Connect Technology
Zero Lead
- For use with ASTM B88 and B75 tubing
- Bronze
- Press connection, female pipe thread

Components
EPDM sealing element
Model 2912ZL

P	FPT	Wt [lb]	Quantity	Part No	DG
½	⅜	0.083	10	**79295**	8
½	½	0.121	10	**79300**	8
½	¾	0.156	10	**79305**	8
¾	½	0.147	10	**79310**	8
¾	¾	0.176	10	**79315**	8
1	½	0.179	10	**79320**	8
1	¾	0.208	10	**79325**	8
1	1	0.277	10	**79330**	8
1	1¼	0.370	10	**79335**	8
1¼	½	0.220	1	**79340**	8
1¼	1	0.302	1	**79345**	8
1¼	1¼	0.367	5	**79350**	8
1¼	1½	0.466	1	**79355**	8
1½	1¼	0.465	1	**79360**	8
1½	1½	0.560	1	**79365**	8
2	2	0.781	1	**79370**	8



Viega ProPress adapter
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Press connection, female pipe thread

Components
EPDM sealing element
Model 0912XL

P	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.821	1	**20819**	8
3	3	2.923	1	**20829**	8
4	4	4.404	1	**20839**	8



Viega ProPress adapter
Zero Lead
- For use with Viega ProPress fittings
- Bronze
- Street, female pipe thread

Model 2912.1ZL

FTG (CTS)	FPT	Wt [lb]	Quantity	Part No	DG
½	⅜	0.069	5	**79425**	8
½	½	0.103	5	**79430**	8
½	¾	0.140	5	**79435**	8
¾	½	0.111	5	**79440**	8
¾	¾	0.147	5	**79445**	8
1	½	0.172	1	**79455**	8
1	1	0.258	1	**79450**	8
1¼	1¼	0.402	1	**79465**	8
1½	1½	0.519	1	**79470**	8
2	2	0.825	1	**79475**	8

Flanges



Viega ProPress adapter flange
2 - pc
Smart Connect Technology
Zero Lead
- For use with ASTM B88 and B75 tubing
- Bronze
- Press connection

Components
EPDM sealing element

Model 2959.5ZL

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
1	4	3⅛	3.292	1	**79680**	8
1¼	4	3½	3.655	1	**79685**	8
1½	4	3⅞	4.369	1	**79690**	8
2	4	4¾	6.010	1	**79695**	8

BP = bolt pattern
BPd = bolt pattern diameter



Viega ProPress adapter flange
2 - pc
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Press connection

Components
EPDM sealing element

Model 0959.5XL

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
2½	4	5½	6.762	1	**20853**	8
3	4	6	8.309	1	**20858**	8
4	8	7½	11.835	1	**20863**	8

BP = bolt pattern
BPd = bolt pattern diameter

Caps



Viega ProPress cap
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Press connection

Components
EPDM sealing element

Model 2956

P	Wt [lb]	Quantity	Part No	DG
½	0.056	10	**77712**	8
¾	0.088	10	**77717**	8
1	0.122	5	**77722**	8
1¼	0.165	1	**77727**	8
1½	0.311	1	**77732**	8
2	0.415	1	**77737**	8



Viega ProPress cap
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Press connection

Components
EPDM sealing element

Model 0956XL

P	Wt [lb]	Quantity	Part No	DG
2½	0.738	1	**20833**	8
3	1.025	1	**20843**	8
4	1.851	1	**20848**	8

Unions



Viega ProPress union
Smart Connect Technology
Zero Lead
- For use with ASTM B88 and B75 tubing
- Bronze
- Press connection
- Ground joint

Components
EPDM sealing elements

Model 2960ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.330	1	**79125**	8
¾	¾	0.506	1	**79130**	8
1	1	0.885	1	**79135**	8
1¼	1¼	1.092	1	**79140**	8
1½	1½	1.750	1	**79145**	8
2	2	2.824	1	**79150**	8



Viega ProPress union
Smart Connect Technology
Zero Lead
- For use with ASTM B88 and B75 tubing
- Bronze
- Press connection, female pipe thread
- Ground joint

Components
EPDM sealing element
Model 2962ZL

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.308	1	**79700**	8
¾	¾	0.439	1	**79705**	8
1	1	0.822	1	**79710**	8
1¼	1¼	1.013	1	**79715**	8
1½	1½	1.677	1	**79720**	8
2	2	2.850	1	**79725**	8



Viega ProPress union
Smart Connect Technology
Zero Lead
- For use with ASTM B88 and B75 tubing
- Bronze
- Press connection, male pipe thread
- Ground joint

Components
EPDM sealing element
Model 2965ZL

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.326	1	**79730**	8
¾	¾	0.510	1	**79735**	8
1	1	0.901	1	**79740**	8
1¼	1¼	1.139	1	**79745**	8
1½	1½	1.655	1	**79750**	8
2	2	2.848	1	**79755**	8



Viega ProPress dielectric union
Smart Connect Technology
Zero Lead
- For transitioning between copper and steel
- Bronze
- Press connection, female pipe thread

Components
Flat gasket EPDM, EPDM sealing element
Model 2967ZL

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.815	1	**79155**	8
¾	¾	1.143	1	**79160**	8
1	1	1.047	1	**79165**	8
1¼	1¼	1.558	1	**79170**	8
1½	1½	1.831	1	**79175**	8
2	2	2.865	1	**79180**	8



Viega ProPress tailpiece
Smart Connect Technology
Zero Lead
- For use with ASTM B88 and B75 tubing
- Bronze
- Press connection, female union BSP

Components
EPDM sealing element, flat gasket EPDM
Model 2957ZL

P	F BSP	Wt [lb]	Quantity	Part No	DG
½	1	0.220	1	**79800**	8
¾	1	0.248	1	**79805**	8
1	1	0.304	1	**79810**	8
1	1¼	0.386	1	**79815**	8

Couplings



Viega ProPress coupling
With stop
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Press connection

Components
EPDM sealing elements
Model 2915

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.080	10	**78047**	8
¾	¾	0.131	10	**78052**	8
1	1	0.163	5	**78057**	8
1¼	1¼	0.216	5	**78062**	8
1½	1½	0.450	1	**78067**	8
2	2	0.602	1	**78072**	8



Viega ProPress coupling
With stop
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Press connection

Components
EPDM sealing elements
Model 0915XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.210	1	**20728**	8
3	3	1.668	1	**20733**	8
4	4	2.881	1	**20738**	8



Viega ProPress coupling
No stop
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Press connection

Components
EPDM sealing elements
Model 2915.3

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.080	10	**78172**	8
¾	¾	0.131	10	**78177**	8
1	1	0.163	5	**78182**	8
1¼	1¼	0.214	5	**78187**	8
1½	1½	0.468	1	**78192**	8
2	2	0.602	1	**78197**	8



Viega ProPress extended coupling
No stop
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Press connection

Components
EPDM sealing elements
Model 2915.5

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.139	5	**79005**	8
¾	¾	0.212	5	**79010**	8
1	1	0.284	5	**79015**	8
1¼	1¼	0.400	1	**79020**	8
1½	1½	0.693	1	**79025**	8
2	2	0.895	1	**79030**	8



Viega ProPress coupling
No stop
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Press connection

Components
EPDM sealing elements
Model 0915.5XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.201	1	**20743**	8
3	3	1.664	1	**20748**	8
4	4	2.865	1	**20753**	8



Viega PureFlow Press transition coupling
Smart Connect Technology
Zero Lead
- For transitioning between Viega PureFlow Press and Viega ProPress
- Bronze
- Press connection

Components
EPDM sealing elements
Note
ProPress and PureFlow tool and press jaws required
Model 2813PZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.076	10	**99620**	6
½	¾	0.115	10	**99626**	6
¾	½	0.078	10	**99630**	6
¾	¾	0.115	10	**99640**	6
1	¾	0.136	10	**99645**	6
1	1	0.184	10	**99660**	6
1¼	1	0.236	5	**99665**	6
1¼	1¼	0.287	5	**99670**	6
1½	1½	0.447	5	**99680**	6
2	2	0.723	5	**99690**	6



Viega PureFlow Crimp transition coupling
Smart Connect Technology
Zero Lead
- For transitioning between Viega PureFlow Crimp and Viega ProPress
- Bronze
- Crimp connection, press connection

Components
EPDM sealing element
Note
PureFlow Crimp and ProPress tool and press jaws required
Model 5013PZL

Crimp	P	Wt [lb]	Quantity	Part No	DG
½	½	0.064	25	**44350**	5
½	¾	0.102	25	**44355**	5
¾	½	0.071	25	**44360**	5
¾	¾	0.100	25	**44365**	5
1	1	0.150	5	**44370**	5

Reducers



Viega ProPress reducer
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Press connection

Components
EPDM sealing elements
Model 2915.2

P1	P2	Wt [lb]	Quantity	Part No	DG
¾	½	0.126	10	**78147**	8
1	½	0.175	10	**15603**	8
1	¾	0.175	10	**78152**	8
1¼	¾	0.234	1	**15593**	8
1¼	1	0.250	1	**78157**	8
1½	¾	0.402	1	**18473**	8
1½	1	0.395	1	**15588**	8
1½	1¼	0.414	1	**78162**	8
2	¾	0.544	1	**18468**	8
2	1	0.539	1	**15608**	8
2	1¼	0.532	1	**22328**	8
2	1½	0.635	1	**78167**	8



Viega ProPress reducer
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Press connection

Components
EPDM sealing elements
Model 0915.2XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	1	0.827	1	**20685**	8
2½	1¼	0.851	1	**20690**	8
2½	1½	0.985	1	**20695**	8
2½	2	1.047	1	**20700**	8
3	1½	1.245	1	**20705**	8
3	2	1.289	1	**20710**	8
3	2½	1.510	1	**20715**	8
4	2	2.089	1	**20720**	8
4	2½	2.332	1	**20725**	8
4	3	2.482	1	**20730**	8



Viega ProPress reducer
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Street, press connection

Components
EPDM sealing element
Model 2915.1

FTG (CTS)	P	Wt [lb]	Quantity	Part No	DG
¾	½	0.097	10	**78077**	8
1	½	0.127	10	**78082**	8
1	¾	0.144	10	**78087**	8
1¼	½	0.171	5	**22333**	8
1¼	¾	0.185	5	**78092**	8
1¼	1	0.190	5	**78097**	8
1½	¾	0.260	1	**14543**	8
1½	1	0.276	1	**78102**	8
1½	1¼	0.289	1	**78107**	8
2	1	0.406	1	**78112**	8
2	1¼	0.395	1	**78117**	8
2	1½	0.590	1	**78122**	8



Viega ProPress reducer
Smart Connect Technology
Zero Lead
- For use with ASTM B88 and B75 tubing
- Bronze
- Street, press connection

Components
EPDM sealing element
Model 2915.1ZL

FTG (CTS)	P	Wt [lb]	Quantity	Part No	DG
1½	½	0.325	5	**79850**	8
2	½	0.527	1	**79855**	8
2	¾	0.521	1	**79860**	8



Viega ProPress reducer
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Street, press connection

Components
EPDM sealing element
Model 0915.1XL

FTG (CTS)	P	Wt [lb]	Quantity	Part No	DG
2½	1	0.754	1	**20814**	8
2½	1¼	0.791	1	**20815**	8
2½	1½	0.880	1	**20813**	8
2½	2	0.820	1	**20758**	8
3	1¼	1.008	1	**20817**	8
3	1½	1.157	1	**20818**	8
3	2	0.904	1	**20763**	8
3	2½	1.190	1	**20768**	8
4	2	1.884	1	**20773**	8
4	2½	2.116	1	**20778**	8
4	3	2.362	1	**20783**	8

Cross-Overs



Viega ProPress cross-over
Smart Connect Technology
- For use with ASTM B88 and B75 tubing
- Copper
- Press connection

Components
EPDM sealing elements
Model 2928

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.237	10	**77742**	8
¾	¾	0.413	10	**77747**	8

Stub-outs



Viega ProPress 90° stub-out
- For use with Viega ProPress fittings
- Copper

Components
Wall plate
Model 2975.2

d	Wt [lb]	Quantity	Part No	DG
½	0.289	10	**19786**	8

Sealing Elements and Gaskets



Viega ProPress sealing element
EPDM
- For Viega ProPress CTS size fitting

Model 2989

d	Version	Wt [lb]	Quantity	Part No	DG
½	shiny black	0.001	10	**78242**	8
¾	shiny black	0.002	10	**78247**	8
1	shiny black	0.002	10	**78252**	8
1¼	shiny black	0.003	10	**78257**	8
1½	shiny black	0.005	10	**78262**	8
2	shiny black	0.008	10	**78267**	4



Viega ProPress sealing element
EPDM
- For Viega ProPress CTS size fitting
- EPDM

Model 2989XL

d	Version	Wt [lb]	Quantity	Part No	DG
2½	shiny black	0.012	5	**78268**	8
3	shiny black	0.014	1	**78269**	8
4	shiny black	0.017	1	**78270**	8



Viega ProPress sealing element
FKM
- For Viega ProPress CTS size fitting
- FKM

Model 2986

d	Version	Wt [lb]	Quantity	Part No	DG
½	dull black	0.003	5	**17768**	8
¾	dull black	0.005	5	**17778**	8
1	dull black	0.005	5	**17788**	8
1¼	dull black	0.006	5	**17803**	8
1½	dull black	0.010	5	**17818**	8
2	dull black	0.012	5	**17823**	8



Viega ProPress sealing element
FKM
- For Viega ProPress CTS size fitting
- FKM

Model 0186XL

d	Version	Wt [lb]	Quantity	Part No	DG
2½	dull black	0.017	5	**85995**	8
3	dull black	0.021	5	**85996**	8
4	dull black	0.027	5	**85997**	8



Viega ProPress sealing element
HNBR
- For Viega ProPress CTS size fitting
- HNBR

Note
HNBR sealing elements may NOT be installed in ProPress systems that require ANSI/CSA LC-4 approval for natural gas or propane gas applications.
Model 0687

d	Version	Wt [lb]	Quantity	Part No	DG
½	yellow	0.002	10	**21023**	8
¾	yellow	0.001	10	**21028**	8
1	yellow	0.004	10	**21033**	8
1¼	yellow	0.005	10	**21038**	8
1½	yellow	0.006	10	**21043**	8
2	yellow	0.009	10	**21048**	8



Viega ProPress flat gasket
EPDM
- For Viega ProPress dielectric unions
Model 2963.9

d	Wt [lb]	Quantity	Part No	DG
½	0.004	10	**15559**	8
¾, 1	0.003	10	**15569**	8
1¼	0.006	10	**15549**	8
1½	0.005	10	**15544**	8
2	0.009	10	**15564**	8

Accessories



Viega ProPress test plug
- For Viega ProPress fittings
- Bronze
Note
Creates temporary seal of ProPress contour without pressing.
Model 2969

d	Wt [lb]	Quantity	Part No	DG
½	0.536	1	**78202**	8
¾	0.700	1	**78207**	8

ProPress 316



viega

ProPress 316

Viega ProPress 316 is engineered for commercial and industrial environments, such as breweries and other facilities. With applications ranging from industrial gases to caustic chemicals, Viega ProPress 316 is a complete solution, with pipe, valves and fittings. Viega ProPress fittings offer Smart Connect technology to provide installers added confidence in their ability to ensure secure connections.

FEATURES AND BENEFITS

- More than 200 different engineered fitting configurations
- Available in sizes ½" to 4"
- Approved for more than 450 different applications

ZERO LEAD

Zero Lead identifies Viega products meeting the lead-free requirements of NSF-61-372 through testing under NSF/ANSI/CAN 372 (0.25% or less maximum weighted average lead content).

NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A green dot indicates an EPDM sealing element.

Index

Tubing 36
Elbows 36
Tees 38
Adapters 38
Flanges 39
Caps 40
Unions 40
Couplings 40
Reducers 41
Sealing Elements and Gaskets 41

Tubing



Viega ProPress tubing
- For use with Viega ProPress stainless fittings
- 316 stainless steel

Note
All Viega ProPress stainless tube is copper tube size (CTS).

ASTM A312
Model 4003

d	L [ft]	Wt [lb]	Quantity	Part No	DG
½	20	0.374	1	**82000**	9
¾	20	0.540	1	**82005**	9
1	20	0.706	1	**82010**	9
1¼	20	0.873	1	**82015**	9
1½	20	1.037	1	**82020**	9
2	20	1.369	1	**82025**	9



Viega ProPress tubing
- For use with Viega ProPress stainless fittings
- 316 stainless steel

Note
All Viega ProPress stainless tube is copper tube size (CTS).

ASTM A312
Model 4007XL

d	L [ft]	Wt [lb]	Quantity	Part No	DG
2½	20	2.179	1	**82042**	9
3	20	2.606	1	**82050**	9
4	20	3.462	1	**82055**	9



Viega ProPress ECO tubing
- For use with Viega ProPress stainless fittings, potable water installations
- Stainless steel 316

Note
All Viega ProPress stainless tube is copper tube size (CTS).

ASTM A778
Model 4008

d	L [ft]	Wt [lb]	Quantity	Part No	DG
½	20	0.265	1	**82150**	9
¾	20	0.450	1	**82155**	9
1	20	0.554	1	**82160**	9
1¼	20	0.896	1	**82165**	9
1½	20	1.007	1	**82170**	9
2	20	1.329	1	**82175**	9



Viega ProPress ECO tubing
- For use with Viega ProPress stainless fittings, potable water installations
- Stainless steel 316

Note
All Viega ProPress stainless tube is copper tube size (CTS).

ASTM A778
Model 4008XL

d	L [ft]	Wt [lb]	Quantity	Part No	DG
2½	20	2.183	1	**82180**	9
3	20	2.612	1	**82185**	9
4	20	3.469	1	**82190**	9

Elbows



Viega ProPress 90° elbow
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection

Components
EPDM sealing elements
Model 4016

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.121	10	**80400**	9
¾	¾	0.239	10	**80405**	9
1	1	0.304	5	**80410**	9
1¼	1¼	0.375	1	**80415**	9
1½	1½	0.644	1	**80420**	9
2	2	0.983	1	**80425**	9



Viega ProPress 90° elbow
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection

Components
EPDM sealing elements
Model 4016XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.847	1	**80430**	9
3	3	2.535	1	**80435**	9
4	4	4.099	1	**80440**	9



Viega ProPress 90° street elbow
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection, street

Components
EPDM sealing element
Model 4016.1

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
½	½	0.104	10	**80490**	9
¾	¾	0.229	10	**80495**	9
1	1	0.312	5	**80500**	9
1¼	1¼	0.485	1	**80505**	9
1½	1½	0.648	1	**80510**	9
2	2	0.950	1	**80515**	9



Viega ProPress 90° street elbow
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection, street

Components
EPDM sealing element
Model 4016.1XL

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
2½	2½	1.732	1	**80520**	9
3	3	2.383	1	**80525**	9
4	4	3.974	1	**80530**	9



Viega ProPress 45° elbow
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection

Components
EPDM sealing elements
Model 4026

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.101	10	**80445**	9
¾	¾	0.178	10	**80450**	9
1	1	0.226	5	**80455**	9
1¼	1¼	0.282	1	**80460**	9
1½	1½	0.503	1	**80465**	9
2	2	0.738	1	**80470**	9



Viega ProPress 45° elbow
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection

Components
EPDM sealing elements
Model 4026XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.428	1	**80475**	9
3	3	1.917	1	**80480**	9
4	4	3.090	1	**80485**	9



Viega ProPress 45° street elbow
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection, street

Components
EPDM sealing element
Model 4026.1

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
½	½	0.091	10	**80535**	9
¾	¾	0.174	10	**80540**	9
1	1	0.237	5	**80545**	9
1¼	1¼	0.353	1	**80550**	9
1½	1½	0.458	1	**80555**	9
2	2	0.714	1	**80560**	9



Viega ProPress 45° street elbow
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection, street

Components
EPDM sealing element
Model 4026.1XL

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
2½	2½	1.333	1	**80565**	9
3	3	1.816	1	**80570**	9
4	4	2.837	1	**80575**	9

Tees



Viega ProPress tee
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection

Components
EPDM sealing elements
Model 4018

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
½	½	½	0.158	10	**80580**	9
¾	¾	½	0.239	10	**80630**	9
¾	¾	¾	0.261	10	**80585**	9
1	1	½	0.302	5	**80640**	9
1	1	¾	0.327	5	**80650**	9
1	1	1	0.354	5	**80590**	9
1¼	1¼	1	0.421	1	**80680**	9
1¼	1¼	1¼	0.441	1	**80595**	9
1½	1½	½	0.687	1	**80690**	9
1½	1½	¾	0.705	1	**80700**	9
1½	1½	1	0.674	1	**80710**	9
1½	1½	1½	0.767	1	**80600**	9
2	2	½	0.685	1	**80720**	9
2	2	¾	0.710	1	**80730**	9
2	2	1	0.774	1	**80740**	9
2	2	1½	0.939	1	**80750**	9
2	2	2	1.104	1	**80605**	9



Viega ProPress tee
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection

Components
EPDM sealing elements
Model 4018XL

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2½	2½	1½	1.573	1	**80751**	9
2½	2½	2	1.739	1	**80760**	9
2½	2½	2½	2.056	1	**80610**	9
3	3	1½	1.955	1	**80781**	9
3	3	2	2.151	1	**80770**	9
3	3	3	2.722	1	**80615**	9
4	4	2	3.019	1	**80790**	9
4	4	4	4.212	1	**80620**	9



Viega ProPress reducing tee
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection, female pipe thread

Components
EPDM sealing elements
Model 4017.2

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
¾	¾	½	0.287	5	**80820**	9
1	1	½	0.322	5	**80840**	9
1	1	¾	0.365	5	**80850**	9
1¼	1¼	1	0.489	1	**80880**	9
1½	1½	½	0.708	1	**80890**	9
1½	1½	¾	0.688	1	**80900**	9
2	2	¾	0.782	1	**80930**	9



Viega ProPress reducing tee
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection, female pipe thread

Components
EPDM sealing elements
Model 4017.2XL

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	¾	1.408	1	**80950**	9
3	3	¾	1.803	1	**80970**	9

Adapters



Viega ProPress adapter
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection, male pipe thread

Components
EPDM sealing element
Model 4011

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.117	10	**80010**	9
½	¾	0.170	10	**80015**	9
¾	½	0.136	10	**80020**	9
¾	¾	0.180	10	**80025**	9
¾	1	0.441	5	**80030**	9
1	¾	0.200	5	**80035**	9
1	1	0.307	5	**80040**	9
1¼	1¼	0.562	1	**80045**	9
1½	1½	0.696	1	**80050**	9
2	2	0.994	1	**80055**	9



Viega ProPress adapter
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection, male pipe thread

Components
EPDM sealing element
Model 4011XL

P	MPT	Wt [lb]	Quantity	Part No	DG
2½	2½	2.050	1	**80060**	9
3	3	2.859	1	**80065**	9
4	4	3.967	1	**80070**	9



Viega ProPress adapter
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection, female pipe thread

Components
EPDM sealing element
Model 4012

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.110	10	**80080**	9
¾	½	0.131	10	**80085**	9
¾	¾	0.197	10	**80090**	9
1	½	0.256	5	**80092**	9
1	1	0.238	5	**80100**	9
1¼	1¼	0.403	1	**80105**	9
1½	1½	0.657	1	**80115**	9
2	1½	0.720	1	**80120**	9
2	2	0.703	1	**80125**	9



Viega ProPress instrumentation adapter
- For use with Viega ProPress stainless fittings
- 316 stainless steel
- Street, female pipe thread

Model 4012.5

FTG (CTS)	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.191	1	**80126**	9
¾	¾	0.256	1	**80127**	9



Viega ProPress adapter
Smart Connect Technology
- For transitioning between IPS and CTS systems
- 316 stainless steel
- Groove = iron pipe size

Components
EPDM sealing element
Model 4013.2XL

G (IPS)	P	Wt [lb]	Quantity	Part No	DG
2½	2½	1.521	1	**80064***	9
3	3	1.913	1	**80061***	9
4	4	2.680	1	**80063***	9

* = Available while supplies last

Flanges



Viega ProPress adapter flange
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection

Components
EPDM sealing element
Model 4059

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
½	4	2⅜	1.086	1	**81035**	9
¾	4	2¾	1.555	1	**81040**	9
1	4	3⅛	2.344	1	**81045**	9
1¼	4	3⅞	2.535	1	**81050**	9
1½	4	3½	2.914	1	**81055**	9
2	4	4¾	5.563	1	**81060**	9

BP = bolt pattern
BPd = bolt pattern diameter



Viega ProPress adapter flange
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection

Components
EPDM sealing element
Model 4059XL

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
2½	4	5½	8.880	1	**81065**	9
3	4	6	10.425	1	**81070**	9
4	8	7½	14.150	1	**81075**	9

BP = bolt pattern
BPd = bolt pattern diameter

Caps



Viega ProPress cap
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection

Components
EPDM sealing element
Model 4056

P	Wt [lb]	Quantity	Part No	DG
½	0.040	10	**80355**	9
¾	0.077	10	**80360**	9
1	0.101	5	**80365**	9
1¼	0.152	1	**80370**	9
1½	0.242	1	**80375**	9
2	0.344	1	**80380**	9



Viega ProPress cap
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection

Components
EPDM sealing element
Model 4056.1XL

P	Wt [lb]	Quantity	Part No	DG
2½	0.780	1	**80385**	9
3	0.996	1	**80390**	9
4	1.527	1	**80395**	9

Unions



Viega ProPress union
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection
- Ground joint

Components
EPDM sealing elements
Model 4060

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.311	5	**81005**	9
¾	¾	0.487	5	**81010**	9
1	1	0.793	5	**81015**	9
1¼	1¼	1.007	1	**81020**	9
1½	1½	1.909	1	**81025**	9
2	2	2.989	1	**81030**	9

Couplings



Viega ProPress coupling
With stop
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection

Components
EPDM sealing elements
Model 4015

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.081	10	**80265**	9
¾	¾	0.128	10	**80270**	9
1	1	0.156	5	**80275**	9
1¼	1¼	0.220	1	**80280**	9
1½	1½	0.383	1	**80285**	9
2	2	0.531	1	**80290**	9



Viega ProPress coupling
With stop
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection

Components
EPDM sealing elements
Model 4015XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.084	1	**80295**	9
3	3	1.430	1	**80300**	9
4	4	2.122	1	**80305**	9



Viega ProPress coupling
No stop
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection

Components
EPDM sealing elements
Model 4015.5

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.070	10	**80310**	9
¾	¾	0.129	10	**80315**	9
1	1	0.154	5	**80320**	9
1¼	1¼	0.245	1	**80325**	9
1½	1½	0.380	1	**80330**	9
2	2	0.536	1	**80335**	9



Viega ProPress coupling
No stop
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection

Components
EPDM sealing elements
Model 4015.5XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.084	1	**80340**	9
3	3	1.430	1	**80345**	9
4	4	2.136	1	**80350**	9



Viega MegaPress transition coupling
Smart Connect Technology
- For transitioning between IPS and CTS systems, use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
EPDM sealing elements, grip ring, separator ring
Model 5113

P (IPS)	P (CTS)	Wt [lb]	Quantity	Part No	DG
½	½	0.214	1	**90465**	14
¾	¾	0.280	1	**90470**	14
1	1	0.425	1	**90475**	14
1¼	1¼	0.626	1	**90890**	14
1½	1½	0.804	1	**90485**	14
2	2	1.031	1	**90490**	14

Reducers



Viega ProPress reducer
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Street, press connection

Components
EPDM sealing element
Model 4015.1

FTG (CTS)	P	Wt [lb]	Quantity	Part No	DG
¾	½	0.094	10	**80160**	9
1	½	0.122	10	**80165**	9
1	¾	0.135	10	**80170**	9
1¼	¾	0.196	1	**80180**	9
1¼	1	0.216	1	**80185**	9
1½	¾	0.287	1	**80195**	9
1½	1	0.255	1	**80200**	9
1½	1¼	0.273	1	**80205**	9
2	¾	0.390	1	**80215**	9
2	1	0.420	1	**80220**	9
2	1¼	0.397	1	**80225**	9
2	1½	0.476	1	**80230**	9



Viega ProPress reducer
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Street, press connection

Components
EPDM sealing element
Model 4015.1XL

FTG (CTS)	P	Wt [lb]	Quantity	Part No	DG
2½	2	0.780	1	**80235**	9
3	2	0.981	1	**80240**	9
3	2½	1.159	1	**80245**	9
4	2	1.455	1	**80250**	9
4	3	1.719	1	**80260**	9

Sealing Elements and Gaskets



Viega ProPress sealing element
EPDM
- For Viega ProPress CTS size fitting

Model 2989

d	Version	Wt [lb]	Quantity	Part No	DG
½	shiny black	0.001	10	**78242**	8
¾	shiny black	0.002	10	**78247**	8
1	shiny black	0.002	10	**78252**	8
1¼	shiny black	0.003	10	**78257**	8
1½	shiny black	0.005	10	**78262**	8
2	shiny black	0.008	10	**78267**	4



Viega ProPress sealing element
EPDM
- For Viega ProPress CTS size fitting
- EPDM

Model 2989XL

d	Version	Wt [lb]	Quantity	Part No	DG
2½	shiny black	0.012	5	**78268**	8
3	shiny black	0.014	1	**78269**	8
4	shiny black	0.017	1	**78270**	8



Viega ProPress sealing element
FKM
- For Viega ProPress CTS size fitting
- FKM
Model 2986

d	Version	Wt [lb]	Quantity	**Part No**	DG
½	dull black	0.003	5	**17768**	8
¾	dull black	0.005	5	**17778**	8
1	dull black	0.005	5	**17788**	8
1¼	dull black	0.006	5	**17803**	8
1½	dull black	0.010	5	**17818**	8
2	dull black	0.012	5	**17823**	8



Viega ProPress sealing element
FKM
- For Viega ProPress CTS size fitting
- FKM
Model 0186XL

d	Version	Wt [lb]	Quantity	**Part No**	DG
2½	dull black	0.017	5	**85995**	8
3	dull black	0.021	5	**85996**	8
4	dull black	0.027	5	**85997**	8



Viega ProPress sealing element
HNBR
- For Viega ProPress CTS size fitting
- HNBR

Note

HNBR sealing elements may NOT be installed in ProPress systems that require ANSI/CSA LC-4 approval for natural gas or propane gas applications.

Model 0687

d	Version	Wt [lb]	Quantity	**Part No**	DG
½	yellow	0.002	10	**21023**	8
¾	yellow	0.001	10	**21028**	8
1	yellow	0.004	10	**21033**	8
1¼	yellow	0.005	10	**21038**	8
1½	yellow	0.006	10	**21043**	8
2	yellow	0.009	10	**21048**	8

COMPLETE THE PROPRESS SYSTEM

WITH VIEGA® VALVES PRESS TECHNOLOGY



PROPRESS VALVE PRODUCTS

AVAILABLE STARTING ON PAGE 172

MegaPress



MegaPress

Viega MegaPress is the first clean, secure and efficient choice for joining carbon steel pipe. It is suitable for renovations, repairs or installation of new carbon steel pipe systems. Viega MegaPress can even be installed on noncombustible/flammable lines that are not completely shut down, eliminating the need to fully drain a system, and shortening repair and installation time. It is approved for use in hydronic heating, compressed air, cooling water, marine applications and many more. Not approved for use with potable water or in fuel gas and oil applications.

FEATURES AND BENEFITS

- Approved for more applications than any other carbon steel pipe press fitting system
- Suitable for use with ASTM Schedule 5 to Schedule 40 carbon steel pipe.
- Corrosion-resistant zinc nickel coating
- More than 150 engineered fitting configurations from ½" to 2"
- Approved for underground applications, in accordance with code and local AHJ
- Viega Smart Connect technology provides installers added confidence in their ability to ensure secure connections

NOW AVAILABLE!

Viega expands the MegaPress product range with Zero Lead bronze transition couplings that allow dissimilar piping systems to be connected, minimizing the risks of galvanic corrosion.
Available in IPS x IPS and IPS x CTS street connections, it has never been easier to transition from steel to copper, PEX or stainless steel. Megapress Zero Lead Bronze Transition Couplings with EPDM seals are NSF/ANSI 61 certified, allowing use on potable water systems.

NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A green dot on a Viega MegaPress fitting indicates Smart Connect technology with an EPDM sealing element. Viega also offers a variety of valves for this product line, please check section 5.1 Valves for more details.

Index

Elbows	46
Tees	47
Adapters	47
Caps	48
Unions	48
Couplings	48
Reducers	49
Branch connectors	50

Elbows



Viega MegaPress 90° elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
EPDM sealing elements, grip rings, separator rings

Model 4816

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.370	10	**25200**	12
¾	¾	0.503	10	**25205**	12
1	1	0.829	5	**25210**	12
1¼	1¼	1.281	1	**25215**	12
1½	1½	1.730	1	**25220**	12
2	2	2.546	1	**25225**	12



Viega MegaPress 90° street elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

Components
EPDM sealing element, grip ring, separator ring

Model 4816.1

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.379	10	**26050**	12
¾	¾	0.531	10	**26055**	12
1	1	0.838	5	**26060**	12
1¼	1¼	1.300	1	**26065**	12
1½	1½	1.790	1	**26070**	12
2	2	2.596	1	**26075**	12



Viega MegaPress 45° elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
EPDM sealing elements, grip rings, separator rings

Model 4826

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.304	10	**25230**	12
¾	¾	0.410	10	**25235**	12
1	1	0.661	5	**25240**	12
1¼	1¼	1.051	1	**25245**	12
1½	1½	1.389	1	**25250**	12
2	2	1.951	1	**25255**	12



Viega MegaPress 45° street elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

Components
EPDM sealing element, grip ring, separator ring

Model 4826.1

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.312	10	**26100**	12
¾	¾	0.428	10	**26105**	12
1	1	0.677	5	**26110**	12
1¼	1¼	1.058	1	**26115**	12
1½	1½	1.435	1	**26120**	12
2	2	2.094	1	**26125**	12

Tees



Viega MegaPress tee
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
EPDM sealing elements, grip rings, separator rings
Model 4818

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
½	½	½	0.507	5	**25300**	12
¾	¾	½	0.639	5	**25330**	12
¾	¾	¾	0.679	5	**25305**	12
1	1	½	0.904	5	**25335**	12
1	1	¾	0.957	5	**25340**	12
1	1	1	1.036	5	**25310**	12
1¼	1¼	½	1.348	1	**25510**	12
1¼	1¼	¾	1.393	1	**25515**	12
1¼	1¼	1	1.477	1	**25350**	12
1¼	1¼	1¼	1.620	1	**25315**	12
1½	1½	½	1.873	1	**25360**	12
1½	1½	¾	1.799	1	**25365**	12
1½	1½	1	1.873	1	**25370**	12
1½	1½	1¼	2.036	1	**25375**	12
1½	1½	1½	2.160	1	**25320**	12
2	2	½	2.539	1	**25380**	12
2	2	¾	2.424	1	**25385**	12
2	2	1	2.513	1	**25390**	12
2	2	1¼	2.678	1	**25395**	12
2	2	1½	2.777	1	**25400**	12
2	2	2	2.909	1	**25325**	12



Viega MegaPress tee
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components
EPDM sealing elements, grip rings, separator rings
Model 4817.2

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
¾	¾	½	0.611	5	**25405**	12
¾	¾	¾	0.639	5	**25480**	12
1	1	½	0.884	5	**25410**	12
1	1	¾	0.915	5	**25415**	12
1¼	1¼	½	1.344	1	**25485**	12
1¼	1¼	¾	1.349	1	**25505**	12
1¼	1¼	1	1.492	1	**25500**	12
1½	1½	½	1.715	1	**25435**	12
1½	1½	¾	1.741	1	**25440**	12
1½	1½	1	1.929	1	**25445**	12
2	2	½	2.358	1	**25455**	12
2	2	¾	2.400	1	**25460**	12
2	2	1	2.535	1	**25465**	12
2	2	1½	2.601	1	**25475**	12

Adapters



Viega MegaPress adapter
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, male pipe thread

Components
EPDM sealing element, grip ring, separator ring
Model 4811

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.226	10	**25100**	12
¾	¾	0.309	10	**25105**	12
1	1	0.483	5	**25110**	12
1¼	1¼	0.771	5	**25115**	12
1½	1½	1.065	1	**25120**	12
2	2	1.411	1	**25125**	12



Viega MegaPress adapter
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components
EPDM sealing element, grip ring, separator ring
Model 4812

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.242	10	**25130**	12
¾	½	0.293	10	**25575**	12
¾	¾	0.313	10	**25135**	12
1	½	0.441	10	**25580**	12
1	¾	0.430	5	**25585**	12
1	1	0.538	5	**25140**	12
1¼	½	0.688	1	**25590**	12
1¼	¾	0.670	1	**25595**	12
1¼	1	0.745	1	**25600**	12
1¼	1¼	0.655	5	**25145**	12
1½	¾	0.860	1	**25610**	12
1½	1	0.959	1	**25615**	12
1½	1¼	0.838	1	**25620**	12
1½	1½	0.948	1	**25150**	12
2	½	1.102	1	**25625**	12
2	¾	1.124	1	**25630**	12
2	1	1.212	1	**25635***	12
2	1¼	1.157	1	**25640**	12
2	1½	1.190	1	**25645**	12
2	2	1.322	1	**25155**	12

* = Available while supplies last

Caps



Viega MegaPress cap
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
EPDM sealing element, grip ring, separator ring
Model 4856

P	Wt [lb]	Quantity	Part No	DG
½	0.203	10	**25730**	12
¾	0.264	10	**25735**	12
1	0.397	5	**25740**	12
1¼	0.617	1	**25745**	12
1½	0.804	1	**25750**	12
2	1.080	1	**25755**	12

Unions



Viega MegaPress union
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
Flat gasket EPDM, EPDM sealing elements, grip rings, separator rings
Model 4860

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.760	5	**25700**	12
¾	¾	1.197	5	**25705**	12
1	1	1.406	5	**25710**	12
1¼	1¼	2.391	1	**25715**	12
1½	1½	2.689	1	**25720**	12
2	2	4.188	1	**25725**	12

Couplings



Viega MegaPress coupling
With stop
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
EPDM sealing elements, grip rings, separator rings
Model 4815

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.264	10	**25000**	12
¾	¾	0.342	10	**22005**	12
1	1	0.505	5	**25010**	12
1¼	1¼	0.860	1	**25015**	12
1½	1½	1.124	1	**25020**	12
2	2	1.435	1	**25025**	12



Viega MegaPress coupling
No stop
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
EPDM sealing elements, grip rings, separator rings
Model 4815.5

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.264	10	**25030**	12
¾	¾	0.337	10	**25035**	12
1	1	0.509	5	**25040**	12
1¼	1¼	0.860	1	**25045**	12
1½	1½	1.124	1	**25050**	12
2	2	1.411	1	**25055**	12



Viega MegaPress extended coupling
No stop
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
EPDM sealing elements, grip rings, separator rings
Model 4815.3

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.348	10	**25070**	12
¾	¾	0.443	10	**25075**	12
1	1	0.672	5	**25080**	12
1¼	1¼	1.001	1	**25085**	12
1½	1½	1.278	1	**25090**	12
2	2	1.693	1	**25095**	12



Viega MegaPress transition coupling
Zero Lead
Smart Connect Technology
- For transitioning between IPS sized pipe and CTS sized tube
- Bronze
- Press connection, CTS street

Components
EPDM sealing element, grip ring, separator ring
Model 4813.4ZL

P1	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
½	½	0.159	1	**76575**	12
¾	¾	0.207	1	**76580**	12
1	1	0.324	1	**76585**	12
1¼	1¼	0.548	1	**76590**	12
1½	1½	0.696	1	**76595**	12
2	2	0.963	1	**76600**	12



Viega MegaPress transition coupling
Zero Lead
Smart Connect Technology
- For MegaPress transitions between dissimilar piping
- Bronze
- Press connections

Components
EPDM sealing elements, grip rings, separator rings
Model 4815ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.247	1	**76605**	12
¾	¾	0.315	1	**76610**	12
1	1	0.511	1	**76615**	12
1¼	1¼	0.809	1	**76620**	12
1½	1½	0.992	1	**76625**	12
2	2	1.168	1	**76630**	12

Reducers



Viega MegaPress reducer
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Street, press connection

Components
EPDM sealing element, grip ring, separator ring
Model 4815.1

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
¾	½	0.276	5	**26000**	12
1	½	0.364	5	**26005**	12
1	¾	0.397	5	**26010**	12
1¼	1	0.661	1	**26015**	12
1½	¾	0.710	1	**26020**	12
1½	1	0.793	1	**26025**	12
1½	1¼	0.926	1	**26030**	12
2	1	1.047	1	**26035**	12
2	1¼	1.168	1	**26040**	12
2	1½	1.289	1	**26045**	12



Viega MegaPress reducer
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
EPDM sealing elements, grip rings, separator rings
Model 4815.2

P1	P2	Wt [lb]	Quantity	Part No	DG
¾	½	0.362	5	**25930**	12
1	½	0.486	5	**25935**	12
1	¾	0.518	5	**25940**	12
1¼	¾	0.734	1	**25945**	12
1¼	1	0.804	1	**25950**	12
1½	1¼	1.080	1	**25955**	12
2	1¼	1.366	1	**25960**	12
2	1½	1.489	1	**25965**	12

Branch connectors



Viega MegaPress press-in branch connector
- For use with Sch. 10 carbon steel pipe only
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components
EPDM sealing element
Model 4812.3

for d	FPT	Wt [lb]	Quantity	Part No	DG
1½	¾	0.454	1	**26860***	12
2	¾	0.452	1	**26865***	12
2½	¾	0.458	1	**26870***	12
3	¾	0.452	1	**26875***	12
4	¾	0.445	1	**26880***	12
6	¾	0.441	1	**26885***	12

* = Available while supplies last



Viega MegaPress press-in branch connector
- For use with Sch. 40 carbon steel pipe only
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components
EPDM sealing element
Model 4812.35

for d	FPT	Wt [lb]	Quantity	Part No	DG
1½	¾	0.432	1	**26890**	12
2	¾	0.439	1	**26895**	12
2½	¾	0.436	1	**26900**	12
3	¾	0.408	1	**26905**	12
4	¾	0.408	1	**26910**	12
6	¾	0.386	1	**26915**	12

MegaPressG



viega

MegaPressG

Viega MegaPressG with an HNBR sealing element is the first press fitting system for carbon steel pipe approved for use in gas and fuel oil applications. Viega MegaPressG is ideal for industrial, commercial and residential applications and performs well in both new installations and retrofit projects. Tested to the strictest standards in North America, Viega MegaPressG joins carbon steel pipe reliably through the engineered design of the fittings and a battery-powered press tool. Not approved for use with potable water.

FEATURES AND BENEFITS

- Engineered with a 420 stainless steel grip ring plus a 304 stainless steel separator ring for sizes ½" to 2" and a graphite separator ring for sizes 2½" to 4"
- Approved for more applications than any other carbon steel pipe press fitting system
- Suitable for use with ASTM Schedule 10 to Schedule 40 carbon steel pipe in accordance with AHJ requirements
- Corrosion-resistant zinc nickel coating
- More than 200 different engineered fitting configurations
- Approved for underground applications, in accordance with code and local AHJ
- The same hanger and support requirements as threaded systems
- Viega Smart Connect technology provides installers added confidence in their ability to ensure secure connections
- Viega MegaPressG Fittings are listed to UL 180 fuel gas standard for Combustible Liquid Tank Accessories which allows MegaPressG fittings to be installed on combustible liquid (heating) fuel piping systems (supply and fill/vent).

NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A yellow dot indicates an HNBR sealing element. Viega also offers a variety of valves for this product line, please check section 5.1 Valves for more details.

Index

Elbows	54
Tees	55
Adapters	56
Flanges	57
Caps	58
Unions	58
Couplings	59
Reducers	60

Elbows



Viega MegaPressG 90° elbow
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
HNBR sealing elements, grip rings, separator rings

Model 6616

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.370	10	**25201**	12
¾	¾	0.503	10	**25206**	12
1	1	0.811	5	**25211**	12
1¼	1¼	1.278	1	**25216**	12
1½	1½	1.708	1	**25221**	12
2	2	2.541	1	**25226**	12



Viega MegaPressG 90° elbow
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
HNBR sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 6616XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	3.306	1	**28600**	12
3	3	4.668	1	**28605**	12
4	4	7.597	1	**28610**	12



Viega MegaPressG 90° street elbow
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

Components
HNBR sealing element, grip ring, separator ring

Model 6616.1

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.379	10	**26051**	12
¾	¾	0.531	10	**26056**	12
1	1	0.838	5	**26061**	12
1¼	1¼	1.300	1	**26066**	12
1½	1½	1.790	1	**26071**	12
2	2	2.596	1	**26076**	12



Viega MegaPressG 90° street elbow
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

Components
HNBR sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 6616.1XL

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2½	2½	3.242	1	**28615**	12
3	3	4.421	1	**28620**	12
4	4	7.178	1	**28625**	12



Viega MegaPressG 45° elbow
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
HNBR sealing elements, grip rings, separator rings

Model 6626

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.309	10	**25231**	12
¾	¾	0.410	10	**25236**	12
1	1	0.655	5	**25241**	12
1¼	1¼	1.047	1	**25246**	12
1½	1½	1.389	1	**25251**	12
2	2	1.951	1	**25256**	12



Viega MegaPressG 45° elbow
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
HNBR sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 6626XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	2.482	1	**28630**	12
3	3	3.471	1	**28635**	12
4	4	5.686	1	**28640**	12



Viega MegaPressG 45° street elbow
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

Components
HNBR sealing element, grip ring, separator ring

Model 6626.1

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.312	10	**26101**	12
¾	¾	0.428	10	**26106**	12
1	1	0.677	5	**26111**	12
1¼	1¼	1.058	1	**26116**	12
1½	1½	1.435	1	**26121**	12
2	2	2.094	1	**26126**	12



Viega MegaPressG 45° street elbow
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

Components
HNBR sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 6626.1XL

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2½	2½	2.380	1	**28645**	12
3	3	3.258	1	**28650**	12
4	4	5.356	1	**28655**	12

Tees



Viega MegaPressG tee
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
HNBR sealing elements, grip rings, separator rings

Model 6618

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
½	½	½	0.507	5	**25301**	12
¾	¾	½	0.639	5	**25331**	12
¾	¾	¾	0.679	5	**25306**	12
1	1	½	0.917	5	**25336**	12
1	1	¾	0.957	5	**25341**	12
1	1	1	1.031	5	**25311**	12
1¼	1¼	½	1.355	1	**25491**	12
1¼	1¼	¾	1.406	1	**25496**	12
1¼	1¼	1	1.477	1	**25351**	12
1¼	1¼	1¼	1.644	1	**25316**	12
1½	1½	½	1.752	1	**25361**	12
1½	1½	¾	1.790	1	**25366**	12
1½	1½	1	1.878	1	**25371**	12
1½	1½	1¼	2.028	1	**25376**	12
1½	1½	1½	2.138	1	**25321**	12
2	2	½	2.526	1	**25381**	12
2	2	¾	2.444	1	**25386**	12
2	2	1	2.513	1	**25391**	12
2	2	1¼	2.645	1	**25396**	12
2	2	1½	2.755	1	**25401**	12
2	2	2	2.898	1	**25326**	12



Viega MegaPressG tee
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
HNBR sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 6618XL

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2½	2½	1	2.358	1	**28910**	12
2½	2½	1¼	2.729	1	**28905**	12
2½	2½	1½	2.821	1	**28675**	12
2½	2½	2	3.246	1	**28680**	12
2½	2½	2½	3.369	1	**28660**	12
3	3	1¼	3.577	1	**28695**	12
3	3	1½	3.753	1	**28690**	12
3	3	2	4.077	1	**28685**	12
3	3	2½	4.256	1	**28700**	12
3	3	3	4.796	1	**28665**	12
4	4	1½	5.539	1	**28705**	12
4	4	2	5.953	1	**28710**	12
4	4	2½	6.325	1	**28715**	12
4	4	3	6.727	1	**28720**	12
4	4	4	7.994	1	**28670**	12



Viega MegaPressG tee
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components
HNBR sealing elements, grip rings, separator rings

Model 6617.2

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
¾	¾	½	0.613	5	**25406**	12
¾	¾	¾	0.639	5	**25481**	12
1	1	½	0.886	5	**25411**	12
1	1	¾	0.915	5	**25416**	12
1¼	1¼	½	1.344	1	**25486**	12
1¼	1¼	¾	1.349	1	**25506**	12
1¼	1¼	1	1.444	1	**25501**	12
1½	1½	½	1.706	1	**25436**	12
1½	1½	¾	1.741	1	**25441**	12
1½	1½	1	1.929	1	**25446**	12
1½	1½	1¼	1.829	1	**25451**	12
2	2	½	2.358	1	**25456**	12
2	2	¾	2.391	1	**25461**	12
2	2	1	2.535	1	**25466**	12
2	2	1¼	2.446	1	**25471**	12
2	2	1½	2.601	1	**25476**	12



Viega MegaPressG tee
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components
HNBR sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 6617.2XL

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	¾	2.244	1	**28725**	12
3	3	¾	3.097	1	**28730**	12
4	4	¾	4.501	1	**28735**	12

Adapters



Viega MegaPressG adapter
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, male pipe thread

Components
HNBR sealing element, grip ring, separator ring

Model 6611

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.227	10	**25101**	12
¾	¾	0.313	10	**25106**	12
1	1	0.474	5	**25111**	12
1¼	1¼	0.767	5	**25116**	12
1½	1½	1.069	1	**25121**	12
2	2	1.433	1	**25126**	12



Viega MegaPressG adapter
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, male pipe thread

Components
HNBR sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 6611XL

P	MPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.719	1	**28740**	12
3	3	2.338	1	**28745**	12
4	4	4.119	1	**28750**	12



Viega MegaPressG adapter
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components
HNBR sealing element, grip ring, separator ring

Model 6612

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.246	10	**25131**	12
¾	½	0.291	10	**25576**	12
¾	¾	0.315	10	**25136**	12
1	½	0.441	10	**25581**	12
1	¾	0.441	5	**25586**	12
1	1	0.538	5	**25141**	12
1¼	½	0.660	1	**25591**	12
1¼	¾	0.670	1	**25596**	12
1¼	1	0.749	1	**25601**	12
1¼	1¼	0.662	5	**25146**	12
1½	½	0.827	1	**25606**	12
1½	¾	0.860	1	**25611**	12
1½	1	0.959	1	**25616**	12
1½	1¼	0.849	1	**25621**	12
1½	1½	0.948	1	**25151**	12
2	½	1.098	1	**25626**	12
2	¾	1.124	1	**25631**	12
2	1	1.225	1	**25636**	12
2	1¼	1.157	1	**25641**	12
2	1½	1.190	1	**25646**	12
2	2	1.333	1	**25156**	12



Viega MegaPressG adapter
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components
HNBR sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 6612XL

P	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.827	1	**28755**	12
3	3	2.354	1	**28760**	12
4	4	3.436	1	**28765**	12

Flanges



Viega MegaPressG flange
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection
- Class 150 Raised Face Flanges

Components
HNBR sealing element, grip ring, separator ring

Model 6659.5

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
½	4	2⅜	1.393	1	**25761**	12
¾	4	2¾	1.845	1	**25766**	12
1	4	3⅛	2.455	1	**25771**	12
1¼	4	3½	2.711	1	**25776**	12
1½	4	3⅞	4.011	1	**25781**	12
2	4	4¾	5.400	1	**25786**	12

BP = bolt pattern
BPd = bolt pattern diameter



Viega MegaPressG flange
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, flat-faced flange
- Class 125 Flat Face Flanges

Components
HNBR sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 6659.5XL

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
2½	4	5½	8.426	1	**28875**	12
3	4	6	9.881	1	**28880**	12
4	8	7½	13.874	1	**28885**	12

BP = bolt pattern
BPd = bolt pattern diameter

Caps



Viega MegaPressG cap
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
HNBR sealing element, grip ring, separator ring

Model 6656

P	Wt [lb]	Quantity	Part No	DG
½	0.203	10	**25731**	12
¾	0.264	10	**25736**	12
1	0.397	5	**25741**	12
1¼	0.617	1	**25746**	12
1½	0.804	1	**25751**	12
2	1.080	1	**25756**	12



Viega MegaPressG cap
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
HNBR sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 6656XL

P	Wt [lb]	Quantity	Part No	DG
2½	1.309	1	**28860**	12
3	1.708	1	**28865**	12
4	2.746	1	**28870**	12

Unions



Viega MegaPressG union
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection
- Ground joint

Components
HNBR sealing elements, grip rings, separator rings

Model 6660

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.758	5	**25701**	12
¾	¾	1.212	5	**25706**	12
1	1	1.441	5	**25711**	12
1¼	1¼	2.424	1	**25716**	12
1½	1½	2.689	1	**25721**	12
2	2	4.188	1	**25726**	12



Viega MegaPressG union
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread
- Ground joint

Components
HNBR sealing element, grip ring, separator ring

Model 6662

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.675	5	**25651**	12
¾	¾	1.107	5	**25656**	12
1	1	1.358	5	**25661**	12
1¼	1¼	2.343	1	**25666**	12
1½	1½	2.226	1	**25671**	12
2	2	3.295	1	**25676**	12

Couplings



Viega MegaPressG coupling
With stop
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
HNBR sealing elements, grip rings, separator rings

Model 6615

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.260	10	**25001**	12
¾	¾	0.353	10	**22009**	12
1	1	0.514	5	**25011**	12
1¼	1¼	0.860	1	**25016**	12
1½	1½	1.124	1	**25021**	12
2	2	1.433	1	**25026**	12



Viega MegaPressG coupling
With stop
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
HNBR sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 6615XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.689	1	**28770**	12
3	3	2.435	1	**28775**	12
4	4	3.965	1	**28780**	12



Viega MegaPressG coupling
No stop
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
HNBR sealing elements, grip rings, separator rings

Model 6615.5

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.264	10	**25031**	12
¾	¾	0.339	10	**25036**	12
1	1	0.511	5	**25041**	12
1¼	1¼	0.860	1	**25046**	12
1½	1½	1.124	1	**25051**	12
2	2	1.411	1	**25056**	12



Viega MegaPressG coupling
No stop
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
HNBR sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 6615.5XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.728	1	**28785**	12
3	3	2.413	1	**28790**	12
4	4	4.009	1	**28795**	12



Viega MegaPressG extended coupling
No stop
Smart Connect Technology
- Carbon steel, zinc-nickel coating
- Press connection

Components
HNBR sealing elements, grip rings, separator rings

Model 6615.3

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.348	10	**25071**	12
¾	¾	0.447	10	**25076**	12
1	1	0.674	5	**25081**	12
1¼	1¼	1.031	1	**25086**	12
1½	1½	1.350	1	**25091**	12
2	2	1.693	1	**25096**	12

Reducers



Viega MegaPressG reducer
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Street, press connection

Components
HNBR sealing element, grip ring, separator ring

Model 6615.1

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
¾	½	0.276	5	**26001**	12
1	½	0.364	5	**26006**	12
1	¾	0.397	5	**26011**	12
1¼	1	0.688	1	**26016**	12
1½	¾	0.710	1	**26021**	12
1½	1	0.793	1	**26031**	12
1½	1¼	0.926	1	**26026**	12
2	1	1.047	1	**26036**	12
2	1¼	1.168	1	**26041**	12
2	1½	1.289	1	**26046**	12



Viega MegaPressG reducer
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Street, press connection

Components
HNBR sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 6615.1XL

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
2½	1	1.210	1	**28800**	12
2½	1¼	1.351	1	**28805**	12
2½	1½	1.457	1	**28810**	12
2½	2	1.534	1	**28815**	12
3	1¼	1.942	1	**28820**	12
3	1½	2.061	1	**28825**	12
3	2	2.181	1	**28830**	12
3	2½	2.169	1	**28835**	12
4	1½	2.980	1	**28840**	12
4	2	3.130	1	**28845**	12
4	2½	3.086	1	**28850**	12
4	3	3.526	1	**28855**	12



Viega MegaPressG reducer
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
HNBR sealing elements, grip rings, separator rings

Model 6615.2

P1	P2	Wt [lb]	Quantity	Part No	DG
¾	½	0.360	5	**25931**	12
1	½	0.485	5	**25936**	12
1	¾	0.511	5	**25941**	12
1¼	¾	0.743	1	**25946**	12
1¼	1	0.804	1	**25951**	12
1½	1¼	1.080	1	**25956**	12
2	1¼	1.459	1	**25961**	12
2	1½	1.492	1	**25966**	12

MegaPress FKM



viega

MegaPress FKM

Viega MegaPress FKM is the first and only clean, secure and efficient choice for joining ½" to 4" carbon steel pipe with an FKM sealing element. Meticulously engineered, it is suitable for renovations, repairs or installation on new carbon steel pipe systems. Viega MegaPress FKM can even be installed on noncombustible/flammable lines that are not completely shut down, eliminating the need to fully drain a system, and shortening repair and installation time. It is approved for use in hydronic heating, compressed air, cooling water, marine applications and many more. Not approved for use with potable water.

FEATURES AND BENEFITS

- Engineered with a 420 stainless steel grip ring plus a 304 stainless steel separator ring for sizes ½" to 2" and a PBT separator ring for sizes 2½" to 4"
- Approved for more applications than any other carbon steel pipe press fitting system
- Suitable for use with ASTM Schedule 5 to Schedule 40 carbon steel pipe.
- Corrosion-resistant zinc nickel coating
- Over 180 engineered fitting configurations from ½" to 4"
- Approved for underground applications, in accordance with code and local AHJ
- The same hanger and support requirements as threaded systems
- Viega Smart Connect technology provides installers added confidence in their ability to ensure secure connections

NOW AVAILABLE!

Viega expands the MegaPress FKM product range with ZeroLead bronze IPS transition couplings that allow dissimilar piping systems to be connected, minimizing the risks of galvanic corrosion.

NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A white dot on a Viega MegaPress fitting indicates Smart Connect technology with an FKM sealing element. Viega also offers a variety of valves for this product line, please check section 5.1 Valves for more details.

Index

Elbows	64
Tees	65
Adapters	66
Flanges	67
Caps	68
Unions	68
Couplings	68
Reducers	69
Branch connectors	70

Elbows



Viega MegaPress 90° elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
FKM sealing elements, grip rings, separator rings
Model 5916

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.381	10	**84305**	12
¾	¾	0.520	10	**84310**	12
1	1	0.829	5	**84315**	12
1¼	1¼	1.303	1	**84320**	12
1½	1½	1.772	1	**84325**	12
2	2	2.557	1	**84330**	12



Viega MegaPress 90° elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
FKM sealing elements, grip rings, separator rings
Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.
Model 4816XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	3.288	1	**26500**	12
3	3	4.576	1	**26505**	12
4	4	7.588	1	**26510**	12



Viega MegaPress 90° street elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

Components
FKM sealing element, grip ring, separator ring
Model 5916.1

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.395	10	**84875**	12
¾	¾	0.522	10	**84880**	12
1	1	0.831	5	**84885**	12
1¼	1¼	1.322	1	**84890**	12
1½	1½	1.798	1	**84895**	12
2	2	2.596	1	**84900**	12



Viega MegaPress 90° street elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

Components
FKM sealing element, grip ring, separator ring
Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.
Model 4816.1XL

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2½	2½	3.231	1	**26515**	12
3	3	4.214	1	**26520**	12
4	4	7.189	1	**26525**	12



Viega MegaPress 45° elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
FKM sealing elements, grip rings, separator rings
Model 5926

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.315	10	**84335**	12
¾	¾	0.423	10	**84340**	12
1	1	0.661	5	**84345**	12
1¼	1¼	1.069	1	**84350**	12
1½	1½	1.431	1	**84355**	12
2	2	1.975	1	**84360**	12



Viega MegaPress 45° elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 4826XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	2.455	1	**26530**	12
3	3	3.418	1	**26535**	12
4	4	5.338	1	**26540**	12



Viega MegaPress 45° street elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

Components
FKM sealing element, grip ring, separator ring

Model 5926.1

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.320	10	**84905**	12
¾	¾	0.423	10	**84910**	12
1	1	0.683	5	**84915**	12
1¼	1¼	1.071	1	**84920**	12
1½	1½	1.437	1	**84925**	12
2	2	2.138	1	**84930**	12



Viega MegaPress 45° street elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

Components
FKM sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 4826.1XL

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2½	2½	2.380	1	**26545**	12
3	3	3.165	1	**26550**	12
4	4	5.259	1	**26555**	12

Tees



Viega MegaPress tee
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Model 5918

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
½	½	½	0.527	5	**84365**	12
¾	¾	½	0.650	5	**84410**	12
¾	¾	¾	0.701	5	**84370**	12
1	1	½	0.923	5	**84415**	12
1	1	¾	0.970	5	**84420**	12
1	1	1	1.045	5	**84375**	12
1¼	1¼	½	1.380	1	**84380**	12
1¼	1¼	¾	1.426	1	**84385**	12
1¼	1¼	1	1.499	1	**84390**	12
1¼	1¼	1¼	1.657	1	**84395**	12
1½	1½	½	1.794	1	**84425**	12
1½	1½	¾	1.843	1	**84430**	12
1½	1½	1	1.915	1	**84435**	12
1½	1½	1¼	2.070	1	**84440**	12
1½	1½	1½	2.191	1	**84400**	12
2	2	½	2.451	1	**84445**	12
2	2	¾	2.488	1	**84450**	12
2	2	1	2.565	1	**84455**	12
2	2	1¼	2.729	1	**84460**	12
2	2	1½	2.843	1	**84465**	12
2	2	2	2.993	1	**84405**	12



Viega MegaPress tee
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 4818XL

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2½	2½	1½	2.755	1	**26575**	12
2½	2½	2	3.251	1	**26580**	12
2½	2½	2½	3.328	1	**26560**	12
3	3	1¼	3.498	1	**26595**	12
3	3	1½	3.747	1	**26590**	12
3	3	2	4.060	1	**26585**	12
3	3	2½	4.247	1	**26600**	12
3	3	3	4.739	1	**26565**	12
4	4	1½	5.413	1	**26605**	12
4	4	2	5.453	1	**26610**	12
4	4	2½	5.640	1	**26615**	12
4	4	3	6.720	1	**26620**	12
4	4	4	7.818	1	**26570**	12



Viega MegaPress tee
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components
FKM sealing elements, grip rings, separator rings

Model 5917.2

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
¾	¾	½	0.628	5	**84545**	12
¾	¾	¾	0.655	5	**84550**	12
1	1	½	0.901	5	**84555**	12
1	1	¾	0.915	5	**84560**	12
1¼	1¼	½	1.349	1	**84575**	12
1¼	1¼	¾	1.351	1	**84570**	12
1¼	1¼	1	1.499	1	**84565**	12
1½	1½	½	1.776	1	**84580**	12
1½	1½	¾	1.787	1	**84585**	12
1½	1½	1	1.979	1	**84590**	12
2	2	½	2.430	1	**84595**	12
2	2	¾	2.451	1	**84600**	12
2	2	1	2.623	1	**84605**	12



Viega MegaPress tee
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components
FKM sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 4817.2XL

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	¾	2.200	1	**26625**	12
3	3	¾	3.015	1	**26630**	12
4	4	¾	4.434	1	**26635**	12

Adapters



Viega MegaPress adapter
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, male pipe thread

Components
FKM sealing element, grip ring, separator ring

Model 5911

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.236	10	**84245**	12
¾	¾	0.324	10	**84250**	12
1	1	0.496	5	**84255**	12
1¼	1¼	0.818	1	**84260**	12
1½	1½	1.093	20	**84265**	12
2	2	1.439	1	**84270**	12



Viega MegaPress adapter
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, male pipe thread

Components
FKM sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 4811XL

P	MPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.708	1	**26640**	12
3	3	2.314	1	**26645**	12
4	4	4.020	1	**26650**	12



Viega MegaPress adapter
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components
FKM sealing element, grip ring, separator ring
Model 5912

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.251	10	**84275**	12
¾	½	0.306	10	**84750**	12
¾	¾	0.322	10	**84280**	12
1	½	0.450	5	**84755**	12
1	¾	0.441	5	**84760**	12
1	1	0.541	5	**84285**	12
1¼	½	0.679	1	**84765**	12
1¼	¾	0.703	1	**84770**	12
1¼	1	0.789	1	**84775**	12
1¼	1¼	0.705	1	**84290**	12
1½	½	0.864	1	**84780**	12
1½	¾	0.882	1	**84785**	12
1½	1	0.976	1	**84790**	12
1½	1¼	0.886	1	**84795**	12
1½	1½	0.967	1	**84295**	12
2	¾	1.168	1	**84800**	12
2	1	1.254	1	**84805**	12
2	1½	1.217	1	**84810**	12
2	2	1.358	1	**84300**	12



Viega MegaPress adapter
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components
FKM sealing element, grip ring, separator ring
Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.
Model 4812XL

P	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.834	1	**26655**	12
3	3	2.364	1	**26660**	12
4	4	3.557	1	**26665**	12

Flanges



Viega MegaPress flange
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection
- Class 150 Raised Face Flanges

Components
FKM sealing element, grip ring, separator ring
Model 5959.5

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
½	4	2⅜	1.400	1	**84845**	12
¾	4	2¾	1.849	1	**84850**	12
1	4	3⅛	2.473	1	**84855**	12
1¼	4	3½	3.006	1	**84860**	12
1½	4	3⅞	4.022	1	**84865**	12
2	4	4¾	5.907	1	**84870**	12

BP = bolt pattern
BPd = bolt pattern diameter



Viega MegaPress flange
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection
- Class 150 Raised Face Flanges

Components
FKM sealing element, grip ring, separator ring
Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.
Model 4859.5XL

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
2½	4	5½	8.157	1	**26775**	12
3	4	6	9.814	1	**26780**	12
4	8	7½	13.879	1	**26785**	12

BP = bolt pattern
BPd = bolt pattern diameter

Caps



Viega MegaPress cap
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
FKM sealing element, grip ring, separator ring
Model 5956

P	Wt [lb]	Quantity	Part No	DG
½	0.207	10	**84100**	12
¾	0.271	10	**84105**	12
1	0.406	5	**84110**	12
1¼	0.635	1	**84115**	12
1½	0.838	1	**84120**	12
2	1.113	1	**84125**	12



Viega MegaPress cap
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
FKM sealing element, grip ring, separator ring
Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.
Model 4856.1XL

P	Wt [lb]	Quantity	Part No	DG
2½	1.309	1	**26760**	12
3	1.697	1	**26765**	12
4	2.707	1	**26770**	12

Unions



Viega MegaPress union
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
AFM flat gasket, FKM sealing elements, grip rings, separator rings
Model 5960

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.771	5	**84815**	12
¾	¾	1.217	5	**84820**	12
1	1	1.415	1	**84825**	12
1¼	1¼	2.468	1	**84830**	12
1½	1½	2.722	1	**84835**	12
2	2	4.331	1	**84840**	12

Couplings



Viega MegaPress coupling
With stop
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
FKM sealing elements, grip rings, separator rings
Model 5915

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.264	10	**84215**	12
¾	¾	0.350	10	**84220**	12
1	1	0.529	5	**84225**	12
1¼	1¼	0.875	1	**84230**	12
1½	1½	1.164	1	**84235**	12
2	2	1.472	1	**84240**	12



Viega MegaPress coupling
With stop
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
FKM sealing elements, grip rings, separator rings
Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.
Model 4815XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.671	1	**26670**	12
3	3	2.367	1	**26675**	12
4	4	3.928	1	**26680**	12



Viega MegaPress slip coupling
No stop
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
FKM sealing elements, grip rings, separator rings
Model 5915.5

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.261	10	**84130**	12
¾	¾	0.344	10	**84135**	12
1	1	0.533	5	**84140**	12
1¼	1¼	0.873	1	**84145**	12
1½	1½	1.155	1	**84150**	12
2	2	1.471	1	**84155**	12



Viega MegaPress coupling
No stop
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components
FKM sealing elements, grip rings, separator rings
Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.
Model 4815.5XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.668	1	**26685**	12
3	3	2.374	1	**26690**	12
4	4	3.945	1	**26695**	12



Viega MegaPress FKM transition coupling
Zero Lead
Smart Connect Technology
- For MegaPress transitions between dissimilar piping
- Bronze
- Press connections

Components
FKM sealing elements, grip rings, separator rings
Model 5915ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.249	1	**76545**	12
¾	¾	0.320	1	**76550**	12
1	1	0.516	1	**76555**	12
1¼	1¼	0.829	1	**76560**	12
1½	1½	1.054	1	**76565**	12
2	2	0.002	1	**76570**	12

Reducers



Viega MegaPress reducer
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Street, press connection

Components
FKM sealing element, grip ring, separator ring
Model 5915.1

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
¾	½	0.273	5	**84160**	12
1	½	0.370	5	**84165**	12
1	¾	0.403	5	**84170**	12
1¼	¾	0.641	1	**84175**	12
1¼	1	0.699	1	**84180**	12
1½	¾	0.741	1	**84185**	12
1½	1	0.815	1	**84190**	12
1½	1¼	0.946	1	**84195**	12
2	1	1.016	1	**84200**	12
2	1¼	1.206	1	**84205**	12
2	1½	1.311	1	**84210**	12



Viega MegaPress reducer
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Street, press connection

Components
FKM sealing element, grip ring, separator ring
Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.
Model 4815.1XL

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
2½	1	1.181	1	**26700**	12
2½	1¼	1.305	1	**26705**	12
2½	1½	1.411	1	**26710**	12
2½	2	1.492	1	**26715**	12
3	1¼	1.933	1	**26720**	12
3	1½	2.085	1	**26725**	12
3	2	2.191	1	**26730**	12
3	2½	2.206	1	**26735**	12
4	1½	3.075	1	**26740**	12
4	2	3.110	1	**26745**	12
4	2½	3.037	1	**26750**	12
4	3	3.262	1	**26755**	12

Branch connectors



Viega MegaPress press-in branch connector
- For use with Sch. 10 carbon steel pipe only
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components
FKM sealing element
Model 4812.2

for d	FPT	Wt [lb]	Quantity	Part No	DG
1½	¾	0.454	1	**26800***	12
2	¾	0.452	1	**26805***	12
2½	¾	0.458	1	**26810***	12
3	¾	0.452	1	**26815***	12
4	¾	0.445	1	**26820***	12
6	¾	0.441	1	**26825***	12

* = Available while supplies last



Viega MegaPress press-in branch connector
- For use with Sch. 40 carbon steel pipe only
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components
FKM sealing element
Model 4812.25

for d	FPT	Wt [lb]	Quantity	Part No	DG
1½	¾	0.432	1	**26830**	12
2	¾	0.441	1	**26835**	12
2½	¾	0.441	1	**26840**	12
3	¾	0.410	1	**26845**	12
4	¾	0.410	1	**26850**	12
6	¾	0.388	1	**26855**	12

MegaPress 304 FKM



MegaPress 304 FKM

Viega MegaPress 304 FKM fittings are the industry's first stainless fittings for Schedule 5 to 40 piping systems. Save on labor cost and system downtime with press fittings in a wide variety of configurations, available in sizes from ½" to 4". MegaPress 304 with an FKM sealing element is suitable for chemical and higher temperature applications.

FEATURES AND BENEFITS

- Engineered with a 420 stainless steel grip ring plus a 304 stainless steel separator ring for sizes ½" to 2" and a PBT separator ring for sizes 2½" to 4"
- FKM sealing element
- Wide range of fitting configurations
- Eliminates threading and welding
- No fire watches, hot work permits or messy cutting oils
- Makes secure press connections on sizes from ½" to 4" in seconds
- Compatible with existing press tools
- Backed by limited written warranty

NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A white dot indicates an FKM sealing element. Viega also offers a variety of valves for this product line, please check section 5.1 Valves for more details.

Index

Elbows	74
Tees	75
Adapters	76
Flanges	77
Caps	77
Unions	78
Couplings	78
Reducers	79

Elbows



Viega MegaPress 90° elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Model 4116

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.324	10	**95005**	14
¾	¾	0.423	10	**95010**	14
1	1	0.789	5	**95015**	14
1¼	1¼	1.258	1	**95785**	14
1½	1½	1.510	1	**95020**	14
2	2	2.032	1	**95025**	14



Viega MegaPress 90° elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 4116XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	3.317	1	**95500**	14
3	3	4.763	1	**95505**	14
4	4	7.904	1	**95510**	14



Viega MegaPress 90° street elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection, street

Components
FKM sealing element, grip ring, separator ring

Model 4116.1

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.320	10	**95030**	14
¾	¾	0.417	10	**95035**	14
1	1	0.782	5	**95040**	14
1¼	1¼	1.219	1	**95845**	14
1½	1½	1.483	1	**95045**	14
2	2	2.063	1	**95050**	14



Viega MegaPress 90° street elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection, street

Components
FKM sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 4116.1XL

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2½	2½	3.304	1	**95515**	14
3	3	5.052	1	**95520**	14
4	4	7.489	1	**95525**	14



Viega MegaPress 45° elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Model 4126

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.264	10	**95055**	14
¾	¾	0.346	10	**95060**	14
1	1	0.641	5	**95065**	14
1¼	1¼	1.038	1	**95790**	14
1½	1½	1.228	1	**95070**	14
2	2	1.620	1	**95075**	14



Viega MegaPress 45° elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 4126XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	2.480	1	**95530**	14
3	3	3.579	1	**95535**	14
4	4	5.938	1	**95540**	14



Viega MegaPress 45° street elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection, street

Components
FKM sealing element, grip ring, separator ring

Model 4126.1

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.276	10	**95080**	14
¾	¾	0.355	10	**95085**	14
1	1	0.648	5	**95090**	14
1¼	1¼	1.003	1	**95850**	14
1½	1½	1.188	1	**95095**	14
2	2	1.679	1	**95100**	14



Viega MegaPress 45° street elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection, street

Components
FKM sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 4126.1XL

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2½	2½	2.409	1	**95545**	14
3	3	3.306	1	**95550**	14
4	4	5.492	1	**95555**	14

Tees



Viega MegaPress tee
Smart Connect Technology
- 304 stainless steel
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Model 4118

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
½	½	½	0.443	5	**95105**	14
¾	¾	½	0.536	5	**95130**	14
¾	¾	¾	0.582	5	**95110**	14
1	1	½	0.882	5	**95135**	14
1	1	¾	0.899	5	**95140**	14
1	1	1	1.005	5	**95115**	14
1¼	1¼	½	1.300	1	**95855**	14
1¼	1¼	¾	1.338	1	**95860**	14
1¼	1¼	1	1.430	1	**95865**	14
1¼	1¼	1¼	1.578	1	**95795**	14
1½	1½	¾	1.525	1	**95150**	14
1½	1½	1	1.631	1	**95155**	14
1½	1½	1½	1.832	1	**95120**	14
2	2	½	2.082	1	**95160**	14
2	2	¾	2.094	1	**95165**	14
2	2	1	2.195	1	**95170**	14
2	2	1½	2.373	1	**95175**	14
2	2	2	2.493	1	**95125**	14



Viega MegaPress tee
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection

Components
FKM sealing element, grip ring, separator ring
Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.
Model 4118XL

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2½	2½	1½	3.033	1	**95575**	14
2½	2½	2	3.174	1	**95580**	14
2½	2½	2½	3.346	1	**95560**	14
3	3	2	4.022	1	**95585**	14
3	3	3	4.862	1	**95565**	14
4	4	1½	5.627	1	**95600**	14
4	4	2	5.990	1	**95605**	14
4	4	2½	6.358	1	**95610**	14
4	4	3	6.949	1	**95615**	14
4	4	4	8.232	1	**95570**	14



Viega MegaPress tee
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection, female pipe thread

Components
FKM sealing elements, grip rings, separator rings
Model 4117.2

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
¾	¾	½	0.525	5	**95180**	14
¾	¾	¾	0.551	5	**95185**	14
1	1	½	0.862	5	**95190**	14
1	1	¾	0.886	5	**95195**	14
1½	1½	¾	1.563	1	**95205**	14
2	2	1	2.244	1	**95225**	14



Viega MegaPress tee
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection, female pipe thread

Components
FKM sealing elements, grip rings, separator rings
Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.
Model 4117.2XL

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	¾	2.484	1	**95620**	14
3	3	¾	3.090	1	**95625**	14
4	4	¾	5.036	1	**95630**	14

Adapters



Viega MegaPress adapter
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection, male pipe thread

Components
FKM sealing element, grip ring, separator ring
Model 4111

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.209	10	**95230**	14
¾	½	0.269	10	**95235**	14
¾	¾	0.284	10	**95240**	14
1	1	0.483	5	**95245**	14
1¼	1¼	0.798	1	**95830**	14
1½	1½	0.985	1	**95250**	14
2	2	1.283	1	**95255**	14



Viega MegaPress adapter
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection, male pipe thread

Components
FKM sealing element, grip ring, separator ring
Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.
Model 4111XL

P	MPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.675	1	**95635**	14
3	3	2.349	1	**95640**	14
4	4	4.157	1	**95735**	14



Viega MegaPress adapter
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection, female pipe thread

Components
FKM sealing element, grip ring, separator ring
Model 4112

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.232	10	**95260**	14
¾	¾	0.289	10	**95265**	14
1	1	0.538	5	**95270**	14
1¼	1¼	0.683	1	**95835**	14
1½	1½	0.884	1	**95275**	14
2	2	1.228	1	**95280**	14



Viega MegaPress adapter
Smart Connect Technology
- 304 stainless steel
- Press connections, female pipe thread

Components
FKM sealing element, grip ring, separator ring
Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.
Model 4112XL

P	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.814	1	**95770**	14
3	3	2.607	1	**95775**	14
4	4	3.469	1	**95780**	14

Flanges



Viega MegaPress flange
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection
- Class 150 Flat Face Flanges

Components
FKM sealing element, grip ring, separator ring
Model 4159

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
½	4	2⅜	1.051	1	**95440**	14
¾	4	2¾	1.488	1	**95445**	14
1	4	3⅛	2.133	1	**95450**	14
1¼	4	3½	2.658	1	**95870**	14
1½	4	3⅞	3.650	1	**95455**	14
2	4	4¾	5.030	1	**95460**	14

BP = bolt pattern
BPd = bolt pattern diameter



Viega MegaPress flange
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection
- Class 150 Flat Face Flanges

Components
FKM sealing element, grip ring, separator ring
Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.
Model 4159XL

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
2½	4	5½	8.276	1	**95720**	14
3	4	6	9.881	1	**95725**	14
4	8	7½	13.630	1	**95730**	14

BP = bolt pattern
BPd = bolt pattern diameter

Caps



Viega MegaPress cap
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection

Components
FKM sealing element, grip ring, separator ring
Model 4156

P	Wt [lb]	Quantity	Part No	DG
½	0.172	10	**95390**	14
¾	0.223	10	**95395**	14
1	0.387	5	**95400**	14
1¼	0.599	1	**95825**	14
1½	0.701	1	**95405**	14
2	0.939	1	**95410**	14



Viega MegaPress cap
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection

Components
FKM sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 4156.1XL

P	Wt [lb]	Quantity	Part No	DG
2½	1.247	1	**95705**	14
3	1.975	1	**95710**	14
4	2.817	1	**95715**	14

Unions



Viega MegaPress union
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection

Components
AFM flat gasket, FKM sealing elements, grip rings, separator rings

Model 4160

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.608	5	**95415**	14
¾	¾	1.020	5	**95420**	14
1	1	1.333	1	**95425**	14
1¼	1¼	2.409	1	**95875**	14
1½	1½	2.494	1	**95430**	14
2	2	4.047	1	**95435**	14

Couplings



Viega MegaPress coupling
With stop
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Model 4115

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.227	10	**95285**	14
¾	¾	0.289	10	**95290**	14
1	1	0.505	5	**95295**	14
1¼	1¼	0.849	1	**95800**	14
1½	1½	1.069	1	**95300**	14
2	2	1.252	1	**95305**	14



Viega MegaPress coupling
With stop
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 4115XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.686	1	**95645**	14
3	3	2.438	1	**95650**	14
4	4	4.218	1	**95655**	14



Viega MegaPress coupling
No stop
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Model 4115.5

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.229	10	**95310**	14
¾	¾	0.287	10	**95315**	14
1	1	0.500	5	**95320**	14
1¼	1¼	0.849	1	**95805**	14
1½	1½	0.985	1	**95325**	14
2	2	1.225	1	**95330**	14



Viega MegaPress coupling
No stop
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 4115.5XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.677	1	**95660**	14
3	3	2.446	1	**95665**	14
4	4	4.141	1	**95670**	14



Viega MegaPress transition coupling
Smart Connect Technology
- For transitioning between IPS and CTS systems
- 304 stainless steel
- Press connection

Components
FKM sealing elements, grip ring, separator ring

Model 4113

P (IPS)	P (CTS)	Wt [lb]	Quantity	Part No	DG
½	½	0.218	1	**95465**	14
¾	¾	0.284	1	**95470**	14
1	1	0.430	1	**95475**	14
1¼	1¼	0.619	1	**95840**	14
1½	1½	0.804	1	**95485**	14
2	2	1.042	1	**95490**	14

Reducers



Viega MegaPress reducer
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Street, press connection

Components
FKM sealing element, grip ring, separator ring

Model 4115.1

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
¾	½	0.242	5	**95355**	14
1	½	0.347	5	**95360**	14
1	¾	0.366	5	**95365**	14
1¼	1	0.685	1	**95810**	14
1½	¾	0.633	1	**95370**	14
1½	1	0.723	1	**95375**	14
1½	1¼	0.926	1	**95815**	14
2	1	0.932	1	**95380**	14
2	1½	1.104	1	**95385**	14



Viega MegaPress reducer
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Street, press connection

Components
FKM sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 4115.1XL

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
2½	2	1.408	1	**95675**	14
3	2	1.845	1	**95680**	14
3	2½	1.962	1	**95685**	14
4	2	2.905	1	**95690**	14
4	2½	3.031	1	**95695**	14
4	3	3.306	1	**95700**	14



Viega MegaPress reducer
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Model 4115.2

P1	P2	Wt [lb]	Quantity	Part No	DG
¾	½	0.320	5	**95335**	14
1	¾	0.480	5	**95340**	14
1¼	1	0.787	1	**95820**	14
1½	1	0.849	1	**95345**	14
2	1½	1.265	1	**95350**	14

MegaPress 316



MegaPress 316

Viega MegaPress 316 fittings are the industry's first stainless fittings for Schedule 5 to 40 piping systems. Save on labor cost and system downtime with press fittings in a wide variety of configurations, available in sizes from ½" to 4". Viega MegaPress 316 with an EPDM sealing element is suitable for use with chilled water, compressed air, potable water, marine applications and more. Not for use with fuel gas or fuel oil applications.

FEATURES AND BENEFITS

- Engineered with a 420 stainless steel grip ring plus a 304 stainless steel separator ring for sizes ½" to 2" and a PBT separator ring for sizes 2½" to 4"
- 316 stainless carries an NSF-61 potable water rating
- Wide range of fitting configurations
- Eliminates threading and welding
- No fire watches, hot work permits or messy cutting oils
- Makes secure press connections on sizes from ½" to 4" in seconds
- Compatible with existing press tools
- Backed by limited written warranty

NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A green dot indicates an EPDM sealing element. Viega also offers a variety of valves for this product line, please check section 5.1 Valves for more details.

Index

Elbows	84
Tees	85
Adapters	86
Flanges	87
Caps	87
Unions	88
Couplings	88
Reducers	89

Elbows



Viega MegaPress 90° elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
EPDM sealing elements, grip rings, separator rings

Model 5116

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.315	10	**90005**	14
¾	¾	0.422	10	**90010**	14
1	1	0.785	5	**90015**	14
1¼	1¼	1.247	1	**90835**	14
1½	1½	1.527	1	**90020**	14
2	2	2.081	1	**90025**	14



Viega MegaPress 90° elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
EPDM sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 5116XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	3.163	1	**90500**	14
3	3	4.783	1	**90505**	14
4	4	7.807	1	**90510**	14



Viega MegaPress 90° street elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, street

Components
EPDM sealing element, grip ring, separator ring

Model 5116.1

P1	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.313	10	**90030**	14
¾	¾	0.413	10	**90035**	14
1	1	0.800	5	**90040**	14
1¼	1¼	1.225	1	**90895**	14
1½	1½	1.510	1	**90045**	14
2	2	2.122	1	**90050**	14



Viega MegaPress 90° street elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, street

Components
EPDM sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 5116.1XL

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2½	2½	3.253	1	**90515**	14
3	3	4.459	1	**90520**	14
4	4	7.469	1	**90525**	14



Viega MegaPress 45° elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
EPDM sealing elements, grip rings, separator rings

Model 5126

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.266	10	**90055**	14
¾	¾	0.339	10	**90060**	14
1	1	0.639	5	**90065**	14
1¼	1¼	1.042	1	**90840**	14
1½	1½	1.228	1	**90070**	14
2	2	1.622	1	**90075**	14



Viega MegaPress 45° elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
EPDM sealing elements, grip rings, separator rings

Model 5126XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	2.497	1	**90530**	14
3	3	3.542	1	**90535**	14
4	4	5.916	1	**90540**	14



Viega MegaPress 45° street elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, street

Components
EPDM sealing element, grip ring, separator ring

Model 5126.1

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.271	10	**90080**	14
¾	¾	0.353	10	**90085**	14
1	1	0.648	5	**90090**	14
1¼	1¼	1.007	1	**90900**	14
1½	1½	1.232	1	**90095**	14
2	2	1.671	1	**90100**	14



Viega MegaPress 45° street elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, street

Components
EPDM sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 5126.1XL

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2½	2½	2.290	1	**90545**	14
3	3	3.284	1	**90550**	14
4	4	5.455	1	**90555**	14

Tees



Viega MegaPress tee
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
EPDM sealing elements, grip rings, separator rings

Model 5118

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
½	½	½	0.432	5	**90105**	14
¾	¾	½	0.534	5	**90130**	14
¾	¾	¾	0.569	5	**90110**	14
1	1	½	0.866	5	**90135**	14
1	1	¾	0.891	5	**90140**	14
1	1	1	0.996	5	**90115**	14
1¼	1¼	½	1.311	1	**90905**	14
1¼	1¼	¾	1.342	1	**90910**	14
1¼	1¼	1	1.441	1	**90915**	14
1¼	1¼	1¼	1.600	1	**90845**	14
1½	1½	¾	1.536	1	**90150**	14
1½	1½	1	1.655	1	**90155**	14
1½	1½	1½	1.887	1	**90120**	14
2	2	¾	2.100	1	**90165**	14
2	2	1	2.191	1	**90170**	14
2	2	1½	2.407	1	**90175**	14
2	2	2	2.515	1	**90125**	14



Viega MegaPress tee
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
EPDM sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 5118XL

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2½	2½	1½	3.035	1	**90575**	14
2½	2½	2	3.163	1	**90580**	14
2½	2½	2½	3.350	1	**90560**	14
3	3	1½	3.672	1	**90590**	14
3	3	2	3.963	1	**90585**	14
3	3	2½	4.312	1	**90595**	14
3	3	3	4.820	1	**90565**	14
4	4	1½	5.614	1	**90600**	14
4	4	2	5.979	1	**90605**	14
4	4	2½	6.387	1	**90610**	14
4	4	3	6.921	1	**90615**	14
4	4	4	8.221	1	**90570**	14



Viega MegaPress tee
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, female pipe thread

Components
EPDM sealing elements, grip rings, separator rings

Model 5117.2

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
¾	¾	½	0.525	5	**90180**	14
¾	¾	¾	0.551	5	**90185**	14
1	1	½	0.844	5	**90190**	14
1	1	¾	0.879	5	**90195**	14
1½	1½	1	1.719	1	**90210**	14
2	2	¾	2.081	1	**90220**	14



Viega MegaPress tee
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, female pipe thread

Components
EPDM sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 5117.2XL

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	¾	2.477	1	**90620**	14
3	3	¾	3.066	1	**90625**	14
4	4	¾	4.595	1	**90630**	14

Adapters



Viega MegaPress adapter
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, male pipe thread

Components
EPDM sealing element, grip ring, separator ring

Model 5111

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.207	10	**90230**	14
¾	½	0.270	10	**90235**	14
¾	¾	0.282	10	**90240**	14
1	1	0.465	5	**90245**	14
1¼	1¼	0.807	1	**90880**	14
1½	1½	0.983	1	**90250**	14
2	2	1.320	1	**90255**	14



Viega MegaPress adapter
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, male pipe thread

Components
EPDM sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 5111XL

P	MPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.686	1	**90635**	14
3	3	2.341	1	**90640**	14
4	4	4.170	1	**90735**	14



Viega MegaPress adapter
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, female pipe thread

Components
EPDM sealing element, grip ring, separator ring

Model 5112

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.229	10	**90260**	14
¾	¾	0.291	10	**90265**	14
1	1	0.538	5	**90270**	14
1¼	1¼	0.688	20	**90885**	14
1½	1½	0.893	1	**90275**	14
2	2	1.261	1	**90280**	14



Viega MegaPress adapter
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connections, female pipe thread

Components
EPDM sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 5112XL

P	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.829	1	**90740**	14
3	3	2.356	1	**90745**	14
4	4	3.478	1	**90750**	14

Flanges



Viega MegaPress flange
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection
- Class 150 Raised Face Flanges

Components
EPDM sealing element, grip ring, separator ring

Model 5159

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
½	4	2⅜	1.326	1	**90440**	14
¾	4	2¾	1.512	1	**90445**	14
1	4	3⅛	2.089	1	**90450**	14
1¼	4	3½	2.953	1	**90920**	14
1½	4	3⅞	3.725	1	**90455**	14
2	4	4¾	5.049	1	**90460**	14

BP = bolt pattern
BPd = bolt pattern diameter



Viega MegaPress flange
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection
- Class 150 Raised Face Flanges

Components
EPDM sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 5159XL

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
2½	4	5½	8.342	1	**90720**	14
3	4	6	9.709	1	**90725**	14
4	8	7½	13.881	1	**90730**	14

BP = bolt pattern
BPd = bolt pattern diameter

Caps



Viega MegaPress cap
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
EPDM sealing element, grip ring, separator ring

Model 5156

P	Wt [lb]	Quantity	Part No	DG
½	0.172	10	**90390**	14
¾	0.218	10	**90395**	14
1	0.379	5	**90400**	14
1¼	0.604	1	**90875**	14
1½	0.703	1	**90405**	14
2	0.926	1	**90410**	14



Viega MegaPress cap
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
EPDM sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 5156.1XL

P	Wt [lb]	Quantity	Part No	DG
2½	1.243	1	**90705**	14
3	1.695	1	**90710**	14
4	2.790	1	**90715**	14

Unions



Viega MegaPress union
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
Flat gasket EPDM, EPDM sealing elements, grip rings, separator rings

Model 5160

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.624	5	**90415**	14
¾	¾	1.036	5	**90420**	14
1	1	1.342	1	**90425**	14
1¼	1¼	2.420	1	**90925**	14
1½	1½	2.468	1	**90430**	14
2	2	3.956	1	**90435**	14

Couplings



Viega MegaPress coupling
With stop
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
EPDM sealing elements, grip rings, separator rings

Model 5115

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.227	10	**90285**	14
¾	¾	0.290	10	**90290**	14
1	1	0.505	5	**90295**	14
1¼	1¼	0.849	10	**90850**	14
1½	1½	1.018	1	**90300**	14
2	2	1.267	1	**90305**	14



Viega MegaPress coupling
With stop
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
EPDM sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 5115XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.688	1	**90645**	14
3	3	2.429	1	**90650**	14
4	4	4.130	1	**90655**	14



Viega MegaPress coupling
No stop
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
EPDM sealing elements, grip rings, separator rings

Model 5115.5

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.224	10	**90310**	14
¾	¾	0.291	10	**90315**	14
1	1	0.502	5	**90320**	14
1¼	1¼	0.846	1	**90855**	14
1½	1½	1.001	1	**90325**	14
2	2	1.179	1	**90330**	14



Viega MegaPress coupling
No stop
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
EPDM sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 5115.5XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.695	1	**90660**	14
3	3	2.446	1	**90665**	14
4	4	4.135	1	**90670**	14



Viega MegaPress transition coupling
Smart Connect Technology
- For transitioning between IPS and CTS systems, use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
EPDM sealing elements, grip ring, separator ring

Model 5113

P (IPS)	P (CTS)	Wt [lb]	Quantity	Part No	DG
½	½	0.214	1	**90465**	14
¾	¾	0.280	1	**90470**	14
1	1	0.425	1	**90475**	14
1¼	1¼	0.626	1	**90890**	14
1½	1½	0.804	1	**90485**	14
2	2	1.031	1	**90490**	14



Viega MegaPress transition coupling
Smart Connect Technology
- For transitioning between IPS and CTS systems
- 316 stainless steel
- Press connection

Components
EPDM sealing elements

Model 5113XL

P (IPS)	P (CTS)	Wt [lb]	Quantity	Part No	DG
2½	2½	1.620	1	**90760**	14
3	3	2.193	1	**90765**	14
4	4	3.443	1	**90770**	14

Reducers



Viega MegaPress reducer
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Street, press connection

Components
EPDM sealing element, grip ring, separator ring

Model 5115.1

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
¾	½	0.238	5	**90355**	14
1	½	0.339	5	**90360**	14
1	¾	0.368	5	**90365**	14
1¼	1	0.694	1	**90860**	14
1½	¾	0.644	1	**90370**	14
1½	1	0.703	1	**90375**	14
1½	1¼	0.926	1	**90865**	14
2	1	0.915	1	**90380**	14
2	1½	1.126	1	**90385**	14



Viega MegaPress reducer
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Street, press connection

Components
EPDM sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 5115.1XL

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
2½	2	1.446	1	**90675**	14
3	2	1.843	1	**90680**	14
3	2½	1.962	1	**90685**	14
4	2	2.911	1	**90690**	14
4	2½	3.004	1	**90695**	14
4	3	3.280	1	**90700**	14



Viega MegaPress reducer
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components

EPDM sealing elements, grip rings, separator rings

Model 5115.2

P1	P2	Wt [lb]	Quantity	**Part No**	DG
¾	½	0.306	5	**90335**	14
1	¾	0.478	5	**90340**	14
1¼	1	0.789	1	**90870**	14
1½	1	0.855	1	**90345**	14
2	1½	1.281	1	**90350**	14

MegaPress 316 FKM



viega

MegaPress 316 FKM

Viega MegaPress 316 FKM fittings are the industry's first stainless fittings for Schedule 5 to 40 piping systems. Save on labor cost and system downtime with press fittings in a wide variety of configurations, available in sizes from ½" to 4". Viega MegaPress 316 with an FKM sealing element is suitable for use with hydronic applications, compressed air, industrial gases, marine applications and more.

FEATURES AND BENEFITS

- Engineered with a 420 stainless steel grip ring plus a 304 stainless steel separator ring for sizes ½" to 2" and a PBT separator ring for sizes 2½" to 4"
- Wide range of fitting configurations
- Eliminates threading and welding
- No fire watches, hot work permits or messy cutting oils
- Makes secure press connections on sizes from ½" to 4" in seconds
- Compatible with existing press tools
- Backed by limited written warranty

NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A white dot indicates an FKM sealing element.

Index

Elbows	94
Tees	95
Adapters	96
Flanges	97
Caps	97
Unions	98
Couplings	98
Reducers	99

Elbows



Viega MegaPress 90° elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Model 6816

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.326	10	**91695**	18
¾	¾	0.430	10	**91700**	18
1	1	0.809	5	**91705**	18
1¼	1¼	1.263	1	**91710**	18
1½	1½	1.488	1	**91715**	18
2	2	2.116	1	**91720**	18



Viega MegaPress 90° elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 6816XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	3.438	1	**98405**	18
3	3	4.833	1	**98410**	18
4	4	8.036	1	**98415**	18



Viega MegaPress 90° street elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, street

Components
FKM sealing element, grip ring, separator ring

Model 6816.1

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.313	10	**91725**	18
¾	¾	0.417	10	**91730**	18
1	1	0.807	5	**91735**	18
1¼	1¼	1.241	1	**91740**	18
1½	1½	1.466	1	**91745**	18
2	2	2.122	1	**91750**	18



Viega MegaPress 90° street elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, street

Components
FKM sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 6816.1XL

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2½	2½	3.407	1	**98390**	18
3	3	4.479	1	**98395**	18
4	4	7.593	1	**98400**	18



Viega MegaPress 45° elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Model 6826

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.271	10	**91755**	18
¾	¾	0.357	10	**91760**	18
1	1	0.646	5	**91765**	18
1¼	1¼	1.047	1	**91770**	18
1½	1½	1.236	1	**91775**	18
2	2	1.622	1	**91780**	18



Viega MegaPress 45° elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 6826XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	2.535	1	**98510**	18
3	3	3.537	1	**98515**	18
4	4	6.028	1	**98520**	18



Viega MegaPress 45° street elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, street

Components
FKM sealing element, grip ring, separator ring

Model 6826.1

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.267	10	**91785**	18
¾	¾	0.353	10	**91790**	18
1	1	0.648	5	**91795**	18
1¼	1¼	1.009	1	**91800**	18
1½	1½	1.188	1	**91805**	18
2	2	1.671	1	**91810**	18



Viega MegaPress 45° street elbow
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, street

Components
FKM sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 6826.1XL

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2½	2½	2.468	1	**98495**	18
3	3	3.262	1	**98500**	18
4	4	5.525	1	**98505**	18

Tees



Viega MegaPress tee
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Model 6818

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
½	½	½	0.436	5	**91600**	18
¾	¾	½	0.544	5	**91625**	18
¾	¾	¾	0.580	5	**91605**	18
1	1	½	0.871	5	**91630**	18
1	1	¾	0.906	5	**91635**	18
1	1	1	1.014	5	**91610**	18
1¼	1¼	½	1.311	1	**91645**	18
1¼	1¼	¾	1.351	1	**91650**	18
1¼	1¼	1	1.448	1	**91655**	18
1¼	1¼	1¼	1.602	1	**91640**	18
1½	1½	½	1.536	1	**91660**	18
1½	1½	¾	0.893	1	**91665**	18
1½	1½	1	1.651	1	**91670**	18
1½	1½	1¼	1.849	1	**91910**	18
1½	1½	1½	1.882	1	**91615**	18
2	2	½	2.045	1	**91675**	18
2	2	¾	2.078	1	**91680**	18
2	2	1	2.195	1	**91685**	18
2	2	1¼	2.343	1	**91915**	18
2	2	1½	2.398	1	**91690**	18
2	2	2	2.526	1	**91620**	18



Viega MegaPress tee
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 6818XL

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2½	2½	1½	2.874	1	**98450**	18
2½	2½	2	3.246	1	**98455**	18
2½	2½	2½	3.449	1	**98435**	18
3	3	1½	3.769	1	**98465**	18
3	3	2	4.088	1	**98460**	18
3	3	2½	4.450	1	**98470**	18
3	3	3	4.977	1	**98440**	18
4	4	1½	5.719	1	**98475**	18
4	4	2	6.105	1	**98480**	18
4	4	2½	6.482	1	**98485**	18
4	4	3	7.037	1	**98490**	18
4	4	4	8.355	1	**98445**	18



Viega MegaPress tee
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, female pipe thread

Components
FKM sealing elements, grip rings, separator rings

Model 6817.2

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
¾	¾	½	0.536	5	**91845**	18
¾	¾	¾	0.553	5	**91850**	18
1	1	½	0.860	5	**91855**	18
1	1	¾	0.882	5	**91860**	18
1¼	1¼	½	1.296	1	**91865**	18
1¼	1¼	¾	1.322	1	**91870**	18
1¼	1¼	1	1.497	1	**91875**	18
1½	1½	½	1.528	1	**91880**	18
1½	1½	¾	1.549	1	**91885**	18
1½	1½	1	1.706	1	**91890**	18
2	2	½	2.039	1	**91895**	18
2	2	¾	2.072	1	**91900**	18
2	2	1	2.241	1	**91905**	18



Viega MegaPress tee
Smart Connect Technology
- 316 stainless steel
- Press connection, female pipe thread

Components
FKM sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 6817.2XL

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	¾	2.314	1	**98420**	18
3	3	¾	3.116	1	**98425**	18
4	4	¾	5.133	1	**98430**	18

Adapters



Viega MegaPress adapter
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, male pipe thread

Components
FKM sealing element, grip ring, separator ring

Model 6811

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.214	10	**91205**	18
¾	½	0.273	10	**91210**	18
¾	¾	0.287	10	**91215**	18
1	1	0.485	5	**91220**	18
1¼	1¼	0.802	1	**91225**	18
1½	1½	0.994	1	**91230**	18
2	2	1.311	1	**91235**	18



Viega MegaPress adapter
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, male pipe thread

Components
FKM sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 6811XL

P	MPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.666	1	**98300**	18
3	3	2.385	1	**98305**	18
4	4	4.243	1	**98310**	18



Viega MegaPress adapter
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, female pipe thread

Components
FKM sealing element, grip ring, separator ring
Model 6812

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.234	10	**91240**	18
¾	¾	0.293	10	**91245**	18
1	1	0.540	5	**91250**	18
1¼	1¼	0.688	1	**91255**	18
1½	1½	0.890	1	**91260**	18
2	2	1.258	1	**91265**	18



Viega MegaPress adapter
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, female pipe thread

Components
FKM sealing element, grip ring, separator ring
Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.
Model 6812XL

P	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.840	1	**98315**	18
3	3	2.398	1	**98320**	18
4	4	3.548	1	**98325**	18

Flanges



Viega MegaPress flange
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection
- Class 150 Raised Face Flanges

Components
FKM sealing element, grip ring, separator ring
Model 6859

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
½	4	2⅜	1.340	1	**91175**	18
¾	4	2¾	1.790	1	**91180**	18
1	4	3⅛	2.409	1	**91185**	18
1¼	4	3⅞	2.962	1	**91190**	18
1½	4	3½	3.696	1	**91195**	18
2	4	4¾	5.444	1	**91200**	18

BP = bolt pattern
BPd = bolt pattern diameter



Viega MegaPress flange
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection
- Class 150 Raised Face Flanges

Components
FKM sealing element, grip ring, separator ring
Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.
Model 6859XL

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
2½	4	5½	8.003	1	**98525**	18
3	4	6	9.501	1	**98530**	18
4	8	7½	14.044	1	**98535**	18

BP = bolt pattern
BPd = bolt pattern diameter

Caps



Viega MegaPress cap
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
FKM sealing element, grip ring, separator ring
Model 6856

P	Wt [lb]	Quantity	Part No	DG
½	0.175	10	**91815**	18
¾	0.227	10	**91820**	18
1	0.386	5	**91825**	18
1¼	0.606	1	**91830**	18
1½	0.719	1	**91835**	18
2	0.921	1	**91840**	18



Viega MegaPress cap
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
FKM sealing element, grip ring, separator ring
Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.
Model 6856.1XL

P	Wt [lb]	Quantity	Part No	DG
2½	1.206	1	**98540**	18
3	1.790	1	**98545**	18
4	2.852	1	**98550**	18

Unions



Viega MegaPress union
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
AFM flat gasket, FKM sealing elements, grip rings, separator rings
Model 6860

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.636	5	**91925**	18
¾	¾	1.045	5	**91930**	18
1	1	1.358	5	**91935**	18
1¼	1¼	2.402	1	**91940**	18
1½	1½	2.518	1	**91945**	18
2	2	4.357	1	**91950**	18

Couplings



Viega MegaPress coupling
With stop
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
FKM sealing elements, grip rings, separator rings
Model 6815

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.234	10	**91100**	18
¾	¾	0.302	10	**91105**	18
1	1	0.507	5	**91110**	18
1¼	1¼	0.844	1	**91115**	18
1½	1½	1.014	1	**91120**	18
2	2	1.276	1	**91125**	18



Viega MegaPress coupling
With stop
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
FKM sealing elements, grip rings, separator rings
Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.
Model 6815XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.757	1	**98375**	18
3	3	2.502	1	**98380**	18
4	4	4.238	1	**98385**	18



Viega MegaPress slip coupling
No stop
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
FKM sealing elements, grip rings, separator rings
Model 6815.5

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.225	10	**91290**	18
¾	¾	0.298	10	**91295**	18
1	1	0.505	5	**91300**	18
1¼	1¼	0.852	1	**91305**	18
1½	1½	1.003	1	**91310**	18
2	2	1.256	1	**91315**	18



Viega MegaPress slip coupling
No stop
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 6815.5XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.741	1	**98360**	18
3	3	2.457	1	**98365**	18
4	4	3.705	1	**98370**	18



Viega MegaPress transition coupling
Smart Connect Technology
- For transitioning between IPS and CTS systems
- 316 stainless steel
- Press connection

Components
FKM sealing elements

Model 6813XL

P (IPS)	P (CTS)	Wt [lb]	Quantity	Part No	DG
2½	2½	1.620	1	**98555**	18
3	3	2.193	1	**98560**	18
4	4	3.454	1	**98565**	18

Reducers



Viega MegaPress reducer
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Street, press connection

Components
FKM sealing element, grip ring, separator ring

Model 6815.1

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
¾	½	0.245	5	**91130**	18
1	½	0.346	5	**91135**	18
1	¾	0.371	5	**91140**	18
1¼	¾	0.601	1	**91320**	18
1¼	1	0.685	1	**91145**	18
1½	¾	0.657	1	**91155**	18
1½	1	0.730	1	**91160**	18
1½	1¼	0.928	1	**91150**	18
2	1	0.939	1	**91165**	18
2	1¼	1.031	1	**91325**	18
2	1½	1.119	1	**91170**	18



Viega MegaPress reducer
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Street, press connection

Components
FKM sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 6815.1XL

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
2½	2	1.433	1	**98330**	18
3	2	1.891	1	**98335**	18
3	2½	2.048	1	**98340**	18
4	2	2.964	1	**98345**	18
4	2½	3.086	1	**98350**	18
4	3	3.381	1	**98355**	18



Viega MegaPress reducer
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Model 6815.2

P1	P2	Wt [lb]	Quantity	Part No	DG
¾	½	0.322	5	**91270**	18
1	¾	0.485	5	**91275**	18
1¼	1	0.791	1	**91280**	18
1½	1¼	1.038	1	**91920**	18
2	1½	1.300	1	**91285**	18

MegaPress CuNi



MegaPress CuNi

Now with NAVSEA approval, Viega offers the MegaPress CuNi 90:10 IPS system with FKM sealing element for marine and industrial pipe joining applications. The MegaPress CuNi system is approved for installation in a variety of applications, from cooling water to fuel to fire sprinkler. It is a 90:10 copper nickel alloy that is specifically designed to stand up to the harsh environments of the sea.

FEATURES AND BENEFITS

- No fire watches, hot work permits or gas freeing necessary
- Makes secure press connections on sizes from ½" to 4" in seconds
- Installations are completed with a battery-operated press tool
- Copper nickel alloy (CuNi 90:10) well-suited for marine environments and systems
- Complies with DIN 86019 and with a factory standard governing the accuracy of dimensions and surface quality
- Can be used on Schedule 40 and Class 200 90/10 copper nickel pipe
- Complies with DIN 86019 and UNS C70600 compositionally, as well as ASTM B466 and Mil-T-16420K dimensionally
- Installed with Viega MegaPress CuNi Marine Jaws and Rings (or existing MegaPress press jaws and rings for XL 2-1/2" - 4" sizes)
- Backed by limited written warranty
- MegaPress CuNi product stocked in North America and ready to ship

ALSO AVAILABLE!

MegaPress CuNi EPDM - To broaden application use of MegaPress CuNi, Viega offers this system with EPDM and FKM sealing elements.
SeaPress - For CuNi 0%10 metric piping systems sized 15 mm to 108 mm for marine and industrial pipe joining applications. Requires separate press jaws.
Contact Viega for more information regarding the MegaPress CuNi EPDM and SeaPress systems.

NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A white dot indicates an FKM sealing element.

Index

Elbows	104
Tees	105
Adapters	106
Flanges	106
Unions	107
Couplings	107
Reducers	108

Elbows



Viega MegaPress 90° elbow
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Model 0516

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.357	10	**88000**	17
¾	¾	0.469	10	**88005**	17
1	1	0.890	5	**88010**	17
1¼	1¼	1.400	1	**88015**	17
1½	1½	1.653	1	**88020**	17
2	2	2.341	1	**88025**	17



Viega MegaPress 90° elbow
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 0516XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	3.707	1	**88030**	17
3	3	5.338	1	**88035**	17
4	4	8.734	1	**88040**	17



Viega MegaPress 90° street elbow
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection, street

Components
FKM sealing element, grip ring, separator ring

Model 0516.1

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.346	10	**88045**	17
¾	¾	0.463	10	**88050**	17
1	1	0.901	5	**88055**	17
1¼	1¼	1.375	1	**88060**	17
1½	1½	1.624	1	**88065**	17
2	2	2.391	1	**88070**	17



Viega MegaPress 90° street elbow
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection, street

Components
FKM sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 0516.1XL

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2½	2½	3.665	1	**88075**	17
3	3	5.071	1	**88080**	17
4	4	8.402	1	**88085**	17



Viega MegaPress 45° elbow
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Model 0526

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.300	10	**88090**	17
¾	¾	0.390	10	**88095**	17
1	1	0.716	5	**88100**	17
1¼	1¼	1.144	1	**88105**	17
1½	1½	1.349	1	**88110**	17
2	2	1.858	1	**88115**	17



Viega MegaPress 45° elbow
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 0526XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	2.768	1	**88120**	17
3	3	3.985	1	**88125**	17
4	4	6.475	1	**88130**	17



Viega MegaPress 45° street elbow
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection, street

Components
FKM sealing element, grip ring, separator ring

Model 0526.1

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.298	10	**88135**	17
¾	¾	0.381	10	**88140**	17
1	1	0.738	5	**88145**	17
1¼	1¼	1.135	1	**88150**	17
1½	1½	1.289	1	**88155**	17
2	2	1.867	1	**88160**	17



Viega MegaPress 45° street elbow
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection, street

Components
FKM sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 0526.1XL

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2½	2½	2.673	1	**88165**	17
3	3	3.701	1	**88170**	17
4	4	6.143	1	**88175**	17

Tees



Viega MegaPress tee
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Model 0518

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
½	½	½	0.489	5	**88180**	17
¾	¾	¾	0.650	5	**88185**	17
1	1	½	0.981	5	**88225**	17
1	1	¾	1.001	5	**88230**	17
1	1	1	1.115	5	**88190**	17
1¼	1¼	1¼	1.750	1	**88195**	17
1½	1½	1½	2.043	1	**88200**	17
2	2	½	2.281	1	**88235**	17
2	2	¾	2.316	1	**88240**	17
2	2	1	2.409	1	**88245**	17
2	2	2	2.781	1	**88205**	17



Viega MegaPress tee
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 0518XL

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2½	2½	2½	3.709	1	**88210**	17
3	3	2	4.481	1	**88250**	17
3	3	2½	4.866	1	**88255**	17
3	3	3	5.431	1	**88215**	17
4	4	2	6.592	1	**88260**	17
4	4	2½	7.007	1	**88265**	17
4	4	3	7.621	1	**88270**	17
4	4	4	9.017	1	**88220**	17



Viega MegaPress tee
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection, female pipe thread

Components
FKM sealing elements, grip rings, separator rings

Model 0517.2

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
½	½	½	0.480	5	**88275***	17
1	1	½	0.965	5	**88280***	17
1	1	¾	0.987	5	**88285***	17
2	2	½	2.255	1	**88290***	17
2	2	¾	2.283	1	**88295***	17

* = Available while supplies last



Viega MegaPress tee
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection, female pipe thread

Components
FKM sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 0517.2XL

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
3	3	½	3.462	1	**88300***	17
3	3	¾	3.489	1	**88305***	17
4	4	½	5.320	1	**88310***	17
4	4	¾	5.466	1	**88315***	17

* = Available while supplies last

Adapters



Viega MegaPress adapter
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection, male pipe thread

Components
FKM sealing element, grip ring, separator ring

Model 0511

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.234	10	**88320**	17
¾	¾	0.318	10	**88325**	17
1	1	0.529	5	**88330**	17
1¼	1¼	0.890	1	**88335**	17
1½	1½	1.091	1	**88340**	17
2	2	1.461	1	**88345**	17



Viega MegaPress adapter
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection, female pipe thread

Components
FKM sealing element, grip ring, separator ring

Model 0512

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.258	10	**88350**	17
¾	¾	0.328	10	**88355**	17
1	1	0.599	5	**88360**	17
1¼	1¼	0.767	1	**88365**	17
1½	1½	0.974	1	**88370**	17
2	2	1.384	1	**88375**	17

Flanges



Viega MegaPress flange
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection
- ANSI 150lb drilled flange x press

Components
FKM sealing element, grip ring, separator ring

Model 0559

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
1	4	3⅛	2.537	1	**88680**	17
1¼	4	3⅞	2.953	1	**88685**	17
1½	4	3½	3.795	1	**88690**	17
2	4	4¾	6.098	1	**88695**	17

BP = bolt pattern
BPd = bolt pattern diameter



Viega MegaPress flange
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection
- ANSI 150lb drilled flange x press

Components
FKM sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 0559.3XL

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
2½	4	5½	9.393	1	**88700**	17
3	4	6	10.804	1	**88705**	17
4	8	7½	15.507	1	**88710**	17

BP = bolt pattern
BPd = bolt pattern diameter

Unions



Viega MegaPress union
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection

Components
AFM flat gasket, FKM sealing elements, grip rings, separator rings

Model 0560

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.701	5	**88620**	17
¾	¾	1.150	5	**88625**	17
1	1	1.479	5	**88630**	17
1¼	1¼	2.665	1	**88635**	17
1½	1½	2.737	1	**88640**	17
2	2	4.390	1	**88645**	17



Viega MegaPress union
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection, male pipe thread

Components
AFM flat gasket, FKM sealing element, grip ring, separator ring

Model 0565

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.602	5	**88650***	17
¾	¾	1.025	5	**88655***	17
1	1	1.263	5	**88660***	17
1¼	1¼	2.394	1	**88665***	17
1½	1½	2.387	1	**88670***	17
2	2	3.967	1	**88675***	17

* = Available while supplies last

Couplings



Viega MegaPress coupling
With stop
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Model 0515

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.256	10	**88380**	17
¾	¾	0.335	10	**88385**	17
1	1	0.555	5	**88390**	17
1¼	1¼	0.939	1	**88395**	17
1½	1½	1.109	1	**88400**	17
2	2	1.395	1	**88405**	17



Viega MegaPress coupling
With stop
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 0515XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.871	1	**88410**	17
3	3	2.709	1	**88415**	17
4	4	4.487	1	**88420**	17



Viega MegaPress coupling
No stop
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Model 0515.5

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.251	10	**88425**	17
¾	¾	0.335	10	**88430**	17
1	1	0.553	5	**88435**	17
1¼	1¼	0.948	1	**88440**	17
1½	1½	1.106	1	**88445**	17
2	2	1.389	1	**88450**	17



Viega MegaPress coupling
No stop
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 0515.5XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.884	1	**88455**	17
3	3	2.729	1	**88460**	17
4	4	4.474	1	**88465**	17

Reducers



Viega MegaPress reducer
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Street, press connection

Components
FKM sealing element, grip ring, separator ring

Model 0515.1

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
¾	½	0.267	5	**88545**	17
1	½	0.395	5	**88550**	17
1	¾	0.419	5	**88555**	17
1¼	¾	0.644	1	**88560**	17
1¼	1	0.754	1	**88565**	17
1½	1	0.807	1	**88570**	17
1½	1¼	0.981	1	**88575**	17
2	1¼	1.214	1	**88580**	17
2	1½	1.241	1	**88585**	17



Viega MegaPress reducer
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Street, press connection

Components
FKM sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 0515.1XL

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
2½	1½	1.457	1	**88590**	17
2½	2	1.574	1	**88595**	17
3	2	2.052	1	**88600**	17
3	2½	2.206	1	**88605**	17
4	2½	3.394	1	**88610**	17
4	3	3.665	1	**88615**	17



Viega MegaPress reducer
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Model 0515.2

P1	P2	Wt [lb]	Quantity	Part No	DG
¾	½	0.355	5	**88470**	17
1	½	0.514	5	**88475**	17
1	¾	0.529	5	**88480**	17
1¼	¾	0.743	1	**88485**	17
1¼	1	0.871	1	**88490**	17
1½	1	0.972	1	**88495**	17
1½	1¼	1.115	1	**88500**	17
2	1¼	1.358	1	**88505**	17
2	1½	1.413	1	**88510**	17



Viega MegaPress reducer
Smart Connect Technology
- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection

Components
FKM sealing elements, grip rings, separator rings

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 0515.2XL

P1	P2	Wt [lb]	Quantity	**Part No**	DG
2½	1½	1.812	1	**88515**	17
2½	2	1.873	1	**88520**	17
3	2	2.442	1	**88525**	17
3	2½	2.616	1	**88530**	17
4	2½	3.773	1	**88535**	17
4	3	4.084	1	**88540**	17

COMPLETE THE MEGAPRESS SYSTEM

WITH VIEGA® VALVES PRESS TECHNOLOGY



MEGAPRESS VALVE PRODUCTS

AVAILABLE STARTING ON PAGE 174

PureFlow Press



viega

PureFlow Press

Known for forward-thinking system solutions, Viega offers complete plumbing systems for potable water. By combining the highest-rated PEX tubing on the market (according to industry standards) with the revolutionary Viega ManaBloc and press manifolds, as well as press fittings, the Viega PureFlow System saves time, labor and cost. The first press system for the PEX market, Viega PureFlow Press fittings have factory-attached sleeves that improve consistency and reduce installation errors. Available in high-performance polymer and Viega Zero Lead bronze, Viega PureFlow Press fittings are ideal for residential and commercial jobs. Viega also offers fittings for easy copper-to-PEX transitions; and system-matched tools and press jaws make installation easy and consistent.

FEATURES AND BENEFITS

- The original press fitting for PEX tubing
- Factory-assembled fittings with attached stainless steel sleeves reduce installation errors
- Available in sizes from ⅜" to 2"
- The only PEX fittings with Viega Smart Connect technology
- Backed by a 25-year limited warranty

ZERO LEAD

Zero Lead identifies Viega products meeting the lead-free requirements of NSF-61-372 through testing under NSF/ANSI/CAN 372 (0.25% or less maximum weighted average lead content).

NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A green dot on a Viega PureFlow Press polymer fitting indicates Smart Connect technology.

Index

Tubing 114
Elbows 115
Tees 117
Adapters 118
Couplings 119
Manifolds 120
Stub-outs 120
Lavatory adapters 120
Closet adapters 121
Outlet boxes 121
Accessories 123

Tubing



Viega PureFlow PEX tubing
- PEX
- Coil

Technical Data
PEX designation code 5306
UV resistance 6 months
ASTM F876, ASTM F877
Model V5001

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
⅜	100	red	0.050	1	**32101**[1]	1
⅜	500	red	0.042	1	**32105**[1]	1
½	100	red	0.058	1	**32121**[1]	1
½	300	red	0.057	1	**32123**[1]	1
½	500	red	0.056	1	**32125**[1]	1
½	1000	red	0.058	1	**32120**[1]	1
¾	100	red	0.110	1	**32141**[1]	1
¾	300	red	0.107	1	**32143**[1]	1
¾	500	red	0.106	1	**32145**[1]	1
1	100	red	0.169	1	**33323**[1]	1
1	300	red	0.169	1	**32163**[1]	1
1	500	red	0.176	1	**32165**	1

[1] center pull coil



Viega PureFlow PEX tubing
- PEX
- Straight length

Technical Data
PEX designation code 5306
UV resistance 6 months
ASTM F876, ASTM F877
Model V5001.5

	d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
New	½	5	red	0,053	4800	**33147**[1]	1
	½	20	red	0.053	50	**33120**	1
New	¾	5	red	0,102	4800	**33146**[1]	1
	¾	20	red	0.102	25	**33145**	1
	1	20	red	0.171	15	**33270**	1

[1] available soon



Viega PureFlow PEX tubing
- PEX
- Coil

Technical Data
PEX designation code 5306
UV resistance 6 months
ASTM F876, ASTM F877
Model V5002

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
⅜	100	blue	0.050	1	**32201**[1]	1
⅜	500	blue	0.042	1	**32205**[1]	1
½	100	blue	0.053	1	**32221**[1]	1
½	300	blue	0.057	1	**32223**[1]	1
½	500	blue	0.053	1	**32225**[1]	1
½	1000	blue	0.055	1	**32220**[1]	1
¾	100	blue	0.110	1	**32241**[1]	1
¾	300	blue	0.107	1	**32243**[1]	1
¾	500	blue	0.106	1	**32245**[1]	1
1	100	blue	0.170	1	**32266**[1]	1
1	300	blue	0.169	1	**32263**[1]	1
1	500	blue	0.176	1	**32265**	1

[1] center pull coil



Viega PureFlow PEX tubing
- PEX
- Straight length

Technical Data
PEX designation code 5306
UV resistance 6 months
ASTM F876, ASTM F877
Model V5002.5

	d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
New	½	5	blue	0,053	4800	**33151**[1]	1
	½	20	blue	0.053	50	**33240**	1
New	¾	5	blue	0,102	4800	**33150**[1]	1
	¾	20	blue	0.102	25	**33265**	1
	1	20	blue	0.171	15	**33271**	1

[1] available soon



Viega PureFlow PEX tubing
- For installation between studs
- PEX
- ManaPac

Components
Recycled plastic reels
Technical Data
PEX designation code 5306
UV resistance 6 months
ASTM F876, ASTM F877
Model V5004

d	L [ft]	Reel(s)	Version	Wt [lb]	Quantity	Part No	DG
⅜	500	1	blue	0.056	1	**32905**	1
⅜	500	1	red	0.056	1	**32805**	1
½	300	1	blue	0.077	1	**32923**	1
½	300	1	red	0.077	1	**32823**	1



Viega PureFlow PEX tubing
- PEX
- Coil

Technical Data
PEX designation code 5306
UV resistance 6 months

ASTM F876, ASTM F877
Model V5003

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
¼	100	white	0.032	1	**32011**	1
⅜	100	white	0.050	1	**32001**[1]	1
⅜	500	white	0.042	1	**32005**[1]	1
½	100	white	0.060	1	**32021**[1]	1
½	300	white	0.057	1	**32023**[1]	1
½	500	white	0.056	1	**32025**[1]	1
½	1000	white	0.055	1	**32020**[1]	1
¾	100	white	0.110	1	**32041**[1]	1
¾	300	white	0.107	1	**32043**[1]	1
¾	500	white	0.106	1	**32045**[1]	1
1	100	white	0.170	1	**32061**[1]	1
1	300	white	0.173	1	**32063**[1]	1
1	500	white	0.176	1	**32065**	1
1¼	100	white	0.255	1	**32062**	1
1¼	300	white	0.255	1	**32042**	1
1½	100	white	0.353	1	**32064**	1
2	100	white	0.630	1	**32060**	1

[1] center pull coil



Viega PureFlow PEX tubing
- PEX
- Straight length

Technical Data
PEX designation code 5306
UV resistance 6 months

ASTM F876, ASTM F877
Model V5003.5

	d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
New	½	5	white	0,053	4800	**33143**[1]	1
	½	20	white	0.054	50	**33020**	1
New	¾	5	white	0,102	4800	**33148**[1]	1
	¾	20	white	0.103	25	**33045**	1
	1	20	white	0.171	15	**33061**	1
	1¼	20	white	0.255	10	**35801**	1
	1½	20	white	0.353	5	**35805**	1
	2	20	white	0.630	5	**35811**	1

[1] available soon



Viega PureFlow PEX tubing
Smooth sleeving
- PEX
- HDPE sleeve
- Coil

ASTM F876, ASTM F877
Model V5001.2

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
½	100	white	0.120	1	**33830**	1
¾	100	white	0.190	1	**33831**	1
1	100	white	0.320	1	**33832**	1



New

Viega PureFlow PEX tubing
Corrugated sleeving
- For use with Viega PureFlow Press or Viega PureFlow Crimp
- PEX
- Coil

Note
Polypropylene sleeve

ASTM F876, ASTM F877
Model V5009.8

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
½	100	red	0,115	1	**12203**[1]	1
½	100	blue	0,115	1	**12202**[1]	1
½	300	blue	0,115	1	**32829**[1]	1
½	300	red	0,115	1	**32828**[1]	1
¾	100	red	0,164	1	**12201**[1]	1
¾	100	blue	0,164	1	**12200**[1]	1
¾	300	blue	0,164	1	**32831**[1]	1
¾	300	red	0,164	1	**32830**[1]	1

[1] available soon

Elbows



Viega PureFlow Press 90° elbow
Zero Lead
- Bronze
- Press connection

Model 2816ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.086	10	**93520**	6
¾	¾	0.156	10	**93540**	6
1	1	0.212	10	**93560**	6
1¼	1¼	0.359	5	**93570**	6
1½	1½	0.450	5	**93580**	6

viega



Viega PureFlow Press 90° elbow
Smart Connect Technology
- Polymer
- Press connection

Model V5616

P1	P2	Wt [lb]	Quantity	Part No	DG
⅜	⅜	0.023	25	**49210**	6
½	½	0.029	250	**49220**	6
¾	¾	0.047	250	**49240**	6
1	1	0.080	10	**49260**	6
1¼	1¼	0.171	5	**49270**	6
1½	1½	0.220	5	**49280**	6
2	2	0.377	1	**49290**	6



PureFlow Press 45° elbow
Smart Connect Technology
- Polymer
- Press connection

Model V5626

P1	P2	Wt [lb]	Quantity	Part No	DG
1½	1½	0.235	1	**49285**	6
2	2	0.300	1	**49286**	6



Viega PureFlow Press 90° elbow
Zero Lead
- Bronze
- Press connection, male pipe thread

Model 2814ZL

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.202	10	**92520**	6
½	¾	0.315	10	**92525**	6
¾	¾	0.317	10	**92540**	6
¾	1	0.748	10	**92545**	6
¾	1¼	1.210	2	**92565**	6
1	1	0.743	10	**92560**	6
1	1¼	1.201	2	**92570**	6
1¼	1¼	1.270	2	**92757**	6
1½	1½	1.415	2	**92580**	6



Viega PureFlow Press 90° elbow
Zero Lead
- Bronze
- Press connection, female copper tube size

Model 2814.5ZL

P	C	Wt [lb]	Quantity	Part No	DG
½	¾	0.333	10	**99308**	6
¾	¾	0.322	10	**99309**	6



Viega PureFlow Press 90° elbow
Zero Lead
- Bronze
- Press connection, street

Model 2814.6ZL

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
½	½	0.178	10	**99310**	6



Viega PureFlow Press 90° elbow
Zero Lead
- Bronze
- Press connection, street, female copper tube size

Note
Copper connection can be used as either male or female connection.

Model 2814.7ZL

P	FTG (CTS)	C	Wt [lb]	Quantity	Part No	DG
½	¾	½	0.329	10	**99307**	6
¾	¾	½	0.319	10	**99311**	6



Viega PureFlow Press 90° drop ear elbow
Zero Lead
- Bronze
- Press connection, female pipe thread

Model 2825.5ZL

P	FPT	Wt [lb]	Quantity	Part No	DG
⅜	½	0.234	10	**94505**	6
½	½	0.212	10	**94520**	6
¾	½	0.226	10	**94535**	6
¾	¾	0.287	10	**94540**	6

Tees



Viega PureFlow Press tee Zero Lead
- Bronze
- Press connection

Model 2818ZL

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
½	½	½	0.107	10	**94020**	6
½	½	¾	0.194	10	**94022**	6
¾	½	½	0.177	10	**94032**	6
¾	½	¾	0.177	10	**94034**	6
¾	¾	½	0.185	10	**94036**	6
¾	¾	¾	0.182	10	**94040**	6
1	½	½	0.282	10	**94037**	6
1	½	1	0.233	10	**94039**	6
1	¾	½	0.287	10	**94038**	6
1	¾	¾	0.220	10	**94052**	6
1	¾	1	0.242	10	**94053**	6
1	1	½	0.216	10	**94050**	6
1	1	¾	0.262	10	**94056**	6
1	1	1	0.296	10	**94060**	6
1¼	1¼	¾	0.547	5	**94072**	6



Viega PureFlow Press tee Smart Connect Technology
- Polymer
- Press connection

Model V5618

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
⅜	⅜	⅜	0.035	25	**49200**	6
½	⅜	⅜	0.036	25	**49322**	6
½	½	⅜	0.039	25	**49332**	6
½	½	½	0.042	25	**49520**	6
½	½	¾	0.052	25	**49334**	6
¾	½	½	0.052	25	**49433**	6
¾	½	¾	0.061	25	**49434**	6
¾	¾	½	0.059	25	**49443**	6
¾	¾	¾	0.068	25	**49540**	6
1	½	½	0.068	10	**49533**	6
1	½	1	0.097	10	**49535**	6
1	¾	½	0.074	10	**49543**	6
1	¾	¾	0.084	10	**49544**	6
1	¾	1	0.104	10	**49545**	6
1	1	½	0.088	10	**49553**	6
1	1	¾	0.102	10	**49554**	6
1	1	1	0.115	10	**49560**	6
1¼	1	¾	0.150	5	**49754**	6
1¼	1	1	0.166	5	**49755**	6
1¼	1¼	½	0.245	5	**49888**	6
1¼	1¼	¾	0.182	5	**49774**	6
1¼	1¼	1	0.206	5	**49775**	6
1¼	1¼	1¼	0.250	5	**49570**	6
1½	1	¾	0.170	5	**49854**	6
1½	1	1	0.195	5	**49855**	6
1½	1	1½	0.245	5	**49886**	6
1½	1¼	¾	0.205	5	**49874**	6
1½	1¼	1	0.225	5	**49875**	6
1½	1¼	1¼	0.275	5	**49877**	6
1½	1½	½	0.214	5	**49883**	6
1½	1½	¾	0.233	5	**49884**	6
1½	1½	1	0.245	5	**49885**	6
1½	1½	1¼	0.290	5	**49887**	6
1½	1½	1½	0.326	5	**49580**	6
2	1½	¾	0.001	1	**49984**	6
2	1½	1	0.315	1	**49985**	6
2	1½	1¼	0.365	1	**49987**	6
2	1½	1½	0.390	1	**49988**	6
2	2	½	0.309	1	**49993**	6
2	2	¾	0.355	1	**49994**	6
2	2	1	0.373	1	**49995**	6
2	2	1¼	0.405	1	**49997**	6
2	2	1½	0.435	1	**49998**	6
2	2	2	0.500	1	**49590**	6



PureFlow Press tee arrestor Zero Lead
- Brass

Components
Water hammer arrestor

Model 2894ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.297	10	**97114**	6

Adapters



Viega PureFlow Press adapter Zero Lead
- Bronze
- Press connection, male pipe thread

Model 2811ZL

P	MPT	Wt [lb]	Quantity	Part No	DG
⅜	½	0.101	10	**90506**	6
½	½	0.098	10	**90521**	6
½	¾	0.152	10	**90526**	6
¾	½	0.113	10	**90542**	6
¾	¾	0.160	10	**90541**	6
¾	1	0.283	10	**90546**	6
¾	1¼	0.507	2	**90562**	6
1	¾	0.182	10	**90556**	6
1	1	0.284	10	**90561**	6
1	1¼	0.524	2	**90566**	6
1¼	1¼	0.564	2	**90571**	6
1½	1½	0.683	2	**90581**	6
2	2	1.104	5	**90591**	6



Viega PureFlow Press adapter Zero Lead
- Bronze
- Press connection, female pipe thread

Model 2812ZL

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.098	10	**91520**	6
½	¾	0.135	10	**91525**	6
¾	½	0.110	10	**91541**	6
¾	¾	0.141	10	**91540**	6
1	¾	0.166	10	**91545**	6
1	1	0.239	10	**91560**	6
1¼	1¼	0.436	5	**91570**	6
1½	1½	0.511	5	**91580**	6
2	2	0.818	5	**91590**	6



Viega PureFlow Press adapter Zero Lead
- Bronze
- Press connection, female copper tube size

Model 2813.5ZL

P	C	Wt [lb]	Quantity	Part No	DG
⅜	½	0.062	10	**92006**	6
½	½	0.063	10	**92021**	6
½	¾	0.099	10	**92026**	6
¾	½	0.067	10	**92036**	6
¾	¾	0.113	10	**92041**	6
¾	1	0.176	10	**92045**	6
1	1	0.186	10	**92060**	6
1¼	1¼	0.323	5	**92070**	6
1½	1½	0.436	5	**92080**	6
2	2	0.655	5	**92090**	6



Viega PureFlow Press adapter Zero Lead
- Bronze
- Press connection, street

Note
ProPress tool and press jaw required

Model 2813.1ZL

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
½	½	0.064	10	**97520**	6
½	¾	0.094	10	**97525**	6
¾	½	0.079	10	**97535**	6
¾	¾	0.101	10	**97540**	6
¾	1	0.154	10	**97545**	6
1	1	0.175	10	**97560**	6
1¼	1¼	0.305	5	**97570**	6
1½	1½	0.436	5	**97580**	6
2	2	0.696	5	**97590**[1]	6

[1] for use with solder fittings only



Viega PureFlow Press adapter Zero Lead
- Bronze
- Press connection, polybutylene (PB) connection
- Does not include crimp ring

Model 2813.2ZL

P	PB	Wt [lb]	Quantity	Part No	DG
½	½	0.049	10	**97820**	6
¾	¾	0.072	10	**97840**	6



Viega PureFlow Press adapter Zero Lead
- Bronze
- Press connection, flare connection

Model 2892ZL

P	Flare	Wt [lb]	Quantity	Part No	DG
¾	¾	0.275	10	**97140**	6
1	¾	0.327	10	**97160**	6
1	1	0.414	10	**97165**	6



Viega PureFlow Press tailpiece Zero Lead
- Bronze
- Press connection, female union BSP

Model 2893ZL

P	F BSP	Wt [lb]	Quantity	Part No	DG
¾	1	0.195	10	**96140**	6
1	1	0.240	10	**96160**	6
1	1¼	0.343	10	**96165**	6



Viega PureFlow Press adapter Zero Lead
- Bronze
- Press connection, flare connection

Model 2892ZL

P	Flare	Wt [lb]	Quantity	Part No	DG
¾	¾	0.275	10	**97140**	6
1	¾	0.327	10	**97160**	6
1	1	0.414	10	**97165**	6

Couplings



Viega PureFlow Press coupling Zero Lead
- Bronze
- Press connection

Model 2815ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
⅜	⅜	0.041	10	**93000**	6
½	½	0.052	10	**93020**	6
¾	½	0.070	10	**93050**	6
¾	¾	0.073	10	**93040**	6
1	¾	0.113	10	**93055**	6
1	1	0.131	10	**93060**	6
1¼	1	0.210	5	**93065**	6
1¼	1¼	0.260	5	**93070**	6
1½	1	0.246	5	**93073**	6
1½	1½	0.317	5	**93080**	6



Viega PureFlow Press coupling Smart Connect Technology
- Polymer
- Press connection

Model V5615

P1	P2	Wt [lb]	Quantity	Part No	DG
⅜	⅜	0.022	25	**49402**	6
½	⅜	0.024	25	**49342**	6
½	½	0.027	25	**49403**	6
¾	½	0.034	25	**49343**	6
¾	¾	0.040	25	**49404**	6
1	¾	0.055	10	**49354**	6
1	1	0.068	10	**49405**	6
1¼	¾	0.101	5	**49347**	6
1¼	1	0.112	5	**49357**	6
1¼	1¼	0.151	5	**49407**	6
1½	¾	0.118	5	**49348**	6
1½	1	0.133	5	**49358**	6
1½	1¼	0.165	5	**49378**	6
1½	1½	0.190	5	**49408**	6
2	1½	0.270	1	**49398**	6
2	2	0.305	1	**49409**	6



Viega PureFlow Press test plug Smart Connect Technology
- Polymer
- Press connection

Model V5656

P	Wt [lb]	Quantity	Part No	DG
⅜	0.011	25	**49722**	6
½	0.015	25	**49723**	6
¾	0.022	25	**49744**	6
1	0.038	10	**49765**	6
1¼	0.082	5	**49770**	6
1½	0.095	5	**49780**	6
2	0.154	1	**49790**	6



Viega PureFlow Press transition coupling Smart Connect Technology Zero Lead
- For transitioning between Viega PureFlow Press and Viega ProPress
- Bronze
- Press connection

Components
EPDM sealing elements

Note
ProPress and PureFlow tool and press jaws required

Model 2813PZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.076	10	**99620**	6
½	¾	0.115	10	**99626**	6
¾	½	0.078	10	**99630**	6
¾	¾	0.115	10	**99640**	6
1	¾	0.136	10	**99645**	6
1	1	0.184	10	**99660**	6
1¼	1	0.236	5	**99665**	6
1¼	1¼	0.287	5	**99670**	6
1½	1½	0.447	5	**99680**	6
2	2	0.723	5	**99690**	6

Manifolds



Viega PureFlow Press manifold Smart Connect Technology
- Only use with lock clip Part No 58075
- Polymer
- Press connection
- Flow through
- Does not include mounting hardware

Model V5636

Outlet(s)	P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2	¾	¾	½	0.202	10	**49152**	6
3	¾	¾	½	0.255	10	**49153**	6
4	¾	¾	½	0.318	10	**49054**	6
4	1	¾	½	0.330	10	**49254**	6
6	1	1	½	0.455	10	**49256**	6
8	1	1	½	0.576	5	**49258**	6



Viega PureFlow Press manifold Smart Connect Technology
- Only use with lock clip Part No 58075
- Polymer
- Press connection
- Closed
- Does not include mounting hardware

Model V5636.1

Outlet(s)	P1	P2	P3	Wt [lb]	Quantity	Part No	DG
4	closed	¾	½	0.300	10	**49004**	6
6	closed	1	½	0.428	10	**49206**	6
8	closed	1	½	0.549	5	**49208**	6

Stub-outs



Viega PureFlow Press tub/shower press connector
- Brazed copper
- Press connection, street

Model 2820.0ZL

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
½	½	0.258	25	**92221**	6



Viega PureFlow Press 90° stub-out
- Brazed copper
- Press connection, street

Model 2820.1ZL

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
⅜	½	0.320	25	**92406**	6
½	½	0.332	25	**92421**	6
¾	¾	0.533	25	**92441**	6
1	1		25	**92446**	6



Viega PureFlow Press 90° stub-out
- Brazed copper
- Press connection, street

Components
Wall plate

Model 2820.4ZL

P	FTG (CTS)	L1 [in]	L2 [in]	Wt [lb]	Quantity	Part No	DG
½	½	3½	8	0.368	25	**92321**	6



Viega PureFlow Press stub-out
- Brazed copper
- Press connection, street

Model 2820.2ZL

P	FTG (CTS)	L [in]	Wt [lb]	Quantity	Part No	DG
½	½	8	0.258	25	**92609**	6
½	½	15	0.422	25	**92616**	6

Lavatory adapters



Viega PureFlow Press lavatory adapter Smart Connect Technology
- Polymer
- Press connection, lavatory connection

Model V5613.3

P	Lav	Wt [lb]	Quantity	Part No	DG
⅜	½	0.050	10	**49324**	6
½	½	0.055	10	**49333**	6
¾	¾	0.080	5	**49344**	6



Viega PureFlow Press adapter Zero Lead
- Equipped with ferrule Part No 53005
- Bronze
- Press connection, compression

Components
Brass ferrule

Model 2895ZL

P	CTS	Wt [lb]	Quantity	Part No	DG
½	¼	0.125	1	**97113**	6



Cone seal
- For use with Viega PureFlow PEX
- Spare part for Viega PureFlow Crimp stop valve straight Model V5036.30, Viega PureFlow Crimp lavatory adapter Model V5075ZL, Viega PureFlow Crimp 90° lavatory elbow Model V5255, Viega PureFlow Crimp lavatory adapter Model V5263, Viega PureFlow Press lavatory adapter Model V5613.3
- Santoprene

Model V5084.1

d	Wt [lb]	Quantity	Part No	DG
½	0.002	100	**43721**	2
¾	0.003	100	**43740**	2

Closet adapters



Viega PureFlow Press closet adapter Smart Connect Technology
- Polymer
- Press connection, closet connection

Model V5613.4

P	Closet	Wt [lb]	Quantity	Part No	DG
⅜	½	0.060	5	**49223**	6
½	½	0.062	5	**49233**	6



Cone seal
- Spare part for Viega PureFlow Crimp closet adapter Model V5257, Viega PureFlow Press closet adapter Model V5613.4
- SBR

Model V5084

d	Wt [lb]	Quantity	Part No	DG
½	0.004	100	**43820**	2

Outlet boxes



Viega PureFlow Press outlet box Zero Lead
- For washing machine
- Color coded handles

Components
(2) ¼ turn brass valves, water hammer arrestors

Model 2872.6ZL

P	Wt [lb]	Quantity	Part No	DG
½	1.799	1	**97212**	6



Viega PureFlow Press fire-rated outlet box Zero Lead
- For washing machine
- Color coded handles

Components
(2) ¼ turn brass valves, water hammer arrestors

Model 2872.2

P	Wt [lb]	Quantity	Part No	DG
½	3.999	1	**97008**	6



Viega PureFlow Press outlet box Zero Lead
- For ice maker

Components
¼ turn brass valve, water hammer arrestor

Model 2872.7ZL

P	Wt [lb]	Quantity	Part No	DG
½	0.980	1	**97220**	6



Viega PureFlow Press fire-rated outlet box Zero Lead
- For ice maker

Components
¼ turn brass valve, water hammer arrestor

Model 2872.3

P	Wt [lb]	Quantity	Part No	DG
½	1.550	1	**97007**	6



Viega PureFlow Press outlet box Zero Lead
- For washing machine
- Color coded handles

Components
(2) ¼ turn brass valves

Model 2872.1US

P	Wt [lb]	Quantity	Part No	DG
½	1.549	1	**97001**	6



Viega PureFlow Press fire-rated outlet box Zero Lead
- For washing machine
- Color coded handles

Components
(2) ¼ turn brass valves

Model 2872.6

P	Wt [lb]	Quantity	Part No	DG
½	3.779	1	**97006**	6



Viega PureFlow Press outlet box Zero Lead
- For ice maker

Components
¼ turn brass valve

Model 2872.0ZL

P	Wt [lb]	Quantity	Part No	DG
½	0.870	1	**98000**	6



Viega PureFlow Press fire-rated outlet box Zero Lead
- For ice maker

Components
¼ turn brass valve

Model 2872.5

P	Wt [lb]	Quantity	Part No	DG
½	1.450	1	**98001**	6



Tubing
- Only for cold water applications
- For ice maker
- High density polyethylene (HDPE)

Note
¼" OD

Model V5052

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
⅛	100	white	0.012	1	**43100**	1



Box frame
- For washing machine
- Plastic

Model 2885.0ZL

	Wt [lb]	Quantity	Part No	DG
	0.160	1	**97103**	6



Box frame
- For ice maker
- Plastic

Model 2873.7ZL

	Wt [lb]	Quantity	Part No	DG
	0.150	1	**97102**	6

Accessories



Viega PureFlow Press sleeve
- Only for Viega PureFlow Press polymer fittings
- Stainless steel

Model V5615.3

d	Wt [lb]	Quantity	Part No	DG
⅜	0.009	10	**49901**	6
½	0.012	10	**49902**	6
¾	0.015	10	**49903**	6
1	0.025	10	**49904**	6
1¼	0.053	10	**49905**	6
1½	0.065	10	**49906**	6
2	0.085	10	**49607**	6



Lavatory riser
- Does not include lavatory nut Model V5089
- Equipped with ferrule Model V5085
- PEX

Model V5080

CTS	O.D.	L [in]	Wt [lb]	Quantity	Part No	DG
¼	⅜	20	0.046	100	**58120**	2
¼	⅜	30	0.068	100	**58130**	2
¼	⅜	36	0.085	100	**58136**	2



Closet riser
- Does not include ballcock nut Model V5089.1
- Equipped with ferrule Model V5085
- PEX

Model V5081

CTS	O.D.	L [in]	Wt [lb]	Quantity	Part No	DG
¼	⅜	12	0.031	100	**57112**	2
¼	⅜	20	0.050	100	**57120**	2



Lavatory nut
- Suitable for lavatory riser Model V5080

Model V5089

FPT	Wt [lb]	Quantity	Part No	DG
½	0.017	100	**33705**	2



Ballcock nut
- Suitable for closet riser Model V5081
- Plastic

Model V5089.1

FPT	Wt [lb]	Quantity	Part No	DG
¾	0.023	100	**53017**	2



Ferrule
- For Viega ManaBloc compression connections, risers, Valves
- Plastic

Model V5085

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
⅛	¼	0.001	100	**53000**	2
¼	⅜	0.001	100	**53005**	2
⅜	½	0.001	50	**53015**	2
½	⅝	0.001	100	**53020**	2



Insert stiffener
- For Viega ManaBloc compression connections, risers
- Stainless steel

Model V5086

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
⅜	½	0.003	50	**56110***	2
½	⅝	0.005	50	**56120***	2
¾	⅞	0.010	50	**56140***	2

* = Available while supplies last



Escutcheon
Single
- Plastic

Model V5088

d	Version	Wt [lb]	Quantity	Part No	DG
⅜	white	0.012	50	**53115***	2
½	white	0.012	50	**53120***	2

* = Available while supplies last



Escutcheon
Double
- Plastic

Model V5088.1

d	Version	Wt [lb]	Quantity	Part No	DG
⅜	white	0.017	25	**53116***	2
½	white	0.016	25	**53121***	2

* = Available while supplies last



Sleeve
- Chrome-plated brass
- Finishing

Model 2800.5US

d	L [in]	Wt [lb]	Quantity	Part No	DG
⅜	3½	0.041	10	**52500**	2
½	3½	0.058	10	**52520**	2



Tubing support
Dual ceiling
- Use with tubing insulator Model V5041.1
- Steel

Model V5041.0

max d	Wt [lb]	Quantity	Part No	DG
1	0.163	25	**45750***	2

* = Available while supplies last



Tubing insulator
- Use with tubing support dual ceiling Model V5041.0
- Plastic

Model V5041.1

for d	Wt [lb]	Quantity	Part No	DG
½	0.020	100	**45760***	2

* = Available while supplies last



Bracket
Telescoping
- Suitable for Viega PureFlow Press 90° drop ear elbow Model 2825.5ZL
- Steel

Model V5041.4

L [in]	Wt [lb]	Quantity	Part No	DG
14.5–24	0.518	50	**45790***	2

* = Available while supplies last



Bracket
- For mounting on 16" center studs
- Use with bend support snap in Model 2850.3US, tubing clamp stub-out Model V5041.2
- Steel
- Mounting holes on 2" centers

Model 2850.4US

d	L [in]	Wt [lb]	Quantity	Part No	DG
½	18	0.564	50	**51022***	2

* = Available while supplies last



Tubing clamp
Stub-out
- Use with bracket Model 2850.4US
- Plastic

Model V5041.2

for d	Wt [lb]	Quantity	Part No	DG
½	0.060	50	**45770***	2

* = Available while supplies last



Bend support
Snap in
- Suitable for bracket Model 2850.4US
- Plastic

Model 2850.3US

for d	Wt [lb]	Quantity	Part No	DG
½	0.079	100	**51021***	2

* = Available while supplies last



Bend support
Drop ear
- Plastic-coated steel

Model 2850.1US

for d	Wt [lb]	Quantity	Part No	DG
⅜, ½	0.198	25	**50520**	2



Bend support
- Plastic

Model 2850.2US

for d	Wt [lb]	Quantity	Part No	DG
½	0.081	25	**51020**	2
⅝, ¾	0.152	25	**51040**	2
1	0.258	25	**51060**	2



Bend support
- For in slab applications
- Plastic

Model 2851US

for d	Wt [lb]	Quantity	Part No	DG
⅜	0.075	10	**15106**	4
½	0.127	10	**15107**	4
⅝, ¾	0.190	10	**15108**	4



Tubing clamp
Turn out
- For ⅜" tubing and ½" tubing with standard or stub-out elbows
- Plastic
- Trim tapered tip to use with ½" tubing

Model V5071

max d	Wt [lb]	Quantity	Part No	DG
½	0.076	25	**52130**	2



J-clamp tubing fastener
- Plastic

Components
Nail

Model 2860US

for d	Wt [lb]	Quantity	Part No	DG
⅜	0.006	100	**52000**	2
½	0.008	100	**52020**	2
¾	0.013	100	**52040**	2
1	0.021	100	**52060**	2



Economy PEX tubing clamp
- Plastic

Model V5095

for d	Wt [lb]	Quantity	Part No	DG
⅜	0.002	100	**52110**	2
½	0.003	100	**52120**	2
¾	0.004	50	**52140**	2



Lock clip
- Plastic

Model 2863US

for d	Wt [lb]	Quantity	Part No	DG
⅜	0.013	100	**58071**	2
½	0.014	100	**58072**[1]	2
¾	0.014	50	**58073**	2
1	0.024	50	**58074**	2
1¼	0.026	50	**58075**	2
1½	0.040	25	**58076**	2
2	0.048	15	**58077**	2

[1] Suitable for Viega Barrier PEX tubing Part No 11445, 11450

viega



U-channel fastener
- Plastic
- Pre-drilled holes

Model 2864US

W [in]	L [ft]	Wt [lb]	Quantity	Part No	DG
½	6½	1.029	16	**15310**	4



Suspension clip tubing fasteners
- Plastic

Model 2861US

for d	Wt [lb]	Quantity	Part No	DG
½	0.010	50	**55020***	2
¾	0.012	50	**55040***	2

* = Available while supplies last



Tubing insulator
- Plastic
- Fits 1⅜" hole

Model V5094

for d	Wt [lb]	Quantity	Part No	DG
⅜	0.018	50	**55100***	2
½	0.019	50	**55120***	2
¾	0.013	50	**55140***	2
1	0.013	50	**55160***	2

* = Available while supplies last



Zip tie
- Plastic

Model V5097

L [in]	Wt [lb]	Quantity	Part No	DG
14	0.013	100	**43714**	2



Pipe support
- Steel

Model V5083

d	L [ft]	Wt [lb]	Quantity	Part No	DG
½	10	1.300	5	**68434**	2
¾	10	1.999	5	**68435**	2
1	10	1.869	5	**68430**	2
1¼	10	1.825	5	**68431**	2
1½	10	2.542	5	**68432**	2
2	10	3.132	5	**68433**	2

PureFlow Crimp



viega

PureFlow Crimp

With the reliability and quality required for potable water, Viega PureFlow Crimp fittings are part of Viega's complete plumbing solution. Matched with the revolutionary Viega ManaBloc water distribution system and the highest-rated PEX tubing in the industry (according to industry standards), Viega PureFlow Crimp fittings are a time-tested method for joining PEX.

FEATURES AND BENEFITS

- ECOBrass fittings provide better corrosion resistance than other brass fittings
- High-performance PolyAlloy fittings are made in the USA
- Peace of mind from durable materials and quality manufacturing
- Available in sizes ⅜" to 1"
- Backed by a 25-year limited warranty

ZERO LEAD

Zero Lead identifies Viega products meeting the lead-free requirements of NSF-61-372 through testing under NSF/ANSI/CAN 372 (0.25% or less maximum weighted average lead content).

NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. Crimp rings are not sold with any PureFlow Crimp product unless otherwise specified.

Index

Tubing	130
Elbows	131
Tees	132
Adapters	132
Couplings	134
Manifolds	134
Stub-outs	135
Lavatory adapters	135
Closet adapters	136
Outlet boxes	136
Accessories	137

Tubing



Viega PureFlow PEX tubing
- PEX
- Coil

Technical Data
PEX designation code 5306
UV resistance 6 months
ASTM F876, ASTM F877
Model V5001

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
⅜	100	red	0.050	1	**32101**[1]	1
⅜	500	red	0.042	1	**32105**[1]	1
½	100	red	0.058	1	**32121**[1]	1
½	300	red	0.057	1	**32123**[1]	1
½	500	red	0.056	1	**32125**[1]	1
½	1000	red	0.058	1	**32120**[1]	1
¾	100	red	0.110	1	**32141**[1]	1
¾	300	red	0.107	1	**32143**[1]	1
¾	500	red	0.106	1	**32145**[1]	1
1	100	red	0.169	1	**33323**[1]	1
1	300	red	0.169	1	**32163**[1]	1
1	500	red	0.176	1	**32165**	1

[1] center pull coil



Viega PureFlow PEX tubing
- PEX
- Straight length

Technical Data
PEX designation code 5306
UV resistance 6 months
ASTM F876, ASTM F877
Model V5001.5

	d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
New	½	5	red	0,053	4800	**33147**[1]	1
	½	20	red	0.053	50	**33120**	1
New	¾	5	red	0,102	4800	**33146**[1]	1
	¾	20	red	0.102	25	**33145**	1
	1	20	red	0.171	15	**33270**	1

[1] available soon



Viega PureFlow PEX tubing
- PEX
- Coil

Technical Data
PEX designation code 5306
UV resistance 6 months
ASTM F876, ASTM F877
Model V5002

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
⅜	100	blue	0.050	1	**32201**[1]	1
⅜	500	blue	0.042	1	**32205**[1]	1
½	100	blue	0.053	1	**32221**[1]	1
½	300	blue	0.057	1	**32223**[1]	1
½	500	blue	0.053	1	**32225**[1]	1
½	1000	blue	0.055	1	**32220**[1]	1
¾	100	blue	0.110	1	**32241**[1]	1
¾	300	blue	0.107	1	**32243**[1]	1
¾	500	blue	0.106	1	**32245**[1]	1
1	100	blue	0.170	1	**32266**[1]	1
1	300	blue	0.169	1	**32263**[1]	1
1	500	blue	0.176	1	**32265**	1

[1] center pull coil



Viega PureFlow PEX tubing
- PEX
- Straight length

Technical Data
PEX designation code 5306
UV resistance 6 months
ASTM F876, ASTM F877
Model V5002.5

	d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
New	½	5	blue	0,053	4800	**33151**[1]	1
	½	20	blue	0.053	50	**33240**	1
New	¾	5	blue	0,102	4800	**33150**[1]	1
	¾	20	blue	0.102	25	**33265**	1
	1	20	blue	0.171	15	**33271**	1

[1] available soon



Viega PureFlow PEX tubing
- For installation between studs
- PEX
- ManaPac

Components
Recycled plastic reels
Technical Data
PEX designation code 5306
UV resistance 6 months
ASTM F876, ASTM F877
Model V5004

d	L [ft]	Reel(s)	Version	Wt [lb]	Quantity	Part No	DG
⅜	500	1	blue	0.056	1	**32905**	1
⅜	500	1	red	0.056	1	**32805**	1
½	300	1	blue	0.077	1	**32923**	1
½	300	1	red	0.077	1	**32823**	1



Viega PureFlow PEX tubing
- PEX
- Coil

Technical Data
PEX designation code 5306
UV resistance 6 months

ASTM F876, ASTM F877
Model V5003

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
¼	100	white	0.032	1	**32011**	1
⅜	100	white	0.050	1	**32001**[1]	1
⅜	500	white	0.042	1	**32005**[1]	1
½	100	white	0.060	1	**32021**[1]	1
½	300	white	0.057	1	**32023**[1]	1
½	500	white	0.056	1	**32025**[1]	1
½	1000	white	0.055	1	**32020**[1]	1
¾	100	white	0.110	1	**32041**[1]	1
¾	300	white	0.107	1	**32043**[1]	1
¾	500	white	0.106	1	**32045**[1]	1
1	100	white	0.170	1	**32061**[1]	1
1	300	white	0.173	1	**32063**[1]	1
1	500	white	0.176	1	**32065**	1
1¼	100	white	0.255	1	**32062**	1
1¼	300	white	0.255	1	**32042**	1
1½	100	white	0.353	1	**32064**	1
2	100	white	0.630	1	**32060**	1

[1] center pull coil



Viega PureFlow PEX tubing
- PEX
- Straight length

Technical Data
PEX designation code 5306
UV resistance 6 months

ASTM F876, ASTM F877
Model V5003.5

	d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
New	½	5	white	0,053	4800	**33143**[1]	1
	½	20	white	0.054	50	**33020**	1
New	¾	5	white	0,102	4800	**33148**[1]	1
	¾	20	white	0.103	25	**33045**	1
	1	20	white	0.171	15	**33061**	1
	1¼	20	white	0.255	10	**35801**	1
	1½	20	white	0.353	5	**35805**	1
	2	20	white	0.630	5	**35811**	1

[1] available soon



Viega PureFlow PEX tubing
Smooth sleeving
- PEX
- HDPE sleeve
- Coil

ASTM F876, ASTM F877
Model V5001.2

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
½	100	white	0.120	1	**33830**	1
¾	100	white	0.190	1	**33831**	1
1	100	white	0.320	1	**33832**	1



New

Viega PureFlow PEX tubing
Corrugated sleeving
- For use with Viega PureFlow Press or Viega PureFlow Crimp
- PEX
- Coil

Note
Polypropylene sleeve

ASTM F876, ASTM F877
Model V5009.8

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
½	100	red	0,115	1	**12203**[1]	1
½	100	blue	0,115	1	**12202**[1]	1
½	300	blue	0,115	1	**32829**[1]	1
½	300	red	0,115	1	**32828**[1]	1
¾	100	red	0,164	1	**12201**[1]	1
¾	100	blue	0,164	1	**12200**[1]	1
¾	300	blue	0,164	1	**32831**[1]	1
¾	300	red	0,164	1	**32830**[1]	1

[1] available soon

Elbows



Viega PureFlow Crimp 90° elbow
- PolyAlloy
- Crimp connection

Model V5216

Crimp1	Crimp2	Wt [lb]	Quantity	Part No	DG
⅜	⅜	0.007	50	**43210**	3
½	½	0.010	50	**43220**	3
¾	½	0.016	25	**43242**	3
¾	¾	0.021	25/250	**43240**	3
1	1	0.046	10	**43260**	3



Viega PureFlow Crimp 90° elbow
Zero Lead
- For use with Viega PureFlow PEX
- Brass
- Crimp connection, male pipe thread
Model V5014ZL

Crimp	MPT	Wt [lb]	Quantity	Part No	DG
½	⅜	0.140	10	**46232**	2
½	½	0.207	10	**46821**	2



Viega PureFlow Crimp 90° elbow
Drop ear
Zero Lead
- Brass
- Crimp connection, female pipe thread
Model V5027ZL

Crimp	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.182	10	**46233**	2
¾	¾	0.288	10	**46244**	2



Viega PureFlow Crimp 90° elbow
- Copper
- Crimp connection, female copper tube size
Model V5021

Crimp	C	Wt [lb]	Quantity	Part No	DG
½	½	0.048	50	**44325**	2
¾	¾	0.111	25	**44345**	2



Viega PureFlow Crimp 90° elbow
- Copper
- Crimp connection, street
Model V5020

Crimp	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
½	½	0.045	50	**44320**	2
¾	¾	0.094	25	**44340**	2

Tees



Viega PureFlow Crimp tee
- PolyAlloy
- Crimp connection
Model V5218

Crimp1	Crimp2	Crimp3	Wt [lb]	Quantity	Part No	DG
⅜	⅜	⅜	0.010	50	**43500**	3
½	½	½	0.014	50	**43520**	3
½	½	¾	0.019	25	**43334**	3
¾	½	½	0.021	25	**43433**	3
¾	½	¾	0.026	25	**43434**	3
¾	¾	½	0.023	25	**43443**	3
¾	¾	¾	0.029	25	**43540**	3
¾	¾	1	0.038	10	**43445**	3
1	¾	¾	0.047	10	**43544**	3
1	¾	1	0.054	10	**43545**	3
1	1	½	0.043	10	**43553**	3
1	1	¾	0.046	10	**43554**	3
1	1	1	0.050	10	**43560**	3

Adapters



Viega PureFlow Crimp adapter
Zero Lead
- Brass
- Crimp connection, male pipe thread
Model V5011ZL

Crimp	MPT	Wt [lb]	Quantity	Part No	DG
⅜	½	0.102	50	**46302**	2
½	½	0.101	50	**46321**	2
½	¾	0.141	25	**46324**	2
¾	½	0.096	25	**46342**	2
¾	¾	0.147	25	**46340**	2
¾	1	0.216	10	**46446**	2
1	¾	0.155	10	**46361**	2
1	1	0.236	10	**46366**	2



Viega PureFlow Crimp adapter Zero Lead
- Brass
- Crimp connection, female pipe thread

Model V5012ZL

Crimp	FPT	Wt [lb]	Quantity	Part No	DG
⅜	½	0.094	25	**46323**	2
½	½	0.090	25	**46333**	2
½	¾	0.143	25	**46334**	2
¾	¾	0.147	25	**46344**	2
¾	1	0.231	10	**46345**	2
1	1	0.234	10	**46355**	2



Viega PureFlow Crimp adapter Zero Lead
- Brass
- Crimp connection, polybutylene (PB) connection
- Does not include crimp ring

Note
Use Viega PureFlow Crimp ring model V5019.9 for PB connection.

Model V5017ZL

Crimp	PB	Wt [lb]	Quantity	Part No	DG
⅜	⅜	0.023	100	**46620**	2
½	½	0.031	100	**46630**	2
¾	¾	0.056	50	**46641**	2
1	1	0.083	10	**46650**	2



Viega PureFlow Crimp adapter Zero Lead
- Brass
- Crimp connection, polyethylene (PE) connection

Note
Use standard stainless steel hose clamp for PE connection (not included).

Model V5047ZL

Crimp	PE	Wt [lb]	Quantity	Part No	DG
¾	¾	0.111	25	**46145**	2
1	1	0.166	10	**46156**	2



Viega PureFlow Crimp adapter Zero Lead
- ECO brass
- Crimp connection, female copper tube size

Model V5045ZL

Crimp	C	Wt [lb]	Quantity	Part No	DG
½	½	0.035	50	**46635**	2
¾	¾	0.082	25	**46645**	2
1	1	0.108	10	**40655**[1]	2

[1] copper



Viega PureFlow Crimp adapter Zero Lead
- ECO brass
- Crimp connection, street

Model V5046ZL

Crimp	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
½	½	0.038	50	**46633**	2
¾	¾	0.067	25	**46644**	2
1	1	0.103	10	**60651**[1]	2

[1] copper



Viega PureFlow Crimp adapter Zero Lead
- Brass
- Crimp connection, female copper tube size, street

Note
Copper connection can be used as either male or female connection.

Model V5024ZL

Crimp	C	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
⅜	⅜	½	0.036	50	**46622**	2
1	¾	1	0.184	10	**46654**	2

Couplings



Viega PureFlow Crimp coupling
- PolyAlloy
- Crimp connection

Model V5215

Crimp1	Crimp2	Wt [lb]	Quantity	Part No	DG
⅜	⅜	0.004	50	**43402**	3
½	⅜	0.006	50	**43332**	3
½	½	0.006	100	**43403**	3
½	½	0.006	800	**43033**	3
¾	½	0.010	50	**43343**	3
¾	½	0.010	500	**43043**	3
¾	¾	0.012	50	**43404**	3
1	½	0.019	10	**43353**	3
¾	¾	0.012	500	**43044**	3
1	¾	0.021	10	**43354**	3
1	1	0.024	10	**43355**	3



Viega PureFlow Crimp test plug
- PLS
- Crimp connection

Model V5058

Crimp	Wt [lb]	Quantity	Part No	DG
⅜	0.003	100	**43702**	3
½	0.004	100	**43723**	3
¾	0.007	50	**43744**	3
1	0.015	50	**43765**	3



Viega PureFlow Crimp transition coupling Smart Connect Technology Zero Lead
- For transitioning between Viega PureFlow Crimp and Viega ProPress
- Bronze
- Crimp connection, press connection

Components
EPDM sealing element

Note
PureFlow Crimp and ProPress tool and press jaws required

Model 5013PZL

Crimp	P	Wt [lb]	Quantity	Part No	DG
½	½	0.064	25	**44350**	5
½	¾	0.102	25	**44355**	5
¾	½	0.071	25	**44360**	5
¾	¾	0.100	25	**44365**	5
1	1	0.150	5	**44370**	5

Manifolds



Viega PureFlow Crimp manifold
- Only use with lock clip Part No 58075
- PolyAlloy
- Crimp connection
- Flow through
- Does not include mounting hardware

Model V5031.2

Outlet(s)	Crimp1	Crimp2	Crimp3	Wt [lb]	Quantity	Part No	DG
2	¾	¾	½	0.135	10	**65152**	2
3	¾	¾	½	0.197	10	**65153**	2
4	¾	¾	½	0.249	10	**65154**	2
8	1	1	½	0.396	5	**65258**	2



Viega PureFlow Crimp manifold
- Only use with lock clip Part No 58075
- PolyAlloy
- Crimp connection
- Closed
- Does not include mounting hardware

Model V5031.22

Outlet(s)	Crimp1	Crimp2	Crimp3	Wt [lb]	Quantity	Part No	DG
4	closed	¾	½	0.246	10	**65104**	2
6	closed	1	½	0.343	10	**65206**	2

Stub-outs



Viega PureFlow Crimp 90° stub-out
- Copper
- Crimp connection, street

Model V5070

Crimp	FTG (CTS)	L1 [in]	L2 [in]	Wt [lb]	Quantity	Part No	DG
⅜	½	3½	8	0.248	50	**44208**	2
½	½	3½	6	0.216	50	**44226**	2
½	½	3½	8	0.263	50	**44228**	2
¾	¾	3½	8	0.469	50	**44240**	2



Viega PureFlow Crimp 90° stub-out
- Copper
- Crimp connection, street

Components
Wall plate

Model V5070.1

Crimp	FTG (CTS)	L1 [in]	L2 [in]	Wt [lb]	Quantity	Part No	DG
⅜	½	3½	8	0.305	25	**44209**	2
½	½	3½	6	0.261	25	**44227**	2
½	½	3½	8	0.309	25	**44229**	2

Lavatory adapters



Viega PureFlow Crimp lavatory adapter Zero Lead
- Brass
- Crimp connection, lavatory connection

Components
Plastic nut

Model V5075ZL

Crimp	Lav	Wt [lb]	Quantity	Part No	DG
⅜	½	0.059	5	**46023**	2
½	½	0.058	5	**46033**	2



Viega PureFlow Crimp lavatory adapter
- Equipped with ferrule Part No 53005, Viega PureFlow Crimp ring Model V5019.9
- Brass
- Crimp connection, compression

Components
Brass ferrule

Model V5077ZL

Crimp	CTS	Wt [lb]	Quantity	Part No	DG
⅜	¼	0.120	1	**46032**	2
½	¼	0.115	1	**46331**	2



Viega PureFlow Crimp lavatory adapter
- PolyAlloy
- Crimp connection, lavatory connection

Model V5263

Crimp	Lav	Wt [lb]	Quantity	Part No	DG
⅜	½	0.025	25	**43323**	3
½	½	0.025	25	**43333**	3
¾	¾	0.045	10	**43344**	3



Viega PureFlow Crimp 90° lavatory elbow
- PolyAlloy
- Crimp connection, lavatory connection

Components
Plastic nut

Model V5255

Crimp	Lav	Wt [lb]	Quantity	Part No	DG
⅜	½	0.027	50	**43232**	3
½	½	0.029	50	**43233**	3
¾	¾	0.053	25	**43244**	3



Cone seal
- For use with Viega PureFlow PEX
- Spare part for Viega PureFlow Crimp stop valve straight Model V5036.30, Viega PureFlow Crimp lavatory adapter Model V5075ZL, Viega PureFlow Crimp 90° lavatory elbow Model V5255, Viega PureFlow Crimp lavatory adapter Model V5263, Viega PureFlow Press lavatory adapter Model V5613.3
- Santoprene

Model V5084.1

d	Wt [lb]	Quantity	Part No	DG
½	0.002	100	**43721**	2
¾	0.003	100	**43740**	2

Closet adapters



Viega PureFlow Crimp closet adapter
- PolyAlloy
- Crimp connection, closet connection

Components
Plastic nut
Model V5257

Crimp	Closet	Wt [lb]	Quantity	Part No	DG
⅜	½	0.036	5	**43300**	3
½	½	0.040	5	**43320**	3



Cone seal
- Spare part for Viega PureFlow Crimp closet adapter Model V5257, Viega PureFlow Press closet adapter Model V5613.4
- SBR

Model V5084

d	Wt [lb]	Quantity	Part No	DG
½	0.004	100	**43820**	2



Viega PureFlow Crimp swivel connector
- For water heater
- Copper
- Crimp connection, female pipe thread

Model V5048ZL

Crimp	FPT	L [in]	Wt [lb]	Quantity	Part No	DG
¾	¾	18	0.554	25	**46764**	2

Outlet boxes



Viega PureFlow Crimp outlet box Zero Lead
- For ice maker
- Brass

Components
¼ turn brass valve, water hammer arrestor
Model 2872.8ZL

Crimp	Wt [lb]	Quantity	Part No	DG
½	0.965	1	**46720**	2



Viega PureFlow Crimp outlet box Zero Lead
- For washing machine
- Color coded handles

Components
(2) ¼ turn brass valves, water hammer arrestors
Model 2872.9ZL

Crimp	Wt [lb]	Quantity	Part No	DG
½	1.819	1	**46730**	2



Viega PureFlow Crimp outlet box Zero Lead
- For ice maker

Components
¼ turn brass valve
Model V5073

Crimp	Wt [lb]	Quantity	Part No	DG
⅜	0.875	1	**43700**	2
½	0.880	1	**43722**	2



Viega PureFlow Crimp outlet box Zero Lead
- For washing machine
- Color coded handles

Components
(2) ¼ turn brass valves
Model V5073.5

Crimp	Wt [lb]	Quantity	Part No	DG
½	1.625	1	**43720**	2



Tubing
- Only for cold water applications
- For ice maker
- High density polyethylene (HDPE)

Note
¼" OD
Model V5052

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
⅛	100	white	0.012	1	**43100**	1

Accessories



Viega PureFlow Crimp ring
- Only for Viega PureFlow Crimp fittings, Viega PureFlow Crimp tools
- Copper

Model V5019.9

d	Wt [lb]	Quantity	Part No	DG
⅜	0.011	100	**43600**	2
½	0.013	100	**43620**	2
¾	0.018	100	**43640**	2
1	0.022	50	**43660**	2



Lavatory riser
- Does not include lavatory nut Model V5089
- Equipped with ferrule Model V5085
- PEX

Model V5080

CTS	O.D.	L [in]	Wt [lb]	Quantity	Part No	DG
¼	⅜	20	0.046	100	**58120**	2
¼	⅜	30	0.068	100	**58130**	2
¼	⅜	36	0.085	100	**58136**	2



Closet riser
- Does not include ballcock nut Model V5089.1
- Equipped with ferrule Model V5085
- PEX

Model V5081

CTS	O.D.	L [in]	Wt [lb]	Quantity	Part No	DG
¼	⅜	12	0.031	100	**57112**	2
¼	⅜	20	0.050	100	**57120**	2



Lavatory nut
- Suitable for lavatory riser Model V5080

Model V5089

FPT	Wt [lb]	Quantity	Part No	DG
½	0.017	100	**33705**	2



Ballcock nut
- Suitable for closet riser Model V5081
- Plastic

Model V5089.1

FPT	Wt [lb]	Quantity	Part No	DG
¾	0.023	100	**53017**	2



Ferrule
- For Viega ManaBloc compression connections, risers, Valves
- Plastic

Model V5085

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
⅛	¼	0.001	100	**53000**	2
¼	⅜	0.001	100	**53005**	2
⅜	½	0.001	50	**53015**	2
½	⅝	0.001	100	**53020**	2



Insert stiffener
- For Viega ManaBloc compression connections, risers
- Stainless steel

Model V5086

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
⅜	½	0.003	50	**56110***	2
½	⅝	0.005	50	**56120***	2
¾	⅞	0.010	50	**56140***	2

* = Available while supplies last



Escutcheon
Single
- Plastic
Model V5088

d	Version	Wt [lb]	Quantity	Part No	DG
⅜	white	0.012	50	**53115***	2
½	white	0.012	50	**53120***	2

* = Available while supplies last



Escutcheon
Double
- Plastic
Model V5088.1

d	Version	Wt [lb]	Quantity	Part No	DG
⅜	white	0.017	25	**53116***	2
½	white	0.016	25	**53121***	2

* = Available while supplies last



Sleeve
- Chrome-plated brass
- Finishing
Model 2800.5US

d	L [in]	Wt [lb]	Quantity	Part No	DG
⅜	3½	0.041	10	**52500**	2
½	3½	0.058	10	**52520**	2



Bracket
- For mounting on 16" center studs
- Use with bend support snap in Model 2850.3US, tubing clamp stub-out Model V5041.2
- Steel
- Mounting holes on 2" centers
Model 2850.4US

d	L [in]	Wt [lb]	Quantity	Part No	DG
½	18	0.564	50	**51022***	2

* = Available while supplies last



Tubing clamp
Stub-out
- Use with bracket Model 2850.4US
- Plastic
Model V5041.2

for d	Wt [lb]	Quantity	Part No	DG
½	0.060	50	**45770***	2

* = Available while supplies last



Bend support
Snap in
- Suitable for bracket Model 2850.4US
- Plastic
Model 2850.3US

for d	Wt [lb]	Quantity	Part No	DG
½	0.079	100	**51021***	2

* = Available while supplies last



Bend support
Drop ear
- Plastic-coated steel
Model 2850.1US

for d	Wt [lb]	Quantity	Part No	DG
⅜, ½	0.198	25	**50520**	2



Bend support
- Plastic
Model 2850.2US

for d	Wt [lb]	Quantity	Part No	DG
½	0.081	25	**51020**	2
⅝, ¾	0.152	25	**51040**	2
1	0.258	25	**51060**	2



Bend support
- For in slab applications
- Plastic

Model 2851US

for d	Wt [lb]	Quantity	Part No	DG
⅜	0.075	10	**15106**	4
½	0.127	10	**15107**	4
⅝, ¾	0.190	10	**15108**	4



Tubing clamp
Turn out
- For ⅜" tubing and ½" tubing with standard or stub-out elbows
- Plastic
- Trim tapered tip to use with ½" tubing

Model V5071

max d	Wt [lb]	Quantity	Part No	DG
½	0.076	25	**52130**	2



J-clamp tubing fastener
- Plastic

Components
Nail

Model 2860US

for d	Wt [lb]	Quantity	Part No	DG
⅜	0.006	100	**52000**	2
½	0.008	100	**52020**	2
¾	0.013	100	**52040**	2
1	0.021	100	**52060**	2



Economy PEX tubing clamp
- Plastic

Model V5095

for d	Wt [lb]	Quantity	Part No	DG
⅜	0.002	100	**52110**	2
½	0.003	100	**52120**	2
¾	0.004	50	**52140**	2



Lock clip
- Plastic

Model 2863US

for d	Wt [lb]	Quantity	Part No	DG
⅜	0.013	100	**58071**	2
½	0.014	100	**58072**[1]	2
¾	0.014	50	**58073**	2
1	0.024	50	**58074**	2

[1] Suitable for Viega Barrier PEX tubing Part No 11445, 11450



U-channel fastener
- Plastic
- Pre-drilled holes

Model 2864US

W [in]	L [ft]	Wt [lb]	Quantity	Part No	DG
½	6½	1.029	16	**15310**	4



Suspension clip tubing fasteners
- Plastic

Model 2861US

for d	Wt [lb]	Quantity	Part No	DG
½	0.010	50	**55020***	2
¾	0.012	50	**55040***	2

* = Available while supplies last



Tubing insulator
- Plastic
- Fits 1⅜" hole

Model V5094

for d	Wt [lb]	Quantity	Part No	DG
⅜	0.018	50	**55100***	2
½	0.019	50	**55120***	2
¾	0.013	50	**55140***	2
1	0.013	50	**55160***	2

* = Available while supplies last



Zip tie
- Plastic
Model V5097

L [in]	Wt [lb]	Quantity	**Part No**	DG
14	0.013	100	**43714**	2

COMPLETE THE PUREFLOW SYSTEM

WITH VIEGA® VALVES PRESS TECHNOLOGY



PUREFLOW VALVE PRODUCTS

AVAILABLE STARTING ON PAGE 175

ManaBlocs



viega

ManaBlocs

The Viega ManaBloc is engineered to be an entire water distribution system, allowing control over each supply line from one central location. It also allows for multiple fixtures to be used simultaneously without dramatic drops in pressure or temperature. A system featuring a ManaBloc will ultimately reduce the number of fittings (and therefore, potential leak points) behind the wall. ManaBloc features the industry's largest internal reservoir, allowing for smaller temperature and pressure changes than manifold and branch and tee installations. On top of that, ManaBlocs are designed to resist scaling and corrosion and feature a 10-year transferable warranty. Faster hot water delivery is possible using dedicated lines designed for ⅜" and ½" connections.

FEATURES AND BENEFITS

- Faster hot water delivery possible through dedicated lines to each plumbing fixture
- Allows shutoff of individual fixtures without disrupting flow elsewhere
- Requires less connections behind the wall than standard installation methods
- Flexible PureFlow PEX tubing makes installations fast and easy
- PEX lines available in ⅜" or ½" to supply required fixture demands, ensuring optimal efficiency
- Quiet operation with minimized flow noise compared to copper tubing
- Increases energy savings by reducing water waste
- Complies with most green building efficiency code supplements

NOTE

Supply and outlet threaded connections are not NPT. Use only Viega ManaBloc adapters. Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record.

Index

ManaBlocs	144
MiniBlocs	144
Port Adapters	145
Supply Adapters	146
Accessories	147

ManaBlocs



Viega PureFlow ManaBloc manifold
- Polysulfone
- Does not include port adapters, supply adapters

Components
Integrated ¼ turn shutoff valves, T-handle valve key

Note
Supply and outlet threaded connections are not NPT.
Use only Viega ManaBloc adapters.

Model V5040.6

Port(s)	d	hot	cold	Wt [lb]	Quantity	Part No	DG
14	½	6	8	5.024	1	**49610**	2
18	½	8	10	5.818	1	**49615**	2
24	½	9	15	8.016	1	**49620**	2
30	½	12	18	9.579	1	**49625**	2
36	½	14	22	10.974	1	**49630**	2



Viega PureFlow ManaBloc manifold
- Polysulfone
- Does not include supply adapters, port adapters

Components
Integrated ¼ turn shutoff valves, T-handle valve key

Note
Supply and outlet threaded connections are not NPT.
Use only Viega ManaBloc adapters.

Model V5040.0

Port(s)	d	hot	cold	hard	Wt [lb]	Quantity	Part No	DG
24	½	10	10	4	8.016	1	**49635**	2
30	½	13	13	4	9.579	1	**49640**	2
36	½	16	16	4	10.974	1	**49645**	2

MiniBlocs



Viega PureFlow MiniBloc zoning manifold
Smart Connect Technology
- For combination systems
- Polysulfone
- Press connection
- Blue color coded ports for cold water
- Does not include supply connections

Components
¼ turn valves, T-handle valve key, optional red valve caps

Note
Supply and outlet threaded connections are not NPT.
Use only Viega ManaBloc adapters.

Model V5650

Adapter	Port(s)	d	Wt [lb]	Quantity	Part No	DG
polymer	3	½	1.804	1	**49033**	2
polymer	4	½	2.007	1	**49043**	2
polymer	6	½	2.456	1	**49063**	2
polymer	8	½	3.337	1	**49083**	2



Viega PureFlow MiniBloc zoning manifold
Smart Connect Technology
- For combination systems
- Press connection
- Color coded ports for hot and cold water
- Does not include supply connections

Components
¼ turn valves, T-handle valve key

Note
Supply and outlet threaded connections are not NPT.
Use only Viega ManaBloc adapters.

Model V5660

Adapter	Port(s)	d	hot	cold	Wt [lb]	Quantity	Part No	DG
polymer	5	½	2	3	2.189	1	**49453**	2
polymer	7	½	3	4	3.130	1	**49473**	2
polymer	10	½	4	6	3.801	1	**49410**	2



Viega MiniBloc zoning manifold
- Polysulfone
- Crimp connection
- Blue color coded ports for cold water
- Does not include supply connections

Components
¼ turn valves, T-handle valve key, optional red valve caps

Note
Supply and outlet threaded connections are not NPT.
Use only Viega ManaBloc adapters.

Model V5031.5

Adapter	Port(s)	d	Wt [lb]	Quantity	Part No	DG
PolyAlloy	3	½	1.727	1	**50033**	2
PolyAlloy	4	⅜	1.605	1	**50021**	2
PolyAlloy	4	½	1.919	1	**50043**	2
PolyAlloy	6	½	2.434	1	**50063**	2
PolyAlloy	8	½	3.199	1	**50083**	2



Viega PureFlow MiniBloc zoning manifold
- Crimp connection
- Color coded ports for hot and cold water
- Does not include supply connections

Components
¼ turn valves, T-handle valve key

Note
Supply and outlet threaded connections are not NPT.
Use only Viega ManaBloc adapters.

Model V5067

Adapter	Port(s)	d	hot	cold	Wt [lb]	Quantity	Part No	DG
PolyAlloy	5	½	2	3	2.159	1	**51063**	2
PolyAlloy	7	½	3	4	2.869	1	**51073**	2
PolyAlloy	10	½	4	6	3.638	1	**51003**	2

Port Adapters



Viega PureFlow Press port adapter
Smart Connect Technology
- For connecting distribution lines to Viega ManaBloc and Viega MiniBloc
- Polymer
- Press connection, Viega ManaBloc connection

Model V5613.1

P	Port	Wt [lb]	Quantity	Part No	DG
⅜	½	0.047	6	**49224**	2
½	½	0.050	6	**49234**	2



Viega PureFlow Press port adapter
Sweep
Smart Connect Technology
- For connecting distribution lines to Viega ManaBloc, use when replacing a previous generation ManaBloc (with external divider plate and different port spacing)
- Polymer
- Press connection, Viega ManaBloc connection

Model V5613.5

P	Port	Wt [lb]	Quantity	Part No	DG
⅜	½	0.049	6	**50263**	2
½	½	0.051	6	**50262**	2



Viega PureFlow Crimp port adapter
- For connecting distribution lines to Viega ManaBloc and Viega MiniBloc
- PolyAlloy
- Crimp connection, Viega ManaBloc connection

Model V5039.1

Crimp	Port	Wt [lb]	Quantity	Part No	DG
⅜	½	0.040	6	**50023**	2
½	⅜	0.026	6	**51123**	2
½	½	0.040	6	**50133**	2



Viega PureFlow Crimp port adapter
Sweep
- For connecting distribution lines, use when replacing a previous generation ManaBloc (with external divider plate and different port spacing)
- PolyAlloy
- Crimp connection, Viega ManaBloc connection

Model V5039.2

Crimp	Port	Wt [lb]	Quantity	Part No	DG
⅜	½	0.041	6	**50261**	2
½	½	0.041	6	**50260**	2



Viega ManaBloc port adapter
Zero Lead
- For connecting polybutylene (PB) distribution lines to Viega Manabloc
- Brass
- Polybutylene (PB) connection, Viega ManaBloc connection
- Does not include ring for PB connection

Model V5613.8

PB	Port	Wt [lb]	Quantity	Part No	DG
⅜	½	0.093	6	**50267**	2
½	½	0.087	6	**50266**	2



Viega ManaBloc port adapter
Sweep
- For connecting polybutylene (PB) distribution lines to Viega Manabloc, use when replacing a previous generation ManaBloc (with external divider plate and different port spacing)
- Polymer
- Polybutylene (PB) connection, Viega ManaBloc connection
- Does not include ring for PB connection

Model V5613.7

PB	Port	Wt [lb]	Quantity	Part No	DG
⅜	½	0.041	6	**50265**	2
½	½	0.042	6	**50264**	2

Supply Adapters



Viega PureFlow Press supply adapter
Smart Connect Technology
- For connecting PEX supply lines to Viega ManaBloc and Viega MiniBloc
- Polymer
- Press connection, Viega ManaBloc supply connection

Model V5613.2

P	Supply	Wt [lb]	Quantity	Part No	DG
¾	1	0.098	5	**49414**	2
1	1	0.118	5	**49416**	2



Viega PureFlow ManaBloc supply adapter Zero Lead
- For connecting FPT supply lines to Viega ManaBloc and Viega MiniBloc
- Brass
- Male pipe thread, Viega ManaBloc supply connection

Model V5033ZL

MPT	Supply	Wt [lb]	Quantity	Part No	DG
¾	1	0.329	5	**46646**	2
1	1	0.399	5	**46656**	2



Viega ManaBloc supply adapter Zero Lead
- For connecting polybutylene (PB) supply lines to Viega Manabloc
- Brass
- Polybutylene (PB) connection, Viega ManaBloc connection
- Does not include ring for PB connection

Model V5035ZL

PB	Supply	Wt [lb]	Quantity	Part No	DG
¾	1	0.036	1	**50268**	2
1	1	0.036	1	**50269**	2



Viega PureFlow Crimp supply adapter
- For connecting PEX supply lines to Viega ManaBloc and Viega MiniBloc
- PolyAlloy
- Crimp connection, Viega ManaBloc supply connection

Model V5213

Crimp	Supply	Wt [lb]	Quantity	Part No	DG
¾	1	0.095	5	**50141**	2
1	1	0.100	5	**50151**	2

Accessories



Port cap
- For Viega ManaBloc, Viega MiniBloc
- Plastic

Model V5087

d	Wt [lb]	Quantity	Part No	DG
⅜	0.020	6	**36204**	2
½	0.037	6	**36205**	2



Supply cap
- For Viega ManaBloc, Viega MiniBloc
- Brass

Model V5036.10

d	Wt [lb]	Quantity	Part No	DG
1	0.082	5	**53601**	2



Viega PureFlow ManaBloc mounting set
- For mounting Viega ManaBloc between studs
- Steel
- Pre-drilled to mount on 16" center studs

Components
(2) mounting straps, (4) screws

Model V5038

	Wt [lb]	Quantity	Part No	DG
	0.720	1	**45716**	2



T-handle valve key
- For Viega ManaBloc, Viega MiniBloc
- Plastic

Model V5039.7

	Wt [lb]	Quantity	Part No	DG
	0.024	1	**50601**	2



Replacement kit
- For Viega ManaBloc and Viega MiniBloc valve stems, ports ½" or ⅜"
- ¼ turn

Components
Red valve, blue valve, valve removal tool, T-handle valve key

Model 2870.91

	Wt [lb]	Quantity	Part No	DG
	0.150	1	**51602**	2



Ferrule
- For Viega ManaBloc compression connections, risers, Valves
- Plastic

Model V5085

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
⅛	¼	0.001	100	**53000**	2
¼	⅜	0.001	100	**53005**	2
⅜	½	0.001	50	**53015**	2
½	⅝	0.001	100	**53020**	2



Insert stiffener
- For Viega ManaBloc compression connections, risers
- Stainless steel

Model V5086

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
⅜	½	0.003	50	**56110***	2
½	⅝	0.005	50	**56120***	2
¾	⅞	0.010	50	**56140***	2

* = Available while supplies last



Viega PureFlow ManaBloc access panel
- Plastic

Note
Can be mounted to open vertically or horizontally

Model V5099

W [in]	L [in]	max. Ports	Wt [lb]	Quantity	Part No	DG
14	18	14	1.350	1	**50718**	2
14	26	16	1.849	1	**50726**	2
14	30	24	2.434	1	**50730**	2
14	39	36	3.249	1	**50739**	2



Viega PureFlow ManaBloc access panel
- Metal
- 90 minute fire rating

Components
(2) knurled knobs, (2) keys

Note
Can be mounted to open vertically or horizontally

UL listed

Model V5099.1

W [in]	L [in]	max. Ports	Wt [lb]	Quantity	Part No	DG
14	40	30	26.258	1	**50740**	2

Heating and Cooling Solutions



viega

Heating and Cooling Solutions

Radiant heating systems have been around since 10,000 B.C., but Viega has made them more efficient, reliable and easier to install. Viega offers a full line of prefabricated Climate Mats for wet mass installs, panels for dry mass installs, tubing, manifolds, mixing options and controls all engineered to work together. Radiant heating and cooling solutions can reduce energy costs by up to 30% for both residential and commercial buildings. Our hands-on design team can provide you with a complete design and bill of materials, so you know you have everything you need for a properly functioning system.

FEATURES AND BENEFITS

- Faster and easier than traditional radiant installation
- Typically reduces energy costs from 10-30%
- Minimizes circulation of dust, allergens and airborne contaminates
- Proven press technology helps to ensure secure connections
- Backed by a 30-year warranty on Viega Barrier PEX, PureFlow Press metal and polymer fittings
- Technical support
- Design and layout services

NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A green dot on a Viega PureFlow Press polymer fitting indicates Smart Connect technology.

Index

Tubing 152
Elbows 154
Tees 154
Adapters 155
Couplings 156
Manifolds 158
Controls 160
Plates, ClimateTrak and Mats 162
Mixing equipment 163
Valves 163
Accessories 164
Components 165

Tubing



Viega Barrier PEX tubing
- Oxygen Barrier Pex
- Coil
- Oxygen diffusion barrier, protective outer layer

Technical Data
PEX designation code 5306
Chlorine resistance ratings CL5
UV resistance 6 months
ASTM F876, ASTM F877, ASTM F3253, NSF 61
Model 2802US

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
5/16	250	black with stripe	0.036	1	**11400**	4
5/16	1000	black with stripe	0.034	1	**11405**	4
3/8	300	black with stripe	0.043	1	**11415**	4
3/8	1200	black with stripe	0.043	1	**11418**	4
1/2	250	black with stripe	0.043	1	**11428**	4
1/2	300	black with stripe	0.057	1	**11425**	4
1/2	400	black with stripe	0.058	1	**11430**	4
1/2	500	black with stripe	0.058	1	**11427**	4
1/2	1000	black with stripe	0.058	1	**11436**	4
1/2	1200	black with stripe	0.057	1	**11435**	4
1/2	2000	black with stripe	0.056	1	**11440**	4
5/8	500	black with stripe	0.079	1	**11445**	4
5/8	1500	black with stripe	0.079	1	**11450**	4
3/4	150	black with stripe	0.107	1	**11455**	4
3/4	300	black with stripe	0.108	1	**11457**	4
3/4	500	black with stripe	0.113	1	**11458**	4
3/4	800	black with stripe	0.108	1	**11460**	4
3/4	1000	black with stripe	0.108	1	**11462**	4
1	150	black with stripe	0.180	1	**11465**	4
1	500	black with stripe	0.176	1	**11470**	4
1 1/4	100	black with stripe	0.270	1	**11475**	4
1 1/2	100	black with stripe	0.365	1	**11480**	4
2	100	black with stripe	0.603	1	**11485**	4



Viega Barrier PEX tubing
- Oxygen Barrier Pex
- Straight length
- Oxygen diffusion barrier, protective outer layer

Technical Data
PEX designation code 5306
Chlorine resistance ratings CL5
UV resistance 6 months
ASTM F876, ASTM F877, ASTM F3253, NSF 61
Model 2803US

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/4	20	black with stripe	0.105	25	**11500**	4
1	20	black with stripe	0.175	15	**11505**	4
1 1/4	20	black with stripe	0.264	10	**11510**	4
1 1/2	20	black with stripe	0.370	5	**11515**	4
2	20	black with stripe	0.614	5	**11520**	4



Zip tie
- Plastic

Model 2866US

L [in]	Version	Wt [lb]	Quantity	Part No	DG
8.7	yellow	0.003	100	**15304**	4



U-channel fastener
- Plastic
- Pre-drilled holes

Model 2864US

W [in]	L [ft]	Wt [lb]	Quantity	Part No	DG
1/2	6 1/2	1.029	16	**15310**	4
5/8	6 1/2	1.899	16	**15311**	4
3/4	6 1/2	1.300	16	**15314**	4



Bend support
- For in slab applications
- Plastic

Model 2851US

for d	Wt [lb]	Quantity	Part No	DG
⅜	0.075	10	**15106**	4
½	0.127	10	**15107**	4
⅝, ¾	0.190	10	**15108**	4



J-clamp tubing fastener
- Plastic

Components
Nail

Model 2860US

for d	Wt [lb]	Quantity	Part No	DG
⅜	0.006	100	**52000**	2
½	0.008	100	**52020**	2
¾	0.013	100	**52040**	2
1	0.021	100	**52060**	2



Lock clip
- Plastic

Model 2863US

for d	Wt [lb]	Quantity	Part No	DG
5/16	0.013	100	**58070**	4
⅜	0.013	100	**58071**	2
½	0.014	100	**58072**[1]	2
¾	0.014	50	**58073**	2
1	0.024	50	**58074**	2
1¼	0.026	50	**58075**	2
1½	0.040	25	**58076**	2
2	0.048	15	**58077**	2

[1] Suitable for Viega Barrier PEX tubing Part No 11445, 11450



Bend support
Drop ear
- Plastic-coated steel

Model 2850.1US

for d	Wt [lb]	Quantity	Part No	DG
⅜, ½	0.198	25	**50520**	2



Bend support
- Plastic

Model 2850.2US

for d	Wt [lb]	Quantity	Part No	DG
½	0.081	25	**51020**	2
⅝, ¾	0.152	25	**51040**	2
1	0.258	25	**51060**	2



90° elbow coupling
- For5/16" Viega Barrier PEX
- Suitable for Viega Barrier PEX tubing Part No 11400, 11405

Components
Coupling, plastic clip

Model 2810.8US

d	Wt [lb]	Quantity	Part No	DG
5/16	0.032	2	**15104**	4



Clip
- Plastic

Model 2871.6US

d	Wt [lb]	Quantity	Part No	DG
5/16	0.002	100	**15112**	4

Elbows



Viega PureFlow Press 90° elbow
Smart Connect Technology
- Polymer
- Press connection

Model V5616

P1	P2	Wt [lb]	Quantity	Part No	DG
⅜	⅜	0.023	25	**49210**	6
½	½	0.029	250	**49220**	6
¾	¾	0.047	250	**49240**	6
1	1	0.080	10	**49260**	6
1¼	1¼	0.171	5	**49270**	6
1½	1½	0.220	5	**49280**	6
2	2	0.377	1	**49290**	6



Viega ProPress insert stiffener
- For Viega ProPress 90° extended street elbow
- Bronze

Model 2946

d	Wt [lb]	Quantity	Part No	DG
¾	0.044	5	**16423**	4

Tees



Viega PureFlow Press tee
- Bronze
- Press connection

Model 2818NG

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
⅝	⅝	⅝	0.188	5	**84030**	4



Viega PureFlow Press tee
Smart Connect Technology
- Polymer
- Press connection

Model V5618

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
⅜	⅜	⅜	0.035	25	**49200**	6
½	⅜	⅜	0.036	25	**49322**	6
½	½	⅜	0.039	25	**49332**	6
½	½	½	0.042	25	**49520**	6
½	½	¾	0.052	25	**49334**	6
¾	½	½	0.052	25	**49433**	6
¾	½	¾	0.061	25	**49434**	6
¾	¾	½	0.059	25	**49443**	6
¾	¾	¾	0.068	25	**49540**	6
1	½	½	0.068	10	**49533**	6
1	½	1	0.097	10	**49535**	6
1	¾	½	0.074	10	**49543**	6
1	¾	¾	0.084	10	**49544**	6
1	¾	1	0.104	10	**49545**	6
1	1	½	0.088	10	**49553**	6
1	1	¾	0.102	10	**49554**	6
1	1	1	0.115	10	**49560**	6
1¼	1	¾	0.150	5	**49754**	6
1¼	1	1	0.166	5	**49755**	6
1¼	1¼	½	0.245	5	**49888**	6
1¼	1¼	¾	0.182	5	**49774**	6
1¼	1¼	1	0.206	5	**49775**	6
1¼	1¼	1¼	0.250	5	**49570**	6
1½	1	¾	0.170	5	**49854**	6
1½	1	1	0.195	5	**49855**	6
1½	1	1½	0.245	5	**49886**	6
1½	1¼	¾	0.205	5	**49874**	6
1½	1¼	1	0.225	5	**49875**	6
1½	1¼	1¼	0.275	5	**49877**	6
1½	1½	½	0.214	5	**49883**	6
1½	1½	¾	0.233	5	**49884**	6
1½	1½	1	0.245	5	**49885**	6
1½	1½	1¼	0.290	5	**49887**	6
1½	1½	1½	0.326	5	**49580**	6
2	1½	¾	0.001	1	**49984**	6
2	1½	1	0.315	1	**49985**	6
2	1½	1¼	0.365	1	**49987**	6
2	1½	1½	0.390	1	**49988**	6
2	2	½	0.309	1	**49993**	6
2	2	¾	0.355	1	**49994**	6
2	2	1	0.373	1	**49995**	6
2	2	1¼	0.405	1	**49997**	6
2	2	1½	0.435	1	**49998**	6
2	2	2	0.500	1	**49590**	6

Adapters



Viega PureFlow Press adapter
- Bronze
- Press connection, male pipe thread

Model 2811NG

P	MPT	Wt [lb]	Quantity	Part No	DG
⅝	¾	0.165	5	**80531**	4



Viega PureFlow Press adapter Zero Lead
- Bronze
- Press connection, male pipe thread

Model 2811ZL

P	MPT	Wt [lb]	Quantity	Part No	DG
⅜	½	0.101	10	**90506**	6
½	½	0.098	10	**90521**	6
½	¾	0.152	10	**90526**	6
¾	½	0.113	10	**90542**	6
¾	¾	0.160	10	**90541**	6
¾	1	0.283	10	**90546**	6
¾	1¼	0.507	2	**90562**	6
1	¾	0.182	10	**90556**	6
1	1	0.284	10	**90561**	6
1	1¼	0.524	2	**90566**	6
1¼	1¼	0.564	2	**90571**	6
1½	1½	0.683	2	**90581**	6
2	2	1.104	5	**90591**	6



Viega PureFlow Press adapter Zero Lead
- Bronze
- Press connection, female pipe thread

Model 2812ZL

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.098	10	**91520**	6
½	¾	0.135	10	**91525**	6
¾	½	0.110	10	**91541**	6
¾	¾	0.141	10	**91540**	6
1	¾	0.166	10	**91545**	6
1	1	0.239	10	**91560**	6
1¼	1¼	0.436	5	**91570**	6
1½	1½	0.511	5	**91580**	6
2	2	0.818	5	**91590**	6



Viega PureFlow Press adapter Smart Connect Technology
- Bronze
- Press connection

Components
EPDM sealing elements

Model 2813PNG

P1	P2	Wt [lb]	Quantity	Part No	DG
⅝	½	0.081	5	**69627**	4
⅝	¾	0.134	5	**69628**	4



Viega PureFlow Press transition coupling Smart Connect Technology Zero Lead
- For transitioning between Viega PureFlow Press and Viega ProPress
- Bronze
- Press connection

Components
EPDM sealing elements

Note
ProPress and PureFlow tool and press jaws required

Model 2813PZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.076	10	**99620**	6
½	¾	0.115	10	**99626**	6
¾	½	0.078	10	**99630**	6
¾	¾	0.115	10	**99640**	6
1	¾	0.136	10	**99645**	6
1	1	0.184	10	**99660**	6
1¼	1	0.236	5	**99665**	6
1¼	1¼	0.287	5	**99670**	6
1½	1½	0.447	5	**99680**	6
2	2	0.723	5	**99690**	6



Viega PureFlow Press adapter Zero Lead
- Bronze
- Press connection, female copper tube size

Model 2813.5ZL

P	C	Wt [lb]	Quantity	Part No	DG
⅜	½	0.062	10	**92006**	6
½	½	0.063	10	**92021**	6
½	¾	0.099	10	**92026**	6
¾	½	0.067	10	**92036**	6
¾	¾	0.113	10	**92041**	6
¾	1	0.176	10	**92045**	6
1	1	0.186	10	**92060**	6
1¼	1¼	0.323	5	**92070**	6
1½	1½	0.436	5	**92080**	6
2	2	0.655	5	**92090**	6



Viega PureFlow Press adapter
- Bronze
- Press connection, street

Model 2813.1NG

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
⅝	¾	0.119	5	**87531**	4



Viega PureFlow Press adapter Zero Lead
- Bronze
- Press connection, street

Note
ProPress tool and press jaw required

Model 2813.1ZL

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
½	½	0.064	10	**97520**	6
½	¾	0.094	10	**97525**	6
¾	½	0.079	10	**97535**	6
¾	¾	0.101	10	**97540**	6
¾	1	0.154	10	**97545**	6
1	1	0.175	10	**97560**	6
1¼	1¼	0.305	5	**97570**	6
1½	1½	0.436	5	**97580**	6
2	2	0.696	5	**97590**[1]	6

[1] for use with solder fittings only



SVC manifold adapter
- For Viega PureFlow Press connections with SVC manifold outlets
- Bronze
- Press connection, SVC

Model 2819NG

P	SVC	Wt [lb]	Quantity	Part No	DG
5⁄16	✓	0.140	5	**89407**	4
⅜	✓	0.141	5	**89408**	4
½	✓	0.145	5	**89409**	4
⅝	✓	0.161	5	**89413**	4
¾	✓	0.158	5	**89410**	4



Compression adapter
- Bronze
- Compression, SVC
- Allows Viega PEX compression connections with SVC manifold outlets

Components
Adapter, compression ring, nut

Model 1022SV

P	SVC	Wt [lb]	Quantity	Part No	DG
5⁄16	✓	0.214	2	**19007**	4
⅜	✓	0.209	2	**19008**	4
½	✓	0.197	2	**19009**	4
⅝	✓	0.197	2	**19010**	4



Compression adapter
- Bronze
- Compression, SVC
- Allows Viega PEX compression connections with SVC manifold outlets

Components
Adapter, compression ring, nut, threaded adapter

Model 1022.1SV

P	SVC	Wt [lb]	Quantity	Part No	DG
¾	✓	0.371	2	**19011**	4



SVC adapter
- Bronze
- Male pipe thread, SVC

Model 1022.6SV

MPT	SVC	Wt [lb]	Quantity	Part No	DG
½	✓	0.140	5	**19109**	4

Couplings



Viega PureFlow Press coupling
- Bronze
- Press connection

Model 2815NG

P1	P2	Wt [lb]	Quantity	Part No	DG
5⁄16	5⁄16	0.032	5	**83001**	4
⅝	⅝	0.068	5	**83030**	4



Viega PureFlow Press coupling Zero Lead
- Bronze
- Press connection

Model 2815ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
⅜	⅜	0.041	10	**93000**	6
½	½	0.052	10	**93020**	6
¾	½	0.070	10	**93050**	6
¾	¾	0.073	10	**93040**	6
1	¾	0.113	10	**93055**	6
1	1	0.131	10	**93060**	6
1¼	1	0.210	5	**93065**	6
1¼	1¼	0.260	5	**93070**	6
1½	1	0.246	5	**93073**	6
1½	1½	0.317	5	**93080**	6



Viega PureFlow Press coupling Smart Connect Technology
- Polymer
- Press connection

Model V5615

P1	P2	Wt [lb]	Quantity	Part No	DG
⅜	⅜	0.022	25	**49402**	6
½	⅜	0.024	25	**49342**	6
½	½	0.027	25	**49403**	6
¾	½	0.034	25	**49343**	6
¾	¾	0.040	25	**49404**	6
1	¾	0.055	10	**49354**	6
1	1	0.068	10	**49405**	6
1¼	¾	0.101	5	**49347**	6
1¼	1	0.112	5	**49357**	6
1¼	1¼	0.151	5	**49407**	6
1½	¾	0.118	5	**49348**	6
1½	1	0.133	5	**49358**	6
1½	1¼	0.165	5	**49378**	6
1½	1½	0.190	5	**49408**	6
2	1½	0.270	1	**49398**	6
2	2	0.305	1	**49409**	6



Coupling
- Brass
- Compression
- Low profile

Model 1030SV

d1	d2	Wt [lb]	Quantity	Part No	DG
5/16	5/16	0.151	10	**19013**	4



SVC coupling
- Brass
- Compression

Components
SVC coupling, (2) nuts and inserts

Model 1030.1SV

SVC	d1	d2	Wt [lb]	Quantity	Part No	DG
✓	½	½	0.556	1	**19015**	4
✓	⅝	⅝	0.542	1	**19016**	4
✓	¾	¾	0.899	1	**19017**	4



Reducer
- For stainless steel manifold to mixing station connections
- Bronze
- Male pipe thread, female pipe thread

Model 1003.5SV

MPT	FPT	Wt [lb]	Quantity	Part No	DG
1¼	1	0.356	2	**15044**	4



Viega PureFlow Press test plug
- Bronze
- Press connection

Model 2856NG

P	Wt [lb]	Quantity	Part No	DG
⅝	0.048	5	**85131**	4



Viega PureFlow Press test plug Smart Connect Technology
- Polymer
- Press connection

Model V5656

P	Wt [lb]	Quantity	Part No	DG
⅜	0.011	25	**49722**	6
½	0.015	25	**49723**	6
¾	0.022	25	**49744**	6
1	0.038	10	**49765**	6
1¼	0.082	5	**49770**	6
1½	0.095	5	**49780**	6
2	0.154	1	**49790**	6



Repair coupling tape
- For wrapping PureFlow Press fittings in a slab
- Silicone

Model 2890.4US

W [in]	L [ft]	Wt [lb]	Quantity	Part No	DG
1	10	0.120	1	**15320**	4

Manifolds



Manifold
- Equipped with air bleeder Model 2878.914, purge valve Model 2878.915, supply flow meter valve Model 2878.920, supply shutoff balancing valve Model 2878.924
- Stainless steel
- SVC, union connection, female pipe thread
- Preassembled

Model 2804

Outlet(s)	SVC	Union	FPT	Wt [lb]	Quantity	Part No	DG
2	✓	1¼	1	5.142	1	**16030**	4
3	✓	1¼	1	5.587	1	**16031**	4
4	✓	1¼	1	6.687	1	**16032**	4
5	✓	1¼	1	6.687	1	**16033**	4
6	✓	1¼	1	8.351	1	**16034**	4
7	✓	1¼	1	9.202	1	**16035**	4
8	✓	1¼	1	10.097	1	**16036**	4
10	✓	1¼	1	11.935	1	**16038**	4
12	✓	1¼	1	13.751	1	**16040**	4



Manifold
- Equipped with air bleeder Model 2878.914, purge valve Model 2878.915, supply shutoff balancing valve Model 2878.924
- Stainless steel
- SVC, union connection, female pipe thread
- Preassembled

Model 2879

Outlet(s)	SVC	Union	FPT	Wt [lb]	Quantity	Part No	DG
2	✓	1¼	1	4.417	1	**16400***	4
3	✓	1¼	1	5.217	1	**16401***	4
4	✓	1¼	1	6.068	1	**16402***	4
5	✓	1¼	1	6.947	1	**16403***	4
6	✓	1¼	1	7.798	1	**16404***	4
7	✓	1¼	1	8.576	1	**16405***	4
8	✓	1¼	1	9.711	1	**16406***	4
10	✓	1¼	1	11.421	1	**16408***	4
12	✓	1¼	1	12.975	1	**16410***	4

* = Available while supplies last



Manifold ball valve set
- For stainless steel manifold
- Nickel-plated brass
- Union connection, female pipe thread

Components
(1) red-handled and (1) blue-handled ball valve

Model 2877.2

Union	FPT	Wt [lb]	Quantity	Part No	DG
1¼	1	1.759	1	**15056**	4



Manifold outlet cap
- For stainless steel manifold
- Nickel-plated brass
- SVC

Components
EPDM gasket

Model 2856.7

SVC	Wt [lb]	Quantity	Part No	DG
✓	0.042	2	**15054**	4



Manifold end plug
- For stainless steel manifold
- Nickel-plated brass
- Male pipe thread

Components
EPDM gasket

Model 2856.6

MPT	Wt [lb]	Quantity	Part No	DG
1	0.149	2	**15053**	4



Expansion nipple
- For connecting stainless steel manifolds
- Nickel-plated brass
- Male pipe thread

Model 2878.922

MPT1	MPT2	Wt [lb]	Quantity	Part No	DG
1¼	1	0.312	2	**15186**	4



Coupling
- Bronze
- SVC

Model 1022.7SV

SVC1	SVC2	Wt [lb]	Quantity	Part No	DG
✓	✓	0.153	10	**19012**	4



Manifold
- Equipped with shutoff / balancing valve Model 2834.7US
- Type L copper
- Solder inlet connection, PureFlow Press outlet connection

Components
Brass valves

Model 2834.9US

Outlet(s)	d	P	gpm	Wt [lb]	Quantity	Part No	DG
12	1½	⅝	32	14.116	1	**17223**	4
12	1½	¾	32	13.906	1	**17224**	4
12	2	⅝	45	16.295	1	**17204**	4
12	2	¾	45	15.721	1	**17205**	4



Manifold
- Equipped with shutoff valve Model 2834.6US
- Type L copper
- Solder inlet connection, PureFlow Press outlet connection

Components
Brass valves

Model 2834.8US

Outlet(s)	d	P	gpm	Wt [lb]	Quantity	Part No	DG
12	1½	⅝	32	10.297	1	**17221**	4
12	1½	¾	32	10.027	1	**17222**	4
12	2	⅝	45	12.496	1	**17202**	4
12	2	¾	45	11.917	1	**17203**	4



Manifold
Valveless
- Type L copper
- Solder

Model 2835US

Outlet(s)	d1	d2	gpm	Wt [lb]	Quantity	Part No	DG
3	1	½	13	0.500	2	**17141**[1]	4
18	1½	¾	32	6.063	2	**17120**	4
18	2	¾	45	9.067	2	**17100**	4

[1] copper female inlet and male outlet header



Closing cap
- For use with copper manifolds
- Type L copper
- Female copper tube size, female pipe thread

Note
½" FPT for draw-off (purge valve) and ⅛" FPT for automatic air vent (bottle vent).

Model 2834.5US

C	FPT1	FPT2	Wt [lb]	Quantity	Part No	DG
1½	½	⅛	0.665	1	**17125**	4
2	½	⅛	0.750	1	**17106**	4



Manifold cabinet
- Suitable for manifold Model 2804, 2879
- Galvanized steel, epoxy powder-coated finish

Model 2879.6US

W [in]	H [in]	D [in]	Wt [lb]	Quantity	Part No	DG
21	30	4½	25.993	1	**15800***	4
27	30	4½	31.991	1	**15801***	4
45	30	4½	45.987	1	**15802***	4

* = Available while supplies last



Lock assembly
- Suitable for manifold cabinet Model 2879.6US

Components
(2) keys

Note
Part No 15802 requires two locks.

Model 2857.7US

	Wt [lb]	Quantity	Part No	DG
	0.119	1	**15217***	4

* = Available while supplies last

Controls



Basic heating control
- For controlling system water temperature based on outdoor reset
- Modulating mixing valve control, boiler activation

Components
Supply sensor, outdoor sensor
Model 2871.0US

	Wt [lb]	Quantity	Part No	DG
	2.488	1	**16015***	4

* = Available while supplies last



Wi-Fi Snow Melt Control
- For use with snow/ice sensor and snow/ice sensor housing, slab sensor and aerial snow sensor, or slab sensor only
- Mobile app for iOS and Android, automatic storm prediction via weather data, automatic software updates via the cloud, zoning (priority, tracking)

Components
Microcontroller, outdoor sensor, two universal sensors
Model 2872.5US

	Wt [lb]	Quantity	Part No	DG
	4.284	1	**17014***	4

* = Available while supplies last



Indoor sensor
- Use with basic heating control Model 2871.0US

Model 2871.2US

	Wt [lb]	Quantity	Part No	DG
	0.108	1	**16016***	4

* = Available while supplies last



Zone control
- Suitable for zone valve Model 2837.1US, 2837.2US, 2837.3US, digital thermostat Model 2874.5US, powerhead Model 2877.7
- Zone wiring and switching center

Components
Circuit board, 24 V AC transformer
Model 2874.7US

Zones	Wt [lb]	Quantity	Part No	DG
4	3.632	1	**18060***	4
6	5.653	1	**18062***	4

* = Available while supplies last



Digital thermostat
- For sensing floor and/or room temperature
- Suitable for zone control Model 2874.7US, powerhead Model 2877.7
- Adjustable setback, controls up to (4) powerheads, high or low limit protection

Model 2874.5US

V	Wt [lb]	Quantity	Part No	DG
24	0.250	1	**18050***	4

* = Available while supplies last



Floor sensor
- Suitable for digital thermostat Model 2874.5US
- 10KΩ

Model 2874.6US

L [ft]	Wt [lb]	Quantity	Part No	DG
10	0.139	1	**18051***	4

* = Available while supplies last



Powerhead
- Suitable for manifold Model 2804, digital thermostat Model 2874.5US, zone control Model 2874.7US, manifold Model 2879

Model 2877.7

Wire	V	Wt [lb]	Quantity	Part No	DG
2	24 V AC	0.300	1	**15070**	4
4	24 V AC	0.350	1	**15069**	4



Powerhead
- Suitable for manifold Model 2804, 2879

Note

Operating voltage 24 V AC/50–60 Hz

Model 2877.8

V	Wt [lb]	Quantity	Part No	DG
0-10 V DC	0.350	1	**15068**	4



Actuator
Motor-driven
- Suitable for Viega ProPress balancing valve pressure independent Part No 87365, 87370, 87375, 87380, 87385, Viega MegaPress balancing valve pressure independent Part No 87395, 87400, 87405, 87410, 87450, Viega ProPress balancing valve pressure independent Part No 89925, 89930, 89935, 89940, 89945, Viega MegaPress balancing valve pressure independent Part No 89955, 89960, 89965, 89970, 89975, three-way diverting and mixing valve Model 2976.3
- Modulating, adjustable stroke 2,5 mm, 5 mm and 5,5 mm, 0-10V control signal

Components

M30x1.5 mm

Model 2877.10

V [V]	Wt [lb]	Quantity	Part No	DG
24 V AC	0.529	1	**89985**	4

V = Voltage (V)



Snow/Ice sensor
- Spare part for Wi-Fi Snow Melt Control Model 2872.5US
- Suitable for Snow/Ice sensor housing Model 2865.3US

Model 2875.8US

L [ft]	Wt [lb]	Quantity	Part No	DG
65	4.088	1	**17016***	4

* = Available while supplies last



Snow/Ice sensor housing
- Spare part for Wi-Fi Snow Melt Control Model 2872.5US

Model 2865.3US

	Wt [lb]	Quantity	Part No	DG
	1.739	1	**17017***	4

* = Available while supplies last



Sensor well
- For housing temperature sensor
- Suitable for basic heating control Model 2871.0US
- Fits into solder cup or Viega ProPress fitting

Model 2801.4US

CTS	Wt [lb]	Quantity	Part No	DG
½	0.090	1	**12128***	4

* = Available while supplies last



Outdoor sensor
- Spare part for basic heating control Model 2871.0US, Wi-Fi Snow Melt Control Model 2872.5US
- Plastic

Components

10kΩ thermistor

Model 2871.4US

Temp [°F]	W [in]	Wt [lb]	Quantity	Part No	DG
-60–140	1½	0.088	1	**16017***	4

* = Available while supplies last

Plates, ClimateTrak and Mats



Viega Climate Panel Assembled
- For5⁄16" Viega Barrier PEX
- Suitable for Viega Barrier PEX tubing Part No 11400, 11405
- Wood, aluminum

Components
Plywood with aluminum backing
Model 2810US

L [in]	Spacing [in]	Wt [lb]	Quantity	Part No	DG
48	7	2.794	10	**14021**	4



Viega Climate Panel Assembled
- For5⁄16" Viega Barrier PEX
- Suitable for Viega Barrier PEX tubing Part No 11400, 11405
- (6) hinged panels

Components
Plywood with aluminum backing
Model 2810.2US

L [in]	Spacing [in]	Wt [lb]	Quantity	Part No	DG
48	7	15.995	1	**14025**	4



U-turn panel
- For5⁄16" Viega Barrier PEX
- Suitable for Viega Barrier PEX tubing Part No 11400, 11405

Components
Plywood with aluminum backing
Model 2810.1US

L [in]	W [in]	Spacing [in]	Wt [lb]	Quantity	Part No	DG
48	7	7	2.799	10	**14035**	4



Viega rapid grid
- For ⅜", ½", ⅝" Viega Barrier PEX, ½" Viega FostaPEX
- Suitable for Viega Barrier PEX tubing Part No 11415, 11418, 11425, 11427, 11428, 11430, 11435, 11436, 11440, 11445, 11450
- High impact polystyrene
- Grid fastening system

Model 2857.2US

L [ft]	W [ft]	H [in]	Wt [lb]	Quantity	Part No	DG
4	2	2⅞	2.939	8	**15216**	4



Climate Trak
- Suitable for Viega Barrier PEX tubing Part No 11415, 11418, 11425, 11427, 11428, 11430, 11435, 11436, 11440
- Extruded heavy gauge aluminum
- Pre-drilled holes

Model 2857.1US

L [ft]	W [in]	d	Wt [lb]	Quantity	Part No	DG
4	3½	⅜	1.150	20	**15209**	4
4	3½	½	1.150	20	**15210**	4



Viega Climate Mat
- For in slab applications
- Oxygen Barrier Pex
- Pre-engineered

CAN/ULC S101, CAN/ULC S102.2
Model 2809.1US

d	O.C.	Loop	Circuit	W [ft]	Wt [lb]	Quantity	Part No	DG
½	6	6	6	6	0.688	1	**18150**	4
½	9	4	4	6	0.458	1	**18151**	4
½	6	6	3	6	0.688	1	**18154**	4
½	6	6	2	6	0.688	1	**18155**	4
½	9	4	2	6	0.458	1	**18156**	4
⅝	9	4	2	6	0.635	1	**18157**	4
⅝	9	4	4	6	0.635	1	**18160**	4
⅝	6	6	2	6	0.952	1	**18185**	4
⅝	6	6	4	6	0.952	1	**18186**	4
⅝	6	6	6	6	0.952	1	**18187**	4



Viega Climate Mat
- For in slab applications
- Oxygen Barrier Pex
- Pre-engineered

CAN/ULC S101, CAN/ULC S102.2
Model 2809.2US

d	O.C.	Loop	Circuit	W [ft]	Wt [lb]	Quantity	Part No	DG
½	9	3	3	5	0.344	1	**18158**	4
½	12	3	3	5	0.344	1	**18152**	4
⅝	12	3	3	5	0.476	1	**18159**	4

Mixing equipment



Mixing station
Enhanced
- For supply temperature modulation
- 7 settings, permanent magnet motor design reduces power comsumption by 50%

Components
Isolation ball valves, mounting bracket, supply temperature sensor well
Model V1203.0

Connections	Wt [lb]	Quantity	Part No	DG
Propress	18.154	1	**12152**	4



Hydronic mixing block
- Circulator, control, mixing valve

Components
3-speed circulator, control, air vent, adapter fittings, bracket and two sensors
Model 2887.3

	Wt [lb]	Quantity	Part No	DG
	8.488	1	**56160***	4

* = Available while supplies last

Valves



Three-way diverting and mixing valve
Smart Connect Technology
- Not suitable for potable water installations, fuel gas application
- Bronze
- Male BSP

Components
Three-way diverting and mixing valve, Viega ProPress tailpieces with EPDM sealing elements, flat gasket EPDM
Model 2976.3

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	1.763	100	**87420**	8
¾	¾	2.424	100	**87425**	8
1	1	3.615	100	**87430**	8
1¼	1¼	4.584	100	**87435**	8
1½	1½	7.075	100	**87440**	8
2	2	9.852	100	**87445**	8



Viega ProPress tailpiece
Smart Connect Technology
Zero Lead
- For use with ASTM B88 and B75 tubing
- Bronze
- Press connection, female union BSP

Components
EPDM sealing element, flat gasket EPDM
Model 2957ZL

P	F BSP	Wt [lb]	Quantity	Part No	DG
½	1	0.220	1	**79800**	8
¾	1	0.248	1	**79805**	8
1	1	0.304	1	**79810**	8
1	1¼	0.386	1	**79815**	8



Shutoff valve
- Use with manifold valveless Model 2835US
- Brass
- Female copper tube size, press connection

Model 2834.6US

C	P	Wt [lb]	Quantity	Part No	DG
½	½	0.252	10	**17260**	4
¾	⅝	0.434	10	**17261**	4
¾	¾	0.424	10	**17262**	4



Shutoff / balancing valve
- Use with manifold valveless Model 2835US
- Brass
- Female copper tube size, press connection

Model 2834.7US

P	C	Wt [lb]	Quantity	Part No	DG
½	½	0.514	10	**17263**	4
⅝	¾	0.739	10	**17264**	4
¾	¾	0.725	10	**17265**	4



Zone valve
- Suitable for zone control Model 2874.7US
- Bronze
- Solder, PureFlow Press outlet connection

Model 2837.1US

V	C	P	Wt [lb]	Quantity	Part No	DG
24	¾	¾	1.479	1	**17230**	4
24	1	1	2.422	1	**17231**	4



Zone valve
- Suitable for digital thermostat Model 2874.5US, zone control Model 2874.7US
- Bronze
- Press connection

Model 2837.2US

V	P1	P2	Wt [lb]	Quantity	Part No	DG
24	¾	¾	1.527	1	**17232**	4
24	1	1	2.488	1	**17233**	4



Zone valve
- Suitable for digital thermostat Model 2874.5US, zone control Model 2874.7US
- Bronze
- Press connection, PureFlow Press outlet connection

Model 2837.3US

V	P1	P2	Wt [lb]	Quantity	Part No	DG
24	¾	¾	1.499	1	**17234**	4
24	1	1	2.513	1	**17235**	4



Spring check valve
- For prevention of gravity circulation or backflow
- Brass
- Female pipe thread
- Horizontal or vertical installation, non-ferrous

Model 2873.4US

FPT1	FPT2	Wt [lb]	Quantity	Part No	DG
½	½	0.255	1	**20201**	4
¾	¾	0.400	1	**20202**	4
1	1	0.562	1	**20203**	4
1¼	1¼	0.800	1	**20204**	4
1½	1½	1.100	1	**20205**	4



Coupling
- Bronze
- SVC

Model 1022.7SV

SVC1	SVC2	Wt [lb]	Quantity	Part No	DG
✓	✓	0.153	10	**19012**	4

Accessories



System pressurization kit
- For pressure testing
- Suitable for manifold Model 2804, 2879, mixing station enhanced Model V1203.0

Components

(1) pressure gauge, (2) 1¼" MPT x 1" FPT reducer, (2) 1" MPT test plug, (1) male hose thread x SVC adapter

Model 2873.5US

	Wt [lb]	Quantity	Part No	DG
	1.898	1	**21210**	4



Strap-on temperature gauge set
- Can be soldered

Components

Gauge, mounting spring, heat transfer paste

Model 2810.3US

d	Temp [°F]	Wt [lb]	Quantity	Part No	DG
2½	32–250	0.260	1	**15055**	4



Flange set
Components
(2) flanges, (2) sealing elements, (4) nuts, (4) bolts
Model 2881.9US

d	Wt [lb]	Quantity	Part No	DG
1	2.209	1	**16209**	4



SVC adapter
- For adapting 16 mm PEX to SVC connections
- Brass
Model 2876.4US

	Wt [lb]	Quantity	Part No	DG
	0.196	10	**19412**	4



Adapter ring
- For stainless steel manifold
- Suitable for powerhead Model 2877.7
- Plastic
- M30x1.5 threads
Model 2899.1

	Wt [lb]	Quantity	Part No	DG
	0.020	1	**15066**	4

Components



Flow meter cap
- For stainless steel manifold shutoff / balancing / flow meter
- Spare part for manifold Model 2804
- Plastic
Model 2878.910

	Wt [lb]	Quantity	Part No	DG
	0.015	1	**15171**	4



Manifold replacement temperature gauge
- For stainless steel manifold shutoff / balancing / flow meter
- Spare part for manifold Model 2804
Model 2878.913

Temp [°F]	Wt [lb]	Quantity	Part No	DG
32–176	0.090	1	**15175**	4



Air bleeder
- For stainless steel manifold shutoff / balancing, stainless steel manifold shutoff / balancing / flow meter
- Spare part for manifold Model 2804, 2879
- Nickel-plated brass
- Male pipe thread
- Manual
Model 2878.914

	Wt [lb]	Quantity	Part No	DG
	0.090	1	**15176**	4



Purge valve
- For stainless steel manifold shutoff / balancing, stainless steel manifold shutoff / balancing / flow meter
- Spare part for manifold Model 2804, 2879
- Nickel-plated brass
- Male pipe thread
Model 2878.915

	Wt [lb]	Quantity	Part No	DG
	0.330	1	**15177**	4



Return valve seat
Long
- For stainless steel manifold shutoff / balancing / flow meter
- Spare part for manifold Model 2804
- Nickel-plated brass
- Male pipe thread, SVC
Model 2878.916

SVC	Wt [lb]	Quantity	Part No	DG
✓	0.200	1	**15178**	4



Return valve seat
Short
- For stainless steel manifold shutoff / balancing
- Spare part for manifold Model 2879
- Nickel-plated brass
- Male pipe thread, SVC

Model 2878.917

SVC	Wt [lb]	Quantity	Part No	DG
✓	0.125	1	**15179**	4



Supply valve seat
- For stainless steel manifold shutoff / balancing / flow meter
- Spare part for manifold Model 2804
- Nickel-plated brass
- Male pipe thread, SVC

Model 2878.918

SVC	Wt [lb]	Quantity	Part No	DG
✓	0.155	1	**15180**	4



Return valve
- For stainless steel manifold shutoff / balancing, stainless steel manifold shutoff / balancing / flow meter
- Spare part for manifold Model 2804, 2879
- Brass

Model 2878.919

	Wt [lb]	Quantity	Part No	DG
	0.200	1	**15181**	4



Supply shutoff balancing valve
- For stainless steel manifold shutoff / balancing
- Spare part for manifold Model 2879
- Nickel-plated brass
- Male pipe thread

Model 2878.924

	Wt [lb]	Quantity	Part No	DG
	0.160	1	**15182**	4



Supply flow meter valve
- For stainless steel manifold shutoff / balancing / flow meter
- Spare part for manifold Model 2804
- Nickel-plated brass
- Male pipe thread
- Clear plastic sight glass

Model 2878.920

	Wt [lb]	Quantity	Part No	DG
	0.200	1	**15184**	4



Inlet gasket
- For stainless steel manifold shutoff / balancing, stainless steel manifold shutoff / balancing / flow meter
- Spare part for manifold Model 2804, 2879
- Rubber

Model 2878.923

	Wt [lb]	Quantity	Part No	DG
	0.013	2	**15170**	4



Decoiler
Drum and base
- For use with Viega Barrier PEX tubing sizes ½" to ¾" and lengths 800' to 2000'

Model 2875.6US

max d	Wt [lb]	Quantity	Part No	DG
¾	129.963	1	**21310**	4



Hydronic mixing block supply fitting #1
- For replacement of hydronic mixing block supply fitting #1
- Spare part for hydronic mixing block Model 2887.3
- Plastic

Note
Order gasket and O-ring separately

Model 2887.31

	Wt [lb]	Quantity	Part No	DG
	0.064	1	**56162***	4

* = Available while supplies last



Hydronic mixing block return fitting #2
- For replacement of hydronic mixing block return fitting #2
- Spare part for hydronic mixing block Model 2887.3
- Plastic

Note
Order gasket and O-ring separately

Model 2887.32

	Wt [lb]	Quantity	Part No	DG
	0.085	1	**56163***	4

* = Available while supplies last



Hydronic mixing block delivery fitting #3
- For replacement of hydronic mixing block delivery fitting #3
- Spare part for hydronic mixing block Model 2887.3
- Plastic

Note
Order gasket and O-ring separately

Model 2887.33

	Wt [lb]	Quantity	Part No	DG
	0.085	1	**56164***	4

* = Available while supplies last



Hydronic mixing block gasket
- For fittings 1-3
- Spare part for hydronic mixing block Model 2887.3, hydronic mixing block supply fitting #1 Model 2887.31, hydronic mixing block return fitting #2 Model 2887.32, hydronic mixing block delivery fitting #3 Model 2887.33
- Rubber

Model 2887.30

	Wt [lb]	Quantity	Part No	DG
	0.002	1	**56165***	4

* = Available while supplies last



Hydronic mixing block O-ring
- For fittings 1-3
- Spare part for hydronic mixing block Model 2887.3, hydronic mixing block supply fitting #1 Model 2887.31, hydronic mixing block return fitting #2 Model 2887.32, hydronic mixing block delivery fitting #3 Model 2887.33
- Rubber

Model 2887.37

	Wt [lb]	Quantity	Part No	DG
	0.002	1	**56169***	4

* = Available while supplies last



Clip
- For use with hydronic mixing block fittings 1-3
- Spare part for hydronic mixing block Model 2887.3
- Aluminum

Model 2887.38

	Wt [lb]	Quantity	Part No	DG
	0.009	1	**56170***	4

* = Available while supplies last



Hydronic mixing block T&P sensor
- For use with T&P sensor O-ring
- Spare part for hydronic mixing block Model 2887.3

Note
Order T&P sensor O-ring seperately

Model 2887.34

	Wt [lb]	Quantity	Part No	DG
	0.053	1	**56166***	4

* = Available while supplies last



Hydronic mixing block T&P sensor O-ring
- For T&P sensor
- Spare part for hydronic mixing block Model 2887.3, hydronic mixing block T&P sensor Model 2887.34

Model 2887.35

	Wt [lb]	Quantity	Part No	DG
	0.001	1	**56167***	4

* = Available while supplies last



Terminal block
- For use with hydronic mixing block
- Spare part for hydronic mixing block Model 2887.3
- Plastic

Model 2887.4

	Wt [lb]	Quantity	Part No	DG
	0.029	1	**56173***	4

* = Available while supplies last



Circulator
- For use with hydronic mixing block
- Spare part for hydronic mixing block Model 2887.3
- Cast iron

Model 2887.41

	Wt [lb]	Quantity	Part No	DG
	3.434	1	**56174***	4

* = Available while supplies last

Valves



viega

Valves

Viega offers a comprehensive range of valves designed to support system installations using ProPress, MegaPress, or PureFlow press technology connections. Each connection system utilizes specialized sealing elements – EPDM for potable water and hydronic applications, FKM for higher-temperature and various chemical-resistant systems, and HNBR for gas installations – ensuring dependable performance across a wide range of operating conditions. Whether for potable water, mechanical, hydronic, or gas applications, we provide valves for flow isolation, flow control, automatic flow control, automatic temperature control, reverse flow prevention, particle filtration, as well as diverting and mixing functions. Viega valves are offered in both lead-free (Zero Lead) and non-lead-free (Non-Zero Lead) options, sizes ranging from ½" to 4", and are available in a variety of materials– including bronze, brass, 316 stainless steel, and epoxy-coated ductile iron. The Viega valve portfolio includes ¼ turn ball valves in both 2-piece and maintainable repair-ready 3-piece designs, butterfly valves, check valves, and a broad range of manual, dynamic, and thermostatic balancing valves. Additional options include shower valves and supply stop valves, strainers, along with a selection of accessories such as locking handles, insulated handles, gear-operated handwheels, and stem extensions. Like our trusted press connectors, Viega valves offer Smart Connect technology to provide installers added confidence in their ability to ensure secure connections. Providing faster installation than tradition methods, lowering labor rates per job, material savings, and no hot works.

FEATURES AND BENEFITS

- ProPress, MegaPress, and PureFlow press technology – fast, reliable, and flame-free connections that ensure long-term system durability and efficiency
- EPDM, FKM, and HNBR sealing elements - ensures dependable performance across a wide range of operating conditions
- Zero-Lead and Non-Zero-Lead options - flexibility to meet potable water safety standards while serving broader hydronics applications
- Bronze, Brass, 316 Stainless Steel, and Epoxy-coated Ductile Iron materials - ensures durability, corrosion resistance, and compatibility across a wide range of environments
- Versatile Valve Solutions – ¼ turn ball valves in both 2-piece and maintainable repair-ready 3-piece designs, butterfly valves, check valves, and a broad range of manual, dynamic, and thermostatic balancing valves
- Comprehensive System Flow Control - flow isolation, flow control, automatic flow control, automatic temperature control, reverse flow prevention, particle filtration, as well as diverting and mixing functions
- ½" through 4" Sizes – provides versatility to accommodate commercial, residential, and industrial system requirements
- Same-tool Installation – speeds up installation with one tool for both valves and fittings

ZERO LEAD

Zero Lead identifies Viega products meeting the lead-free requirements of NSF-61-372 through testing under NSF/ANSI/CAN 372 (0.25% or less maximum weighted average lead content).

NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A green dot indicates an EPDM sealing element. A white dot indicates an FKM sealing element. A yellow dot indicates an HNBR sealing element.

Index

Ball valves	172
Gas ball valves	176
3-piece ball valves	177
Check valves	179
Strainer	180
Globe valves	181
Butterfly valves	182
Balancing valves	183
Stop valves	185
Wall hydrants	186
Shower valves	187
Heating valves	187
Accessories	188

Ball valves



Viega ProPress ball valve
Smart Connect Technology
Zero Lead
- For potable water installations
- Bronze
- Press connection
- Full port

Components
Stainless steel ball, EPDM sealing elements, non-lockable metal handle
Model 2971.1ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.463	1	**79920**	8
¾	¾	0.637	1	**79925**	8
1	1	1.027	1	**79930**	8
1¼	1¼	1.512	1	**79935**	8
1½	1½	2.438	1	**79940**	8
2	2	3.910	1	**79950**	8



Viega ProPress ball valve
Smart Connect Technology
Zero Lead
- For potable water installations
- Brass
- Press connection
- Full port

Components
EPDM sealing elements, chrome-plated brass ball, lockable metal handle
Model 2971.1XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	8.706	1	**78300**	8
3	3	11.990	1	**78305**	8
4	4	17.963	1	**78310**	8



Viega ProPress ball valve
Zero Lead
- For potable water installations
- Not suitable for fuel gas application
- Brass
- Female pipe thread
- Full port

Components
EPDM sealing elements, non-lockable metal handle, stainless steel ball
Model 2800ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.529	1	**87920**	8
¾	¾	0.661	1	**87925**	8
1	1	1.146	1	**87930**	8
1¼	1¼	1.785	1	**87935**	8
1½	1½	2.182	1	**87940**	8
2	2	3.218	1	**87945**	8



Viega ProPress ball valve
Smart Connect Technology
Zero Lead
- For potable water installations
- Bronze
- Press connection
- Full port

Components
Lockable metal handle, stainless steel ball and stem, EPDM sealing elements
Model 2971.3ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.458	1	**79923**	8
¾	¾	0.648	1	**79928**	8
1	1	1.102	1	**79933**	8
1¼	1¼	1.508	1	**79938**	8
1½	1½	2.365	1	**79943**	8
2	2	3.901	1	**79948**	8



Viega ProPress ball valve
Smart Connect Technology
Zero Lead
- For potable water installations
- Not suitable for fuel gas application
- Bronze, brass
- Press connection
- Full port, with drain

Components
EPDM sealing elements, non-lockable metal handle, stainless steel ball
Model 2975.3ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.639	1	**87845**	8
¾	¾	0.904	1	**87850**	8



Viega ProPress ball valve
Smart Connect Technology
Zero Lead
- For potable water installations
- Bronze
- Press connection, female pipe thread
- Full port

Components
Lockable metal handle, stainless steel ball, EPDM sealing element

Model 2971.4ZL

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.463	1	**79970**	8
¾	¾	0.663	1	**79975**	8
1	1	1.031	1	**79980**	8



Viega ProPress ball valve
Smart Connect Technology
Zero Lead
- For potable water installations
- Bronze
- Press connection, hose connection
- Full port

Components
Lockable metal handle, stainless steel ball, EPDM sealing element

Note
NH threads (garden hose)

Model 2971.6ZL

P	Hose	Wt [lb]	Quantity	Part No	DG
½	¾	0.549	1	**79875**	8
¾	¾	0.719	1	**79876**	8



Viega ProPress ball valve
Smart Connect Technology
- For non-potable application
- Bronze, brass
- Press connection
- Full port

Components
EPDM sealing elements, non-lockable metal handle

Model 2973

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.595	1	**24000**	8
¾	¾	0.945	1	**24005**	8
1	1	1.390	1	**24010**	8
1¼	1¼	2.199	1	**24015**	8
1½	1½	3.049	1	**24020**	8
2	2	5.234	1	**24025**	8



Viega ProPress ball valve
Smart Connect Technology
- For non-potable application
- Bronze, brass
- Press connection, female pipe thread
- Full port

Components
EPDM sealing element, non-lockable metal handle

Model 2973.1

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.580	25	**24030**	8
¾	¾	0.910	20	**24035**	8
1	1	1.430	14	**24040**	8



Viega ProPress ball valve
Smart Connect Technology
- For non-potable application
- Bronze, brass
- Press connection, hose connection
- Full port

Components
EPDM sealing element, non-lockable metal handle

Note
NH threads (garden hose)

Model 2973.3

P	Hose	Wt [lb]	Quantity	Part No	DG
½	¾	0.695	25	**24090**	8
¾	¾	0.992	16	**24095**	8



Viega ProPress 316 ball valve
Smart Connect Technology
- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connections
- Full port

Components
Lockable 316 stainless steel handle, stainless steel ball and stem, EPDM sealing elements
Model 4075

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.564	1	**81081**	9
¾	¾	0.778	1	**81086**	9
1	1	1.186	1	**81096**	9
1¼	1¼	1.878	1	**81097**	9
1½	1½	2.676	1	**81106**	9
2	2	4.320	1	**81107**	9



Viega MegaPress ball valve
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Not suitable for fuel gas application
- Carbon steel

Components
Stainless steel ball, EPDM sealing elements, lockable metal handle
Model 4870

P	Wt [lb]	Quantity	Part No	DG
½	0.807	1	**28915**	12
¾	1.115	1	**28920**	12
1	1.750	1	**28925**	12
1¼	2.759	1	**28930**	12
1½	3.778	1	**28935**	12
2	5.847	1	**28940**	12



Viega MegaPress FKM ball valve
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Not suitable for fuel gas application
- Carbon steel

Components
Stainless steel ball, FKM sealing elements, lockable metal handle
Model 5970

P	Wt [lb]	Quantity	Part No	DG
½	0.818	1	**28945**	12
¾	1.048	1	**28950**	12
1	1.757	1	**28955**	12
1¼	2.777	1	**28960**	12
1½	3.795	1	**28965**	12
2	5.863	1	**28970**	12



Viega MegaPress FKM ball valve
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel
- Press connection
- Full port

Components
FKM sealing elements, lockable metal handle
Model 5970XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	17.632	1	**86790**	12
3	3	24.244	1	**86795**	12
4	4	36.146	1	**86800**	12



Viega MegaPress 304 FKM ball valve
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- Not suitable for fuel gas application
- 316 stainless steel valve/304 stainless steel press ends

Components
FKM sealing elements, stainless steel ball, 304 locking handle
Model 4170

P	Wt [lb]	Quantity	Part No	DG
½	0.760	1	**29005**	12
¾	1.031	1	**29010**	12
1	1.730	1	**29015**	12
1¼	2.729	1	**29020**	12
1½	3.621	1	**29025**	12
2	5.532	1	**29030**	12



Viega MegaPress 304 FKM ball valve
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection
- Full port

Components
Lockable metal handle, stainless steel ball and stem, FKM sealing elements
Model 4170XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	15.428	1	**86820**	12
3	3	20.718	1	**86825**	12
4	4	39.231	1	**86830**	12



Viega MegaPress 316 ball valve
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- Not suitable for fuel gas application
- 316 stainless steel

Components
EPDM sealing elements, 304 locking handle
Model 5170

P	Wt [lb]	Quantity	Part No	DG
½	0.774	1	**28975**	14
¾	1.031	1	**28980**	14
1	1.730	1	**28985**	14
1¼	2.729	1	**28990**	14
1½	3.626	1	**28995**	14
2	5.554	1	**29000**	14



Viega MegaPress 316 ball valve
Smart Connect Technology
Zero Lead
- For use with Sch. 10 to Sch. 40 stainless steel pipe
- Stainless steel 316
- Press connection
- Full port

Components
EPDM sealing elements, lockable metal handle, stainless steel ball and stem
Model 5170XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	18.073	1	**86805**	12
3	3	23.362	1	**86810**	12
4	4	35.264	1	**86815**	12



Viega PureFlow Press ball valve
Zero Lead
- For potable water installations
- Not suitable for gas installations
- Brass
- Press connection
- Full port

Components
EPDM sealing elements, lockable metal handle, stainless steel ball
Model 2870ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.467	1	**87900**	6
¾	¾	0.475	1	**87905**	6
1	1	0.542	1	**98200**	6
1¼	1¼	0.730	1	**98201**	6
1½	1½	1.199	1	**98202**	6
2	2	1.895	1	**98203**	6



Viega PureFlow Press ball valve
Zero Lead
- For potable water installations
- Brass
- Press connection
- Full port, with drain

Components
EPDM sealing element, non-lockable metal handle, stainless steel ball
Model 2875ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.860	1	**87910**	6
¾	¾	1.455	1	**87915**	6



Viega PureFlow Press ball valve
Smart Connect Technology
Zero Lead
- For potable water installations
- Not suitable for fuel gas application
- Bronze, brass
- PureFlow press connection, ProPress press connection
- Full port

Components
EPDM sealing element, non-lockable metal handle, stainless steel ball
Model 2882.1ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.617	1	**87855**	6
¾	¾	0.860	1	**87860**	6
1	1	1.455	1	**87865**	6
1¼	1¼	2.336	1	**87870**	6
1½	1½	3.086	1	**87875**	6
2	2	4.672	1	**87880**	6



Viega PureFlow Crimp ball valve
Smart Connect Technology
Zero Lead
- For potable water installations
- Bronze, brass
- Press connection, crimp connection
- Full port

Components
EPDM sealing elements, non-lockable metal handle, stainless steel ball
Model 2882.2ZL

P	Crimp	Wt [lb]	Quantity	Part No	DG
½	½	0.463	1	**87885**	6
¾	¾	0.551	1	**87890**	6
1	1	0.992	1	**87895**	6



Viega PureFlow Press ball valve
Zero Lead
- Brass
- Press connection
Model 2842.2ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.195	10	**94521**	6
¾	¾	0.393	10	**94541**	6



Viega PureFlow Press valve
Zero Lead
- For copper manifolds, transitioning between Viega PureFlow Press and Viega ProPress
- Brass
- Press connection, street

Note
½" ProPress tool and press jaw required
Model 2842.1ZL

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
½	½	0.288	10	**95002**	6



Viega PureFlow Crimp stop valve
Straight
Zero Lead
- Brass
- Crimp connection
- ¼ turn, full port

Model V5037ZL

Crimp1	Crimp2	Wt [lb]	Quantity	Part No	DG
½	½	0.257	10	**46031**	2
¾	¾	0.395	10	**46044**	2
1	1	0.643	10	**46060**	2



Viega PureFlow Crimp valve
- PolyAlloy
- Crimp connection
- ¼ turn

Model V5236

Crimp1	Crimp2	Wt [lb]	Quantity	Part No	DG
½	½	0.066	10	**43030**	3
¾	¾	0.080	10	**43040**	3

Gas ball valves



Viega MegaPressG ball valve
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Bronze, carbon steel
- Press connection

Components
HNBR sealing elements, lockable metal handle
Model 6675

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.844	1	**30600**	12
¾	¾	1.124	1	**30605**	12
1	1	1.757	1	**30610**	12
1¼	1¼	2.704	1	**30615**	12
1½	1½	3.678	1	**30620**	12
2	2	5.704	1	**30625**	12



Viega MegaPressG ball valve
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel
- Press connection

Components
HNBR sealing elements, lockable metal handle
Model 6675XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	18.840	1	**86840**	12
3	3	21.599	1	**86845**	12
4	4	40.113	1	**86850**	12



Viega MegaPressG ball valve
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Bronze, carbon steel
- Press connection, female pipe thread

Components
HNBR sealing element, lockable metal handle
Model 6675.1

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.694	1	**30630**	12
¾	¾	0.950	1	**30635**	12
1	1	1.569	1	**30640**	12
1¼	1¼	2.369	1	**30645**	12
1½	1½	3.346	1	**30650**	12
2	2	5.279	1	**30655**	12



Viega MegaPressG ball valve
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Bronze, carbon steel
- Press connection, male pipe thread

Components
HNBR sealing element, lockable metal handle
Model 6675.2

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.732	1	**30660**	12
¾	¾	0.987	1	**30665**	12
1	1	1.737	1	**30670**	12
1¼	1¼	2.557	1	**30675**	12
1½	1½	3.449	1	**30680**	12
2	2	5.400	1	**30685**	12



Viega MegaPressG ball valve
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Bronze, carbon steel
- Press connection, ground joint

Components
HNBR sealing element, lockable metal handle
Model 6675.3

P	GJ	Wt [lb]	Quantity	Part No	DG
½	½	1.281	1	**30690**	12
¾	¾	1.847	1	**30695**	12
1	1	2.517	1	**30700**	12
1¼	1¼	4.432	1	**30705**	12
1½	1½	5.248	1	**30710**	12
2	2	8.435	1	**30715**	12

GJ = ground joint

3-piece ball valves



Viega ProPress 3-piece ball valve
Smart Connect Technology
Zero Lead
- For potable water installations
- Not suitable for fuel gas application
- Bronze, stainless steel 316
- Press connection
- Full port

Components
EPDM sealing element, stainless steel ball, 304 locking handle
Model 2972.1ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	1.653	1	**87275**	8
¾	¾	2.061	1	**87280**	8
1¼	1¼	4.871	1	**87290**	8
1½	1½	6.500	1	**87295**	8
1	1	2.662	1	**87285**	8
2	2	8.706	1	**87300**	8



Viega MegaPress 3-piece ball valve
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- 316 stainless steel valve/Carbon steel press ends
- Press connection

Components
EPDM sealing elements, 304 locking handle
Model 4875.8

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	1.772	1	**28500**	12
¾	¾	3.388	1	**28501**	12
1	1	3.747	1	**28502**	12
1¼	1¼	7.066	1	**28503**	12
1½	1½	8.816	1	**28504**	12
2	2	8.763	1	**28505**	12



Viega MegaPress FKM 3-piece ball valve
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- 316 stainless steel valve/Carbon steel press ends
- Press connection

Components
FKM sealing elements, 304 locking handle
Model 5975.8

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	2.085	1	**86400**	12
¾	¾	3.222	1	**86405**	12
1	1	4.919	1	**86410**	12
1¼	1¼	5.715	1	**86415**	12
1½	1½	8.441	1	**86420**	12
2	2	8.739	1	**86425**	12



Viega MegaPress FKM 3-piece ball valve
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 carbon steel pipe
- 316 stainless steel valve/Carbon steel press ends
- Press connection

Components
FKM sealing elements, 304 locking handle
Model 5975.8XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	17.191	1	**86680**	12
3	3	23.296	1	**86685**	12
4	4	40.554	1	**86690**	12



Viega MegaPress 304 FKM 3-piece ball valve
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel valve/304 stainless steel press ends
- Press connection

Components
FKM sealing elements, 304 locking handle
Model 4175.8

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	2.711	1	**86500**	14
¾	¾	3.443	1	**86505**	14
1	1	4.573	1	**86510**	14
1¼	1¼	7.159	1	**86515**	14
1½	1½	9.336	1	**86520**	14
2	2	9.147	1	**86525**	14



Viega MegaPress 304 FKM 3-piece ball valve
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 stainless steel pipe
- 316 stainless steel valve/304 stainless steel press ends
- Press connection

Components
FKM sealing elements, 304 locking handle
Model 4175.8XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	17.191	1	**86650**	14
3	3	23.252	1	**86655**	14
4	4	40.113	1	**86660**	14



Viega MegaPress 316 3-piece ball valve
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connections

Components
EPDM sealing elements, 304 locking handle
Model 5175.8

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	1.717	1	**86530**	14
¾	¾	2.336	1	**86535**	14
1	1	4.188	1	**86540**	14
1¼	1¼	7.172	1	**86545**	14
1½	1½	8.265	1	**86550**	14
2	2	9.191	1	**86555**	14



Viega MegaPress 316 3-piece ball valve
Smart Connect Technology
- For use with Sch. 10 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connections

Components
EPDM sealing elements, 304 locking handle
Model 5175.8XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	12.761	1	**86665**	14
3	3	25.126	1	**86670**	14
4	4	40.113	1	**86675**	14



Viega MegaPress 316 3-piece ball valve Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connections
- Top plate actuation compatible in accordance with ISO 5211, full port

Components
FKM sealing elements, 304 locking handle, 316 stainless steel ball, blowout proof 316 stainless steel stem, ajustable stem packing

Model 6875.8

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	1.728	1	**86900**	14
¾	¾	2.367	1	**86905**	14
1	1	3.917	1	**86910**	14
1¼	1¼	5.697	1	**86915**	14
1½	1½	8.309	1	**86920**	14
2	2	8.538	1	**86925**	14



Viega MegaPress 316 3-piece ball valve Smart Connect Technology
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connections
- Top plate actuation compatible in accordance with ISO 5211, full port

Components
FKM sealing elements, 304 locking handle, 316 stainless steel ball, blowout proof 316 stainless steel stem, ajustable stem packing

Model 6875.8XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	12.761	1	**86930**	14
3	3	22.040	1	**86935**	14
4	4	37.027	1	**86940**	14

Check valves



Viega ProPress wafer check valve
- For potable water installations
- Ductile iron, epoxy powder-coated
- Suitable for Viega ProPress and MegaPress flange adapters, compact inline design

Components
Stainless steel hinge pin, EPDM seal, stainless steel spring-loaded double-disc

Note
Lighter than traditional full-body check valves.

Model 2974.3XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	5.510	1	**86975**	8
3	3	7.873	1	**86980**	8
4	4	11.926	1	**86985**	8



Viega MegaPress 316 wafer check valve
- Stainless steel 316
- Suitable for Viega ProPress and MegaPress flange adapters, compact inline design

Components
Stainless steel hinge pin, EPDM seal, stainless steel spring-loaded double-disc

Note
Lighter than traditional full-body check valves.

Model 5174XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	5.951	1	**86960**	14
3	3	8.580	1	**86965**	14
4	4	12.911	1	**86970**	14



Viega MegaPress FKM wafer check valve
- Ductile iron, epoxy powder-coated
- Suitable for Viega ProPress and MegaPress flange adapters, compact inline design

Components
Stainless steel hinge pin, FKM seal, stainless steel spring-loaded double-disc

Note
Lighter than traditional full-body check valves.

Model 5974XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	5.508	1	**86945**	12
3	3	7.873	1	**86950**	12
4	4	11.926	1	**86955**	12



Viega ProPress swing check valve
Smart Connect Technology
Zero Lead
- For potable water installations
- Not suitable for fuel gas application
- Bronze, brass
- Press connection
- Inline

Components
PTFE valve seat seal
Model 2974.2ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.727	1	**87170**	8
¾	¾	1.102	1	**87175**	8
1	1	1.609	1	**87180**	8
1¼	1¼	2.513	1	**87185**	8
1½	1½	5.554	1	**87190**	8
2	2	5.683	1	**87195**	8



Viega ProPress check valve
Smart Connect Technology
Zero Lead
- For potable water installations
- Bronze
- Press connection
- Inline

Components
EPDM sealing elements
Model 2974ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.168	1	**79035**	8
¾	¾	0.280	1	**79040**	8
1	1	0.454	1	**79045**	8
1¼	1¼	0.639	1	**79050**	8
1½	1½	0.961	1	**79055**	8
2	2	1.873	1	**79060**	8



Viega MegaPress FKM swing check valve
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Not suitable for potable water installations, fuel gas application
- Brass
- Press connection
- Carbon steel press ends

Components
PTFE disc seal
Model 5974.2

P1	P2	Wt [lb]	Quantity	Part No	DG
1	1	2.072	1	**87210**	12
2	2	6.678	1	**87225**	12
¾	¾	1.420	1	**87205**	12
½	½	1.014	1	**87200**	12
1¼	1¼	3.262	1	**87215**	12
1½	1½	4.386	1	**87220**	12



Viega MegaPress 316 check valve
Smart Connect Technology
- Stainless steel 316
- Press connection
- Inline

Components
EPDM sealing elements
Model 5174

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.441	1	**29050**	14
¾	¾	0.615	1	**29055**	14
1	1	1.117	1	**29060**	14
1¼	1¼	1.798	1	**29065**	14
1½	1½	2.103	1	**29070**	14
2	2	3.399	1	**29075**	14



Spring check valve
- For prevention of gravity circulation or backflow
- Brass
- Female pipe thread
- Horizontal or vertical installation, non-ferrous

Model 2873.4US

FPT1	FPT2	Wt [lb]	Quantity	Part No	DG
½	½	0.255	1	**20201**	4
¾	¾	0.400	1	**20202**	4
1	1	0.562	1	**20203**	4
1¼	1¼	0.800	1	**20204**	4
1½	1½	1.100	1	**20205**	4

Strainer



Viega ProPress wye strainer
Zero Lead
Smart Connect Technology
- For potable water installations
- Not suitable for gas installations
- Bronze, brass
- Press connection
- Mesh 20

Model 2981.1ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.551	1	**87230**	8
¾	¾	0.771	1	**87235**	8
1	1	1.212	1	**87240**	8
1¼	1¼	1.873	1	**87245**	8
1½	1½	2.741	1	**87250**	8
2	2	3.747	1	**87255**	8



Viega ProPress wye strainer Smart Connect Technology
- For potable water installations
- Not suitable for gas installations
- Brass
- Press connection
- Mesh 20

Components
EPDM sealing elements
Model 2981.1XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	16.530	1	**87260**	8
3	3	17.632	1	**87265**	8
4	4	18.734	1	**87270**	8



Viega MegaPress FKM wye strainer Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Not suitable for potable water installations, fuel gas application
- 316 stainless steel valve/Carbon steel press ends
- Press connection
- Mesh 20, carbon steel press ends

Components
FKM sealing element
Model 5981.1

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.890	1	**87110**	12
¾	¾	1.272	1	**87115**	12
1	1	2.255	1	**87120**	12
1¼	1¼	3.152	1	**87125**	12
1½	1½	4.025	1	**87130**	12
2	2	5.819	1	**87135**	12



Viega ProPress strainer repair kit
- Suitable for Viega ProPress wye strainer Zero Lead Model 2981.1ZL
- Stainless steel
- Mesh 100

Model 2981.11

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.022	1	**87950**	8
¾	¾	0.022	1	**87955**	8
1	1	0.022	1	**87960**	8
1¼	1¼	0.022	1	**87965**	8
1½	1½	0.022	1	**87970**	8
2	2	0.044	1	**87975**	8



Viega ProPress strainer repair kit
- Suitable for Viega ProPress wye strainer Model 2981.1XL
- Stainless steel
- Mesh 100

Model 2981.2XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	0.066	1	**87980**	8
3	3	0.088	1	**87985**	8
4	4	0.132	1	**87990**	8



Viega MegaPress 316 strainer repair kit
- Suitable for Viega MegaPress 316 wye strainer Model 5181.1, Viega MegaPress FKM wye strainer Model 5981.1
- Stainless steel
- Mesh 100

Components
PTFE gasket
Model 5181.11

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.022	1	**87745**	14
¾	¾	0.032	1	**87750**	14
1	1	0.397	1	**87755**	14
1¼	1¼	0.397	1	**87760**	14
1½	1½	0.441	1	**87765**	14
2	2	0.970	1	**87770**	14

Globe valves



Viega MegaPress 316 EPDM globe valve
- For use with Sch. 5 to Sch. 40 stainless steel pipe
- Not suitable for fuel gas application
- 316 stainless steel body and press ends
- Press connections

Components
EPDM sealing element, aluminum ADC12 handwheel, stainless steel disc and stem
Model 5185.1

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.895	1	**87600**	14
¾	¾	1.234	1	**87605**	14
1	1	1.926	1	**87610**	14
1¼	1¼	2.821	1	**87615**	14
1½	1½	3.689	1	**87620**	14
2	2	5.179	1	**87625**	14



Viega MegaPress 316 FKM globe valve
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Not suitable for fuel gas application
- 316 stainless steel body and press ends
- Press connections

Components
FKM sealing element, aluminum ADC12 handwheel, stainless steel disc and stem
Model 5985.1

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.939	1	**87630**	14
¾	¾	1.292	1	**87635**	14
1	1	2.023	1	**87640**	14
1¼	1¼	2.914	1	**87645**	14
1½	1½	3.846	1	**87650**	14
2	2	5.424	1	**87655**	14

Butterfly valves



Viega ProPress butterfly valve
LUG type
Zero Lead
- For potable water installations
- Ductile iron, epoxy powder-coated
- Top plate actuation compatible in accordance with ISO 5211, suitable for Viega ProPress flange adapters

Components
Multi-position locking handle, EPDM seal, stainless steel disc and stem
Model 2979.8ZL

d	BP	Wt [lb]	Quantity	Part No	DG
2½	4	7.582	1	**87660**	8
3	4	12.276	1	**87665**	8
4	8	17.676	1	**87670**	8

BP = bolt pattern



Viega MegaPress 316 butterfly valve
LUG type
Zero Lead
- Stainless steel 316
- Top plate actuation compatible in accordance with ISO 5211, suitable for Viega MegaPress flange adapters

Components
Multi-position locking handle, EPDM seal, stainless steel disc and stem
Model 5179.8

d	BP	Wt [lb]	Quantity	Part No	DG
2½	4	8.265	1	**87675**	14
3	4	0.011	1	**87680**	14
4	8	21.599	1	**87685**	14

BP = bolt pattern



Viega ProPress butterfly valve
- For non-potable application
- Suitable for Viega ProPress bolt set Model 2873.89
- Ductile iron
- Lug style

Components
Stainless steel disc and stem, EPDM seal
Model 2873.81

d	BP	Wt [lb]	Quantity	Part No	DG
2½	4	8.283	1	**22074**	8
3	4	8.887	1	**22075**	8
4	8	14.656	1	**22076**	8

BP = bolt pattern



Viega ProPress gear box
For butterfly valves
- For valve top
- Suitable for Viega ProPress butterfly valve LUG type Model 2979.8ZL, Viega MegaPress 316 butterfly valve LUG type Model 5179.8
- Ductile iron

Model 2979.88

d	Wt [lb]	Quantity	Part No	DG
2½	2.755	1	**87690**	8
3, 4	3.196	1	**87695**	8

Balancing valves



Viega ProPress manual balancing valve
Smart Connect Technology
- Brass

Components
Balancing valve, EPDM sealing elements, pressure/temperature test port
Model 2980ZL

P1	P2	Valve Size (CTS)	Flow Range (GPM)	Wt [lb]	Quantity	Part No	DG
½	½	½- U- Type	0.27–0.71	1.450	1	**82100**	8
½	½	½- L- Type	0.49–1.17	1.378	1	**82105**	8
½	½	½	0.98–2.35	1.378	1	**82110**	8
¾	¾	¾	2.19–5.15	1.620	1	**82115**	8
1	1	1	4.09–9.56	2.010	1	**82120**	8
1¼	1¼	1¼	8.56–19.81	3.262	1	**82125**	8
1½	1½	1½	12.84–29.8	4.121	1	**82130**	8
2	2	2	24.09–55.63	5.913	1	**82135**	8

Flow Range (GPM) = GPM = Gallons per minute



Viega automatic recirculation balancing valve
Zero Lead
- For automatic balancing of hot water recirculation
- Suitable for Viega PureFlow Press tailpiece Model 2893ZL, Viega ProPress tailpiece Model 2957ZL
- Bronze
- Male BSP

Components
Stainless steel ball

Note
Integrated isolation
Adjustable setpoint
Adjustable bypass
Model 2981.3ZL

BSP Thread	Wt [lb]	Quantity	Part No	DG
1 x 1	1.159	1	**79901**	8



Viega ProPress dynamic balancing valve
Smart Connect Technology
- Not suitable for potable water installations
- Brass, ductile iron
- Press connection, bronze press ends

Components
EPDM sealing elements, pressure/temperature test port
Model 2981.7

Valve Body	P1	P2	Wt [lb]	Quantity	Part No	DG
brass	½	½	1.719	1	**87305**	8
brass	¾	¾	1.884	1	**87310**	8
brass	1	1	2.215	1	**87315**	8
brass	1¼	1¼	3.786	1	**87320**	8
ductile iron	1½	1½	8.188	1	**87325**	8
ductile iron	2	2	9.352	1	**87330**	8



Viega ProPress balancing valve
Pressure independent
Smart Connect Technology
- Not suitable for potable water installations
- Brass, ductile iron
- Press connection, bronze press ends

Components

Pressure independent balancing and control valve, EPDM sealing elements, pressure/temperature test port, actuator

Model 2981.71

Valve Body	P1	P2	Wt [lb]	Quantity	Part No	DG
brass	½	½	1.873	1	**87365**	8
brass	¾	¾	1.984	1	**87370**	8
brass	1	1	2.336	1	**87375**	8
brass	1¼	1¼	2.865	1	**87380**	8
ductile iron	1½	1½	11.196	1	**87385**	8
ductile iron	2	2	12.320	1	**87390**	8



Viega ProPress balancing valve
Pressure independent
Smart Connect Technology
- Not suitable for potable water installations
- Brass, ductile iron
- Press connection, bronze press ends

Components

Pressure independent balancing and control valve, EPDM sealing elements, pressure/temperature test port

Model 2987.72

Valve Body	P1	P2	Wt [lb]	Quantity	Part No	DG
brass	½	½	1.344	1	**89925**	8
brass	¾	¾	1.455	1	**89930**	8
brass	1	1	1.807	1	**89935**	8
brass	1¼	1¼	3.438	1	**89940**	8
ductile iron	1½	1½	7.229	1	**89945**	8
ductile iron	2	2	9.433	1	**89950**	8



Viega MegaPress dynamic balancing valve
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Not suitable for potable water installations
- Brass, ductile iron
- Press connection, carbon steel press ends

Components

Balancing valve, EPDM sealing elements, pressure/temperature test port

Model 4881.7

Valve Body	P1	P2	Wt [lb]	Quantity	Part No	DG
brass	½	½	1.984	1	**87335**	12
brass	¾	¾	2.193	1	**87340**	12
brass	1	1	2.733	1	**87345**	12
brass	1¼	1¼	4.551	1	**87350**	12
ductile iron	1½	1½	8.992	1	**87355**	12
ductile iron	2	2	10.425	1	**87360**	12



Viega MegaPress balancing valve
Pressure independent
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Not suitable for potable water installations
- Brass, ductile iron
- Press connection
- Carbon steel press ends

Components
Pressure independent balancing and control valve, EPDM sealing elements, pressure/temperature test port, actuator

Model 4881.71

Valve Body	P1	P2	Wt [lb]	Quantity	Part No	DG
brass	½	½	2.138	1	**87450**	12
brass	¾	¾	2.336	1	**87395**	12
brass	1	1	2.865	1	**87400**	12
brass	1¼	1¼	4.805	1	**87405**	12
ductile iron	1½	1½	12.276	1	**87410**	12
ductile iron	2	2	13.400	1	**87415**	12



Viega MegaPress balancing valve
Pressure independent
Smart Connect Technology
- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Not suitable for potable water installations
- Brass, ductile iron
- Press connection
- Carbon steel press ends

Components
Pressure independent balancing and control valve, EPDM sealing elements, pressure/temperature test port

Model 4887.72

Valve Body	P1	P2	Wt [lb]	Quantity	Part No	DG
brass	½	½	1.609	1	**89955**	12
brass	¾	¾	1.807	1	**89960**	12
brass	1	1	2.336	1	**89965**	12
brass	1¼	1¼	4.276	1	**89970**	12
ductile iron	1½	1½	8.309	1	**89975**	12
ductile iron	2	2	9.433	1	**89980**	12

Stop valves



Viega ProPress stop valve
Straight
Zero Lead
- Not suitable for fuel gas application
- Nickel-plated brass
- ProPress press connection, compression
- ¼ turn

Note
¼" CTS also called ⅜" OD compression

Model 2942.4ZL

P	CTS	Wt [lb]	Quantity	Part No	DG
½	⅜	0.331	10	**90000**	8



Viega ProPress stop valve
Angled
Zero Lead
- Not suitable for fuel gas application
- Nickel-plated brass
- ProPress press connection, compression
- ¼ turn

Note
¼" CTS also called ⅜" OD compression

Model 2942.3ZL

P	CTS	Wt [lb]	Quantity	Part No	DG
½	⅜	0.309	10	**89995**	8



Viega PureFlow Press stop valve
Straight
Zero Lead
- Nickel-plated brass
- Press connection, compression
- ¼ turn

Note
¼" CTS also called ⅜" OD compression
Model 2842.3ZL

P	CTS	Wt [lb]	Quantity	Part No	DG
⅜	¼	0.281	10	**94023**	6
½	¼	0.274	10	**94031**	6



Viega PureFlow Press stop valve
Angled
Zero Lead
- Nickel-plated brass
- Press connection, compression
- ¼ turn

Note
¼" CTS also called ⅜" OD compression
Model 2842.4ZL

P	CTS	Wt [lb]	Quantity	Part No	DG
⅜	¼	0.284	10	**93515**	6
½	¼	0.278	10	**93511**	6



Viega PureFlow Crimp stop valve
Straight
Zero Lead
- Nickel-plated brass
- Crimp connection
- ¼ turn

Note
¼" CTS also called ⅜" OD compression
Model V5026ZL

Crimp	CTS	Wt [lb]	Quantity	Part No	DG
⅜	¼	0.320	1	**46001**	2
½	¼	0.290	1	**46022**	2



Viega PureFlow Crimp stop valve
Angled
Zero Lead
- Equipped with ferrule Part No 53005, Viega PureFlow Crimp ring Model V5019.9
- Nickel-plated brass
- Crimp connection
- ¼ turn

Note
¼" CTS also called ⅜" OD compression
Model V5064ZL

Crimp	CTS	Wt [lb]	Quantity	Part No	DG
⅜	¼	0.315	1	**46002**	2
½	¼	0.310	1	**46025**	2



Viega PureFlow Crimp stop valve
Straight
- PolyAlloy
- Crimp connection, lavatory connection
- ¼ turn

Model V5036.30

Crimp	Lav	Wt [lb]	Quantity	Part No	DG
⅜	½	0.090	10	**43023**	3



Viega PureFlow Crimp stop valve
Straight
- PolyAlloy
- Crimp connection, closet connection
- ¼ turn

Model V5036.31

Crimp	Closet	Wt [lb]	Quantity	Part No	DG
½	½	0.097	10	**43003**	3

Wall hydrants



Viega PureFlow Press wall hydrant
Zero Lead
- Chrome-plated brass
- Press connection
- Frost proof

Model 2888.0ZL

P	L [in]	Wt [lb]	Quantity	Part No	DG
½	10	1.222	5	**97120**	6
¾	10	1.201	5	**97121**	6

Shower valves



Viega shower valve
Zero Lead
- For potable water installations
- Dezincification resistant brass
- ½" copper stub-outs

Components
Pre-installed flush plug

Note
For use with Viega PureFlow and Viega ProPress.
Compatible only with American Standard pressure balance tub/shower, shower only and valve only trims.

Model 2842.5

d	Wt [lb]	Quantity	Part No	DG
½	1.679	1	**93516**	6



Viega shower valve
Zero Lead
- For potable water installations
- Dezincification resistant brass
- ½" copper stub-outs

Components
With screwdriver stops, pre-installed flush plug

Note
For use with Viega PureFlow and Viega ProPress.
Compatible only with American Standard pressure balance tub/shower, shower only and valve only trims.

Model 2842.6

d	Wt [lb]	Quantity	Part No	DG
½	1.679	1	**93517**	6

Heating valves



Three-way diverting and mixing valve
Smart Connect Technology
- Not suitable for potable water installations, fuel gas application
- Bronze
- Male BSP

Components
Three-way diverting and mixing valve, Viega ProPress tailpieces with EPDM sealing elements, flat gasket EPDM

Model 2976.3

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	1.763	100	**87420**	8
¾	¾	2.424	100	**87425**	8
1	1	3.615	100	**87430**	8
1¼	1¼	4.584	100	**87435**	8
1½	1½	7.075	100	**87440**	8
2	2	9.852	100	**87445**	8



Shutoff valve
- Use with manifold valveless Model 2835US
- Brass
- Female copper tube size, press connection

Model 2834.6US

C	P	Wt [lb]	Quantity	Part No	DG
½	½	0.252	10	**17260**	4
¾	⅝	0.434	10	**17261**	4
¾	¾	0.424	10	**17262**	4



Shutoff / balancing valve
- Use with manifold valveless Model 2835US
- Brass
- Female copper tube size, press connection

Model 2834.7US

P	C	Wt [lb]	Quantity	Part No	DG
½	½	0.514	10	**17263**	4
⅝	¾	0.739	10	**17264**	4
¾	¾	0.725	10	**17265**	4



Zone valve
- Suitable for digital thermostat Model 2874.5US, zone control Model 2874.7US
- Bronze
- Press connection

Model 2837.2US

V	P1	P2	Wt [lb]	Quantity	Part No	DG
24	¾	¾	1.527	1	**17232**	4
24	1	1	2.488	1	**17233**	4



Zone valve
- Suitable for digital thermostat Model 2874.5US, zone control Model 2874.7US
- Bronze
- Press connection, PureFlow Press outlet connection

Model 2837.3US

V	P1	P2	Wt [lb]	Quantity	Part No	DG
24	¾	¾	1.499	1	**17234**	4
24	1	1	2.513	1	**17235**	4



Zone valve
- Suitable for zone control Model 2874.7US
- Bronze
- Solder, PureFlow Press outlet connection

Model 2837.1US

V	C	P	Wt [lb]	Quantity	Part No	DG
24	¾	¾	1.479	1	**17230**	4
24	1	1	2.422	1	**17231**	4

Accessories



Viega ProPress drain valve
- For potable water installations
- Suitable for Viega ProPress manual balancing valve Model 2980ZL
- Brass
- Pressure/temperature test port

Model 2980.1ZL

MPT	Wt [lb]	Quantity	Part No	DG
¼	0.340	1	**82140**	8



Viega drain valve and temperature port Zero Lead
- Suitable for Viega bimetallic thermometer Part No 23460, Viega temperature sensor 2-wire Part No 23470
- Use with Viega automatic recirculation balancing valve Model 2981.3ZL
- Bronze

Model 2934.8ZL

BSP Thread	Wt [lb]	Quantity	Part No	DG
¼	0.168	1	**79902**	8



Viega powerhead cartridge Zero Lead
- Suitable for powerhead Model 2877.7, 2877.8
- Use with Viega automatic recirculation balancing valve Model 2981.3ZL
- Bronze

Model 2913.8ZL

	Wt [lb]	Quantity	Part No	DG
	0.220	1	**79903**	8



Viega temperature sensor 2-wire
- Use with Viega drain valve and temperature port Model 2934.8ZL

Note
Only for use with Viega ProPress drain valve and temperature port.

Model 2913.9

	Wt [lb]	Quantity	Part No	DG
	0.203	1	**23470**	8



Viega bimetallic thermometer
Note
Only for use with Viega ProPress drain valve and temperature port.
Model 2876.8US

	Wt [lb]	Quantity	Part No	DG
	0.056	1	**23460**	8



Viega valve insulation shell
- Use with Viega automatic recirculation balancing valve Model 2981.3ZL
- Expanded polypropylene
Model 2910.50

	Wt [lb]	Quantity	Part No	DG
	0.047	1	**23450**	8



Viega ProPress bolt set
- For butterfly valve
- Suitable for Viega ProPress butterfly valve Model 2873.81
- Galvanized steel
Components
Bolt, washer
Model 2873.89

L [in]	W [in]	Bolts	Valve Size	Wt [lb]	Quantity	Part No	DG
1½	⅝	4	2½	0.830	1	**19768**[1]	8
1¾	⅝	8	4	1.799	1	**19778**[2]	8

[1] Suitable for Viega ProPress butterfly valve Part No 22074
[2] Suitable for Viega ProPress butterfly valve Part No 22076



Viega ProPress wing style handle
- For valve top
- Suitable for Viega ProPress ball valve Model 2800ZL, Viega PureFlow Press ball valve Model 2870ZL, 2882.1ZL, Viega PureFlow Crimp ball valve Model 2882.2ZL, Viega ProPress ball valve Model 2971.1ZL, 2971.3ZL, 2971.4ZL, 2971.6ZL, 2975.3ZL, Viega MegaPress 304 FKM ball valve Model 4170, Viega MegaPress ball valve Model 4870, Viega MegaPress 316 ball valve Model 5170, Viega MegaPress FKM ball valve Model 5970, Viega MegaPressG ball valve Model 6675, 6675.1, 6675.2, 6675.3
- Stainless steel
Model 2971.26

Valve Size	Wt [lb]	Quantity	Part No	DG
½, ¾	0.117	1	**22400**	8
1, 1¼	0.165	1	**22405**	8
1½, 2	0.225	1	**22410**	8



Viega thermal insulated handle
- For valve top
- Suitable for Viega ProPress ball valve Model 2800ZL, Viega PureFlow Press ball valve Model 2870ZL, 2882.1ZL, Viega PureFlow Crimp ball valve Model 2882.2ZL, Viega ProPress ball valve Model 2971.1ZL, 2971.3ZL, 2971.4ZL, 2971.6ZL, 2975.3ZL, Viega MegaPress 304 FKM ball valve Model 4170, Viega MegaPress ball valve Model 4870, Viega MegaPress 316 ball valve Model 5170, Viega MegaPress FKM ball valve Model 5970
- POM
Model 2971.46

Valve Size	Wt [lb]	Quantity	Part No	DG
½, ¾	0.128	1	**23530**	8
1, 1¼	0.234	1	**23535**	8
1½, 2	0.278	1	**23540**	8



Viega ProPress insulated handle replacement cap
- Spare part for Viega thermal insulated handle Model 2971.46
- POM

Model 2971.47

Valve Size	Wt [lb]	Quantity	Part No	DG
½, ¾, 1	0.009	1	**22415**	8
1¼, 1½, 2	0.011	1	**22420**	8



Viega replacement handle
- For Viega ProPress Zero Lead ball valves, Viega MegaPress ball valves and for Viega MegaPressG ball valves
- Suitable for Viega ProPress ball valve Model 2971.1ZL, 2971.3ZL, 2971.4ZL, 2971.6ZL
- Galvanized carbon steel

Model 2971.8

Valve Size	Wt [lb]	Quantity	Part No	DG
½, ¾	0.119	1	**22170**	8
1, 1¼	0.185	1	**22172**	8
1½, 2	0.179	1	**22174**	8



Viega ProPress XL ball valve replacement handle
- Suitable for Viega ProPress ball valve Model 2971.1XL
- Galvanized carbon steel

Model 2971.8XL

Valve Size	Wt [lb]	Quantity	Part No	DG
2½–4	1.062	1	**78311**	8



Viega ProPress non-potable replacement handle
- For Viega ProPress ball valves
- Use with Viega ProPress ball valve Model 2973, 2973.1, 2973.3
- Carbon steel

Model 2973.8

Valve Size	Wt [lb]	Quantity	Part No	DG
½	0.115	1	**22176**	8
¾, 1	0.200	1	**22178**	8
1¼, 1½, 2	0.370	1	**22180**	8



Viega replacement handle
- For Viega ProPress Zero Lead ball valves, Viega MegaPress ball valves and for Viega MegaPressG ball valves
- Suitable for Viega PureFlow Press ball valve Model 2870ZL, Viega ProPress ball valve Model 2971.1ZL, 2971.3ZL, 2971.4ZL, 2971.6ZL, Viega ProPress 316 ball valve Model 4075, Viega MegaPress 304 FKM ball valve Model 4170, Viega MegaPress ball valve Model 4870, Viega MegaPress 316 ball valve Model 5170, Viega MegaPress FKM ball valve Model 5970
- 304 stainless steel

Model 4070.8

Valve Size	Wt [lb]	Quantity	Part No	DG
½, ¾	0.123	1	**22425**	8
1, 1¼	0.183	1	**22430**	8
1½, 2	0.179	1	**22435**	8



Viega 3-piece replacement handle
- Use with Viega MegaPress 304 FKM 3-piece ball valve Model 4175.8, Viega MegaPress 3-piece ball valve Model 4875.8, Viega MegaPress 316 3-piece ball valve Model 5175.8, Viega MegaPress FKM 3-piece ball valve Model 5975.8
- 316 stainless steel

Model 4875.80

Valve Size (CTS)	Valve Size (IPS)	Wt [lb]	Quantity	Part No	DG
¾	½	0.289	1	**86625**	14
1	¾	0.298	1	**86600**	14
1¼	1	0.496	2	**86605**	14
1½, 2	1¼, 1½, 2	0.518	1	**86630**	14



Viega MegaPress 3-piece XL replacement handle
- Use with Viega MegaPress 304 FKM ball valve Model 4170XL, Viega MegaPress 304 FKM 3-piece ball valve Model 4175.8XL, Viega MegaPress 316 ball valve Model 5170XL, Viega MegaPress 316 3-piece ball valve Model 5175.8XL, Viega MegaPress FKM ball valve Model 5970XL, Viega MegaPress FKM 3-piece ball valve Model 5975.8XL
- 316 stainless steel

Model 4875.8XL

Valve Size (IPS)	Wt [lb]	Quantity	**Part No**	DG
2½–3	1.232	1	**86715**	12
4	2.120	1	**86716**	12



Viega ProPress stem extension
- For Viega ProPress Zero Lead ball valves
- Suitable for Viega PureFlow Press ball valve Model 2870ZL, Viega ProPress ball valve Model 2971.1ZL, 2971.3ZL, 2971.4ZL, 2971.6ZL
- Bronze

Model 2971.96

Valve Size	Wt [lb]	Quantity	**Part No**	DG
½, ¾	0.207	1	**23443**	8
1, 1¼	0.245	1	**23445**	8
1½, 2	0.298	1	**23447**	8



Viega lockable stem extension
- For valve top
- Suitable for Viega ProPress ball valve Model 2800ZL, Viega PureFlow Press ball valve Model 2870ZL, 2882.1ZL, Viega PureFlow Crimp ball valve Model 2882.2ZL, Viega ProPress ball valve Model 2971.3ZL, 2971.4ZL, 2971.6ZL, 2975.3ZL, Viega MegaPress 304 FKM ball valve Model 4170, Viega MegaPress ball valve Model 4870, Viega MegaPress 316 ball valve Model 5170, Viega MegaPress FKM ball valve Model 5970, Viega MegaPressG ball valve Model 6675, 6675.1, 6675.2, 6675.3
- Brass

Note
Suitable for model 2971.1ZL, lockable function only in conjunction with model 2971.8.

Model 2971.66

Valve Size	Wt [lb]	Quantity	**Part No**	DG
½, ¾	0.207	1	**23500**	8
1, 1¼	0.273	1	**23505**	8
1½, 2	0.370	1	**23510**	8



Viega ProPress lockable stem extension
- Suitable for Viega ProPress ball valve Model 2971.1XL
- Brass

Model 2971.9XL

Valve Size	Wt [lb]	Quantity	**Part No**	DG
2½–4	1.344	1	**78312**	8



Viega ProPress lockable stem extension
- Suitable for Viega ProPress ball valve Model 2800ZL, Viega PureFlow Press ball valve Model 2870ZL, 2882.1ZL, Viega PureFlow Crimp ball valve Model 2882.2ZL, Viega ProPress ball valve Model 2971.3ZL, 2971.4ZL, 2971.6ZL, 2975.3ZL, Viega MegaPress 304 FKM ball valve Model 4170, Viega MegaPress ball valve Model 4870, Viega MegaPress 316 ball valve Model 5170, Viega MegaPress FKM ball valve Model 5970, Viega MegaPressG ball valve Model 6675, 6675.1, 6675.2, 6675.3
- 304 stainless steel

Note
Suitable for model 2971.1ZL, lockable function only in conjunction with model 2971.8 and 4070.8.

Model 4070.96

Valve Size	Wt [lb]	Quantity	Part No	DG
½, ¾	0.205	1	**23515**	8
1, 1¼	0.269	1	**23520**	8
1½, 2	0.342	1	**23525**	8



Viega MegaPress lockable stem extension
- Suitable for Viega MegaPress 304 FKM 3-piece ball valve Model 4175.8, Viega MegaPress 3-piece ball valve Model 4875.8, Viega MegaPress 316 3-piece ball valve Model 5175.8, Viega MegaPress FKM 3-piece ball valve Model 5975.8
- Stainless steel

Model 2972.12

CTS	IPS	Wt [lb]	Quantity	Part No	DG
½		0.293	1	**23600**	12
¾	½	0.291	1	**23611**	12
1	¾	0.289	1	**23605**	12
1¼	1	0.681	1	**23612**	12
1½, 2	1¼, 1½, 2	0.674	1	**23610**	12



Viega MegaPress XL lockable stem extension
- For valve top
- Suitable for Viega MegaPress 304 FKM ball valve Model 4170XL, Viega MegaPress 304 FKM 3-piece ball valve Model 4175.8XL, Viega MegaPress 316 ball valve Model 5170XL, Viega MegaPress 316 3-piece ball valve Model 5175.8XL, Viega MegaPress FKM ball valve Model 5970XL, Viega MegaPress FKM 3-piece ball valve Model 5975.8XL, Viega MegaPressG ball valve Model 6675XL
- Stainless steel 316

Model 5970.9XL

Valve Size	Wt [lb]	Quantity	Part No	DG
2½	1.210	1	**86835**	16
3	1.627	1	**86836**	16
4	1.757	1	**86837**	16



Viega ProPress stem extension
- For Viega ProPress non-potable ball valves
- Suitable for Viega ProPress ball valve Model 2973, 2973.1, 2973.3
- Brass

Model 2973.96

Valve Size	Wt [lb]	Quantity	Part No	DG
½	0.240	1	**23449**	8
¾, 1	0.325	1	**23451**	8
1¼, 1½, 2	0.590	1	**23453**	8



Viega ProPress valve repair kit
- Use with Viega ProPress 3-piece ball valve Model 2972.1ZL
- PTFE

Components
PTFE stem seals, PTFE ball seats

Model 4370.91

d	Wt [lb]	Quantity	Part No	DG
½	0.001	1	**85146**	9
¾	0.001	1	**85147**	9
1	0.001	1	**85148**	9
1¼	0.002	1	**85149**	9
1½	0.002	1	**85150**	9
2	0.002	1	**85151**	9



Viega MegaPress valve repair kit
- Not suitable for Viega ProPress 3-piece ball valves
- Use with Viega MegaPress 304 FKM 3-piece ball valve Model 4175.8, Viega MegaPress 3-piece ball valve Model 4875.8, Viega MegaPress 316 3-piece ball valve Model 5175.8, Viega MegaPress FKM 3-piece ball valve Model 5975.8
- PTFE

Components
PTFE stem seals, PTFE ball seats
Model 4875.91

d	Wt [lb]	Quantity	Part No	DG
½	0.001	1	**86560**	14
¾	0.001	1	**86565**	14
1	0.001	1	**86570**	14
1¼	0.002	1	**86575**	14
1½, 2	0.002	1	**86580**	14



Viega MegaPress valve repair kit
- For use with MegaPress 3-piece ball valve
- Use with Viega MegaPress 304 FKM 3-piece ball valve Model 4175.8XL, Viega MegaPress 316 3-piece ball valve Model 5175.8XL, Viega MegaPress FKM 3-piece ball valve Model 5975.8XL
- PTFE

Model 4875.9XL

d	Wt [lb]	Quantity	Part No	DG
2½	0.410	1	**86700**	12
3	0.661	1	**86705**	12
4	1.102	1	**86710**	12



Actuator
Motor-driven
- Suitable for Viega ProPress balancing valve pressure independent Part No 87365, 87370, 87375, 87380, 87385, Viega MegaPress balancing valve pressure independent Part No 87395, 87400, 87405, 87410, 87450, Viega ProPress balancing valve pressure independent Part No 89925, 89930, 89935, 89940, 89945, Viega MegaPress balancing valve pressure independent Part No 89955, 89960, 89965, 89970, 89975, three-way diverting and mixing valve Model 2976.3
- Modulating, adjustable stroke 2,5 mm, 5 mm and 5,5 mm, 0-10V control signal

Components
M30x1.5 mm
Model 2877.10

V [V]	Wt [lb]	Quantity	Part No	DG
24 V AC	0.529	1	**89985**	4

V = Voltage (V)



Actuator
Motor-driven
- Suitable for Viega ProPress balancing valve pressure independent Part No 87385, 87390, Viega MegaPress balancing valve pressure independent Part No 87410, 87415, Viega ProPress balancing valve pressure independent Part No 89945, 89950, Viega MegaPress balancing valve pressure independent Part No 89975, 89980
- Modulating, adjustable stroke 2,5 mm, 5 mm and 5,5 mm

Components
M30x1.5 mm
Model 2877.11

V [V]	Wt [lb]	Quantity	Part No	DG
24 V AC	3.967	1	**89990**	4

V = Voltage (V)

Tools



6.1

viega

Tools

Viega offers a variety of press tools and press jaws for every fitting size across every system. Save 50 to 90 percent on labor costs and system downtime by using a battery-powered press tool to make connections in seconds. With Viega, you'll get a whole solution from start to finish, including fittings, valves, press jaws/rings and press tools. Viega tool kits include a press tool, press jaws/rings, batteries, chargers and cases. Individual tools, press jaws/rings and accessories are also available.

FEATURES AND BENEFITS

- Viega press jaws and rings are uniquely engineered specifically for Viega fittings to make a reliable press every time
- The same power tool can be used across Viega systems to make presses on different products
- Make a press at any angle with Viega's patented swivel feature on press rings and actuators, an advantage when working in tight spaces as well as in shafts and pre-wall construction
- Press jaws and rings are available in sizes ½" to 4" for metals and ⅜" to 2" for PEX
- Press in wet or dry conditions

MEGAPRESS PRESS-IN BRANCH CONNECTOR TOOL KIT

The MegaPress Press-In Branch Connector is an innovative way to create branches from main runs or install instrumentation onto existing piping.
The branch connector installs onto carbon steel pipe in sizes 1½" through 4", as well as 6", and has a ¾" FPT outlet.
The tool kit contains all the accessories needed to drill the correct hole, as well as the pressing tools in all sizes to press the connector (drill not included).
The MegaPress Press-In Branch Connector is approved for use in hydronic heating, cooling water applications, compressed gases and many more, thanks to a variety of sealing-element choices.

NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record.

Index

Power Tools	200
Actuators / Press Jaws / Rings	201
Marine Actuator / Press Jaws / Rings	203
Hand Tools	204
Tubing Cutters	205
Decoilers	205
Staplers	205
Accessories	206

VIEGA TOOL MATRIX

This chart lists a selection of tools, jaws, actuators, and rings that are compatible with Viega products.

		ProPress*	MegaPress*	PureFlow
Viega Pressgun 6	Standard Jaws	½" - 2"	½" - 1"	½" - 2"
	V1 Actuator & Rings	½" - 1¼"	½" - ¾"	
	V2 Actuator & Rings	1½" - 4"	1" - 2"	
Viega Pressgun Picco 6	Compact Jaws	½" - 1¼"	½" - ¾"	⅜" - 1½ "
	C1 Actuator & Rings	½" - 1¼"	½" - ¾"	
RIDGID 330/340/350/351	Standard Jaws	½" - 2"	½" - 1"	½" - 2"
	V1 Actuator & Rings	½" - 1¼"	½" - ¾"	
	V2 Actuator & Rings	1½" - 4"	1" - 2"	
	MegaPress XL PressBooster		2½" - 4"	
RIDGID 240/241/251	Compact Jaws	½" - 1¼"	½" - 1"	⅜" - 1½"
	C1 Actuator & Rings	½" - 1¼"	½" - ¾"	
RIDGID RP 342-XL	Standard Jaws	½" - 2"	½" - 1"	½" - 2"
	V2 Actuator & Rings	1½" - 4"	1" - 2"	
	Z3 Actuator and Rings		2½" - 4"	
Milwaukee M12 Force Logic	M12 Jaws	½" - 1¼"	½" - 1"	⅜" - 1½"
Milwaukee M18 Force Logic	M18 Jaws	½" - 2"	½" - 1"	½" - 2"
	M18 Ring Jaw 1 and Rings	2½" - 4"	1¼" - 2"	
Milwaukee M18 Short Throw	M18 Short Throw Jaws			½" - 1"
Milwaukee M18 Long Throw	Z3 Actuator and Rings		2½" - 4"	
	M18 Jaws	½" - 2"	½" - 1"	½" - 2"
	M18 Ring Jaw 1 and Rings	2½" - 4"	1¼" - 2"	
	M18 Ring Jaw 2 and Rings		2½" - 4"	
DeWalt DCE210 20v MAX	DeWalt Compact Jaws	½" - 1¼"		
Hand Tools				5⁄16" - 1"





***ProPress includes:** ProPress, ProPress 316*
***MegaPress includes:** MegaPress, MegaPress FKM, MegaPress G, MegaPress 304 FKM, MegaPress 316, MegaPress 316 FKM, MegaPress CuNi*
**Milwaukee and DeWalt tools are not sold by Viega LLC.*

viega PRESS TECHNOLOGY

		SeaPress
Viega Pressgun 6	Metric Jaws	12-54
	P2 Actuator and Chain	76.1-108 (flanges only)
	Z1 Actuator and Rings	12-35
	Z2 Actuator and Rings	42-108 (no flanges)
Viega Pressgun Picco 6	Metric Jaws	12-35
	P1 Actuator & Rings	12-35
RIDGID 330/340/350/351	Metric Jaws	12-54
	Z1 Actuator & Rings	12-35
	Z2 Actuator & Rings	42-108
RIDGID 240/241/251	Metric Jaws	12-35
	P1 Actuator & Rings	12-35

When using Viega press technology, the list of needed equipment and supplies is short. All that is required is a press tool plus the appropriately sized jaws, and for some systems you'll need a ring kit. Whether you're pressing ProPress, MegaPress, PureFlow, or SeaPress, this reference chart quickly and easily lists what is needed to make a press connection, depending on the tool used.



Power Tools



Ridgid RP 350
Standard press tool kit
- For Viega PureFlow Press connections ½" to 2", Viega ProPress connections ½" to 4", Viega MegaPress connections ½" to 4"

Components
Hard case, Ridgid RP 350 tool, MegaPress press jaw sizes ½" to 1", 2 lithium batteries, battery charger
Model 2880.7

for d	Wt [lb]	Quantity	Part No	DG
½, ¾, 1	31.941	1	**56092**	16



Ridgid RP 350
Standard press tool kit
- For Viega PureFlow Press connections ½" to 2", Viega ProPress connections ½" to 4", Viega MegaPress connections ½" to 4"

Components
Ridgid RP 350 tool, ProPress press jaw sizes ½" to 2", 2 lithium batteries, battery charger, hard case
Model 2980.7

for d	Wt [lb]	Quantity	Part No	DG
½–2	56.684	1	**56091**	16



Ridgid RP 350
Standard press tool
- For Viega PureFlow Press connections ½" to 2", Viega ProPress connections ½" to 4", Viega MegaPress connections ½" to 4"

Components
Ridgid RP 350 tool, 2 lithium batteries, battery charger, hard case
Model 2980.71

for d	Wt [lb]	Quantity	Part No	DG
press jaws not included	22.854	1	**56093**	16



Ridgid RP 251
Compact press tool kit
- For Viega ProPress connections ½" to 1", Viega PureFlow Press connections ½" to 1"

Components
Ridgid RP 251 tool, ProPress press jaw sizes ½" to 1" OR PureFlow press jaw sizes ½" to 1", lithium battery, battery charger, Ridgid branded hard-sided case
Model 2880.8US

Press Jaws	for d	Wt [lb]	Quantity	Part No	DG
Viega ProPress	½, ¾, 1	20.494	1	**99731**	16
Viega PureFlow Press	½, ¾, 1	20.494	1	**99732**	16



Ridgid RP 342 XL press tool
- For Viega PureFlow Press connections ½" to 2", Viega ProPress connections ½" to 4", Viega MegaPress connections ½" to 4"

Components
2 lithium batteries, battery charger, Ridgid RP 342 XL press tool, hard case

Note
Compatible with all standard press jaws and rings.
Viega MegaPress Z3 actuator is required for MegaPress 2-1/2" to 4" connections.
Model 2980.75

for d	Wt [lb]	Quantity	Part No	DG
½–4	22.694	1	**56094**	16



XL PressBooster
2½" MegaPress press ring
- For Viega MegaPress XL connections 2½", 3", 4"

Components
XL PressBooster, 2½" MegaPress press ring, shoulder strap, hard case

Note
Capable of pressing 3" and 4" connections with the purchase of additional press rings.

Model 4896.2XL

for d	Wt [lb]	Quantity	Part No	DG
2½–4	37.027	1	**26200**	16



Press-in branch connector
- For use with 1½" to 4", 6" pipe
- Does not include press tool, drill, XXX press-in branch connector

Components
Drilling assembly, spare hole saw, drilling guide, positioning guides, press-in tool, adapter, marker, hard case

Note
Not for use with compact tool.

Model 4878.5

for d	Wt [lb]	Quantity	Part No	DG
1½–4, 6	20.149	1	**26920**	16

Actuators / Press Jaws / Rings



Viega MegaPress Z3 actuator
- For use with Viega MegaPress XL 2-1/2" to 4" press rings
- Steel

Components
Z3 actuator, hard case

Model 4898.5XL

	Wt [lb]	Quantity	Part No	DG
	19.968	1	**57080**	16



Viega MegaPress Z3 actuator
2½" MegaPress press ring
- For Viega MegaPress XL connections 2½", 3", 4"

Components
Z3 actuator, 2½" MegaPress press ring, hard case

Note
Capable of pressing 3" and 4" connections with the purchase of additional press rings.

Model 4898.6XL

for d	Wt [lb]	Quantity	Part No	DG
2½	26.029	1	**57081**	16



Viega MegaPress XL press ring set
- For use with MegaPress XL PressBooster and Viega MegaPress Z3 Actuator

Components
3" and 4" MegaPress press rings, hard case

Model 4896.5XL

for d	Wt [lb]	Quantity	Part No	DG
3–4	23.913	1	**57078**	16



Viega MegaPress standard press jaw and ring set
- For standard press tools, Viega MegaPress connections ½" to 2"

Components
MegaPress press jaw sizes ½" to 1", MegaPress press rings sizes 1 ¼" to 2", V2 actuator, branded soft-sided case

Model 2880.71

for d	Wt [lb]	Quantity	Part No	DG
½–2	48.986	1	**56013**	16



Viega ProPress XL-C press ring kit
- For standard press tools, Viega ProPress connections 2½" to 4"
- Steel

Components
V2 actuator, ProPress XL-C press rings sizes 2½" to 4", hard case
Model 2999.4XL

for d	Wt [lb]	Quantity	Part No	DG
2½–4	40.239	1	**57076**	16



Ridgid V2 actuator
- For use with ProPress XL-C 2-½" to 4" press rings and MegaPress 1-¼" to 2" press rings
- Steel

Model 2999.2

	Wt [lb]	Quantity	Part No	DG
	6.998	1	**57075**	16



Viega PureFlow standard press jaw
- For Viega Pressgun 6, standard press tools, PEX tubing
- Steel

Model 2899.7US

Press Jaws	Wt [lb]	Quantity	Part No	DG
½	4.013	1	**56073**	16
⅝	3.727	1	**56074**	16
¾	3.978	1	**56075**	16
1	4.117	1	**56076**	16
1¼	4.408	1	**56080**	16
1½	4.547	1	**56081**	16
2	9.347	1	**56082**	16



Viega PureFlow compact press jaw
- For Viega Pressgun Picco 6, compact tool, PEX tubing
- Steel

Model 2884.7US

Press Jaws	Wt [lb]	Quantity	Part No	DG
⅜	2.418	1	**56052**	16
½	2.394	1	**56053**	16
⅝	2.374	1	**56054**	16
¾	2.358	1	**56055**	16
1	2.574	1	**56056**	16
1¼	2.757	1	**56060**	16
1½	2.539	1	**56061**	16



Viega ProPress standard press jaw
- For Viega Pressgun 6, standard press tools, copper tube, stainless steel CTS tube
- Steel

Model 2999.5

Press Jaws	Wt [lb]	Quantity	Part No	DG
½	4.009	1	**57235**	16
¾	4.219	1	**57234**	16
1	4.399	1	**57233**	16
1¼	4.639	1	**57232**	16
1½	6.398	1	**57231**	16
2	9.747	1	**57230**	16



Viega ProPress compact press jaw
- For Viega Pressgun Picco 6, compact tool, copper tube, stainless steel CTS tube
- Steel

Model 2999.51

Press Jaws	Wt [lb]	Quantity	Part No	DG
½	2.219	1	**57239**	16
¾	1.999	1	**57238**	16
1	2.289	1	**57237**	16
1¼	2.639	1	**57236**	16



Viega ProPress XL-C press ring
- For Viega Pressgun 6, standard press tools, copper tube, stainless steel CTS tube
- Steel

Model 2999.52

for d	Wt [lb]	Quantity	Part No	DG
2½	11.997	1	**57242**	16
3	10.297	1	**57241**	16
4	11.997	1	**57240**	16



Viega MegaPress standard press ring
- For Viega Pressgun 6, standard press tools, carbon steel, stainless steel IPS pipe, CuNiFe 90/10
- Steel

Model 2999.53

for d	Wt [lb]	Quantity	Part No	DG
1¼	6.142	1	**57245**	16
1½	6.554	1	**57244**	16
2	5.998	1	**57243**	16



Viega MegaPress standard press jaw
- For Viega Pressgun 6, standard press tools, carbon steel, stainless steel IPS pipe, CuNiFe 90/10
- Steel

Model 2999.54

Press Jaws	Wt [lb]	Quantity	Part No	DG
½	1.847	1	**57248**	16
¾	5.199	1	**57247**	16
1	6.798	1	**57246**	16



Viega MegaPress compact press jaw
- For Viega Pressgun Picco 6, compact tool, carbon steel, stainless steel IPS pipe
- Steel

Model 2999.55

Press Jaws	Wt [lb]	Quantity	Part No	DG
½	2.999	1	**57249**	16
¾	2.999	1	**57250**	16

Marine Actuator / Press Jaws / Rings



Viega MegaPress Marine press jaw set
- For use with Viega MegaPress CuNi only in Navy applications
- Steel

Components
Hard case, Viega MegaPress Marine press jaws ½-1"

Model 2880.75

for d	Wt [lb]	Quantity	Part No	DG
½, ¾, 1	23.268	1	**56310**	16



Viega MegaPress Marine press ring set
- For use with Viega MegaPress CuNi only in Navy applications
- Steel

Components
Hard case, Viega MegaPress Marine press rings 1-¼" - 2" and Marine V2 actuator

Model 2880.76

for d	Wt [lb]	Quantity	Part No	DG
½, ¾	13.663	1	**56360**	16
1, 1¼, 1½, 2	34.032	1	**56365**	16



Viega MegaPress Marine press jaw
- For use with Viega MegaPress CuNi only in Navy applications
- Steel

Model 2880.72

for d	Wt [lb]	Quantity	Part No	DG
½	4.955	1	**56250**	16
¾	5.142	1	**56255**	16
1	6.811	1	**56260**	16



Viega MegaPress Marine press ring
- For use with Viega MegaPress CuNi only in Navy applications
- Steel

Model 2880.73

for d	Wt [lb]	Quantity	Part No	DG
½	0.593	1	**56265**	16
¾	1.563	1	**56270**	16
1	2.098	1	**56275**	16
1¼	6.142	1	**56280**	16
1½	6.561	1	**56285**	16
2	5.979	1	**56290**	16



Viega MegaPress marine actuator
- For use with Viega MegaPress CuNi only in Navy applications
- Steel

Model 2880.74

type	for d	Wt [lb]	Quantity	Part No	DG
V1/Z1	½, ¾	4.742	1	**56300**	16
V2/Z2	1, 1¼, 1½, 2	6.998	1	**56305**	16

Hand Tools



Viega PureFlow Press hand tool
- Ratcheting design, color coded handles

Model 2882US

d	Version	Wt [lb]	Quantity	Part No	DG
5/16	black	3.394	1	**60010**	4
⅜	green	3.446	1	**50000**	6
½	yellow	3.409	1	**50020**	6
⅝	red	3.459	1	**50030**	4
¾	blue	3.344	1	**50040**	6
1	orange	4.549	1	**50060**	6



Viega PureFlow Crimp hand tool Compact angled
- Color coded handles

Model V5082.4

d	Version	Wt [lb]	Quantity	Part No	DG
⅜	green	2.439	1	**41703**	5
½	yellow	2.459	1	**41723**	5
¾	blue	2.559	1	**41744**	5



Viega PureFlow Crimp hand tool full circle
- Composite
- Soft touch

Model V5082.7

for d	Wt [lb]	Quantity	Part No	DG
½, ¾	3.449	1	**41770**	5
1	3.459	1	**41765**	5



Viega PureFlow Press starter tool set
- Color coded handles

Components
Viega Pureflow Press hand tool sizes ½" and ¾", tubing cutter

Model 2880.2

for d	Wt [lb]	Quantity	Part No	DG
½, ¾	13.255	1	**56000**	6



Viega PureFlow Press complete heating tool set
- Color coded handles

Components
Viega Pureflow Press hand tool sizes ⅜" to 1", prep tool

Model 2880.5US

for d	Wt [lb]	Quantity	Part No	DG
⅜, ½, ⅝, ¾, 1	26.446	1	**56030**	4



Viega PureFlow Press complete plumbing tool set
- Color coded handles

Components
Viega Pureflow Press hand tool sizes ⅜" to 1", tubing cutter

Model 2880.6US

for d	Wt [lb]	Quantity	Part No	DG
⅜, ½, ¾, 1	22.192	1	**56010**	6



SVC wrench
- For SVC fitting nuts on manifolds
- Chrome-plated steel

Model 2889.4US

SVC	Wrench [in]	Wrench	Wt [lb]	Quantity	Part No	DG
✓	1 3/16	30	0.310	1	**50002**	4

Wrench = wrench size (in inch)

Tubing Cutters



Viega PureFlow PEX tubing cutter
- For use with Viega PureFlow tubing up to 2"
- Steel
- Ratcheting design

Model 2840

max d	Wt [lb]	Quantity	Part No	DG
2	1.254	1	**53561**	5



Viega PureFlow PEX tubing cutter
- For use with Viega PureFlow tubing up to 1½"
- Plastic

Model V5055

max d	Wt [lb]	Quantity	Part No	DG
1½	0.401	1	**21307**	5

Decoilers



Decoiler
Drum and base
- For use with Viega Barrier PEX tubing sizes ½" to ¾" and lengths 800' to 2000'

Model 2875.6US

max d	Wt [lb]	Quantity	Part No	DG
¾	129.963	1	**21310**	4

Staplers



Stapler
- For foam board insulation
- Suitable for staple Model 2890.0US
- Manual

Model 2891.1US

	Wt [lb]	Quantity	Part No	DG
	7.026	1	**21432**	4



Staple
- Suitable for stapler Model 2891.1US
- Plastic

Note
Smallest sellable quantity is 1 box of 300

Model 2890.0US

L [in]	Wt [lb]	Quantity	Part No	DG
2½	0.006	300	**15312**	4

Accessories



Press tool battery
- For use with Pressgun 6, Pressgun Picco 6, or other compatible 18V tool platform
- Lithium-ion

Model 2998.63

V	Wt [lb]	Quantity	Part No	DG
18 V, 2.5 Ah	1.100	1	**57260**	16
18 V, 5 Ah	1.763	1	**57261**	16



Battery charger
- For use with compatible 18V batteries

Components
Charger, type A cable, vehicle cable

Model 2998.65

V	Wt [lb]	Quantity	Part No	DG
120 V AC	2.189	1	**57262**	16



Viega soft-sided tool case
- 600D Nylon

Components
Hard base, shoulder strap, 8 internal pockets, 8 external pockets

Model 2880.4

	Wt [lb]	Quantity	Part No	DG
	3.168	1	**56066**	16



Hole saw
- Spare part for press-in branch connector Model 4878.5
- Steel

Model 4878

d	Wt [lb]	Quantity	Part No	DG
1 1/16	0.140	1	**26975**	16



Press-In Branch Connector HEX adapter
- For use with drill chuck without SDS-plus handle
- Spare part for press-in branch connector Model 4878.5
- Steel

Components
Hex chuck

Model 4812.28

	Wt [lb]	Quantity	Part No	DG
	0.149	1	**26837**	16



Positioning guide
- Spare part for press-in branch connector Model 4878.5
- Use with Viega MegaPress press-in branch connector Model 4812.2
- Stainless steel

Model 4878.6

for d	Wt [lb]	Quantity	Part No	DG
1½	0.333	1	**26990**	16
2	0.476	1	**26991**	16
2½	0.555	1	**26992**	16
3	0.721	1	**26993**	16
4	0.961	1	**26994**	16
6	1.397	1	**26995**	16



Press-In Branch Connector adapter SDS-plus drive
- Spare part for press-in branch connector Model 4878.5
- Steel

Model 4878.91

	Wt [lb]	Quantity	Part No	DG
	0.134	1	**26955**	16



Press-In Branch Connector tool
- For installing Viega MegaPress press-in branch connectors
- Spare part for press-in branch connector Model 4878.5
- Steel

Model 4878.9

	Wt [lb]	Quantity	Part No	DG
	1.245	1	**26925**	16



Press-In Branch Connector bolt
- Spare part for press-in branch connector Model 4878.5
- Use with Press-In Branch Connector tool Model 4878.9
- Steel

Model 4878.92

	Wt [lb]	Quantity	Part No	DG
	0.256	1	**26960**	16



Shoulder strap
- Suitable for XL PressBooster 2½" MegaPress press ring Model 4896.2XL
- Nylon

Model 4897.4XL

	Wt [lb]	Quantity	Part No	DG
	0.555	1	**26930**	16



Replacement handle
- For Z3 actuator
- Plastic

Model 4898.7XL

	Wt [lb]	Quantity	Part No	DG
	0.309	1	**57082**	6



Caliper
Go/No-Go gauge
- For use with Viega PureFlow Crimp fittings

Model V5054

for d	Wt [lb]	Quantity	Part No	DG
⅜, ½, ¾	0.100	1	**53507**	5
1	0.065	1	**53511**	5

Catalog Index



viega

Model No.	Page	Model No.	Page	Model No.	Page	Model No.	Page	Model No.	Page
0186XL	30	2815NG	156	2873.81	182	2916	20	2999.53	203
0186XL	42	2815ZL	119	2873.89	189	2916.1	20	2999.54	203
0511	106	2815ZL	157	2874.5US	160	2916.3	20	2999.55	203
0512	106	2816ZL	115	2874.6US	160	2917.2ZL	24	4003	36
0515	107	2818NG	154	2874.7US	160	2917.3ZL	21	4007XL	36
0515.1	108	2818ZL	117	2875.6US	166	2918	23	4008	36
0515.1XL	108	2819NG	156	2875.6US	205	2925.2ZL	21	4008XL	36
0515.2	108	2820.0ZL	120	2875.8US	161	2925.5ZL	21	4011	38
0515.2XL	109	2820.1ZL	120	2875ZL	175	2926	21	4011XL	39
0515.5	108	2820.2ZL	120	2876.4US	165	2926.1	22	4012	39
0515.5XL	108	2820.4ZL	120	2876.8US	189	2928	30	4012.5	39
0515XL	107	2825.5ZL	116	2877.10	161	2928.7ZL	21	4013.2XL	39
0516	104	2834.5US	159	2877.10	193	2934.8ZL	188	4015	40
0516.1	104	2834.6US	163	2877.11	193	2942.3ZL	185	4015.1	41
0516.1XL	104	2834.6US	187	2877.2	158	2942.4ZL	185	4015.1XL	41
0516XL	104	2834.7US	163	2877.7	161	2946	154	4015.5	40
0517.2	106	2834.7US	187	2877.8	161	2956	26	4015.5XL	41
0517.2XL	106	2834.8US	159	2878.910	165	2957ZL	27	4015XL	40
0518	105	2834.9US	159	2878.913	165	2957ZL	163	4016	36
0518XL	105	2835US	159	2878.914	165	2959.5ZL	26	4016.1	37
0526	104	2837.1US	164	2878.915	165	2960ZL	26	4016.1XL	37
0526.1	105	2837.1US	188	2878.916	165	2962ZL	27	4016XL	36
0526.1XL	105	2837.2US	164	2878.917	166	2963.9	31	4017.2	38
0526XL	105	2837.2US	187	2878.918	166	2965ZL	27	4017.2XL	38
0559	106	2837.3US	164	2878.919	166	2967ZL	27	4018	38
0559.3XL	107	2837.3US	188	2878.920	166	2969	31	4018XL	38
0560	107	2840	205	2878.922	158	2971.1XL	12	4026	37
0565	107	2842.1ZL	176	2878.923	166	2971.1XL	172	4026.1	37
0687	30	2842.2ZL	176	2878.924	166	2971.1ZL	172	4026.1XL	37
0687	42	2842.3ZL	186	2879	158	2971.26	189	4026XL	37
0911XL	25	2842.4ZL	186	2879.6US	159	2971.3ZL	172	4056	40
0912XL	25	2842.5	187	2880.2	204	2971.46	189	4056.1XL	40
0915.1XL	29	2842.6	187	2880.4	206	2971.47	190	4059	39
0915.2XL	29	2850.1US	125	2880.5US	204	2971.4ZL	173	4059XL	39
0915.5XL	28	2850.1US	138	2880.6US	204	2971.66	191	4060	40
0915XL	27	2850.1US	153	2880.7	200	2971.6ZL	173	4070.8	190
0916.1XL	20	2850.2US	125	2880.71	201	2971.8	190	4070.96	192
0916XL	20	2850.2US	138	2880.72	203	2971.8XL	190	4075	13
0917.2XL	24	2850.2US	153	2880.73	203	2971.96	191	4075	174
0918XL	24	2850.3US	124	2880.74	204	2971.9XL	191	4111	76
0926.1XL	22	2850.3US	138	2880.75	203	2972.12	192	4111XL	76
0926XL	21	2850.4US	124	2880.76	203	2972.1ZL	177	4112	77
0956XL	26	2850.4US	138	2880.8US	200	2973	173	4112XL	77
0959.5XL	26	2851US	125	2881.9US	165	2973.1	173	4113	14
1003.5SV	157	2851US	139	2882.1ZL	175	2973.3	173	4113	79
1022.1SV	156	2851US	153	2882.2ZL	176	2973.8	190	4115	78
1022.6SV	156	2856.6	158	2882US	204	2973.96	192	4115.1	79
1022.7SV	159	2856.7	158	2884.7US	202	2974.2ZL	12	4115.1XL	79
1022.7SV	164	2856NG	157	2885.0ZL	122	2974.2ZL	180	4115.2	79
1022SV	156	2857.1US	162	2887.3	163	2974.3XL	12	4115.5	78
1030.1SV	157	2857.2US	162	2887.30	167	2974.3XL	179	4115.5XL	79
1030SV	157	2857.7US	159	2887.31	167	2974ZL	180	4115XL	78
2800.5US	124	2860US	125	2887.32	167	2975.2	30	4116	74
2800.5US	138	2860US	139	2887.33	167	2975.3ZL	172	4116.1	74
2800ZL	172	2860US	153	2887.34	168	2976.3	163	4116.1XL	74
2801.4US	161	2861US	126	2887.35	168	2976.3	187	4116XL	74
2802US	152	2861US	139	2887.37	167	2979.88	182	4117.2	76
2803US	152	2863US	125	2887.38	167	2979.8ZL	12	4117.2XL	76
2804	158	2863US	139	2887.4	168	2979.8ZL	182	4118	75
2809.1US	162	2863US	153	2887.41	168	2980.1ZL	188	4118XL	76
2809.2US	163	2864US	126	2888.0ZL	186	2980.7	200	4126	74
2810.1US	162	2864US	139	2889.4US	205	2980.71	200	4126.1	75
2810.2US	162	2864US	152	2890.0US	205	2980.75	200	4126.1XL	75
2810.3US	164	2865.3US	161	2890.4US	158	2980ZL	183	4126XL	75
2810.8US	153	2866US	152	2891.1US	205	2981.11	181	4156	77
2810US	162	2870.91	147	2892ZL	118	2981.1XL	181	4156.1XL	78
2811NG	155	2870ZL	175	2892ZL	119	2981.1ZL	12	4159	77
2811ZL	118	2871.0US	160	2893ZL	119	2981.1ZL	180	4159XL	77
2811ZL	155	2871.2US	160	2894ZL	117	2981.2XL	181	4160	78
2812ZL	118	2871.4US	161	2895ZL	120	2981.3ZL	183	4170	13
2812ZL	155	2871.6US	153	2899.1	165	2981.7	183	4170	174
2813.1NG	156	2872.0ZL	122	2899.7US	202	2981.71	184	4170XL	174
2813.1ZL	118	2872.1US	122	2910.50	189	2986	30	4175.8	178
2813.1ZL	156	2872.2	121	2911.1ZL	25	2986	42	4175.8XL	178
2813.2ZL	118	2872.3	121	2911ZL	25	2987.72	184	4370.91	192
2813.5ZL	118	2872.5	122	2912.1ZL	26	2989	30	4811	47
2813.5ZL	155	2872.5US	160	2912ZL	25	2989	41	4811XL	66
2813PNG	155	2872.6	122	2913.8ZL	188	2989XL	30	4812	48
2813PZL	14	2872.6ZL	121	2913.9	188	2989XL	41	4812.2	70
2813PZL	28	2872.7ZL	121	2914.2ZL	20	2998.63	206	4812.25	16
2813PZL	119	2872.8ZL	136	2915	27	2998.65	206	4812.25	70
2813PZL	155	2872.9ZL	136	2915.1	29	2999.2	202	4812.28	206
2814.5ZL	116	2873.4US	164	2915.1ZL	29	2999.4XL	202	4812.3	50
2814.6ZL	116	2873.4US	180	2915.2	29	2999.5	202	4812.35	16
2814.7ZL	116	2873.5US	164	2915.3	28	2999.51	202	4812.35	50
2814ZL	116	2873.7ZL	122	2915.5	28	2999.52	202	4812XL	67

Model No.	Page
4813.4ZL	15
4813.4ZL	49
4815	48
4815.1	49
4815.1XL	69
4815.2	50
4815.3	49
4815.5	49
4815.5XL	69
4815XL	68
4815ZL	15
4815ZL	49
4816	46
4816.1	46
4816.1XL	64
4816XL	64
4817.2	47
4817.2XL	66
4818	47
4818XL	66
4826	46
4826.1	46
4826.1XL	65
4826XL	65
4856	48
4856.1XL	68
4859.5XL	67
4860	48
4870	13
4870	174
4875.8	177
4875.80	190
4875.8XL	191
4875.91	193
4875.9XL	193
4878	206
4878.5	201
4878.6	206
4878.9	207
4878.91	206
4878.92	207
4881.7	184
4881.71	185
4887.72	185
4896.2XL	201
4896.5XL	201
4897.4XL	207
4898.5XL	201
4898.6XL	201
4898.7XL	207
5013PZL	15
5013PZL	28
5013PZL	134
5111	86
5111XL	86
5112	87
5112XL	87
5113	14
5113	41
5113	89
5113XL	14
5113XL	89
5115	88
5115.1	89
5115.1XL	89
5115.2	90
5115.5	88
5115.5XL	89
5115XL	88
5116	84
5116.1	84
5116.1XL	84
5116XL	84
5117.2	86
5117.2XL	86
5118	85
5118XL	86
5126	84
5126.1	85
5126.1XL	85
5126XL	85
5156	87
5156.1XL	88
5159	87
5159XL	87
5160	88
5170	175
5170XL	175
5174	180
5174XL	179
5175.8	178
5175.8XL	178
5179.8	182
5181.11	181
5185.1	181
5911	66
5912	67
5915	68
5915.1	69
5915.5	69
5915ZL	15
5915ZL	69
5916	64
5916.1	64
5917.2	66
5918	65
5926	64
5926.1	65
5956	68
5959.5	67
5960	68
5970	174
5970.9XL	192
5970XL	174
5974.2	180
5974XL	179
5975.8	178
5975.8XL	178
5981.1	181
5985.1	13
5985.1	182
6611	56
6611XL	57
6612	57
6612XL	57
6615	59
6615.1	60
6615.1XL	60
6615.2	60
6615.3	59
6615.5	59
6615.5XL	59
6615XL	59
6616	54
6616.1	54
6616.1XL	54
6616XL	54
6617.2	56
6617.2XL	56
6618	55
6618XL	56
6626	54
6626.1	55
6626.1XL	55
6626XL	55
6656	58
6656XL	58
6659.5	57
6659.5XL	58
6660	58
6662	58
6675	13
6675	176
6675.1	177
6675.2	177
6675.3	177
6675XL	13
6675XL	177
6811	96
6811XL	96
6812	97
6812XL	97
6813XL	14
6813XL	99
6815	98
6815.1	99
6815.1XL	99
6815.2	99
6815.5	98
6815.5XL	99
6815XL	98
6816	94
6816.1	94
6816.1XL	94
6816XL	94
6817.2	96
6817.2XL	96
6818	95
6818XL	96
6826	94
6826.1	95
6826.1XL	95
6826XL	95
6856	97
6856.1XL	98
6859	97
6859XL	97
6860	98
6875.8	179
6875.8XL	179
V1203.0	163
V5001	114
V5001	130
V5001.2	115
V5001.2	131
V5001.5	114
V5001.5	130
V5002	114
V5002	130
V5002.5	114
V5002.5	130
V5003	115
V5003	131
V5003.5	115
V5003.5	131
V5004	114
V5004	130
V5009.8	115
V5009.8	131
V5011ZL	132
V5012ZL	133
V5014ZL	132
V5017ZL	133
V5019.9	137
V5020	132
V5021	132
V5024ZL	133
V5026ZL	186
V5027ZL	132
V5031.2	134
V5031.22	134
V5031.5	145
V5033ZL	147
V5035ZL	147
V5036.10	147
V5036.30	186
V5036.31	186
V5037ZL	176
V5038	147
V5039.1	146
V5039.2	146
V5039.7	147
V5040.0	144
V5040.6	15
V5040.6	144
V5041.0	124
V5041.1	124
V5041.2	124
V5041.2	138
V5041.4	124
V5045ZL	133
V5046ZL	133
V5047ZL	133
V5048ZL	136
V5052	122
V5052	137
V5054	207
V5055	205
V5058	134
V5064ZL	186
V5067	145
V5070	135
V5070.1	135
V5071	125
V5071	139
V5073	136
V5073.5	136
V5075ZL	135
V5077ZL	135
V5080	123
V5080	137
V5081	123
V5081	137
V5082.4	204
V5082.7	204
V5083	126
V5084	121
V5084	136
V5084.1	121
V5084.1	135
V5085	123
V5085	137
V5085	148
V5086	123
V5086	137
V5086	148
V5087	147
V5088	123
V5088	138
V5088.1	124
V5088.1	138
V5089	123
V5089	137
V5089.1	123
V5089.1	137
V5094	126
V5094	139
V5095	125
V5095	139
V5097	126
V5097	140
V5099	148
V5099.1	148
V5213	147
V5215	134
V5216	131
V5218	132
V5236	176
V5255	135
V5257	136
V5263	135
V5613.1	145
V5613.2	146
V5613.3	120
V5613.4	121
V5613.5	146
V5613.7	146
V5613.8	146
V5615	119
V5615	157
V5615.3	123
V5616	116
V5616	154
V5618	117
V5618	154
V5626	116
V5636	120
V5636.1	120
V5650	16
V5650	144
V5656	119
V5656	157
V5660	16
V5660	145

Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
11400	152	15320	158	17264	187	20710	29	22238	23
11405	152	15448	23	17265	163	20713	24	22248	23
11415	152	15453	23	17265	187	20714	24	22253	23
11418	152	15458	23	17768	30	20715	29	22258	23
11425	152	15463	23	17768	42	20718	24	22263	23
11427	152	15483	23	17778	30	20720	29	22268	23
11428	152	15488	23	17778	42	20723	24	22278	24
11430	152	15493	23	17788	30	20724	24	22283	24
11435	152	15498	23	17788	42	20725	29	22288	24
11436	152	15503	23	17803	30	20727	24	22293	24
11440	152	15508	23	17803	42	20728	27	22308	24
11445	152	15513	23	17818	30	20730	29	22309	24
11450	152	15518	23	17818	42	20732	24	22310	24
11455	152	15538	23	17823	30	20733	27	22311	24
11457	152	15544	31	17823	42	20734	24	22312	24
11458	152	15549	31	18050	160	20738	27	22313	24
11460	152	15559	31	18051	160	20739	24	22314	24
11462	152	15564	31	18060	160	20743	28	22315	24
11465	152	15569	31	18062	160	20744	24	22316	24
11470	152	15588	29	18150	162	20748	28	22317	24
11475	152	15593	29	18151	162	20749	24	22318	24
11480	152	15603	29	18152	163	20753	28	22328	29
11485	152	15608	29	18154	162	20754	24	22333	29
11500	152	15800	159	18155	162	20758	29	22400	189
11505	152	15801	159	18156	162	20763	29	22405	189
11510	152	15802	159	18157	162	20768	29	22410	189
11515	152	16015	160	18158	163	20773	29	22415	190
11520	152	16016	160	18159	163	20774	24	22420	190
12128	161	16017	161	18160	162	20778	29	22425	190
12152	163	16030	158	18185	162	20783	29	22430	190
12200	115	16031	158	18186	162	20784	24	22435	190
12200	131	16032	158	18187	162	20794	24	23443	191
12201	115	16033	158	18468	29	20795	24	23445	191
12201	131	16034	158	18473	29	20798	24	23447	191
12202	115	16035	158	19007	156	20803	24	23449	192
12202	131	16036	158	19008	156	20808	24	23450	189
12203	115	16038	158	19009	156	20813	29	23451	192
12203	131	16040	158	19010	156	20814	29	23453	192
14021	162	16209	165	19011	156	20815	29	23460	189
14025	162	16400	158	19012	159	20817	29	23470	188
14035	162	16401	158	19012	164	20818	29	23500	191
14543	29	16402	158	19013	157	20819	25	23505	191
14568	23	16403	158	19015	157	20823	25	23510	191
15044	157	16404	158	19016	157	20828	25	23515	192
15053	158	16405	158	19017	157	20829	25	23520	192
15054	158	16406	158	19109	156	20833	26	23525	192
15055	164	16408	158	19412	165	20838	25	23530	189
15056	158	16410	158	19768	189	20839	25	23535	189
15066	165	16423	154	19778	189	20843	26	23540	189
15068	161	17014	160	19786	30	20848	26	23600	192
15069	161	17016	161	20201	164	20853	26	23605	192
15070	161	17017	161	20201	180	20858	26	23610	192
15104	153	17100	159	20202	164	20863	26	23611	192
15106	125	17106	159	20202	180	20873	24	23612	192
15106	139	17120	159	20203	164	20883	24	24000	173
15106	153	17125	159	20203	180	20893	24	24005	173
15107	125	17141	159	20204	164	21023	30	24010	173
15107	139	17202	159	20204	180	21023	42	24015	173
15107	153	17203	159	20205	164	21028	30	24020	173
15108	125	17204	159	20205	180	21028	42	24025	173
15108	139	17205	159	20623	20	21033	30	24030	173
15108	153	17221	159	20628	20	21033	42	24035	173
15112	153	17222	159	20633	20	21038	30	24040	173
15170	166	17223	159	20638	20	21038	42	24090	173
15171	165	17224	159	20643	20	21043	30	24095	173
15175	165	17230	164	20648	20	21043	42	25000	48
15176	165	17230	188	20653	21	21048	30	25001	59
15177	165	17231	164	20658	21	21048	42	25010	48
15178	165	17231	188	20663	21	21210	164	25011	59
15179	166	17232	164	20668	22	21307	205	25015	48
15180	166	17232	187	20673	22	21310	166	25016	59
15181	166	17233	164	20678	22	21310	205	25020	48
15182	166	17233	187	20683	24	21432	205	25021	59
15184	166	17234	164	20685	29	22005	48	25025	48
15186	158	17234	188	20688	24	22009	59	25026	59
15209	162	17235	164	20689	24	22074	182	25030	49
15210	162	17235	188	20690	29	22075	182	25031	59
15216	162	17260	163	20693	24	22076	182	25035	49
15217	159	17260	187	20695	29	22170	190	25036	59
15304	152	17261	163	20698	24	22172	190	25040	49
15310	126	17261	187	20699	24	22174	190	25041	59
15310	139	17262	163	20700	29	22176	190	25045	49
15310	152	17262	187	20703	24	22178	190	25046	59
15311	152	17263	163	20705	29	22180	190	25050	49
15312	205	17263	187	20708	24	22228	23	25051	59
15314	152	17264	163	20709	24	22233	23	25055	49

Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
25056	59	25371	55	25710	48	26200	201	26895	16
25070	49	25375	47	25711	58	26500	64	26895	50
25071	59	25376	55	25715	48	26505	64	26900	16
25075	49	25380	47	25716	58	26510	64	26900	50
25076	59	25381	55	25720	48	26515	64	26905	16
25080	49	25385	47	25721	58	26520	64	26905	50
25081	59	25386	55	25725	48	26525	64	26910	16
25085	49	25390	47	25726	58	26530	65	26910	50
25086	59	25391	55	25730	48	26535	65	26915	16
25090	49	25395	47	25731	58	26540	65	26915	50
25091	59	25396	55	25735	48	26545	65	26920	201
25095	49	25400	47	25736	58	26550	65	26925	207
25096	59	25401	55	25740	48	26555	65	26930	207
25100	47	25405	47	25741	58	26560	66	26955	206
25101	56	25406	56	25745	48	26565	66	26960	207
25105	47	25410	47	25746	58	26570	66	26975	206
25106	56	25411	56	25750	48	26575	66	26990	206
25110	47	25415	47	25751	58	26580	66	26991	206
25111	56	25416	56	25755	48	26585	66	26992	206
25115	47	25435	47	25756	58	26590	66	26993	206
25116	56	25436	56	25761	57	26595	66	26994	206
25120	47	25440	47	25766	57	26600	66	26995	206
25121	56	25441	56	25771	57	26605	66	28500	177
25125	47	25445	47	25776	57	26610	66	28501	177
25126	56	25446	56	25781	57	26615	66	28502	177
25130	48	25451	56	25786	57	26620	66	28503	177
25131	57	25455	47	25930	50	26625	66	28504	177
25135	48	25456	56	25931	60	26630	66	28505	177
25136	57	25460	47	25935	50	26635	66	28600	54
25140	48	25461	56	25936	60	26640	66	28605	54
25141	57	25465	47	25940	50	26645	66	28610	54
25145	48	25466	56	25941	60	26650	66	28615	54
25146	57	25471	56	25945	50	26655	67	28620	54
25150	48	25475	47	25946	60	26660	67	28625	54
25151	57	25476	56	25950	50	26665	67	28630	55
25155	48	25480	47	25951	60	26670	68	28635	55
25156	57	25481	56	25955	50	26675	68	28640	55
25200	46	25485	47	25956	60	26680	68	28645	55
25201	54	25486	56	25960	50	26685	69	28650	55
25205	46	25491	55	25961	60	26690	69	28655	55
25206	54	25496	55	25965	50	26695	69	28660	56
25210	46	25500	47	25966	60	26700	69	28665	56
25211	54	25501	56	26000	49	26705	69	28670	56
25215	46	25505	47	26001	60	26710	69	28675	56
25216	54	25506	56	26005	49	26715	69	28680	56
25220	46	25510	47	26006	60	26720	69	28685	56
25221	54	25515	47	26010	49	26725	69	28690	56
25225	46	25575	48	26011	60	26730	69	28695	56
25226	54	25576	57	26015	49	26735	69	28700	56
25230	46	25580	48	26016	60	26740	69	28705	56
25231	54	25581	57	26020	49	26745	69	28710	56
25235	46	25585	48	26021	60	26750	69	28715	56
25236	54	25586	57	26025	49	26755	69	28720	56
25240	46	25590	48	26026	60	26760	68	28725	56
25241	54	25591	57	26030	49	26765	68	28730	56
25245	46	25595	48	26031	60	26770	68	28735	56
25246	54	25596	57	26035	49	26775	67	28740	57
25250	46	25600	48	26036	60	26780	67	28745	57
25251	54	25601	57	26040	49	26785	67	28750	57
25255	46	25606	57	26041	60	26800	70	28755	57
25256	54	25610	48	26045	49	26805	70	28760	57
25300	47	25611	57	26046	60	26810	70	28765	57
25301	55	25615	48	26050	46	26815	70	28770	59
25305	47	25616	57	26051	54	26820	70	28775	59
25306	55	25620	48	26055	46	26825	70	28780	59
25310	47	25621	57	26056	54	26830	16	28785	59
25311	55	25625	48	26060	46	26830	70	28790	59
25315	47	25626	57	26061	54	26835	16	28795	59
25316	55	25630	48	26065	46	26835	70	28800	60
25320	47	25631	57	26066	54	26837	206	28805	60
25321	55	25635	48	26070	46	26840	16	28810	60
25325	47	25636	57	26071	54	26840	70	28815	60
25326	55	25640	48	26075	46	26845	16	28820	60
25330	47	25641	57	26076	54	26845	70	28825	60
25331	55	25645	48	26100	46	26850	16	28830	60
25335	47	25646	57	26101	55	26850	70	28835	60
25336	55	25651	58	26105	46	26855	16	28840	60
25340	47	25656	58	26106	55	26855	70	28845	60
25341	55	25661	58	26110	46	26860	50	28850	60
25350	47	25666	58	26111	55	26865	50	28855	60
25351	55	25671	58	26115	46	26870	50	28860	58
25360	47	25676	58	26116	55	26875	50	28865	58
25361	55	25700	48	26120	46	26880	50	28870	58
25365	47	25701	58	26121	55	26885	50	28875	58
25366	55	25705	48	26125	46	26890	16	28880	58
25370	47	25706	58	26126	55	26890	50	28885	58

Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
28905	56	32025	115	33045	115	43445	132	46355	133
28910	56	32025	131	33045	131	43500	132	46361	132
28915	13	32041	115	33061	115	43520	132	46366	132
28915	174	32041	131	33061	131	43540	132	46446	132
28920	13	32042	115	33120	114	43544	132	46620	133
28920	174	32042	131	33120	130	43545	132	46622	133
28925	13	32043	115	33143	115	43553	132	46630	133
28925	174	32043	131	33143	131	43554	132	46633	133
28930	13	32045	115	33145	114	43560	132	46635	133
28930	174	32045	131	33145	130	43600	137	46641	133
28935	13	32060	115	33146	114	43620	137	46644	133
28935	174	32060	131	33146	130	43640	137	46645	133
28940	13	32061	115	33147	114	43660	137	46646	147
28940	174	32061	131	33147	130	43700	136	46650	133
28945	174	32062	115	33148	115	43702	134	46654	133
28950	174	32062	131	33148	131	43714	126	46656	147
28955	174	32063	115	33150	114	43714	140	46720	136
28960	174	32063	131	33150	130	43720	136	46730	136
28965	174	32064	115	33151	114	43721	121	46764	136
28970	174	32064	131	33151	130	43721	135	46821	132
28975	175	32065	115	33240	114	43722	136	49004	120
28980	175	32065	131	33240	130	43723	134	49033	16
28985	175	32101	114	33265	114	43740	121	49033	144
28990	175	32101	130	33265	130	43740	135	49043	16
28995	175	32105	114	33270	114	43744	134	49043	144
29000	175	32105	130	33270	130	43765	134	49054	120
29005	13	32120	114	33271	114	43820	121	49063	16
29005	174	32120	130	33271	130	43820	136	49063	144
29010	13	32121	114	33323	114	44208	135	49083	16
29010	174	32121	130	33323	130	44209	135	49083	144
29015	13	32123	114	33705	123	44226	135	49152	120
29015	174	32123	130	33705	137	44227	135	49153	120
29020	13	32125	114	33830	115	44228	135	49200	117
29020	174	32125	130	33830	131	44229	135	49200	154
29025	13	32141	114	33831	115	44240	135	49206	120
29025	174	32141	130	33831	131	44320	132	49208	120
29030	13	32143	114	33832	115	44325	132	49210	116
29030	174	32143	130	33832	131	44340	132	49210	154
29050	180	32145	114	35801	115	44345	132	49220	116
29055	180	32145	130	35801	131	44350	15	49220	154
29060	180	32163	114	35805	115	44350	28	49223	121
29065	180	32163	130	35805	131	44350	134	49224	145
29070	180	32165	114	35811	115	44355	15	49233	121
29075	180	32165	130	35811	131	44355	28	49234	145
30600	13	32201	114	36204	147	44355	134	49240	116
30600	176	32201	130	36205	147	44360	15	49240	154
30605	13	32205	114	40655	133	44360	28	49254	120
30605	176	32205	130	41703	204	44360	134	49256	120
30610	13	32220	114	41723	204	44365	15	49258	120
30610	176	32220	130	41744	204	44365	28	49260	116
30615	13	32221	114	41765	204	44365	134	49260	154
30615	176	32221	130	41770	204	44370	15	49270	116
30620	13	32223	114	43003	186	44370	28	49270	154
30620	176	32223	130	43023	186	44370	134	49280	116
30625	13	32225	114	43030	176	45716	147	49280	154
30625	176	32225	130	43033	134	45750	124	49285	116
30630	177	32241	114	43040	176	45760	124	49286	116
30635	177	32241	130	43043	134	45770	124	49290	116
30640	177	32243	114	43044	134	45770	138	49290	154
30645	177	32243	130	43100	122	45790	124	49322	117
30650	177	32245	114	43100	137	46001	186	49322	154
30655	177	32245	130	43210	131	46002	186	49324	120
30660	177	32263	114	43220	131	46022	186	49332	117
30665	177	32263	130	43232	135	46023	135	49332	154
30670	177	32265	114	43233	135	46025	186	49333	120
30675	177	32265	130	43240	131	46031	176	49334	117
30680	177	32266	114	43242	131	46032	135	49334	154
30685	177	32266	130	43244	135	46033	135	49342	119
30690	177	32805	114	43260	131	46044	176	49342	157
30695	177	32805	130	43300	136	46060	176	49343	119
30700	177	32823	114	43320	136	46145	133	49343	157
30705	177	32823	130	43323	135	46156	133	49344	120
30710	177	32828	115	43332	134	46232	132	49347	119
30715	177	32828	131	43333	135	46233	132	49347	157
32001	115	32829	115	43334	132	46244	132	49348	119
32001	131	32829	131	43343	134	46302	132	49348	157
32005	115	32830	115	43344	135	46321	132	49354	119
32005	131	32830	131	43353	134	46323	133	49354	157
32011	115	32831	115	43354	134	46324	132	49357	119
32011	131	32831	131	43355	134	46331	135	49357	157
32020	115	32905	114	43402	134	46333	133	49358	119
32020	131	32905	130	43403	134	46334	133	49358	157
32021	115	32923	114	43404	134	46340	132	49378	119
32021	131	32923	130	43433	132	46342	132	49378	157
32023	115	33020	115	43434	132	46344	133	49398	119
32023	131	33020	131	43443	132	46345	133	49398	157

Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
49402	119	49780	119	51020	138	56056	202	58071	153
49402	157	49780	157	51020	153	56060	202	58072	125
49403	119	49790	119	51021	124	56061	202	58072	139
49403	157	49790	157	51021	138	56066	206	58072	153
49404	119	49854	117	51022	124	56073	202	58073	125
49404	157	49854	154	51022	138	56074	202	58073	139
49405	119	49855	117	51040	125	56075	202	58073	153
49405	157	49855	154	51040	138	56076	202	58074	125
49407	119	49874	117	51040	153	56080	202	58074	139
49407	157	49874	154	51060	125	56081	202	58074	153
49408	119	49875	117	51060	138	56082	202	58075	125
49408	157	49875	154	51060	153	56091	200	58075	153
49409	119	49877	117	51063	145	56092	200	58076	125
49409	157	49877	154	51073	145	56093	200	58076	153
49410	16	49883	117	51123	146	56094	200	58077	125
49410	145	49883	154	51602	147	56110	123	58077	153
49414	146	49884	117	52000	125	56110	137	58120	123
49416	146	49884	154	52000	139	56110	148	58120	137
49433	117	49885	117	52000	153	56120	123	58130	123
49433	154	49885	154	52020	125	56120	137	58130	137
49434	117	49886	117	52020	139	56120	148	58136	123
49434	154	49886	154	52020	153	56140	123	58136	137
49443	117	49887	117	52040	125	56140	137	60010	204
49443	154	49887	154	52040	139	56140	148	60651	133
49453	16	49888	117	52040	153	56160	163	65104	134
49453	145	49888	154	52060	125	56162	167	65152	134
49473	16	49901	123	52060	139	56163	167	65153	134
49473	145	49902	123	52060	153	56164	167	65154	134
49520	117	49903	123	52110	125	56165	167	65206	134
49520	154	49904	123	52110	139	56166	168	65258	134
49533	117	49905	123	52120	125	56167	168	68430	126
49533	154	49906	123	52120	139	56169	167	68431	126
49535	117	49984	117	52130	125	56170	167	68432	126
49535	154	49984	154	52130	139	56173	168	68433	126
49540	117	49985	117	52140	125	56174	168	68434	126
49540	154	49985	154	52140	139	56250	203	68435	126
49543	117	49987	117	52500	124	56255	203	69627	155
49543	154	49987	154	52500	138	56260	203	69628	155
49544	117	49988	117	52520	124	56265	203	76545	15
49544	154	49988	154	52520	138	56270	203	76545	69
49545	117	49993	117	53000	123	56275	203	76550	15
49545	154	49993	154	53000	137	56280	203	76550	69
49553	117	49994	117	53000	148	56285	203	76555	15
49553	154	49994	154	53005	123	56290	203	76555	69
49554	117	49995	117	53005	137	56300	204	76560	15
49554	154	49995	154	53005	148	56305	204	76560	69
49560	117	49997	117	53015	123	56310	203	76565	15
49560	154	49997	154	53015	137	56360	203	76565	69
49570	117	49998	117	53015	148	56365	203	76570	15
49570	154	49998	154	53017	123	57075	202	76570	69
49580	117	50000	204	53017	137	57076	202	76575	15
49580	154	50002	205	53020	123	57078	201	76575	49
49590	117	50020	204	53020	137	57080	201	76580	15
49590	154	50021	145	53020	148	57081	201	76580	49
49607	123	50023	146	53115	123	57082	207	76585	15
49610	15	50030	204	53115	138	57112	123	76585	49
49610	144	50033	145	53116	124	57112	137	76590	15
49615	15	50040	204	53116	138	57120	123	76590	49
49615	144	50043	145	53120	123	57120	137	76595	15
49620	15	50060	204	53120	138	57230	202	76595	49
49620	144	50063	145	53121	124	57231	202	76600	15
49625	15	50083	145	53121	138	57232	202	76600	49
49625	144	50133	146	53507	207	57233	202	76605	15
49630	15	50141	147	53511	207	57234	202	76605	49
49630	144	50151	147	53561	205	57235	202	76610	15
49635	144	50260	146	53601	147	57236	202	76610	49
49640	144	50261	146	55020	126	57237	202	76615	15
49645	144	50262	146	55020	139	57238	202	76615	49
49722	119	50263	146	55040	126	57239	202	76620	15
49722	157	50264	146	55040	139	57240	202	76620	49
49723	119	50265	146	55100	126	57241	202	76625	15
49723	157	50266	146	55100	139	57242	202	76625	49
49744	119	50267	146	55120	126	57243	203	76630	15
49744	157	50268	147	55120	139	57244	203	76630	49
49754	117	50269	147	55140	126	57245	203	77022	20
49754	154	50520	125	55140	139	57246	203	77023	21
49755	117	50520	138	55160	126	57247	203	77027	20
49755	154	50520	153	55160	139	57248	203	77028	21
49765	119	50601	147	56000	204	57249	203	77032	20
49765	157	50718	148	56010	204	57250	203	77033	21
49770	119	50726	148	56013	201	57260	206	77037	20
49770	157	50730	148	56030	204	57261	206	77038	21
49774	117	50739	148	56052	202	57262	206	77042	20
49774	154	50740	148	56053	202	58070	153	77043	21
49775	117	51003	145	56054	202	58071	125	77052	20
49775	154	51020	125	56055	202	58071	139	77053	22

Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
77057	20	78268	30	79410	25	80015	38	80480	37
77058	22	78268	41	79415	25	80020	38	80485	37
77062	20	78269	30	79420	25	80025	38	80490	37
77063	22	78269	41	79425	26	80030	38	80495	37
77067	20	78270	30	79430	26	80035	38	80500	37
77068	22	78270	41	79435	26	80040	38	80505	37
77072	20	78300	12	79440	26	80045	38	80510	37
77073	22	78300	172	79445	26	80050	38	80515	37
77317	20	78305	12	79450	26	80055	38	80520	37
77325	20	78305	172	79455	26	80060	39	80525	37
77330	20	78310	12	79465	26	80061	39	80530	37
77347	20	78310	172	79470	26	80063	39	80531	155
77377	23	78311	190	79475	26	80064	39	80535	37
77382	23	78312	191	79520	20	80065	39	80540	37
77387	23	78800	21	79525	20	80070	39	80545	37
77392	23	78801	21	79530	20	80080	39	80550	37
77397	23	78802	21	79535	20	80085	39	80555	37
77402	23	78803	21	79540	20	80090	39	80560	37
77407	23	79005	28	79545	20	80092	39	80565	37
77412	23	79010	28	79550	20	80100	39	80570	37
77417	23	79015	28	79560	20	80105	39	80575	37
77422	23	79020	28	79565	20	80115	39	80580	38
77427	23	79025	28	79570	20	80120	39	80585	38
77432	23	79030	28	79580	24	80125	39	80590	38
77437	23	79035	180	79585	24	80126	39	80595	38
77442	23	79040	180	79590	24	80127	39	80600	38
77447	23	79045	180	79595	24	80160	41	80605	38
77452	23	79050	180	79635	21	80165	41	80610	38
77457	23	79055	180	79640	21	80170	41	80615	38
77462	23	79060	180	79660	23	80180	41	80620	38
77467	23	79125	26	79680	26	80185	41	80630	38
77472	23	79130	26	79685	26	80195	41	80640	38
77477	23	79135	26	79690	26	80200	41	80650	38
77482	23	79140	26	79695	26	80205	41	80680	38
77487	23	79145	26	79700	27	80215	41	80690	38
77607	21	79150	26	79705	27	80220	41	80700	38
77637	22	79155	27	79710	27	80225	41	80710	38
77712	26	79160	27	79715	27	80230	41	80720	38
77717	26	79165	27	79720	27	80235	41	80730	38
77722	26	79170	27	79725	27	80240	41	80740	38
77727	26	79175	27	79730	27	80245	41	80750	38
77732	26	79180	27	79735	27	80250	41	80751	38
77737	26	79185	21	79740	27	80260	41	80760	38
77742	30	79190	21	79745	27	80265	40	80770	38
77747	30	79195	21	79750	27	80270	40	80781	38
78047	27	79205	21	79755	27	80275	40	80790	38
78052	27	79210	25	79760	24	80280	40	80820	38
78057	27	79215	25	79765	24	80285	40	80840	38
78062	27	79220	25	79770	24	80290	40	80850	38
78067	27	79225	25	79775	24	80295	40	80880	38
78072	27	79230	25	79780	24	80300	40	80890	38
78077	29	79235	25	79785	24	80305	40	80900	38
78082	29	79240	25	79790	24	80310	40	80930	38
78087	29	79245	25	79795	24	80315	40	80950	38
78092	29	79250	25	79800	27	80320	40	80970	38
78097	29	79255	25	79800	163	80325	40	81005	40
78102	29	79260	25	79805	27	80330	40	81010	40
78107	29	79265	25	79805	163	80335	40	81015	40
78112	29	79270	25	79810	27	80340	41	81020	40
78117	29	79275	25	79810	163	80345	41	81025	40
78122	29	79280	25	79815	27	80350	41	81030	40
78147	29	79285	25	79815	163	80355	40	81035	39
78152	29	79290	25	79850	29	80360	40	81040	39
78157	29	79295	25	79855	29	80365	40	81045	39
78162	29	79300	25	79860	29	80370	40	81050	39
78167	29	79305	25	79875	173	80375	40	81055	39
78172	28	79310	25	79876	173	80380	40	81060	39
78177	28	79315	25	79901	183	80385	40	81065	39
78182	28	79320	25	79902	188	80390	40	81070	39
78187	28	79325	25	79903	188	80395	40	81075	39
78192	28	79330	25	79920	172	80400	36	81081	13
78197	28	79335	25	79923	172	80405	36	81081	174
78202	31	79340	25	79925	172	80410	36	81086	13
78207	31	79345	25	79928	172	80415	36	81086	174
78242	30	79350	25	79930	172	80420	36	81096	13
78242	41	79355	25	79933	172	80425	36	81096	174
78247	30	79360	25	79935	172	80430	36	81097	13
78247	41	79365	25	79938	172	80435	36	81097	174
78252	30	79370	25	79940	172	80440	36	81106	13
78252	41	79375	25	79943	172	80445	37	81106	174
78257	30	79380	25	79948	172	80450	37	81107	13
78257	41	79385	25	79950	172	80455	37	81107	174
78262	30	79390	25	79970	173	80460	37	82000	36
78262	41	79395	25	79975	173	80465	37	82005	36
78267	30	79400	25	79980	173	80470	37	82010	36
78267	41	79405	25	80010	38	80475	37	82015	36

Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
82020	36	84400	65	86515	178	87190	180	87660	182
82025	36	84405	65	86520	178	87195	12	87665	12
82042	36	84410	65	86525	178	87195	180	87665	182
82050	36	84415	65	86530	178	87200	180	87670	12
82055	36	84420	65	86535	178	87205	180	87670	182
82100	183	84425	65	86540	178	87210	180	87675	182
82105	183	84430	65	86545	178	87215	180	87680	182
82110	183	84435	65	86550	178	87220	180	87685	182
82115	183	84440	65	86555	178	87225	180	87690	182
82120	183	84445	65	86560	193	87230	12	87695	182
82125	183	84450	65	86565	193	87230	180	87745	181
82130	183	84455	65	86570	193	87235	12	87750	181
82135	183	84460	65	86575	193	87235	180	87755	181
82140	188	84465	65	86580	193	87240	12	87760	181
82150	36	84545	66	86600	190	87240	180	87765	181
82155	36	84550	66	86605	190	87245	12	87770	181
82160	36	84555	66	86625	190	87245	180	87845	172
82165	36	84560	66	86630	190	87250	12	87850	172
82170	36	84565	66	86650	178	87250	180	87855	175
82175	36	84570	66	86655	178	87255	12	87860	175
82180	36	84575	66	86660	178	87255	180	87865	175
82185	36	84580	66	86665	178	87260	181	87870	175
82190	36	84585	66	86670	178	87265	181	87875	175
83001	156	84590	66	86675	178	87270	181	87880	175
83030	156	84595	66	86680	178	87275	177	87885	176
84030	154	84600	66	86685	178	87280	177	87890	176
84100	68	84605	66	86690	178	87285	177	87895	176
84105	68	84750	67	86700	193	87290	177	87900	175
84110	68	84755	67	86705	193	87295	177	87905	175
84115	68	84760	67	86710	193	87300	177	87910	175
84120	68	84765	67	86715	191	87305	183	87915	175
84125	68	84770	67	86716	191	87310	183	87920	172
84130	69	84775	67	86790	174	87315	183	87925	172
84135	69	84780	67	86795	174	87320	183	87930	172
84140	69	84785	67	86800	174	87325	183	87935	172
84145	69	84790	67	86805	175	87330	183	87940	172
84150	69	84795	67	86810	175	87335	184	87945	172
84155	69	84800	67	86815	175	87340	184	87950	181
84160	69	84805	67	86820	174	87345	184	87955	181
84165	69	84810	67	86825	174	87350	184	87960	181
84170	69	84815	68	86830	174	87355	184	87965	181
84175	69	84820	68	86835	192	87360	184	87970	181
84180	69	84825	68	86836	192	87365	184	87975	181
84185	69	84830	68	86837	192	87370	184	87980	181
84190	69	84835	68	86840	13	87375	184	87985	181
84195	69	84840	68	86840	177	87380	184	87990	181
84200	69	84845	67	86845	13	87385	184	88000	104
84205	69	84850	67	86845	177	87390	184	88005	104
84210	69	84855	67	86850	13	87395	185	88010	104
84215	68	84860	67	86850	177	87400	185	88015	104
84220	68	84865	67	86900	179	87405	185	88020	104
84225	68	84870	67	86905	179	87410	185	88025	104
84230	68	84875	64	86910	179	87415	185	88030	104
84235	68	84880	64	86915	179	87420	163	88035	104
84240	68	84885	64	86920	179	87420	187	88040	104
84245	66	84890	64	86925	179	87425	163	88045	104
84250	66	84895	64	86930	179	87425	187	88050	104
84255	66	84900	64	86935	179	87430	163	88055	104
84260	66	84905	65	86940	179	87430	187	88060	104
84265	66	84910	65	86945	179	87435	163	88065	104
84270	66	84915	65	86950	179	87435	187	88070	104
84275	67	84920	65	86955	179	87440	163	88075	104
84280	67	84925	65	86960	179	87440	187	88080	104
84285	67	84930	65	86965	179	87445	163	88085	104
84290	67	85131	157	86970	179	87445	187	88090	104
84295	67	85146	192	86975	12	87450	185	88095	104
84300	67	85147	192	86975	179	87531	156	88100	104
84305	64	85148	192	86980	12	87600	181	88105	104
84310	64	85149	192	86980	179	87605	181	88110	104
84315	64	85150	192	86985	12	87610	181	88115	104
84320	64	85151	192	86985	179	87615	181	88120	105
84325	64	85995	30	87110	181	87620	181	88125	105
84330	64	85995	42	87115	181	87625	181	88130	105
84335	64	85996	30	87120	181	87630	13	88135	105
84340	64	85996	42	87125	181	87630	182	88140	105
84345	64	85997	30	87130	181	87635	13	88145	105
84350	64	85997	42	87135	181	87635	182	88150	105
84355	64	86400	178	87170	12	87640	13	88155	105
84360	64	86405	178	87170	180	87640	182	88160	105
84365	65	86410	178	87175	12	87645	13	88165	105
84370	65	86415	178	87175	180	87645	182	88170	105
84375	65	86420	178	87180	12	87650	13	88175	105
84380	65	86425	178	87180	180	87650	182	88180	105
84385	65	86500	178	87185	12	87655	13	88185	105
84390	65	86505	178	87185	180	87655	182	88190	105
84395	65	86510	178	87190	12	87660	12	88195	105

Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
88200	105	88630	107	90270	87	90566	118	91170	99
88205	105	88635	107	90275	87	90566	155	91175	97
88210	105	88640	107	90280	87	90570	86	91180	97
88215	105	88645	107	90285	88	90571	118	91185	97
88220	105	88650	107	90290	88	90571	155	91190	97
88225	105	88655	107	90295	88	90575	86	91195	97
88230	105	88660	107	90300	88	90580	86	91200	97
88235	105	88665	107	90305	88	90581	118	91205	96
88240	105	88670	107	90310	88	90581	155	91210	96
88245	105	88675	107	90315	88	90585	86	91215	96
88250	105	88680	106	90320	88	90590	86	91220	96
88255	105	88685	106	90325	88	90591	118	91225	96
88260	105	88690	106	90330	88	90591	155	91230	96
88265	105	88695	106	90335	90	90595	86	91235	96
88270	105	88700	107	90340	90	90600	86	91240	97
88275	106	88705	107	90345	90	90605	86	91245	97
88280	106	88710	107	90350	90	90610	86	91250	97
88285	106	89407	156	90355	89	90615	86	91255	97
88290	106	89408	156	90360	89	90620	86	91260	97
88295	106	89409	156	90365	89	90625	86	91265	97
88300	106	89410	156	90370	89	90630	86	91270	99
88305	106	89413	156	90375	89	90635	86	91275	99
88310	106	89925	184	90380	89	90640	86	91280	99
88315	106	89930	184	90385	89	90645	88	91285	99
88320	106	89935	184	90390	87	90650	88	91290	98
88325	106	89940	184	90395	87	90655	88	91295	98
88330	106	89945	184	90400	87	90660	89	91300	98
88335	106	89950	184	90405	87	90665	89	91305	98
88340	106	89955	185	90410	87	90670	89	91310	98
88345	106	89960	185	90415	88	90675	89	91315	98
88350	106	89965	185	90420	88	90680	89	91320	99
88355	106	89970	185	90425	88	90685	89	91325	99
88360	106	89975	185	90430	88	90690	89	91520	118
88365	106	89980	185	90435	88	90695	89	91520	155
88370	106	89985	161	90440	87	90700	89	91525	118
88375	106	89985	193	90445	87	90705	88	91525	155
88380	107	89990	193	90450	87	90710	88	91540	118
88385	107	89995	185	90455	87	90715	88	91540	155
88390	107	90000	185	90460	87	90720	87	91541	118
88395	107	90005	84	90465	14	90725	87	91541	155
88400	107	90010	84	90465	41	90730	87	91545	118
88405	107	90015	84	90465	89	90735	86	91545	155
88410	107	90020	84	90470	14	90740	87	91560	118
88415	107	90025	84	90470	41	90745	87	91560	155
88420	107	90030	84	90470	89	90750	87	91570	118
88425	108	90035	84	90475	14	90760	14	91570	155
88430	108	90040	84	90475	41	90760	89	91580	118
88435	108	90045	84	90475	89	90765	14	91580	155
88440	108	90050	84	90485	14	90765	89	91590	118
88445	108	90055	84	90485	41	90770	14	91590	155
88450	108	90060	84	90485	89	90770	89	91600	95
88455	108	90065	84	90490	14	90835	84	91605	95
88460	108	90070	84	90490	41	90840	84	91610	95
88465	108	90075	84	90490	89	90845	85	91615	95
88470	108	90080	85	90500	84	90850	88	91620	95
88475	108	90085	85	90505	84	90855	88	91625	95
88480	108	90090	85	90506	118	90860	89	91630	95
88485	108	90095	85	90506	155	90865	89	91635	95
88490	108	90100	85	90510	84	90870	90	91640	95
88495	108	90105	85	90515	84	90875	87	91645	95
88500	108	90110	85	90520	84	90880	86	91650	95
88505	108	90115	85	90521	118	90885	87	91655	95
88510	108	90120	85	90521	155	90890	14	91660	95
88515	109	90125	85	90525	84	90890	41	91665	95
88520	109	90130	85	90526	118	90890	89	91670	95
88525	109	90135	85	90526	155	90895	84	91675	95
88530	109	90140	85	90530	85	90900	85	91680	95
88535	109	90150	85	90535	85	90905	85	91685	95
88540	109	90155	85	90540	85	90910	85	91690	95
88545	108	90165	85	90541	118	90915	85	91695	94
88550	108	90170	85	90541	155	90920	87	91700	94
88555	108	90175	85	90542	118	90925	88	91705	94
88560	108	90180	86	90542	155	91100	98	91710	94
88565	108	90185	86	90545	85	91105	98	91715	94
88570	108	90190	86	90546	118	91110	98	91720	94
88575	108	90195	86	90546	155	91115	98	91725	94
88580	108	90210	86	90550	85	91120	98	91730	94
88585	108	90220	86	90555	85	91125	98	91735	94
88590	108	90230	86	90556	118	91130	99	91740	94
88595	108	90235	86	90556	155	91135	99	91745	94
88600	108	90240	86	90560	86	91140	99	91750	94
88605	108	90245	86	90561	118	91145	99	91755	94
88610	108	90250	86	90561	155	91150	99	91760	94
88615	108	90255	86	90562	118	91155	99	91765	94
88620	107	90260	87	90562	155	91160	99	91770	94
88625	107	90265	87	90565	86	91165	99	91775	94

Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
91780	94	93070	119	95240	76	95665	79	98305	96
91785	95	93070	157	95245	76	95670	79	98310	96
91790	95	93073	119	95250	76	95675	79	98315	97
91795	95	93073	157	95255	76	95680	79	98320	97
91800	95	93080	119	95260	77	95685	79	98325	97
91805	95	93080	157	95265	77	95690	79	98330	99
91810	95	93511	186	95270	77	95695	79	98335	99
91815	97	93515	186	95275	77	95700	79	98340	99
91820	97	93516	187	95280	77	95705	78	98345	99
91825	97	93517	187	95285	78	95710	78	98350	99
91830	97	93520	115	95290	78	95715	78	98355	99
91835	97	93540	115	95295	78	95720	77	98360	99
91840	97	93560	115	95300	78	95725	77	98365	99
91845	96	93570	115	95305	78	95730	77	98370	99
91850	96	93580	115	95310	78	95735	76	98375	98
91855	96	94020	117	95315	78	95770	77	98380	98
91860	96	94022	117	95320	78	95775	77	98385	98
91865	96	94023	186	95325	78	95780	77	98390	94
91870	96	94031	186	95330	78	95785	74	98395	94
91875	96	94032	117	95335	79	95790	74	98400	94
91880	96	94034	117	95340	79	95795	75	98405	94
91885	96	94036	117	95345	79	95800	78	98410	94
91890	96	94037	117	95350	79	95805	78	98415	94
91895	96	94038	117	95355	79	95810	79	98420	96
91900	96	94039	117	95360	79	95815	79	98425	96
91905	96	94040	117	95365	79	95820	79	98430	96
91910	95	94050	117	95370	79	95825	77	98435	96
91915	95	94052	117	95375	79	95830	76	98440	96
91920	99	94053	117	95380	79	95835	77	98445	96
91925	98	94056	117	95385	79	95840	14	98450	96
91930	98	94060	117	95390	77	95840	79	98455	96
91935	98	94072	117	95395	77	95845	74	98460	96
91940	98	94505	116	95400	77	95850	75	98465	96
91945	98	94520	116	95405	77	95855	75	98470	96
91950	98	94521	176	95410	77	95860	75	98475	96
92006	118	94535	116	95415	78	95865	75	98480	96
92006	155	94540	116	95420	78	95870	77	98485	96
92021	118	94541	176	95425	78	95875	78	98490	96
92021	155	94757	23	95430	78	96140	119	98495	95
92026	118	94762	23	95435	78	96160	119	98500	95
92026	155	94767	23	95440	77	96165	119	98505	95
92036	118	94772	23	95445	77	97001	122	98510	95
92036	155	94777	23	95450	77	97006	122	98515	95
92041	118	95002	176	95455	77	97007	121	98520	95
92041	155	95005	74	95460	77	97008	121	98525	97
92045	118	95010	74	95465	14	97102	122	98530	97
92045	155	95015	74	95465	79	97103	122	98535	97
92060	118	95020	74	95470	14	97113	120	98540	98
92060	155	95025	74	95470	79	97114	117	98545	98
92070	118	95030	74	95475	14	97120	186	98550	98
92070	155	95035	74	95475	79	97121	186	98555	14
92080	118	95040	74	95485	14	97140	118	98555	99
92080	155	95045	74	95485	79	97140	119	98560	14
92090	118	95050	74	95490	14	97160	118	98560	99
92090	155	95055	74	95490	79	97160	119	98565	14
92221	120	95060	74	95500	74	97165	118	98565	99
92321	120	95065	74	95505	74	97165	119	99307	116
92406	120	95070	74	95510	74	97212	121	99308	116
92421	120	95075	74	95515	74	97220	121	99309	116
92441	120	95080	75	95520	74	97520	118	99310	116
92446	120	95085	75	95525	74	97520	156	99311	116
92520	116	95090	75	95530	75	97525	118	99620	14
92525	116	95095	75	95535	75	97525	156	99620	28
92540	116	95100	75	95540	75	97535	118	99620	119
92545	116	95105	75	95545	75	97535	156	99620	155
92560	116	95110	75	95550	75	97540	118	99626	14
92565	116	95115	75	95555	75	97540	156	99626	28
92570	116	95120	75	95560	76	97545	118	99626	119
92580	116	95125	75	95565	76	97545	156	99626	155
92609	120	95130	75	95570	76	97560	118	99630	14
92616	120	95135	75	95575	76	97560	156	99630	28
92757	116	95140	75	95580	76	97570	118	99630	119
93000	119	95150	75	95585	76	97570	156	99630	155
93000	157	95155	75	95600	76	97580	118	99640	14
93020	119	95160	75	95605	76	97580	156	99640	28
93020	157	95165	75	95610	76	97590	118	99640	119
93040	119	95170	75	95615	76	97590	156	99640	155
93040	157	95175	75	95620	76	97820	118	99645	14
93050	119	95180	76	95625	76	97840	118	99645	28
93050	157	95185	76	95630	76	98000	122	99645	119
93055	119	95190	76	95635	76	98001	122	99645	155
93055	157	95195	76	95640	76	98200	175	99660	14
93060	119	95205	76	95645	78	98201	175	99660	28
93060	157	95225	76	95650	78	98202	175	99660	119
93065	119	95230	76	95655	78	98203	175	99660	155
93065	157	95235	76	95660	79	98300	96	99665	14

Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
99665	28								
99665	119								
99665	155								
99670	14								
99670	28								
99670	119								
99670	155								
99680	14								
99680	28								
99680	119								
99680	155								
99690	14								
99690	28								
99690	119								
99690	155								
99731	200								
99732	200								



WHERE INNOVATION **MEETS SUSTAINABILITY**

Viega's LEED® Gold-certified Mantua facility reflects our belief that innovation and sustainability go hand in hand, building a better future for our customers, employees, and the planet.

SCAN TO LEARN MORE

FOR MORE INFORMATION ABOUT VIEGA'S CODES, CERTIFICATIONS AND STANDARDS, PLEASE VISIT VIEGA.US



SEE THE DIFFERENCE

ENGINEERED FOR UTILITY DEMANDS AND PEAK SYSTEM PERFORMANCE.

From mechanical rooms to utility corridors, Viega provides durable, easy-to-install solutions that keep commercial systems operating at peak performance.

SCAN
WITH PHONE
TO VISIT
viega.us

Viega North America
585 Interlocken Blvd.
Broomfield, CO 80021
USA

Phone (800) 976-9819
customerservice@viega.us
viega.us

Zero Lead identifies Viega products meeting the lead-free requirements of NSF 61-G through testing under NSF/ANSI 372 (0.25% or less maximum weighted average lead content).

Viega products are designed to be installed by licensed and trained plumbing and mechanical professionals who are familiar with Viega products and their installation. Installation by non-professionals may void Viega LLC's warranty.

©2025, Viega®, ManaBloc®, MegaPress®, ProPress®, SeaPress®, Smart Connect®, Climate Mat®, Climate Panel®, Climate Trak®, PureFlow®, XL®, Viega Eco Plus®, and Viega: Connected in quality® are trademarks of Viega Holding GmbH & Co. KG. Eco Brass® is a registered trademark of Mitsubishi Shindoh Co., LTD. RIDGID® is a registered trademark of RIDGID, Inc. LoopCAD® is a registered trademark of Avenir Software Inc. Radel® R is a registered trademark of Solvay Advanced Polymers, LLC. LEED® is a registered trademark of the U.S. Green Building Council®.

Sales of products by Viega LLC are subject to the Terms and Conditions found at www.viega.us/termsandconditions.

03132_EN_1125