Weslock® is proud to provide homeowners with added security by offering the only residential Grade II cylindrical locksets in the industry. In addition, each lockset comes equipped with our exclusive push–button safety feature, making them panic proof and preventing lockouts. And finally, Weslock offers a wide variety of styles and finishes with easy installation, so homeowners never have to sacrifice security and safety for style.

LIMITED WARRANTY:

Warranties cover the original residential user of Weslock® Products against defects in material and workmanship as long as the original user occupies the residential premises upon which the product was originally installed. This warranty DOES NOT COVER abused or misused products or if a Weslock® Product is used in commercial applications. Upon return of a defective Product to Weslock®, Weslock® shall either repair or replace the Product. Or upon written approval from Weslock® we may refund up to 50% of the purchase price of the product when the defective product and the original cash receipt of the Weslock® product is sent to Weslock®. Weslock® is not responsible for the cost to install the product or any defects caused by incorrect installation.

If you have a covered defect, call or fax customer service:
Phone: (800) 575 – 2658 Fax: (918) 294 – 3869
Please allow 4 to 6 weeks for warranty work or refund.

A finish deterioration occurring from the use of paints, solvents, or other chemicals is not a defect in the finish and in not covered by this warranty. Weslock® is not liable for incidental or consequential damages. Some states do not allow the exclusion or limitations of incidental or consequential damages, so the above exclusion may not apply to you. This warranty gives you specific legal rights and you may also have other rights that vary from state to state.

THESE WARRANTIES ARE EXPRESSLY IN LIEU OF ALL OTHER EXPRESS WARRANTIES. IMPLIED WARRANTIES SHALL BE LIMITED TO THE DURATION OF THE WARRANTY PERIOD OF THESE EXPRESS WARRANTIES. WESLOCK® SHALL UNDER NO CIRCUMSTANCES BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OR FOR REPAIRS BY THIRD PARTIES. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR THE EXCLUSION OR LIMITATIONS OF INCIDENTAL OR CONSEQUENTIAL DAMAGES SO THE ABOVE LIMITATIONS OR EXCLUSION MAY NOT APPLY.

THESE WARRANTIES GIVE YOU SPECIAL RIGHTS, AND YOU MAY ALSO HAVE OTHER LEGAL RIGHTS WHICH VARY FORM STATE.

Finishes:

Description	US	BMA	WESLOCK
Polished Brass	**3**	**605**	**3**
Lifetime Polished Brass	**L03**	**605E**	**3B**
Antique Brass	**5**	**609**	**A**
Bright Chrome	**26**	**625**	**6**
Satin Chrome	**26D**	**626**	**D**
Satin Nickel	**15**	**619**	**N**
Weathered Pewter	**15A**	**620**	**P**
Oil-Rubbed Bronze	**10B**	**613**	**1**
Black	**–**	**–**	**2**

Top Notch Distributors, Inc.

East – Pennsylvania
800-233-4210
Fax 800-854-4146

Midwest – Missouri
800-211-4607
Fax 800-211-4608

Southwest – Texas
866-693-6903
Fax 866-693-6904

West – Nevada
800-722-4210
Fax 800-248-3620

www.topnotchinc.com

sales@topnotchinc.com

Molten Bronze Collection

Knob Features:


- Cylindrical Door Locks
- Meets ANSI A 156.2 Grade II lock standards
- Five pin Cylinder
- Removable knobs/levers prevents scratching during installation
- Panic–Proof Keylock/Privacy - one turn of interior knob/lever unlocks and opens door
- Push Button locking in Rosette
- Weslock® Keyway standard (Optional Schlage Keyway)
- Solid Molten Bronze Levers, Knobs and Rosettes

Knob Specifications:

- Adjustable latches 2⅜" or 2¾" with removable faceplates
- Fits doors prepared with 2⅛" cross hole and 1" edge hole
- Adjusts to door thickness from 1⅜" to 1¾"
- Optional door thickness from 1¾" to 2¼"
- Dual strikes 1⅝" x 2¼" radius corner and square corner full lip


Knob Warranty:

- Limited Lifetime Mechanical Warranty



WEXFORD (F) with Premiere Rose

WEXFORD KNOB (F) ROSE OPTIONS - PREMIERE, SQUARE & SUTTON SHAPE



Premiere		Square		Sutton	
Model	**Function**	**Model**	**Function**	**Model**	**Function**
7100	Passage (Hall/Closet)	**7300**	Passage (Hall/Closet)	**R/L7200**	Passage (Hall/Closet)
7105	Dummy Knob	**7305**	Dummy Knob	**7205**	Dummy Knob
7110	Privacy (Bed/Bath)	**7310**	Privacy (Bed/Bath)	**R/L 7210**	Privacy (Bed/Bath)
7140	Keylock (Keyed Entry)	**7340**	Keylock (Keyed Entry)		
FINISHES: P (Weathered Pewter), 1 (Oil–Rubbed Bronze).		**FINISHES: P (Weathered Pewter), 1 (Oil–Rubbed Bronze). B (Black)**			

Top Notch Distributors, Inc.

East – Pennsylvania
800-233-4210
Fax 800-854-4146

Midwest – Missouri
800-211-4607
Fax 800-211-4608

Southwest – Texas
866-693-6903
Fax 866-693-6904

West – Nevada
800-722-4210
Fax 800-248-3620

www.topnotchinc.com

sales@topnotchinc.com

Molten Bronze Collection

Knob Features:

- Cylindrical Door Locks
- Meets ANSI A 156.2 Grade II lock standards
- Five pin Cylinder
- Removable knobs/levers prevents scratching during installation
- Panic–Proof Keylock/Privacy - one turn of interior knob/lever unlocks and opens door
- Push Button locking in Rosette
- Weslock® Keyway standard (Optional Schlage Keyway)
- Solid Molten Bronze Levers, Knobs and Rosettes

Knob Specifications:

- Adjustable latches 2⅜" or 2¾" with removable faceplates
- Fits doors prepared with 2⅛" cross hole and 1" edge hole
- Adjusts to door thickness from 1⅜" to 1¾"
- Optional door thickness from 1¾" to 2¼"
- Dual strikes 1⅝" x 2¼" radius corner and square corner full lip


Knob Warranty:

- Limited Lifetime Mechanical Warranty

DURHAM (M) with Premiere Rose



DURHAM KNOB (M) Rose Options - PREMIERE, SQUARE & SUTTON SHAPE



Premiere		Square		Sutton	
Model	**Function**	**Model**	**Function**	**Model**	**Function**
7100	Passage (Hall/Closet)	**7300**	Passage (Hall/Closet)	**R/L7200**	Passage (Hall/Closet)
7105	Dummy Knob	**7305**	Dummy Knob	**7205**	Dummy Knob
7110	Privacy (Bed/Bath)	**7310**	Privacy (Bed/Bath)	**R/L 7210**	Privacy (Bed/Bath)
7140	Keylock (Keyed Entry)	**7340**	Keylock (Keyed Entry)		
FINISHES: P (Weathered Pewter), 1 (Oil–Rubbed Bronze).				**FINISHES: P (Weathered Pewter), 1 (Oil–Rubbed Bronze), 2 (Black)**	

Top Notch Distributors, Inc.

East – Pennsylvania 800-233-4210 Fax 800-854-4146

Midwest – Missouri 800-211-4607 Fax 800-211-4608

Southwest – Texas 866-693-6903 Fax 866-693-6904

West – Nevada 800-722-4210 Fax 800-248-3620

www.topnotchinc.com **sales@topnotchinc.com**

Molten Bronze Collection

Lever Features:


- Cylindrical Door Locks
- Meets ANSI A 156.2 Grade II lock standards
- Five pin Cylinder
- Removable knobs/levers prevents scratching during installation
- Panic–Proof Keylock/Privacy - one turn of interior knob/lever unlocks and opens door
- Push Button locking in Rosette
- Weslock® Keyway standard (Optional Schlage Keyway)
- Solid Molten Bronze Levers, Knobs and Rosettes

Lever Specifications:


- Adjustable latches 2⅜" or 2¾" with removable faceplates
- Fits doors prepared with 2⅛" cross hole and 1" edge hole
- Adjusts to door thickness from 1⅜" to 1¾"
- Optional door thickness from 1¾" to 2¼"
- Dual strikes 1⅝" x 2¼" radius corner and square corner full lip

Lever Warranty:


- Limited Lifetime Mechanical Warranty



CARLOW (H) with Premiere Rose



Premiere



Sutton

CARLOW LEVER (H) Rose Options- PREMIERE, SQUARE & SUTTON SHAPE

Premiere		Square		Sutton	
Model	**Function**	**Model**	**Function**	**Model**	**Function**
R/L7100	Passage (Hall/Closet)	**R/L7300**	Passage (Hall/Closet)	**R/L7200**	Passage (Hall/Closet)
R/L7105	Dummy Lever	**R/L7305**	Dummy Lever	**R/L7205**	Dummy Lever
R/L7110	Privacy (Bed/Bath)	**R/L7310**	Privacy (Bed/Bath)	**R/L 7210**	Privacy (Bed/Bath)
R/L7140	Keylock (Keyed Entry)	**R/L7340**	Keylock (Keyed Entry)		

FINISHES: P (Weathered Pewter), 1 (Oil–Rubbed Bronze).

Top Notch Distributors, Inc.

East – Pennsylvania
800-233-4210
Fax 800-854-4146

Midwest – Missouri
800-211-4607
Fax 800-211-4608

Southwest – Texas
866-693-6903
Fax 866-693-6904

West – Nevada
800-722-4210
Fax 800-248-3620

www.topnotchinc.com

sales@topnotchinc.com

Molten Bronze Collection

Lever Features:

- Cylindrical Door Locks
- Meets ANSI A 156.2 Grade II lock standards
- Five pin Cylinder
- Removable knobs/levers prevents scratching during installation
- Panic–Proof Keylock/Privacy - one turn of interior knob/lever unlocks and opens door
- Push Button locking in Rosette
- Weslock® Keyway standard (Optional Schlage Keyway)
- Solid Molten Bronze Levers, Knobs and Rosettes


Lever Specifications:


- Adjustable latches 2⅜" or 2¾" with removable faceplates
- Fits doors prepared with 2⅛" cross hole and 1" edge hole
- Adjusts to door thickness from 1⅜" to 1¾"
- Optional door thickness from 1¾" to 2¼"
- Dual strikes 1⅝" x 2¼" radius corner and square corner full lip

Lever Warranty:


- Limited Lifetime Mechanical Warranty

WATERFORD (Q) with Premiere Rose





Premiere



Sutton

WATERFORD LEVER (Q) Rose Options - PREMIERE, SQUARE & SUTTON SHAPE

Premiere		Square		Sutton	
Model	**Function**	**Model**	**Function**	**Model**	**Function**
7100	Passage (Hall/Closet)	**7300**	Passage (Hall/Closet)	**7200**	Passage (Hall/Closet)
7105	Dummy Lever	**7305**	Dummy Lever	**7205**	Dummy Lever
7110	Privacy (Bed/Bath)	**7310**	Privacy (Bed/Bath)	**7210**	Privacy (Bed/Bath)
\7140	Keylock (Keyed Entry)	**7340**	Keylock (Keyed Entry)		
FINISHES: P (Weathered Pewter), 1 (Oil–Rubbed Bronze).		**FINISHES: 1 (Oil–Rubbed Bronze), P (Weathered Pewter), B (Black)**		**FINISHES: 1 (Oil–Rubbed Bronze), P (Weathered Pewter).**	

Top Notch Distributors, Inc.

East – Pennsylvania
800-233-4210
Fax 800-854-4146

Midwest – Missouri
800-211-4607
Fax 800-211-4608

Southwest – Texas
866-693-6903
Fax 866-693-6904

West – Nevada
800-722-4210
Fax 800-248-3620

www.topnotchinc.com

sales@topnotchinc.com

Molten Bronze Collection

Lever Features:

- Cylindrical Door Locks
- Meets ANSI A 156.2 Grade II lock standards
- Five pin Cylinder
- Removable knobs/levers prevents scratching during installation
- Panic–Proof Keylock/Privacy - one turn of interior knob/lever unlocks and opens door
- Push Button locking in Rosette
- Weslock® Keyway standard (Optional Schlage Keyway)
- Solid Molten Bronze Levers, Knobs and Rosettes

Lever Specifications:


- Adjustable latches 2⅜" or 2¾" with removable faceplates
- Fits doors prepared with 2⅛" cross hole and 1" edge hole
- Adjusts to door thickness from 1⅜" to 1¾"
- Optional door thickness from 1¾" to 2¼"
- Dual strikes 1⅝" x 2¼" radius corner and square corner full lip

Lever Warranty:


- Limited Lifetime Mechanical Warranty



MONOGHAN (N) with Premiere Rose



Premiere



Round

MONOGHAN LEVER (N) Rose Options - PREMIERE, SQUARE & SUTTON SHAPE

Premiere		Square		Sutton	
Model	**Function**	**Model**	**Function**	**Model**	**Function**
7100	Passage (Hall/Closet)	**7300**	Passage (Hall/Closet)	**R/L 7200**	Passage (Hall/Closet)
7105	Dummy Lever	**7305**	Dummy Lever		
7110	Privacy (Bed/Bath)	**7310**	Privacy (Bed/Bath)	**R/L 7210**	Privacy (Bed/Bath)
7140	Keylock (Keyed Entry)	**7340**	Keylock (Keyed Entry)		
FINISHES: 1 (Oil-Rubbed Bronze)		**FINISHES: 1 (Oil–Rubbed Bronze), P (Weathered Pewter), B (Black)**		**FINISHES: 1 (Oil-Rubbed Bronze)**	

Top Notch Distributors, Inc.

East – Pennsylvania
800-233-4210
Fax 800-854-4146

Midwest – Missouri
800-211-4607
Fax 800-211-4608

Southwest – Texas
866-693-6903
Fax 866-693-6904

West – Nevada
800-722-4210
Fax 800-248-3620

www.topnotchinc.com

sales@topnotchinc.com

Molten Bronze Collection

Entry Handle Features:

- Meets ANSI A 156.2 Grade II lock standards
- Five pin Cylinder
- Removable knobs/levers prevents scratching during installation
- Weslock® Keyway standard (Optional Schlage Keyway)
- Solid Molten Bronze
- 1" throw deadbolt with two hardened steel roller–prevents sawing

Entry Handle Specifications:

- Adjustable latches 2⅜" or 2¾" with removable faceplates
- Adjusts to door thickness from 1¾" to 2"
- Optional door thickness from 2" to 2¼"
- Dual strikes 1⅝" x 2¼" radius corner and square corner full lip

STONEBRIAR/WILTSHIRE

- Fits doors prepared with 1⅝" top and 2⅛" bottom cross holes and 1" edge hole
- 5½" center to center cross hole spacing

Entry Handle Warranty:

- Limited Lifetime Mechanical Warranty

Interior Knob and Lever Designs Available:

Knobs:	**Code:**
Wexford	F
Durham	M
Levers:	
Carlow	H
Waterford	Q
Monoghan	N

STONEBRIAR – ENTRY HANDLE

Premiere

Model	**Function**
7631	Exterior Handleset
7635	Exterior Handleset - Dummy
7600	Single Cylinder Kit *R/L
7604	Double Cylinder Kit *R/L
7605	Dummy Kit *R/L

FINISHES: P (Weathered Pewter), 1 (Oil–Rubbed Bronze), 2 (Black).

***** Handing required when interior pack uses a handed lever.

CASTLETOWN - ENTRY HANDLE


Premiere

Model	**Function**
7625	Exterior Handleset
7615	Exterior Handleset - Dummy
7400	Single Cylinder Kit *R/L
7402	Double Cylinder Kit *R/L
7405	Dummy Kit *R/L

FINISHES: 1 (Oil–Rubbed Bronze).

***** Handing required when interior pack uses a handed lever. Available in Wexford Knob (F), Durham Knob (M), Carlow Lever (H)

STONEBRIAR



CASTLETOWN



501

Top Notch Distributors, Inc.

East – Pennsylvania 800-233-4210 Fax 800-854-4146

Midwest – Missouri 800-211-4607 Fax 800-211-4608

Southwest – Texas 866-693-6903 Fax 866-693-6904

West – Nevada 800-722-4210 Fax 800-248-3620

www.topnotchinc.com **sales@topnotchinc.com**


Molten Bronze Collection

TRAMORE- ENTRY HANDLE
Premiere

Model	Function
7641	Single Cylinder Deadbolt Passage R/L
7651	Single Cylinder Deadbolt Keylock R/L
7645	Dummy Handle (all parts rigid) R/L

FINISHES: P (Weathered Pewter), 1 (Oil–Rubbed Bronze), 2 (Black).

TRAMORE



WILTSHIRE – ENTRY HANDLE

Model	Function
7680	Exterior Handleset
7685	Exterior Handleset - Dummy
7600	Single Cylinder Kit *R/L
7602	Double Cylinder Kit *R/L
7604	Interconnect Kit *R/L
7605	Dummy Kit *R/L

FINISHES: P (Weathered Pewter), 1 (Oil–Rubbed Bronze), 2 (Black).
* Handing required when interior pack uses a handed lever.
All available in Wexford Knob (F), Durham Knob (M), Carlow Lever (H)

WILTSHIRE



ASPEN – ENTRY HANDLE

Model	Function
7925	Exterior Handleset
7915	Exterior Handleset - Dummy
7800	Single Cylinder Kit *R/L
7802	Double Cylinder Kit *R/L
7805	Dummy Kit *R/L

FINISHES: P (Weathered Pewter), 1 (Oil–Rubbed Bronze), 2 (Black).
* Handing required when interior pack uses a handed lever.

GREYSTONE – ENTRY HANDLE

Model	Function
7931	Exterior Handleset
7935	Exterior Handleset - Dummy
7900	Single Cylinder Kit *R/L
7902	Double Cylinder Kit *R/L
7904	Interconnect Kit *R/L
7905	Dummy Kit *R/L

FINISHES: P (Weathered Pewter), 1 (Oil–Rubbed Bronze), 2 (Black).
* Handing required when interior pack uses a handed lever.

ROCKFORD – ENTRY HANDLE

Model	Function
7980	Exterior Handleset
7985	Exterior Handleset - Dummy
7900	Single Cylinder Kit *R/L
7902	Double Cylinder Kit *R/L
7904	Interconnect Kit *R/L
7905	Dummy Kit *R/L

FINISHES: P (Weathered Pewter), 1 (Oil–Rubbed Bronze), 2 (Black).
* Handing required when interior pack uses a handed lever.

Top Notch Distributors, Inc.

East – Pennsylvania 800-233-4210 Fax 800-854-4146
Midwest – Missouri 800-211-4607 Fax 800-211-4608
Southwest – Texas 866-693-6903 Fax 866-693-6904
West – Nevada 800-722-4210 Fax 800-248-3620

www.topnotchinc.com **sales@topnotchinc.com**


Molten Bronze Collection

Deadbolt Features:

- Five pin Cylinder
- 1" throw deadbolt with two hardened steel rollers
- Heavy duty security strike with 3" screws
- Weslock® Keyway standard (Optional Schlage Keyway)

Deadbolt Specifications:

- Adjustable latches 2⅜" or 2¾" with removable faceplates
- Fits doors prepared with 2⅛" cross holes and 1" edge hole
- Adjusts to door thickness from 1⅜" to 2"
- Optional door thickness from 2" to 2¼"
- Dual strikes 1⅝" x 2¼" radius corner and square corner full lip



PREMIERE x PREMIERE

Deadbolt Warranty:

- Limited Lifetime Mechanical Warranty

PREMIERE

Model	Function
7571	Single Cylinder

FINISHES: P (Weathered Pewter), 1 (Oil–Rubbed Bronze), 2 (Black).

7572 Double Cylinder
FINISHES: 1 (Oil–Rubbed Bronze).

SQUARE

Model	Function
7971	Single Cylinder

FINISHES: P (Weathered Pewter), 1 (Oil–Rubbed Bronze), 2 (Black).

7972 Double Cylinder
FINISHES: P (Weathered Pewter), 1 (Oil–Rubbed Bronze), 2 (Black)

Top Notch Distributors, Inc.

East – Pennsylvania 800-233-4210 Fax 800-854-4146
Midwest – Missouri 800-211-4607 Fax 800-211-4608
Southwest – Texas 866-693-6903 Fax 866-693-6904
West – Nevada 800-722-4210 Fax 800-248-3620

www.topnotchinc.com **sales@topnotchinc.com**

Elegance Collecton

Knob Features:

- Cylindrical Door Locks
- Meets ANSI A 156.2 Grade II lock standards
- Five pin Cylinder
- Removable knobs/levers prevents scratching during installation
- Panic–Proof Keylock/Privacy – one turn of interior knob/lever unlocks and opens door
- Push Button locking in rosette
- Weslock® Keyway standard (Optional Schlage Keyway)
- Zinc diecasted levers and rosettes
- All brass knobs


Knob Specifications:

- Adjustable latches 2⅜" or 2¾" with removable faceplates
- Fits doors prepared with 2⅛" cross hole and 1" edge hole
- Adjusts to door thickness from 1⅜" to 1¾"
- Optional door thickness from 1¾" to 2¼"
- Dual strikes 1⅝" x 2¼" radius corner and square corner full lip

Knob Warranty:

- Limited Lifetime Mechanical Warranty
- Limited Lifetime Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass Keylock function

IMPRESA™ (I)



PREMIERE



WOODWARD

IMPRESA™ (I) KNOB – PREMIERE & WOODWARD SHAPE

Premiere		Woodward	
Model	**Function**	**Model**	**Function**
1700	Passage (Hall/Closet)	**3700**	Passage (Hall/Closet)
1705	Dummy Knob	**3705**	Dummy Knob
1710	Privacy (Bed/Bath)	**3710**	Privacy (Bed/Bath)
1740	Keylock (Keyed Entry)	**3740**	Keylock (Keyed Entry)
Oval			
Model	**2740**	**Function**	Keylock (Keyed Entry)


FINISHES: N (Satin Nickel), 1 (Oil–Rubbed Bronze).

JULIENNE™ (J) KNOB – PREMIERE & OVAL SHAPE

Premiere		Oval	
1700	Passage (Hall/Closet)	**2700**	Passage (Hall/Closet)
1705	Dummy Knob	**2705**	Dummy Knob
1710	Privacy (Bed/Bath)	**2710**	Privacy (Bed/Bath)
1740	Keylock (Keyed Entry)	**2740**	Keylock (Keyed Entry)

FINISHES: N (Satin Nickel), 1 (Oil–Rubbed Bronze).

JULIENNE™ (J)





PREMIERE



OVAL

Top Notch Distributors, Inc.

East – Pennsylvania
800-233-4210
Fax 800-854-4146

Midwest – Missouri
800-211-4607
Fax 800-211-4608

Southwest – Texas
866-693-6903
Fax 866-693-6904

West – Nevada
800-722-4210
Fax 800-248-3620

www.topnotchinc.com

sales@topnotchinc.com

Elegance Collecton

Lever Features:

- Cylindrical Door Locks
- Meets ANSI A 156.2 Grade II lock standards
- Five pin Cylinder
- Removable knobs/levers prevents scratching during installation
- Panic–Proof Keylock/Privacy – one turn of interior knob/lever unlocks and opens door
- Push Button locking in rosette
- Weslock® Keyway standard (Optional Schlage Keyway)
- Zinc diecasted levers and rosettes
- All brass knobs

Lever Specifications:

- Adjustable latches 2⅜" or 2¾" with removable faceplates
- Fits doors prepared with 2⅛" cross hole and 1" edge hole
- Adjusts to door thickness from 1⅜" to 1¾"
- Optional door thickness from 1¾" to 2¼"
- Dual strikes 1⅝" x 2¼" radius corner and square corner full lip

Lever Warranty:

- Limited Lifetime Mechanical Warranty
- Limited Lifetime Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass Keylock function

BORDEAU™ (U) HANDED LEVERSET – PREMIERE & OVAL SHAPE
(Specify hand when ordering)

Premiere		Oval	
Model	**Function**	**Model**	**Function**
R/L1700	Passage (Hall/Closet)	**R/L2700**	Passage (Hall/Closet)
R/L1705	Dummy Knob	**R/L2705**	Dummy Knob
R/L1710	Privacy (Bed/Bath)	**R/L2710**	Privacy (Bed/Bath)
R/L1740	Keylock (Keyed Entry)	**R/L2740**	Keylock (Keyed Entry)

FINISHES: 3B (Lifetime Polished Brass), N (Satin Nickel), 1 (Oil–Rubbed Bronze)

LEGACY NON-HANDED LEVERSET (Y) – PREMIERE & OVAL SHAPE

Premiere		Oval	
1700	Passage (Hall/Closet)	**2700**	Passage (Hall/Closet)
1705	Dummy Knob	**2705**	Dummy Knob
1710	Privacy (Bed/Bath)	**2710**	Privacy (Bed/Bath)


FINISHES: N (Satin Nickel), 1 (Oil–Rubbed Bronze).

UTICA NON-HANDED LEVERSET (P) WOODWARD SHAPE

Woodward	
Model	**Function**
3700	Passage (Hall/Closet)
3705	Dummy Knob
3710	Privacy (Bed/Bath)
3740	Keylock (Keyed Entry)

FINISHES: N (Satin Nickel), 1 (Oil–Rubbed Bronze)

BORDEAU™ (U)




PREMIERE




OVAL

LEGACY ™ (Y)



Utica (P)



505

Top Notch Distributors, Inc.

East – Pennsylvania
800-233-4210
Fax 800-854-4146

Midwest – Missouri
800-211-4607
Fax 800-211-4608

Southwest – Texas
866-693-6903
Fax 866-693-6904

West – Nevada
800-722-4210
Fax 800-248-3620

www.topnotchinc.com

sales@topnotchinc.com

Elegance Collection

Entry Handle Features:

- Five pin Cylinder
- Solid Brass
- 1" throw deadbolt with two hardened steel rollers–prevents sawing
- Weslock® Keyway standard (Optional Schlage Keyway)
- Removable knobs/levers prevents scratching during installation

Entry Handle Specifications:

- Adjustable latches 2⅜" or 2¾" with removable faceplates
- Fits doors prepared with 1⅝" top and 2⅛" bottom cross holes and 1" edge hole
- Adjusts to door thickness from 1¾" to 2"
- Optional door thickness from 2" to 2¼"
- 5½" center to center cross hole spacing
- Dual strikes 1⅝" x 2¼" radius corner and square corner full lip

Entry Handle Warranty:

- Limited Lifetime Mechanical Warranty
- Limited Lifetime Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass

MANSION™ ENTRY HANDLE

Model	Function
6651	Exterior Handleset
6655	Exterior Handleset - Dummy
6600	Single Cylinder Kit *R/L
6602	Double Cylinder Kit *R/L
6604	Interconnect Kit *R/L
6605	Dummy Kit *R/L

FINISHES: N (Satin Nickel), 1 (Oil–Rubbed Bronze)

***** Handing required when interior pack uses a handed lever.

PHILBROOK ENTRY HANDLE

Model	Function
6641	Exterior Handleset
6645	Exterior Handleset - Dummy
6600	Single Kit Cylinder *R/L
6602	Double Cylinder Kit *R/L
6604	Interconnect Kit *R/L
6605	Dummy Kit*R/L


FINISHES: N (Satin Nickel), 1 (Oil–Rubbed Bronze)

***** Handing required when interior pack uses a handed lever.


INTERIOR KNOB & LEVER DESIGNS AVAILABLE:

KNOBS	CODE
Impressa	I
Julienne	J

LEVERS	CODE
Legacy	Y
Urbana	2
Utica	P
Bordeau	U



MANSION™



PHILBROOK

Top Notch Distributors, Inc.

East – Pennsylvania 800-233-4210 Fax 800-854-4146

Midwest – Missouri 800-211-4607 Fax 800-211-4608

Southwest – Texas 866-693-6903 Fax 866-693-6904

West – Nevada 800-722-4210 Fax 800-248-3620

www.topnotchinc.com **sales@topnotchinc.com**

Elegance Collection

STANFORD™ ENTRY HANDLE

Model	Function
6661	Exterior Handleset
6665	Exterior Handleset - Dummy
6400	Single Cylinder Kit *R/L
6402	Double Cylinder Kit *R/L
6404	Interconnect Kit *R/L
6405	Dummy Kit *R/L

FINISHES: N (Satin Nickel), 1 (Oil–Rubbed Bronze)

***** Handing required when interior pack uses a handed lever.




STANFORD™

WOODWARD I ENTRY HANDLE

Model	Function
6681	Exterior Handleset
6685	Exterior Handleset - Dummy
6200	Single Cylinder Kit *R/L
6202	Double Cylinder Kit *R/L
6204	Interconnect Kit *R/L
6205	Dummy Kit *R/L

FINISHES: N (Satin Nickel), 1 (Oil–Rubbed Bronze)

***** Handing required when interior pack uses a handed lever.




WOODWARD I

WOODWARD II ENTRY HANDLE

Model	Function
6691	Exterior Handleset
6695	Exterior Handleset - Dummy
6200	Single Cylinder Kit *R/L
6202	Double Cylinder Kit *R/L
6204	Interconnect Kit *R/L
6205	Dummy Kit *R/L

FINISHES: N (Satin Nickel), 1 (Oil–Rubbed Bronze)



WOODWARD II

Top Notch Distributors, Inc.

East – Pennsylvania
800-233-4210
Fax 800-854-4146

Midwest – Missouri
800-211-4607
Fax 800-211-4608

Southwest – Texas
866-693-6903
Fax 866-693-6904

West – Nevada
800-722-4210
Fax 800-248-3620

www.topnotchinc.com

sales@topnotchinc.com

Elegance Collection

Deadbolt Features:

- Five pin Cylinder
- 1" throw deadbolt with two hardened steel rollers–prevents sawing
- Heavy duty security strike with 3" screws
- Weslock® Keyway standard (Optional Schlage Keyway)

Deadbolt Specifications:

- Adjustable latches 2⅜" or 2¾" with removable faceplates
- Fits doors prepared with 2⅛" cross holes and 1" edge hole
- Adjusts to door thickness from 1⅜" to 2"
- Optional door thickness from 2" to 2¼"
- Dual strikes 1⅝" x 2¼" radius corner and square corner full lip

Deadbolt Warranty:

- Limited Lifetime Mechanical Warranty
- Limited Lifetime Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass

DEADBOLT

Premiere

Model	Function
1771	Single Cylinder
1772	Double Cylinder

Oval

Model	Function
2771	Single Cylinder
2772	Double Cylinder

Woodward


Model	Function
3771	Single Cylinder
3772	Double Cylinder

FINISHES: N (Satin Nickel),1 (Oil–Rubbed Bronze).



PREMIERE








OVAL








WOODWARD





Top Notch Distributors, Inc.

East – Pennsylvania
800-233-4210
Fax 800-854-4146

Midwest – Missouri
800-211-4607
Fax 800-211-4608

Southwest – Texas
866-693-6903
Fax 866-693-6904

West – Nevada
800-722-4210
Fax 800-248-3620

www.topnotchinc.com

sales@topnotchinc.com

Traditionale Collection

Knob Features:

- Cylindrical Door Locks
- Meets ANSI A 156.2 Grade II lock standards
- Five pin Cylinder
- Locksets have pre–installed installation screws, which are concealed behind a snap–on rosette
- Removable knob prevents scratching during installation
- Panic–Proof Keylock/Privacy – one turn of interior knob unlocks and opens door
- Push Button locking in Rosette
- Weslock® Keyway standard (Optional Schlage Keyway)
- Zinc diecasted levers
- All brass knobs and rosettes




BALL (B)

Knob Specifications:

- Adjustable latches 2⅜" or 2¾" with removable faceplates
- Fits doors prepared with 2⅛" cross hole and 1" edge hole
- Adjusts to door thickness from 1¾" to 2¼"
- Dual strikes 1⅝" x 2¼" radius corner and square corner full lip

Knob Warranty:

- Limited Lifetime Mechanical Warranty
- Limited Lifetime Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass Keylock function



JULIENNE (J)

BALL (B) KNOB

Model	Function
600	Passage (Hall/Closet)
605	Dummy
610	Privacy (Bed/Bath)
640	Keylock (Keyed Entry)

FINISHES: A (Antique Brass), 3 (Polished Brass), 3B (Lifetime Polished Brass)

JULIENNE (J) KNOB

Model	Function
600	Passage (Hall/Closet)
605	Dummy Knob
610	Privacy (Bed/Bath)
640	Keylock (Keyed Entry)

FINISHES: N (Satin Nickel), P (Weathered Pewter), 1 (Oil–Rubbed Bronze) 3 (Polished Brass), 3B (Lifetime Polished Brass)

Top Notch Distributors, Inc.

East – Pennsylvania 800-233-4210 Fax 800-854-4146
Midwest – Missouri 800-211-4607 Fax 800-211-4608
Southwest – Texas 866-693-6903 Fax 866-693-6904
West – Nevada 800-722-4210 Fax 800-248-3620


www.topnotchinc.com **sales@topnotchinc.com**

Traditionale Collection

ELEGANTI™ (E) KNOB

Model	Function
600	Passage (Hall/Closet)
605	Dummy Knob
610	Privacy (Bed/Bath)
640	Keylock (Keyed Entry)

FINISHES: A (Antique Brass)




ELEGANTI™ (E)

SAVANNAH™ (Z)

Model	Function
600	Passage (Hall/Closet)
605	Dummy Knob
610	Privacy (Bed/Bath)
640	Keylock (Keyed Entry)

FINISHES: A (Antique Brass), 3 polished Brass, 3B (Lifetime Polished Brass), N (Satin Nickel)




SAVANNAH™ (Z)

IMPRESA™ (I)

Model	Function
600	Passage (Hall/Closet)
605	Dummy Knob
610	Privacy (Bed/Bath)
640	Keylock (Keyed Entry)

FINISHES: 3B (Lifetime Polished Brass), 3 (Polished Brass), A (Antique Brass), 6 (Bright Chrome), N (Satin Nickel), P (Weathered Pewter), 1 (Oil–Rubbed Bronze), 2 (Black), D (Satin Chrome).



IMPRESA™ (I)

TND WE KNOW SERVICE™
Top Notch Distributors, Inc.

East – Pennsylvania
800-233-4210
Fax 800-854-4146

Midwest – Missouri
800-211-4607
Fax 800-211-4608

Southwest – Texas
866-693-6903
Fax 866-693-6904

West – Nevada
800-722-4210
Fax 800-248-3620

www.topnotchinc.com


sales@topnotchinc.com

Traditionale Collection

Lever Features:

- Cylindrical Door Locks
- Meets ANSI A 156.2 Grade II lock standards
- Five pin Cylinder
- Locksets have pre–installed installation screws, which are concealed behind a snap–on rosette
- Removable knob/levers prevents scratching during installation
- Panic–Proof Keylock/Privacy – one turn of interior lever unlocks and opens door
- Push Button locking in Rosette
- Weslock® Keyway standard (Optional Schlage Keyway)
- Zinc diecasted levers
- All brass knobs and rosettes





BORDEAU™ (U)


Lever Specifications:

- Adjustable latches 2⅜" or 2¾" with removable faceplates
- Fits doors prepared with 2⅛" cross hole and 1" edge hole
- Adjusts to door thickness from 1¾" to 2¼"
- Dual strikes 1⅝" x 2¼" radius corner and square corner full lip

Lever Warranty:

- Limited Lifetime Mechanical Warranty
- Limited Lifetime Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass Keylock function





CALAIS™ (K)

BORDEAU™ (U) HANDED LEVERSETS (Specify hand when ordering)

Model	Function
R/L600	Passage (Hall/Closet)
R/L605	Dummy Knob
R/L610	Privacy (Bed/Bath)
R/L640	Keylock (Lever x Lever)

FINISHES: 1 (Oil–Rubbed Bronze), 2 (Black), 3 (Polished Brass), 3B (Lifetime Polished Brass), 6 (Bright Chrome), A (Antique Brass), D (Satin Chrome), N (Satin Nickel), P (Weathered Pewter).

CALAIS™ (K) HANDED LEVERSETS (Specify hand when ordering)

Model	Function
R/L600	Passage (Hall/Closet)
R/L605	Dummy Knob
R/L610	Privacy (Bed/Bath)
R/L640	Keylock (Lever x Lever)

FINISHES: 3 (Polished Brass), A (Antique Brass), N (Satin Nickel), 3B (Lifetime Polished Brass).

Top Notch Distributors, Inc.

East – Pennsylvania 800-233-4210 Fax 800-854-4146

Midwest – Missouri 800-211-4607 Fax 800-211-4608

Southwest – Texas 866-693-6903 Fax 866-693-6904

West – Nevada 800-722-4210 Fax 800-248-3620

www.topnotchinc.com **sales@topnotchinc.com**

Traditionale Collection


ACCESS™ (A) NON–HANDED LEVERSETS

Model	Function
600	Passage (Hall/Closet)
610	Privacy (Bed/Bath)
640	Keylock (Lever x Lever)

FINISHES: D (Satin Chrome), 6 (Bright Chrome), 3 (Polished Brass) 3B (Lifetime Polished Brass).



ACCESS™ (A)



LEGACY (Y) NON–HANDED LEVERSETS


Model	Function
600	Passage (Hall/Closet)
605	Dummy Lever
610	Privacy (Bed/Bath)
640	Not available in Keylock

FINISHES: N (Satin Nickel), 1 (Oil-Rubbed Bronze), 3 (Polished Brass) P (Weathered Pewter), 3B (Lifetime Polished Brass).


URBAN (2) NON–HANDED LEVERSETS

Model	Function
600	Passage (Hall/Closet)
605	Dummy Lever
610	Privacy (Bed/Bath)
640	Not available in Keylock

FINISHES: N (Satin Nickel), 1 (Oil-Rubbed Bronze)



LEGACY (Y)



TND WE KNOW SERVICE™
Top Notch Distributors, Inc.

East – Pennsylvania
800-233-4210
Fax 800-854-4146

Midwest – Missouri
800-211-4607
Fax 800-211-4608

Southwest – Texas
866-693-6903
Fax 866-693-6904

West – Nevada
800-722-4210
Fax 800-248-3620

www.topnotchinc.com

sales@topnotchinc.com

Traditionale Collection

2100 Series Entry Handle Features:


- Five pin Cylinder
- Solid Brass
- 1" throw deadbolt with two hardened steel rollers–prevents sawing
- Weslock® Keyway standard (Optional Schlage Keyway)

2100 Series Entry Handle Specifications:

- Adjustable latches 2⅜" or 2¾" with removable faceplates
- Fits doors prepared with 2⅛" top and 2⅛" bottom cross holes and 1" edge hole
- Adjusts to door thickness fro 1⅜" to 1¾"
- 5¼" minimum center to center cross hole spacing
- Optional door thickness 1¾" to 2¼"
- Dual strikes 1⅝" x 2¼" radius corner and square corner full lip

2100 Series Entry Handle Warranty:

- Limited Lifetime Mechanical Warranty
- Limited Lifetime Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass




LEXINGTON™

LEXINGTON™ ENTRY HANDLESET

Model	Function
2115	Exterior Handleset
2105	Exterior Handleset - Dummy
2100	Single Cylinder Kit *R/L
2109	Double Cylinder Kit *R/L
2104	Dummy Kit *R/L

FINISHES: 1 (Oil–Rubbed Bronze), 2 (Black), 3B (Lifetime Polished Brass), A (Antique Brass), D (Satin Chrome), N (Satin Nickel), P (Weathered Pewter).

***** Handing required when interior pack uses a handed lever.



COLONIAL™

COLONIAL™ ENTRY HANDLESET

Model	Function
2175	Exterior Handleset
2074	Exterior Handleset - Dummy
2100	Single Cylinder Kit *R/L
2109	Double Cylinder Kit *R/L
2104	Dummy *R/L

FINISHES: A (Antique Brass)

***** Handing required when interior pack uses a handed lever.

INTERIOR KNOB & LEVER DESIGNS AVAILABLE:

KNOBS	CODE	LEVERS	CODE
Barrington	D	Bordeau	U
Impressa	I	Provence	R
Julienne	J	Legacy	Y
Savannah	Z	Calais	K
		Access	A
		Urbana	2

Top Notch Distributors, Inc.

East – Pennsylvania 800-233-4210 Fax 800-854-4146

Midwest – Missouri 800-211-4607 Fax 800-211-4608

Southwest – Texas 866-693-6903 Fax 866-693-6904

West – Nevada 800-722-4210 Fax 800-248-3620

www.topnotchinc.com **sales@topnotchinc.com**

Traditional Collection

1300 Series Entry Handle Features:

- Five pin Cylinder
- Solid Brass
- 1" throw deadbolt with two hardened steel rollers–prevents sawing
- Meets two–point locking codes

1300 Series Entry Handle Specifications:

- Non–adjustable latches 2⅜" or 2¾" with removable faceplates
- Fits doors prepared with 2⅛" top and 2⅛" bottom cross holes and 1" edge hole
- Adjusts to door thickness from 1¾" to 2¼"
- 8" minimum center to center cross hole spacing
- Dual strikes 1⅝" x 2¼" radius corner and square corner full lip

1300 Series Entry Handle Warranty:

- Limited Lifetime Mechanical Warranty
- Limited Lifetime Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass

LEXINGTON™ TWO–POINT LOCKING HANDLE

Model	Function
1343	Exterior Handleset
1345	Exterior Handleset- Dummy
1300	Single Cylinder Kit *R/L
1302	Double Cylinder Kit *R/L
1305	Dummy Kit *R/L

FINISHES: 3B (Lifetime Polished Brass). A (Antique Brass), N (Satin Nickel), 1 (Oil–Rubbed Bronze)

***** Handing required when interior pack uses a handed lever.





LEXINGTON™

COLONIAL™ TWO–POINT LOCKING HANDLE

Model	Function
1313	Exterior Handleset
1315	Exterior Handleset - Dummy
1300	Single Cylinder Kit *R/L
1302	Double Cylinder Kit *R/L
1305	Dummy Kit *R/L

FINISHES: A (Antique Brass)

***** Handing required when interior pack uses a handed lever.





COLONIAL™

Top Notch Distributors, Inc.

East – Pennsylvania
800-233-4210
Fax 800-854-4146

Midwest – Missouri
800-211-4607
Fax 800-211-4608

Southwest – Texas
866-693-6903
Fax 866-693-6904

West – Nevada
800-722-4210
Fax 800-248-3620

www.topnotchinc.com

sales@topnotchinc.com

Traditionale Collection

Deadbolt Features:

- Heavy duty security strike with 3" screws
- Five pin Cylinder
- 1" throw deadbolt with two hardened steel rollers–prevents sawing
- ADA recommended, extra large interior thumbturn
- ¼" Diameter Through Bolt
- Rotating Collar
- Heat treated assembly housing screws
- Anti–Force Shield
- Meets ANSI A 156.2 Grade II Cylindrical lock standards




671



Deadbolt Specifications:

- Adjustable latches 2⅜" or 2¾" with removable faceplates
- Fits doors prepared with 2⅛" cross holes and 1" edge hole
- Adjusts to door thickness from 1⅜" to 2"
- Optional door thickness from 2" to 2¼"
- Dual strikes 1⅝" x 2¼" radius corner and square corner full lip



Deadbolt Warranty:

- Limited Lifetime Mechanical Warranty
- Limited Lifetime Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass

X–TRA HEAVY DUTY DEADBOLTS

Model	Function
671	Single Cylinder
672	Double Cylinder

FINISHES: 3B (Lifetime Polished Brass), 6 (Bright Chrome), A (Antique Brass), D (Satin Chrome), N (Satin Nickel), P (Weathered Pewter), 1 (Oil–Rubbed Bronze)




672



NON-CYLINDER DEADBOLT

Model	Function
667	Non-cylinder
668	Non-cylinder w/outside plate

FINISHES: 3B (Lifetime Polished Brass), A (Antique Brass), D (Satin Chrome), 3(Polished Brass)





667

Top Notch Distributors, Inc.

East – Pennsylvania 800-233-4210 Fax 800-854-4146

Midwest – Missouri 800-211-4607 Fax 800-211-4608

Southwest – Texas 866-693-6903 Fax 866-693-6904

West – Nevada 800-722-4210 Fax 800-248-3620

www.topnotchinc.com **sales@topnotchinc.com**

Essentials Collection

Knob Features:


- Cylindrical Door Locks
- Meets ANSI A 156.2 Grade II lock standards
- Five pin Cylinder
- Locksets have pre–installed installation screws, which are concealed behind a snap–on rosette
- Removable knobs/levers prevents scratching during installation
- Panic–Proof Keylock/Privacy – one turn of interior knob/lever unlocks and opens door
- Push Button locking in Rosette
- Weslock® Keyway standard (Optional Schlage Keyway)
- Zinc diecasted levers
- All brass knobs and rosettes



BARRINGTON™ (D)

Knob Specifications:

- Adjustable latches 2⅜" or 2¾" with removable faceplates
- Fits doors prepared with 2⅛" cross hole and ⅞" or 1" edge hole
- Latch diameter is ⅞"
- For 1" edge hole, non–mortise application requires metal sleeve (part #70991)
- Adjusts to door thickness from 1⅜" to 1¾"
- Optional door thickness from 1¾" to 2¼"
- Dual strikes 1⅝" x 2¼" radius corner and square corner full lip



SONIC™ (0)

Knob Warranty:

- Limited Lifetime Mechanical Warranty
- Limited 10 Year Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass Keylock function

BARRINGTON™ (D) KNOB

Model	Function
401	Passage (Hall/Closet)
405	Dummy Knob
411	Privacy (Bed/Bath)
441	Keylock (Keyed Entry)

FINISHES: 3B (Lifetime Polished Brass), 3 (Polished Brass), A (Antique Brass), D (Satin Chrome), N (Satin Nickel), 1 (Oil Rubbed Bronze)

SONIC™ (0) KNOB

Model	Function
401	Passage (Hall/Closet)
405	Dummy Knob
411	Privacy (Bed/Bath)
441	Keylock (Keyed Entry)

FINISHES: 3B (Lifetime Polished Brass), 3 (Polished Brass) A (Antique Brass), D (Satin Chrome), N (Satin Nickel)

Top Notch Distributors, Inc.

East – Pennsylvania 800-233-4210 Fax 800-854-4146
Midwest – Missouri 800-211-4607 Fax 800-211-4608
Southwest – Texas 866-693-6903 Fax 866-693-6904
West – Nevada 800-722-4210 Fax 800-248-3620

www.topnotchinc.com **sales@topnotchinc.com**

Essentials Collection

Lever Features:


- Cylindrical Door Locks
- Meets ANSI A 156.2 Grade II lock standards
- Five pin Cylinder
- Locksets have pre–installed installation screws, which are concealed behind a snap–on rosette
- Removable knobs/levers prevents scratching during installation
- Panic–Proof Keylock/Privacy – one turn of interior knob/lever unlocks and opens door
- Push Button locking in Rosette
- Weslock® Keyway standard (Optional Schlage Keyway)
- Zinc diecasted levers
- All brass knobs and rosettes



LEXINGTON™ (L)

Lever Specifications:

- Adjustable latches 2⅜" or 2¾" with removable faceplates
- Fits doors prepared with 2⅛" cross hole and ⅞" or 1" edge hole
- Latch diameter is ⅞"
- For 1" edge hole, non–mortise application requires metal sleeve (part #70991)
- Adjusts to door thickness from 1⅜" to 1¾"
- Optional door thickness from 1¾" to 2¼"
- Dual strikes 1⅝" x 2¼" radius corner and square corner full lip



Lever Warranty:

- Limited Lifetime Mechanical Warranty
- Limited 10 Year Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass Keylock function



PROVENCE (R)

LEXINGTON™ (L) NON–HANDED LEVERSETS


Model	Function
401	Passage (Hall/Closet)
405	Dummy Lever
411	Privacy (Bed/Bath)
441	Keylock (Lever x Lever)

FINISHES: 3B (Lifetime Polished Brass), 3 (Polished Brass), A (Antique Brass), N (Satin Nickel)

PROVENCE (R) NON–HANDED LEVERSETS

Model	Function
401	Passage (Hall/Closet)
405	Dummy Lever
411	Privacy (Bed/Bath)
441	Keylock (Lever x Lever)

FINISHES: 3B (Lifetime Polished Brass, 3 (Polished Brass), A (Antique Brass), N (Satin Nickel)



Top Notch Distributors, Inc.

East – Pennsylvania 800-233-4210 Fax 800-854-4146

Midwest – Missouri 800-211-4607 Fax 800-211-4608

Southwest – Texas 866-693-6903 Fax 866-693-6904

West – Nevada 800-722-4210 Fax 800-248-3620

www.topnotchinc.com **sales@topnotchinc.com**

Essentials Collection

Entry Handle Features:


- Five pin Cylinder
- Zinc Diecasted
- 1" throw deadbolt with two hardened steel rollers–prevents sawing

Entry Handle Specifications:

- Adjusts to door thickness from 1⅜" to 2"
- Optional door thickness from 2" to 2¼"
- Adjustable latches 2⅜" or 2¾" with removable faceplates
- Fits doors prepared with 2⅛" top and 2 ⅛" bottom cross holes and 1" edge hole
- 5 1/4" minimum center to center cross hole spacing

Entry Handle Warranty:

- Limited Lifetime Mechanical Warranty
- Limited 10 Year Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass



OVAL™

Oval™ Entry Handle

Model	Function
350	Exterior Handleset - Dummy
351	Exterior Handleset
2100	Single Cylinder Kit *R/L
2109	Double Cylinder Kit *R/L
2104	Single Cylinder Kit *R/L

FINISHES: 1 (Oil-Rubbed Bronze), 3 (Polished Brass), 3B (Lifetime Polished Brass), A (Antique Brass), N (Satin Nickel)

INTERIOR KNOB & LEVER DESIGNS AVAILABLE:

KNOBS	CODE	LEVERS	CODE
Sonic	O	Lexington	L
Barrington	D	Provence	R

Top Notch Distributors, Inc.

East – Pennsylvania 800-233-4210 Fax 800-854-4146
Midwest – Missouri 800-211-4607 Fax 800-211-4608
Southwest – Texas 866-693-6903 Fax 866-693-6904
West – Nevada 800-722-4210 Fax 800-248-3620

www.topnotchinc.com **sales@topnotchinc.com**

Essentials Collection

Deadbolt Features:

- Heavy duty security strike with 3" screws
- Five pin Cylinder
- 1" throw deadbolt with two hardened steel rollers–prevents sawing
- Weslock® Keyway standard (Optional Schlage Keyway)
- ADA recommended, extra large interior thumbturn

Deadbolt Specifications:

- Adjustable latches 2⅜" or 2¾" with removable faceplates
- Fits doors prepared with 2⅛" cross holes and 1" edge hole
- Adjusts to door thickness from 1⅜" to 2"
- Optional door thickness from 2" to 2¼"
- Dual strikes 1⅝" x 2¼" radius corner and square corner full lip

Deadbolt Warranty:

- Limited Lifetime Mechanical Warranty
- Limited 10 Year Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass

ESSENTIALS DEADBOLTS

Model	**Function**
371	Single Cylinder
372	Double Cylinder

FINISHES: 1 (Oil–Rubbed Bronze), 2 (Black), 3B (Lifetime Polished Brass), 6 (Bright Chrome), A (Antique Brass), D (Satin Chrome), N (Satin Nickel), P (Weathered Pewter),



371



372

Top Notch Distributors, Inc.

East – Pennsylvania
800-233-4210
Fax 800-854-4146

Midwest – Missouri
800-211-4607
Fax 800-211-4608

Southwest – Texas
866-693-6903
Fax 866-693-6904

West – Nevada
800-722-4210
Fax 800-248-3620

www.topnotchinc.com

sales@topnotchinc.com

Interconnected Locksets

1400 Series Entry Handle Features:

- Five pin Cylinder
- 1" throw deadbolt with two hardened steel rollers–prevents sawing
- Available with any interior Traditionale Collection knob or lever style
- Solid Brass
- Textured interior Nolin plate
- Weslock® Keyway standard
- Meets two–point locking code
- Panic-Proof - one turn of the interior knob/lever unlocks & opens the door.

1400 Series Entry Handle Specifications:

- Non–adjustable latches 2⅜" or 2¾" with removable faceplates
- Fits doors prepared with 2⅛" top and 2⅛" bottom cross holes and 1" edge hole
- Adjusts to door thickness from 1¾" to 2¼"
- 2⅞" center to center cross hole spacing
- Dual strikes 1⅝" x 2¼" radius corner and square corner full lip

1400 Series Warranty:


- Limited Lifetime Mechanical Warranty
- Limited Lifetime Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass

LEXINGTON™ INTERCONNECTED ENTRY HANDLES

Model	Function
1444	Exterior Handleset
1445	Exterior Handleset - Dummy
1400	Single Cylinder Kit *R/L
1405	Dummy Kit *R/L

FINISHES: 3B (Lifetime Polished Brass), A (Antique Brass), N (Satin Nickel), 1 (Oil–Rubbed Bronze), 3 (Polished Brass)

* Handing required when interior pack uses a handed lever.



LEXINGTON™

Top Notch Distributors, Inc.

East – Pennsylvania 800-233-4210 Fax 800-854-4146
Midwest – Missouri 800-211-4607 Fax 800-211-4608
Southwest – Texas 866-693-6903 Fax 866-693-6904
West – Nevada 800-722-4210 Fax 800-248-3620

www.topnotchinc.com **sales@topnotchinc.com**

Interconnected Locksets

COLONIAL™ INTERCONNECTED ENTRY HANDLES

Model	Function
1414	Exterior Handleset
1415	Exterior Handleset - Dummy
1400	Single Cylinder Kit *R/L
1405	Dummy Kit *R/L

FINISHES: A (Antique Brass)

* Handing required when interior pack uses a handed lever.

WOODWARD INTERCONNECTED ENTRY HANDLES

Model	Function
1424	Exterior Handleset
1425	Exterior Handleset - Dummy
1420	Single Cylinder Kit *R/L
1427	Dummy Kit *R/L


FINISHES: N (Satin Nickel), 1 (Oil–Rubbed Bronze), 3 (Polished Brass)

* Handing required when interior pack uses a handed lever.

Available Knobs and Levers:

Knobs	Code
Eleganti	K
Impressa	I
Julienne	J
Savannah	Z

Levers	Code
Calais	K
Bordeau	U
Access	A



COLONIAL™

Top Notch Distributors, Inc.

East – Pennsylvania
800-233-4210
Fax 800-854-4146

Midwest – Missouri
800-211-4607
Fax 800-211-4608

Southwest – Texas
866-693-6903
Fax 866-693-6904

West – Nevada
800-722-4210
Fax 800-248-3620

www.topnotchinc.com

sales@topnotchinc.com

Interconnected Locksets

1500 Series Unigard™ Features:

- Five pin Cylinder
- 1" throw deadbolt with two hardened steel rollers–prevents sawing
- Panic–Proof–one turn of the interior knob/lever unlocks and opens the door
- Available with any interior Traditionale Collection knob or lever style
- Weslock® Keyway standard (optional Schlage keyway)




UNIGARD® RECTANGULAR



1500 Series Unigard™ Specifications:

- Non–adjustable latches 2⅜" or 2¾" with removable faceplates
- Fits doors prepared with 2⅛" top and 2⅛" bottom cross holes and 1" edge hole
- Adjusts to door thickness from 1¾" to 2¼"
- 2⅞" center to center cross hole spacing
- Dual strikes 1⅝" x 2¼" radius corner and square corner full lip



1500 Series Unigard™ Warranty:

- Limited Lifetime Mechanical Warranty
- Limited Lifetime Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass

UNIGARD™ RECTANGULAR INTERCONNECTED ENTRY HANDLES

Model	Function
1501	Key operated exterior, interconnected interior with thumbturn upper and passage, panic–proof lower knob. (Springlatch)
1510	With combines faceplate & ASA strikes (square only)

FINISHES: A (Antique Brass), D (Satin Chrome), N (Satin Nickel) 3B (Lifetime Polished Brass)

Available Knobs and Levers:

Knobs	Code
Ball	B
Eleganti	E
Julienne	J
Savannah	Z
Impressa	I

Levers	Code
Calais	K
Bordeau	U
Access	A
Legacy	Y

Top Notch Distributors, Inc.


East – Pennsylvania 800-233-4210 Fax 800-854-4146
Midwest – Missouri 800-211-4607 Fax 800-211-4608
Southwest – Texas 866-693-6903 Fax 866-693-6904
West – Nevada 800-722-4210 Fax 800-248-3620


www.topnotchinc.com **sales@topnotchinc.com**

Parts and Accessories

Replacement Cylinders

Model Number	Description	Finishes
SC12987	Replacement cylinder (Schlage Keyway) for Elegance, Traditionale & Essentials Collection keylocks, except Ball™ knob style	**1, 2, A, 3B, D, N, P, 6**
KW12987	Replacement cylinder (Kwikset Keyway) for Elegance, Traditionale, Essentials Collection keylocks, except Ball™ knob style	**A, 3B, D, N, P, 1, 6**
WL12987X	Replacement cylinder for 640 Series, except Ball™ knob style	**A, 3B, D, N, P, 6**
SC12987XM	Replacement cylinder (Schlage Keyway) for Molten Bronze Collections keylocks	**P, 1**
SC14027	Replacement cylinder (Schlage Keyway) for 371, 2100, 1500 Series (Unigard®)	**A, 3B, D, N, P, 1, 6**
KW14027	Replacement cylinder (Kwikset Keyway) for 371, 2100, 1500 Series (Unigard®)	





Keying Kits and Accessories

00101	Kit for re-keying cylinders including master keyed cylinders
12344xBR	Key blanks (50/box)
13175	#0-10/64", #1-11/64", #2-12/64", #3-13/64", #4-14/64", #5-15/64", #6-16/64", #7-17/64", #8-18/64", #9-19/64
13177	#2-2/64", #3-3/64", #4-4/64", #5-5/64", #6-6/64", #7-7/64", #8-8/64", #9-9/64





Door Screw Pack

0200	21/4" Extra thick door screw pack Traditionale, Essentials	**A, N, 1, BLACK, 3**
0700	21/4" Extra thick door screw pack Elegance Collection 6651Entry Handle	**---**
0705	21/4" Extra thick door screw pack Elegance Collection 6661Entry Handle	**---**
0710	21/4" Extra thick door screw pack Elegance Collection - Keylocks	**N, P, 1, 3**
0715	21/4" Extra thick door screw pack Elegance Collection - Keylocks)	**D, P, 1, 3**
0900	21/4" Extra thick door screw pack Molten Bronze - 7615 Entry Handle	**---**
0905	21/4" Extra thick door screw pack Molten Bronze - 7631/7680 Entry Handle	**---**
0910	21/4" Extra thick door screw pack Molten Bronze Collection -Deadbolts	**P, 1**
0915	21/4" Extra thick door screw pack Molten Bronze Collection - Keylocks 7641/7651	**P, 1,**

Latch Faceplates

12716	Drive-in Faceplate – Square (600 Series)	**A, 1, 3**
12717	Drive-in Faceplate – Radius (600 Series)	
12713	Drive-in Faceplate – Square (400 Series)	**D, 3**
12714	Drive-in Faceplate – Radius (400 Series)	

Top Notch Distributors, Inc.

East – Pennsylvania
800-233-4210
Fax 800-854-4146

Midwest – Missouri
800-211-4607
Fax 800-211-4608

Southwest – Texas
866-693-6903
Fax 866-693-6904


West – Nevada
800-722-4210
Fax 800-248-3620

www.topnotchinc.com


sales@topnotchinc.com

Parts and Accessories


Latches for Molten Bronze, Elegance and Traditionale Collection – Passage/Privacy Knobs/Levers and Entry Handles

Model Number	(Levers Only) Model Number	Backset Adj.	Faceplate				
			Width	Corner	Type	Finishes	
12720	32720	2⅜" to 2¾"	1"	Square/Radius	Removable	A, D, P, 1, 2, US4	 12720 12725
12725	32725	2⅜" to 2¾"	None	Non-Mortise		D, 1, US4	


Latches for Molten Bronze, Elegance and Traditionale Collection – Keylock – Knobs and Levers

12721	32721	2⅜" to 2¾"	1"	Square/Radius	Removable	A, D, P, 2, US4, 1	 12721 12728
12728	32728	2⅜" to 2¾"	None	Non-Mortise		D, 1, US4	


Latches for Essentials Collection – Passage/Privacy Knobs/Levers – Springlatch

Model Number	(Levers Only) Model Number	Backset Adj.	Faceplate				
			Width	Corner	Type	Finishes	
12845	–	2⅜" to 2¾"	None	Non-Mortise		6, US4	 12845


Latches for Essentials Collection – Keylock – Knobs/Levers – Deadlatch

12849	N/A	2⅜" to 2¾"	None	Non-Mortise		6, US4	 12849


Latches for Interconnect Collection – Unigard® Springlatch and 1300 Series – Springlatch

Model Number	Backset Adj.	Faceplate				
		Width	Corner	Type	Finishes	
14652	2⅜"	1"	Square/Radius	Removable	A, 26D	 14652 14656
14656	2¾"	1"	Square/Radius	Removable		

Latches for Interconnect, Traditionale Collection Series – Deadlatch

15085	2⅜"	1"	Square/Radius	Removable	A, D, US4, 1	 15085 15144 15145 15142
15142	2¾"	1"	Square/Radius	Removable		
15144	2⅜"	None	Non-Mortise		D	
15145	2¾"	None	Non-Mortise			

Latches for Interconnect – Unigard®, Twingard®, Traditionale Collection Series Deadbolts

14232	2⅜"	1"	Square/Radius	Removable	A, D, US4, 1	 14232 14233
14233	2¾"	1"	Square/Radius	Removable		

TND WE KNOW SERVICE™
Top Notch Distributors, Inc.

East – Pennsylvania 800-233-4210 Fax 800-854-4146
Midwest – Missouri 800-211-4607 Fax 800-211-4608
Southwest – Texas 866-693-6903 Fax 866-693-6904
West – Nevada 800-722-4210 Fax 800-248-3620

Direct to Sales: 866-418-4223

www.topnotch.bz **sales@topnotch.bz**

Parts and Accessories

Sliding Pocket Door Locks

Model Number	Description	Finishes	
527	Passage (no locking)	A, D, N, 1, 3	 527
577	Privacy Lock (locking turnbutton inner)		 577

TND WE KNOW SERVICE™
Top Notch Distributors, Inc.

East – Pennsylvania 800-233-4210 Fax 800-854-4146
Midwest – Missouri 800-211-4607 Fax 800-211-4608
Southwest – Texas 866-693-6903 Fax 866-693-6904
West – Nevada 800-722-4210 Fax 800-248-3620

Direct to Sales: 866-418-4223

www.topnotch.bz **sales@topnotch.bz**

Note:

Top Notch Distributors, Inc.

East – Pennsylvania
800-233-4210
Fax 800-854-4146

Midwest – Missouri
800-211-4607
Fax 800-211-4608

Southwest – Texas
866-693-6903
Fax 866-693-6904

West – Nevada
800-722-4210
Fax 800-248-3620

www.topnotchinc.com

sales@topnotchinc.com