



**ROCKWOOD®**  
**ASSA ABLOY**

Experience a safer  
and more open world

# LITE KITS & LOUVERS CATALOG





## CERTIFICATIONS

### FIRE-RATED LITE KITS

Lite Kits installed in fire-rated doors require fire-rated glass and glazing tape.

### ACCESSIBILITY STANDARD COMPLIANCE

ADA Standards require that the bottom of the glass panel in a vision lite be located 43" maximum above the floor. Exception is made for vision lites with the lowest part more than 66" above the floor, which are not required to comply.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

US: 800 458 2424 | [www.rockwoodmfg.com](http://www.rockwoodmfg.com) CA: 800 461 3007 | [www.assaabloyds.com](http://www.assaabloyds.com)  
Check the website for the most up-to-date product information.

Copyright © 2019 2021-2024, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.



## STOCK LITE KIT SIZES


All LT-B1 models are available in the stock sizes listed below (stock sizes available in Beige, Dark Bronze, and Dark Gray Primer finishes). Base metal is galvaneal steel.



5" x 35"



6" x 27"



8" x 32"



7" x 22"



10" x 10"



12" x 12"



24" x 24"



24" x 30"



24" x 32"



24" x 34"



24" x 36"



24" x 60"

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

US: 800 458 2424 | [www.rockwoodmfg.com](http://www.rockwoodmfg.com) CA: 800 461 3007 | [www.assaabloydss.ca](http://www.assaabloydss.ca)  
Check the website for the most up-to-date product information.

Copyright © 2019 2021-2024, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

# BEVELED LITE KITS

Our Beveled Lite Kits offer a wide viewing angle, suitable for both wood and metal doors with glazing material. They can be installed quickly without the need for drilling holes. The flush-mounted assembly, featuring a hemmed design, is ideally suited for clean environments.

## STANDARD FEATURES

### MATERIAL:

20 gauge Galvanneal Steel

### FASTENERS:

#8 x 1<sup>3</sup>/<sub>4</sub>" OH SMS

### DIMENSIONS:

- Minimum width: 4" Maximum width: 38"
- Minimum height: 5" Maximum height: 82"

### DOOR THICKNESS:

- 1<sup>3</sup>/<sub>4</sub>" wood or metal

### FIRE RATING:

- Classified in accordance with UBC code standard 7-2 for positive pressure
- 90 Minute Fire Rating



### OPTIONAL FEATURES:

- Torx (Security screws)
- Custom powder coats

### LT-B1

<sup>3</sup>/<sub>8</sub>" Glazing Pocket for <sup>1</sup>/<sub>4</sub>" glass

Specifications for ordering custom size LT-B1 Kits

### LT-B2


<sup>9</sup>/<sub>16</sub>" Glazing Pocket for <sup>3</sup>/<sub>8</sub>" to <sup>1</sup>/<sub>2</sub>" glass

### LT-B3

<sup>13</sup>/<sub>16</sub>" Glazing Pocket for <sup>5</sup>/<sub>8</sub>" to <sup>3</sup>/<sub>4</sub>" glass

### LT-B4

<sup>1</sup>/<sub>16</sub>" Glazing Pocket for <sup>7</sup>/<sub>8</sub>" to 1" glass



**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer and more open world

US: 800 458 2424 | [www.rockwoodmfg.com](http://www.rockwoodmfg.com) CA: 800 461 3007 | [www.assaabloydss.ca](http://www.assaabloydss.ca)

Check the website for the most up-to-date product information.

Copyright © 2019 2021-2024, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.



# LOUVERS



**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

US: 800 458 2424 | [www.rockwoodmfg.com](http://www.rockwoodmfg.com) CA: 800 461 3007 | [www.assaabloydss.ca](http://www.assaabloydss.ca)  
Check the website for the most up-to-date product information.


Copyright © 2019 2021-2024, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

## FUSIBLE LINK FIRE RATED LOUVER

The LV-FL louver is for use with 1<sup>3</sup>/<sub>4</sub>" wood or metal doors and provides 50% free air flow while fastening to one side to ensure security.



LV-FL



### STANDARD FEATURES

#### MATERIAL:

18 gauge Galvanneal Steel frame  
16 gauge adjustable "Z" blades

#### FASTENERS:

#8 x 1" FH SMS

#### DIMENSIONS:

- Minimum width: 12" Maximum width: 24"
- Minimum height: 12" Maximum height: 24"

#### DOOR THICKNESS:

- 1<sup>3</sup>/<sub>4</sub>" wood or metal

#### STANDARDS:

- 50% Free Air Flow

#### FIRE RATING:

- UL listed
- Fusible link activates at 135°F



### OPTIONAL FEATURES

- Torx (Security screws)
- Custom powder coats

### Stocked LV-FL Sizes Cutout Dimensions

12" x 12"


18" x 12"

18" x 18"

24" x 12"

24" x 18"

24" x 24"



**ROCKWOOD**

**ASSA ABLOY**

Experience a safer  
and more open world

US: 800 458 2424 | [www.rockwoodmfg.com](http://www.rockwoodmfg.com) CA: 800 461 3007 | [www.assaabloydss.ca](http://www.assaabloydss.ca)

Check the website for the most up-to-date product information.

Copyright © 2019 2021–2024, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

The ASSA ABLOY Group is the global leader in access solutions.  
Every day, we help billions of people experience a more open world.

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, frames, door and window hardware, mechanical and smart locks, access control and service.

**ROCKWOOD®**

**ASSA ABLOY**

## SALES & SUPPORT

### SALES

To locate the representative for your area visit the Sales Representative map in the Contact Us area at: [www.rockwoodmfg.com](http://www.rockwoodmfg.com), for Canada: [www.assaabloydss.ca](http://www.assaabloydss.ca), or call 1-800-461-3007.

### EASY ORDER PLACEMENT

#### USA

Phone: 1-800-458-2424 Monday through Thursday, 8:00 am ET to 7:00 pm ET;  
Friday 8:00 am ET to 4:30 pm ET.

Fax: 1-800-922-9212

Email: [orders.rockwood@assaabloy.com](mailto:orders.rockwood@assaabloy.com)

Online: Architectural Door Accessories WebShop: <https://accessories.assaabloy.com/>

#### Canada

Phone: 1-800-461-3007 Monday through Friday 8:00 am ET to 4:30 pm ET

Fax: 1-800-461-8989

Email: [cavau-orders@assaabloy.com](mailto:cavau-orders@assaabloy.com)

Online: <http://extranet.assaabloydss.ca/> and select Order Entry under the Customer Service Menu

### TECHNICAL SUPPORT

Customer Service Representatives are available Monday through Thursday, 8:00 am ET to 7:00 pm ET; Friday, 8:00 am ET to 4:30 pm ET at 1-800-458-2424.

Our website is available with current catalogs, sell sheets and the most up-to-date templates. Visit [www.rockwoodmfg.com](http://www.rockwoodmfg.com)

#### Canada:

Phone: 1-800-461-3007 Monday through Friday 8:00 am ET to 4:30 pm ET

Email: [techsupport.dss.ca@assaabloy.com](mailto:techsupport.dss.ca@assaabloy.com)

Rockwood Manufacturing  
300 Main Street  
Rockwood, Pennsylvania 15557  
[www.rockwoodmfg.com](http://www.rockwoodmfg.com)  
[orders.rockwood@assaabloy.com](mailto:orders.rockwood@assaabloy.com)  
1 800 458 2424

ASSA ABLOY Opening Solutions  
Door Security Solutions Canada  
160 Four Valley Drive  
Vaughan, ON L4K 4T9  
[www.assaabloydss.ca](http://www.assaabloydss.ca)  
1 800 461 3007