



SAVOY HOUSE

FAN D'LIER CATALOG 2023



INTRO



Welcome

Originally created by Savoy House, Fan D'Liers are an innovation that combine the beauty of a chandelier and the functionality of a fan in one fabulously fashionable fixture.

These Fan D'Liers are custom designed to pair with our stylish lighting collections and are inspired by our pursuit of attainable luxury.


Our Fan D'Liers have won multiple industry awards and are beloved by our customers for their combination of high style and practicality.



CONTENT



- Alsace 33
- Astoria..... 21
- Brisa.....29
- Colonade23
- Etesian 27
- Genry..... 5
- Gideon.....11
- Hayward 9
- Kona..... 31
- Lyon..... 17
- Oslo 15
- Stockholm 3
- Taurus 13
- Ventari..... 7
- Vireo.....25
- Wetherby 19



ENERGY USE AT HIGH SPEED

Airflow Use	Electricity Use	Airflow Efficiency
1,209.00 Cu Ft/Min	31W Excludes Lights	39 Cu Ft/Min/W

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.



Handheld Remote
Control Included
RMT-AC-UNIVERSAL

LED

Stockholm



FAN NUMBER	39-FD-125-54	39-FD-125-53
MOTOR FINISH	Gold Patina	Silver Patina
BLADE FINISH	Gold	Silver
DOWNROD FINISH	Gold Patina (54)	Silver Patina (53)

- Motor Size AC 4-1/8 x 4-1/2
- 12" Blade Span
- 31"W x 5-3/8"H (Cage Only)
- 15° Blade Pitch
- Downrods Included 18"
- Additional Downrod Lengths Sold Separately

- Integrated Fan Light & ABS Blades Included
- 6C 6W Dimmable LED
- 320 Lumens, 3000K, 90+ CRI per bulb
- Not Hugger Kit Adaptable
- Handheld Remote w/ E Receiver Included (RMT-AC-UNIVERSAL)



ENERGY USE AT HIGH SPEED

Airflow Use	Electricity Use	Airflow Efficiency
1,395.00 Cu Ft/Min	35W Excludes Lights	39.85 Cu Ft/Min/W

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.



Handheld Remote
Control Included
RMT-AC-UNIVERSAL

LED

Genry



FAN NUMBER	27-FD-8201-109	27-FD-8201-89	27-FD-8201-322
MOTOR FINISH	Polished Nickel	Matte Black	Warm Brass
GLASS	Clear Water Piastra	Clear Water Piastra	Clear Water Piastra
BLADE FINISH	Silver	Black	Gold
DOWNROD FINISH	Polished Nickel (109)	Matte Black (FB)	Warm Brass (322)

- Motor Size AC 104 x 117 MM
- 14" Blade Span
- 26-1/2"W x 8-1/8"H (Cage Only)
- 13° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately

- Integrated Fan Light & ABS Blades Included
- 5E 8W Dimmable LED
- 600 Lumens, 3000K, 90+ CRI per bulb
- Not Hugger Kit Adaptable
- Handheld Remote w/ E Receiver Included (RMT-AC-UNIVERSAL)


Ventari



FAN NUMBER	24-FD-8853-322	24-FD-8853-89
MOTOR FINISH	Warm Brass	Matte Black
GLASS	Clear	Clear
BLADE FINISH	Gold	Black
DOWNROD FINISH	Warm Brass (322)	Flat Black (FB)

- Motor Size AC 80 x 70 MM
- 12" Blade Span
- 24"W x 10-1/2"H (Cage Only)
- 16° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately

- Integrated Fan Light & ABS Bulbs Included
- 5C 6W Dimmable LED
- 500 Lumens, 3000K, 90+ CRI per bulb
- Not Hugger Kit Adaptable
- Handheld Remote w/ C Receiver Included (RMT-AC-UNIVERSAL)





ENERGY USE AT HIGH SPEED

Airflow Use
1,222.00
Cu Ft/Min

Electricity Use
28.1W
Excludes Lights

Airflow Efficiency
43.48
Cu Ft/Min/W

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.



Handheld Remote
Control Included
RMT-AC-UNIVERSAL

LED

Hayward




FAN NUMBER	24-FD-1698-143
MOTOR FINISH	Matte Black
SHADE FINISH	Strie Piastra Glass
BLADE FINISH	Black
DOWNROD FINISH	Flat Black (FB)

ENERGY USE AT HIGH SPEED		
Airflow Use 1,079.00 Cu Ft/Min	Electricity Use 28W Excludes Lights	Airflow Efficiency 38.54 Cu Ft/Min/W
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.		

- Motor Size AC 80 x 70 MM
- 12" Blade Span
- 31"W x 5-3/8"H (Cage Only)
- 16° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately
- Integrated Light & ABS Blades Included
- 4E 8W Dimmable LED
870 Lumens, 3000K, 90+ CRI per bulb
- Not Hugger Kit Adaptable
- Handheld Remote w/ E Receiver Included (RMT-AC-UNIVERSAL)





LIFETIME
WARRANTY
PROTECTION



Handheld Remote
Control Included
RMT-AC-UNIVERSAL

LED

Gideon




FAN NUMBER	28-FD-690-322
MOTOR FINISH	Warm Brass
SHADE FINISH	Capiz Shell
BLADE FINISH	Gold
DOWNROD FINISH	Warm Brass (322)

ENERGY USE AT HIGH SPEED		
Airflow Use	Electricity Use	Airflow Efficiency
1,395.00	35W	39.85
Cu Ft/Min	Excludes Lights	Cu Ft/Min/W

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.


- Motor Size AC 104 x 114 MM
- 14" Blade Span
- 28"W x 8-7/8"H (Cage Only)
- 13° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately
- Integrated Fan Light & ABS Blades Included
- 4E 6W Integrated Dimmable LED
- 600 Lumens, 3000K, 90+ CRI per bulb
- Not Hugger Kit Adaptable
- Handheld Remote w/ D Receiver Included (RMT-AC-UNIVERSAL)





Handheld Remote
Control Included
RMT-AC-UNIVERSAL

LED



Handheld Remote
Control Included
RMT-AC-UNIVERSAL

LED

Taurus



FAN NUMBER	30-333-FD-11
MOTOR FINISH	Polished Chrome
SHADE FINISH	Cruckel Smoked Crystal
UNDERSHADE GLASS	White Opal
DOWNROD FINISH	Polished Chrome (109)

ENERGY USE AT HIGH SPEED		
Airflow Use	Electricity Use	Airflow Efficiency
870.00	31W	28.06
Cu Ft/Min	Excludes Lights	Cu Ft/Min/W

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.

- Motor Size AC 104 x 114 MM
- 12" Blade Span
- 28-3/4"W x 6-7/8"H (Cage Only)
- 15° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately
- Integrated Fan Light & ABS Blades Included
- 6E 6W Dimmable LED
- 550 Lumens, 3000K, 90+ CRI per bulb
- Not Hugger Kit Adaptable
- Handheld Remote w/ D Receiver Included (RMT-AC-UNIVERSAL)



ENERGY USE AT HIGH SPEED

Airflow Use	Electricity Use	Airflow Efficiency
870.00 Cu Ft/Min	31W Excludes Lights	28.06 Cu Ft/Min/W

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.



Handheld Remote
Control Included
RMT-AC-UNIVERSAL

LED

Oslo



FAN NUMBER	30-FD-126-89	30-FD-126-322	30-FD-126-SN
MOTOR FINISH	Matte Black	Warm Brass	Satin Nickel
SHADE FINISH	White Linen	White Linen	White Linen
BLADE FINISH	Black	Gold	Silver
DOWNROD FINISH	Flat Black (FB)	Warm Brass (322)	Satin Nickel (SN)

- Motor Size AC 80 x 70 MM
- 12" Blade Span
- 26"W x 16-1/8"H (Cage Only)
- 15° Blade Pitch
- Downrods Included 8" & 18"
- Additional Downrod Lengths Sold Separately

- Integrated Fan Light & ABS Blades Included
- 4E 6W Dimmable LED
- 450 Lumens, 3000K, 90+ CRI per bulb
- Not Hugger Kit Adaptable
- Handheld Remote w/ D Receiver Included (RMT-AC-UNIVERSAL)



ENERGY USE AT HIGH SPEED

Airflow Use	Electricity Use	Airflow Efficiency
1,471.00	38W	38.71
Cu Ft/Min	Excludes Lights	Cu Ft/Min/W

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.



Handheld Remote
Control Included
RMT-AC-UNIVERSAL

LED

Lyon



FAN NUMBER	39-FD-124-89	39-FD-124-322	39-FD-124-109
MOTOR FINISH	Matte Black	Warm Brass	Polished Nickel
BLADE FINISH	Black	Gold	Silver
DOWNROD FINISH	Flat Black (FB)	Warm Brass (322)	Polished Nickel (PN)

- Motor Size AC 80 x 70 MM
- 14" Blade Span
- 30"W x 11-3/8"H (Cage Only)
- 13° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately

- Integrated Fan Light & ABS Blades Included
- 8C 6W Dimmable LED
320 Lumens, 3000K, 80+ CRI per bulb
- Not Hugger Kit Adaptable
- Handheld Remote w/ E Receiver Included
(RMT-AC-UNIVERSAL)

Wetherby



FAN NUMBER	29-FD-122-44	29-FD-122-322	29-FD-122-SN
MOTOR FINISH	Classic Bronze	Warm Brass	Satin Nickel
BLADE FINISH	Black	Gold	Silver
DOWNROD FINISH	English Bronze (13)	Warm Brass (322)	Satin Nickel (SN)

- Motor Size AC 104 x 114 MM
- 14" Blade Span
- 26"W x 5-7/8"H (Cage Only)
- 13° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately

- Integrated Fan Light & ABS Blades Included
- 12.5W Integrated Dimmable LED
720 Lumens, 3000K, 90+ CRI
- Not Hugger Kit Adaptable
- Handheld Remote w/ E Receiver Included
(RMT-AC-UNIVERSAL)





ENERGY USE AT HIGH SPEED

Airflow Use
1,471.00
Cu Ft/Min

Electricity Use
38W
Excludes Lights

Airflow Efficiency
38.71
Cu Ft/Min/W

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.



Handheld Remote
Control Included
RMT-AC-UNIVERSAL

LED

Astoria



FAN NUMBER	25-FD-1650-322	25-FD-1650-89
MOTOR FINISH	Warm Brass	Matte Black
SHADE FINISH	Natural Cane	Natural Cane
BLADE FINISH	Gold	Black
DOWNROD FINISH	Warm Brass (322)	Flat Black (FB)

- Motor Size AC 80 x 70 MM
- 14" Blade Span
- 25"W x 8-7/8"H (Cage Only)
- 15° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately

- Integrated Fan Light & ABS Blades Included
- 4E 8W Dimmable LED
870 Lumens, 3000K, 90+ CRI
- Not Hugger Kit Adaptable
- Handheld Remote w/ E Receiver Included
(RMT-AC-UNIVERSAL)





ENERGY USE AT HIGH SPEED

Airflow Use	Electricity Use	Airflow Efficiency
1,234.00 Cu Ft/Min	36W Excludes Lights	34.28 Cu Ft/Min/W

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.



Handheld Remote
Control Included
RMT-AC-UNIVERSAL

LED

Colonade



FAN NUMBER	34-FD-123-155
MOTOR FINISH	Provence w/ Gold Accents
BLADE FINISH	Provence
DOWNROD FINISH	Provence (155)

ENERGY USE AT HIGH SPEED		
Airflow Use 1,471.00 Cu Ft/Min	Electricity Use 38W Excludes Lights	Airflow Efficiency 38.71 Cu Ft/Min/W
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.		

- Motor Size AC 80 x 70 MM
- 14" Blade Span
- 29-3/8"W x 12"H (Cage Only)
- 13° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately
- Integrated Fan Light & ABS Blades Included
- 6E 8W Dimmable LED
- 540 Lumens, 3000K, 90+ CRI per bulb
- Not Hugger Kit Adaptable
- Handheld Remote w/ E Receiver Included (RMT-AC-UNIVERSAL)





Handheld Remote
Control Included
RMT-AC-UNIVERSAL

LED



Handheld Remote
Control Included
RMT-AC-UNIVERSAL

LED


Vireo



FAN NUMBER	26-335-FD-272
MOTOR FINISH	Silver Dust
SHADE FINISH	Silver Mica
BLADE FINISH	Silver
DOWNROD FINISH	Silver Dust (272)

ENERGY USE AT HIGH SPEED		
Airflow Use 1,471.00 Cu Ft/Min	Electricity Use 38W Excludes Lights	Airflow Efficiency 38.71 Cu Ft/Min/W
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.		

- Motor Size AC 80 x 70 MM
- 14" Blade Span
- 26"W x 6"H (Cage Only)
- 13° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately
- Integrated Fan Light & ABS Blades Included
- 6E 6W Dimmable LED
- 550 Lumens, 3000K, 90+ CRI per bulb
- Not Hugger Kit Adaptable
- Handheld Remote w/ E Receiver Included (RMT-AC-UNIVERSAL)





ENERGY USE AT HIGH SPEED

Airflow Use
1,471.00
Cu Ft/Min

Electricity Use
38W
Excludes Lights

Airflow Efficiency
38.71
Cu Ft/Min/W

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.



Handheld Remote
Control Included
RMT-AC-UNIVERSAL

LED



Etesian



FAN NUMBER	36-329-FD-SN	36-329-FD-21
MOTOR FINISH	Satin Nickel	Burnished Russet
GLASS	Clear Outer, White Inner	Clear Outer, Cream Inner
BLADE FINISH	Silver	Gold
DOWNROD FINISH	Satin Nickel (SN)	Burnished Russet (21)

- Motor Size AC 104 x 114 MM
- 14" Blade Span
- 35-1/4"W x 20"H (Cage Only)
- 13° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately

- Integrated Fan Light & ABS Blades Included
- 8E 6W Dimmable LED
- 550 Lumens, 3000K, 90+ CRI per bulb
- Not Hugger Kit Adaptable
- Handheld Remote w/ E Receiver Included (RMT-AC-UNIVERSAL)



Handheld Remote
Control Included
RMT-AC-UNIVERSAL

LED

Brisa



FAN NUMBER	35-328-FD-13
MOTOR FINISH	English Bronze
SHADE FINISH	Pale White
BLADE FINISH	Black
DOWNROD FINISH	English Bronze (13)

ENERGY USE AT HIGH SPEED

Airflow Use	Electricity Use	Airflow Efficiency
1,471.00	38W	38.71
Cu Ft/Min	Excludes Lights	Cu Ft/Min/W

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.

- Motor Size AC 104 x 114 MM
- 14" Blade Span
- 34-3/4"W x 20"H (Cage Only)
- 13° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately
- Integrated Fan Light & ABS Blades Included
- 8C 4W Dimmable LED
- 270 Lumens, 3000K, 90+ CRI per bulb
- Not Hugger Kit Adaptable
- Handheld Remote w/ E Receiver Included (RMT-AC-UNIVERSAL)

Kona




FAN NUMBER	26-9472-FD-133
MOTOR FINISH	Sapele
BLADE FINISH	Black
DOWNROD FINISH	Flat Black (FB)

ENERGY USE AT HIGH SPEED		
Airflow Use 1,471.00 Cu Ft/Min	Electricity Use 38W Excludes Lights	Airflow Efficiency 38.71 Cu Ft/Min/W
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.		

- Motor Size AC 104 x 114 MM
- 14" Blade Span
- 26"W x 7-7/8"H (Cage Only)
- 13° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately
- Integrated Fan Light & ABS Blades Included
- 6E 6W Dimmable LED
450 Lumens, 3000K, 90+ CRI per bulb
- Not Hugger Kit Adaptable
- Handheld Remote w/ E Receiver Included (RMT-AC-UNIVERSAL)





Handheld Remote
Control Included
RMT-AC-UNIVERSAL

LED


Alsace



FAN NUMBER	26-9536-FD-196
MOTOR FINISH	Reclaimed Wood
GLASS	White Etched
BLADE FINISH	Chestnut
DOWNROD FINISH	Reclaimed Wood (196)

ENERGY USE AT HIGH SPEED		
Airflow Use 2,275.61 Cu Ft/Min	Electricity Use 40.38W Excludes Lights	Airflow Efficiency 56.35 Cu Ft/Min/W
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.		

- Motor Size AC 120 x 25 MM
- 26" Blade Span
- 29.92"W x 9.86"H (Cage Only)
- 13.5° Blade Pitch
- Downrods Included 6"
- Additional Downrod Lengths Sold Separately
- Integrated Fan Light & ABS Blades Included
- 18W Integrated Dimmable LED
1400 Lumens, 3000K, 90+ CRI
- Not Hugger Kit Adaptable
- Handheld Remote w/ C Receiver Included
(RMT-AC-UNIVERSAL)





Handheld Remote Control Included
RMT-AC-UNIVERSAL

LED

CONTROLS















RMT-AC-UNIVERSAL

FULL FUNCTION HANDHELD FAN/LIGHT CONTROL WITH INDEPENDENT LIGHT CONTROL

- Three Speed Fan Control
- Separate On/Off Button with Full Range Light
- Dimming
- 3-volt Battery (Included)
- Up To A 40' Operating Distance
- Includes Wall Holster
- Transmitter Can Control Multiple Fans
- 1 Year Limited Warranty

Universal Remotes have a reverse button that will not be functional if the fan has a manual reverse.

STANDARD DOWNRODS

	12"	18"	24"	36"	48"	60"	72"
 #11 Polished Chrome	DR-12-11	DR-18-11	DR-24-11	DR-36-11	DR-48-11	DR-60-11	DR-72-11
 #13 English Bronze	DR-12-13	DR-18-13	DR-24-13	DR-36-13	DR-48-13	DR-60-13	DR-72-13
 #21 Burnished Russet	DR-12-21	DR-18-21	DR-24-21	DR-36-21	DR-48-21	DR-60-21	DR-72-21
 #53 Silver Patina	DR-12-53	DR-18-53	DR-24-53	DR-36-53	DR-48-53	DR-60-53	DR-72-53
 #54 Gold Patina	DR-12-54	DR-18-54	DR-24-54	DR-36-54	DR-48-54	DR-60-54	DR-72-54
 #109 Polished Nickel	DR-12-109	DR-18-109	DR-24-109	DR-36-109	DR-48-109	DR-60-109	DR-72-109
 #155 Provence	DR-12-155	DR-18-155	DR-24-155	DR-36-155	DR-48-155	DR-60-155	DR-72-155
 #196 Reclaimed Wood	DR-12-196	DR-18-196	DR-24-196	DR-36-196	DR-48-196	DR-60-196	DR-72-196
 #272 Silver Dust	DR-12-272	DR-18-272	DR-24-272	DR-36-272	DR-48-272	DR-60-272	DR-72-272
 #322 Warm Brass	DR-12-322	DR-18-322	DR-24-322	DR-36-322	DR-48-322	DR-60-322	DR-72-322
 #FB Flat Black	DR-12-FB	DR-18-FB	DR-24-FB	DR-36-FB	DR-48-FB	DR-60-FB	DR-72-FB
 #SN Satin Nickel	DR-12-SN	DR-18-SN	DR-24-SN	DR-36-SN	DR-48-SN	DR-60-SN	DR-72-SN

INDEX

24-FD-1698-143 9

24-FD-8853-322 7

24-FD-8853-89 7

25-FD-1650-32221

25-FD-1650-89.....21

26-335-FD-272.....25

26-9472-FD-133.....31

26-9536-FD-196.....33

27-FD-8201-109 5

27-FD-8201-322..... 5

27-FD-8201-89..... 5

28-FD-690-322.....11

29-FD-122-322 19

29-FD-122-44..... 19

29-FD-122-SN 19

30-333-FD-11.....13

30-FD-126-32215

30-FD-126-8915

30-FD-126-SN.....15

34-FD-123-15523

35-328-FD-13.....29

36-329-FD-21.....27

36-329-FD-SN.....27

39-FD-124-109.....17

39-FD-124-32217

39-FD-124-8917

39-FD-125-53..... 3

39-FD-125-54..... 3



INDEX





3130 North Berkeley Lake Road NW | Duluth, GA 30096
TEL 800 801 1621 TEL 404 890 7540 FAX 877 547 2869

SAVOYHOUSE.COM