




# SAVOY HOUSE

FAN D'LIER CATALOG 2024





## Welcome

Savoy House proudly pioneered the Fan D'Lier, an innovative creation that seamlessly blends the elegance of a chandelier with the practicality of a fan. As the original creators, we have steadfastly led the market, continuously evolving our designs to set new standards in style and functionality.

Our expanded Fan D'Lier collection reflects our dedication to meeting the growing needs of our discerning customers. Featuring the latest in LED technology and a variety of stunning designs, each piece is a testament to our commitment to innovation and elegance, perfectly capturing contemporary lighting trends.

Inspired by our vision of attainable luxury, Savoy House Fan D'Liers have earned multiple industry awards and are cherished by customers for their impeccable style and practical benefits. Rediscover the fusion of form and function with the true pioneers in the Fan D'Lier category.



Alsace .....	53
Astoria.....	43
Brisa.....	51
Colonade .....	45
Corona.....	3
Diana .....	15
Dorado .....	5
Etesian .....	49
Ferndale .....	41
Genry.....	31
Gibson.....	27
Gideon.....	19
Hayward .....	29
Hydra.....	7
Janus.....	35
Kona.....	55
Lynx .....	11
Lyon.....	47
Lyria .....	9
Meridian .....	57, 59
Oslo .....	23
Sheffield .....	21
Snowden .....	33
Stockholm .....	17
Taurus .....	37
Vesta .....	13
Vireo.....	39
Wetherby .....	25

# CORONA



<b>FAN NUMBER</b>	<b>24-FD-555-322</b>	<b>24-FD-555-89</b>
<b>MOTOR FINISH</b>	Warm Brass	Matte Black
<b>BLADE FINISH</b>	Gold	Black
<b>SHADE/GLASS</b>	Clear Acrylic	Clear Acrylic
<b>DOWNROD FINISH</b>	Warm Brass (322)	Flat Black (FB)

- Motor Size AC 70 x 48 MM
- 14" Blade Span
- 23-1/2"W x 9-1/2"H
- 15° Blade Pitch
- 4" & 18" Downrods Included
- Additional Downrod Lengths Sold Separately

- ABS Blades & Integrated LED Light Included
- 36W Dimmable LED
- 2510 Lumens, 3000K, 90+ CRI
- Handheld Remote Included (RMT-DC-UNIVERSAL)
- Not Hugger Kit Adaptable

## ENERGY USE AT HIGH SPEED

Airflow Use <b>1,320</b> Cu Ft/Min	Electricity Use <b>14.5W</b> Excludes Lights	Airflow Efficiency <b>91.03</b> Cu Ft/Min/W
--	--	---

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.



Handheld Remote Control Included  
RMT-DC-UNIVERSAL



# DORADO



FAN NUMBER	24-FD-745-11	24-FD-745-89	24-FD-745-322
MOTOR FINISH	Chrome	Matte Black	Warm Brass
BLADE FINISH	Silver	Black	Gold
SHADE/GLASS	Frosted Acrylic	Frosted Acrylic	Frosted Acrylic
DOWNROD FINISH	Chrome (11)	Flat Black (FB)	Warm Brass (322)

- Motor Size AC 70 x 43 MM
- 14" Blade Span
- 25"W x 10-1/2"H
- 15° Blade Pitch
- 4" & 18" Downrods Included
- Additional Downrod Lengths Sold Separately

- ABS Blades & Integrated LED Light Included
- 36W Dimmable LED
- 2420 Lumens, 3000K, 90+ CRI
- Handheld Remote Included (RMT-DC-UNIVERSAL)
- Not Hugger Kit Adaptable

## ENERGY USE AT HIGH SPEED

Airflow Use	Electricity Use	Airflow Efficiency
1,320 Cu Ft/Min	14.5W Excludes Lights	91.03 Cu Ft/Min/W

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.



Handheld Remote Control Included  
RMT-DC-UNIVERSAL

**LED**

# HYDRA



FAN NUMBER	24-FD-945-11	24-FD-945-89	24-FD-945-322
MOTOR FINISH	Chrome	Matte Black	Warm Brass
BLADE FINISH	Silver	Black	Gold
SHADE/GLASS	Frosted Acrylic	Frosted Acrylic	Frosted Acrylic
DOWNROD FINISH	Chrome (11)	Flat Black (FB)	Warm Brass (322)

- Motor Size AC 70 x 44 MM
- 12" Blade Span
- 24"W x 11-1/2"H
- 15° Blade Pitch
- 4" & 18" Downrods Included
- Additional Downrod Lengths Sold Separately

- ABS Blades & Integrated LED Light Included
- 36W Dimmable LED
- 1446 Lumens, 3000K, 90+ CRI
- Handheld Remote Included (RMT-DC-UNIVERSAL)
- Not Hugger Kit Adaptable

## ENERGY USE AT HIGH SPEED

Airflow Use	Electricity Use	Airflow Efficiency
1,145 Cu Ft/Min	11.7W Excludes Lights	97.86 Cu Ft/Min/W

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.



Handheld Remote Control Included  
RMT-DC-UNIVERSAL

**LED**



# LYRIA



<b>FAN NUMBER</b>	<b>24-FD-845-322</b>	<b>24-FD-845-89</b>
<b>MOTOR FINISH</b>	Warm Brass	Matte Black
<b>BLADE FINISH</b>	Gold	Black
<b>SHADE/GLASS</b>	Clear Seeded Acrylic	Clear Seeded Acrylic
<b>DOWNROD FINISH</b>	Warm Brass (322)	Flat Black (FB)

- Motor Size AC 70 x 45 MM
- 14" Blade Span
- 24"W x 10"H
- 15° Blade Pitch
- 4" & 18" Downrods Included
- Additional Downrod Lengths Sold Separately

- ABS Blades & Integrated LED Light Included
- 36W Dimmable LED  
1735 Lumens, 3000K, 90+ CRI
- Handheld Remote Included  
(RMT-DC-UNIVERSAL)
- Not Hugger Kit Adaptable

#### ENERGY USE AT HIGH SPEED

Airflow Use	Electricity Use	Airflow Efficiency
<b>1,320</b>	<b>14.5W</b>	<b>91.03</b>
Cu Ft/Min	Excludes Lights	Cu Ft/Min/W

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.



Handheld Remote Control Included  
RMT-DC-UNIVERSAL



# LYNX



<b>FAN NUMBER</b>	<b>24-FD-955-322</b>	<b>24-FD-955-89</b>
<b>MOTOR FINISH</b>	Warm Brass	Matte Black
<b>BLADE FINISH</b>	Gold	Black
<b>SHADE/GLASS</b>	Frosted Acrylic	Frosted Acrylic
<b>DOWNROD FINISH</b>	Warm Brass (322)	Flat Black (FB)

- Motor Size AC 70 x 45 MM
- 14" Blade Span
- 24"W x 14"H
- 15° Blade Pitch
- 4" & 18" Downrods Included
- Additional Downrod Lengths Sold Separately

- ABS Blades & Integrated LED Light Included
- 36W Dimmable LED
- 888 Lumens, 3000K, 90+ CRI
- Handheld Remote Included (RMT-DC-UNIVERSAL)
- Not Hugger Kit Adaptable

## ENERGY USE AT HIGH SPEED

Airflow Use	Electricity Use	Airflow Efficiency
1,320	14.5W	91.03
Cu Ft/Min	Excludes Lights	Cu Ft/Min/W

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.



Handheld Remote Control Included  
RMT-DC-UNIVERSAL





# VESTA



<b>FAN NUMBER</b>	<b>23-FD-645-322</b>	<b>23-FD-645-89</b>
<b>MOTOR FINISH</b>	Warm Brass	Matte Black
<b>BLADE FINISH</b>	Gold	Black
<b>SHADE/GLASS</b>	Frosted Acrylic	Frosted Acrylic
<b>DOWNROD FINISH</b>	Warm Brass (322)	Flat Black (FB)

- Motor Size AC 70 x 43 MM
- 14" Blade Span
- 23"W x 8-1/4"H
- 15° Blade Pitch
- 4" & 18" Downrods Included
- Additional Downrod Lengths Sold Separately

- ABS Blades & Integrated LED Light Included
- 36W Dimmable LED  
1451 Lumens, 3000K, 90+ CRI
- Handheld Remote Included  
(RMT-DC-UNIVERSAL)
- Not Hugger Kit Adaptable

ENERGY USE AT HIGH SPEED		
Airflow Use <b>1,320</b> Cu Ft/Min	Electricity Use <b>14.5W</b> Excludes Lights	Airflow Efficiency <b>91.03</b> Cu Ft/Min/W
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.		



Handheld Remote Control Included  
RMT-DC-UNIVERSAL





# DIANA



<b>FAN NUMBER</b>	<b>22-FD-445-322</b>	<b>22-FD-445-89</b>
<b>MOTOR FINISH</b>	Warm Brass	Matte Black
<b>BLADE FINISH</b>	Gold	Black
<b>SHADE/GLASS</b>	White Acrylic	White Acrylic
<b>DOWNROD FINISH</b>	Warm Brass (322)	Flat Black (FB)

- Motor Size AC 70 x 45 MM
- 12" Blade Span
- 24"W x 11"H
- 15° Blade Pitch
- 4" & 18" Downrods Included
- Additional Downrod Lengths Sold Separately

- ABS Blades & Integrated Fan Light Included
- 4E 8W Dimmable LED Lamps Included
- 600 Lumens, 3000K, 90+ CRI per lamp
- Handheld Remote Included (RMT-DC-UNIVERSAL)
- Not Hugger Kit Adaptable

## ENERGY USE AT HIGH SPEED

Airflow Use <b>1,145</b> Cu Ft/Min	Electricity Use <b>11.7W</b> Excludes Lights	Airflow Efficiency <b>97.86</b> Cu Ft/Min/W
--	--	---

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.



Handheld Remote Control Included  
RMT-DC-UNIVERSAL



# Stockholm



<b>FAN NUMBER</b>	<b>39-FD-125-54</b>	<b>39-FD-125-53</b>
<b>MOTOR FINISH</b>	Gold Patina	Silver Patina
<b>BLADE FINISH</b>	Gold	Silver
<b>DOWNROD FINISH</b>	Gold Patina (54)	Silver Patina (53)

- Motor Size AC 80 x 70 MM
- 12" Blade Span
- 31"W x 5-3/8"H (Cage Only)
- 15° Blade Pitch
- Downrods Included 18"
- Additional Downrod Lengths Sold Separately

- ABS Blades & Integrated Fan Light Included
- 6C 6W Dimmable LED Lamps Included
- 320 Lumens, 3000K, 90+ CRI per lamp
- Not Hugger Kit Adaptable
- Handheld Remote w/ E Receiver Included (RMT-AC-UNIVERSAL)

## ENERGY USE AT HIGH SPEED

Airflow Use <b>1,209.00</b> Cu Ft/Min	Electricity Use <b>31W</b> Excludes Lights	Airflow Efficiency <b>39</b> Cu Ft/Min/W
---	--	--

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.



Handheld Remote Control Included  
RMT-AC-UNIVERSAL

**LED**

# Gideon



<b>FAN NUMBER</b>	<b>28-FD-690-322</b>
<b>MOTOR FINISH</b>	Warm Brass
<b>SHADE/GLASS</b>	Capiz Shell
<b>BLADE FINISH</b>	Gold
<b>DOWNROD FINISH</b>	Warm Brass (322)

ENERGY USE AT HIGH SPEED		
Airflow Use 1,395.00 Cu Ft/Min	Electricity Use 35W Excludes Lights	Airflow Efficiency 39.85 Cu Ft/Min/W
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.		

- Motor Size AC 104 x 114 MM
- 14" Blade Span
- 28"W x 8-7/8"H (Cage Only)
- 13° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately
- ABS Blades & Integrated Fan Light Included
- 4E 6W Integrated Dimmable LED Lamps Included  
600 Lumens, 3000K, 90+ CRI per lamp
- Not Hugger Kit Adaptable
- Handheld Remote w/ D Receiver Included  
(RMT-AC-UNIVERSAL)



Handheld Remote Control Included  
RMT-AC-UNIVERSAL

**LED**

# Sheffield



FAN NUMBER	26-FD-7806-142	26-FD-7806-143
MOTOR FINISH	White w/ Warm Brass	Matte Black w/ Warm Brass
BLADE FINISH	Gold	Gold
DOWNROD FINISH	Warm Brass (322)	Warm Brass (322)

- Motor Size AC 104 x 114 MM
- 14" Blade Span
- 26"W x 27-3/4"H (Cage Only)
- 15° Blade Pitch
- Downrods Included 18"
- Additional Downrod Lengths Sold Separately

- ABS Blades & Integrated Fan Light Included
- 6C 6W Dimmable LED Lamps Included
- 500 Lumens, 3000K, 90+ CRI per lamp
- Not Hugger Kit Adaptable
- Handheld Remote w/ E Receiver Included (RMT-AC-UNIVERSAL)

## ENERGY USE AT HIGH SPEED

Airflow Use	Electricity Use	Airflow Efficiency
1,230.00 Cu Ft/Min	36W Excludes Lights	34.17 Cu Ft/Min/W

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.



Handheld Remote Control Included  
RMT-AC-UNIVERSAL

**LED**

# Oslo



FAN NUMBER	30-FD-126-89	30-FD-126-322	30-FD-126-SN
MOTOR FINISH	Matte Black	Warm Brass	Satin Nickel
SHADE/GLASS	White Linen	White Linen	White Linen
BLADE FINISH	Black	Gold	Silver
DOWNROD FINISH	Flat Black (FB)	Warm Brass (322)	Satin Nickel (SN)

- Motor Size AC 80 x 70 MM
- 12" Blade Span
- 26"W x 16-1/8"H (Cage Only)
- 15° Blade Pitch
- Downrods Included 8" & 18"
- Additional Downrod Lengths Sold Separately

- ABS Blades & Integrated Fan Light Included
- 4E 6W Dimmable LED Lamps Included  
450 Lumens, 3000K, 90+ CRI per lamp
- Not Hugger Kit Adaptable
- Handheld Remote w/ D Receiver Included  
(RMT-AC-UNIVERSAL)



ENERGY USE AT HIGH SPEED		
Airflow Use	Electricity Use	Airflow Efficiency
870.00	31W	28.06
Cu Ft/Min	Excludes Lights	Cu Ft/Min/W


Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.



Handheld Remote Control Included  
RMT-AC-UNIVERSAL

**LED**

# Wetherby



FAN NUMBER	29-FD-122-44	29-FD-122-322	29-FD-122-SN
MOTOR FINISH	Classic Bronze	Warm Brass	Satin Nickel
BLADE FINISH	Black	Gold	Silver
DOWNROD FINISH	English Bronze (13)	Warm Brass (322)	Satin Nickel (SN)

- Motor Size AC 104 x 114 MM
- 14" Blade Span
- 26"W x 5-7/8"H (Cage Only)
- 13° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately

- ABS Blades & Integrated LED Light Included
- 12.5W Dimmable LED
- 720 Lumens, 3000K, 90+ CRI
- Not Hugger Kit Adaptable
- Handheld Remote w/ E Receiver Included (RMT-AC-UNIVERSAL)



## ENERGY USE AT HIGH SPEED

Airflow Use	Electricity Use	Airflow Efficiency
1,471.00 Cu Ft/Min	38W Excludes Lights	38.71 Cu Ft/Min/W

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.



Handheld Remote Control Included  
RMT-AC-UNIVERSAL

**LED**

# GIBSON



<b>FAN NUMBER</b>	<b>30-FD-345-322</b>	<b>30-FD-345-89</b>
<b>MOTOR FINISH</b>	Warm Brass	Matte Black
<b>BLADE FINISH</b>	Gold	Black
<b>SHADE/GLASS</b>	Opal Glass	Opal Glass
<b>DOWNROD FINISH</b>	Warm Brass (322)	Flat Black (FB)

- Motor Size AC 70 x 43 MM
- 14" Blade Span
- 30"W x 10"H
- 15° Blade Pitch
- 4" & 18" Downrods Included
- Additional Downrod Lengths Sold Separately

- ABS Blades & Integrated LED Light Included
- (6) 6W Integrated Dimmable LED  
462 Lumens per bulb, 3000K, 90+ CRI
- Handheld Remote Included  
(RMT-DC-UNIVERSAL)
- Not Hugger Kit Adaptable

## ENERGY USE AT HIGH SPEED

Airflow Use <b>1,145</b> Cu Ft/Min	Electricity Use <b>11.7W</b> Excludes Lights	Airflow Efficiency <b>97.86</b> Cu Ft/Min/W
--	--	---

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.



Handheld Remote Control Included  
RMT-DC-UNIVERSAL



# Hayward



<b>FAN NUMBER</b>	<b>24-FD-1698-143</b>
<b>MOTOR FINISH</b>	Matte Black
<b>SHADE/GLASS</b>	Strie Piastra Glass
<b>BLADE FINISH</b>	Black
<b>DOWNROD FINISH</b>	Flat Black (FB)

ENERGY USE AT HIGH SPEED		
Airflow Use 1,079.00 Cu Ft/Min	Electricity Use 28W Excludes Lights	Airflow Efficiency 38.54 Cu Ft/Min/W
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.		

- Motor Size AC 80 x 70 MM
- 12" Blade Span
- 23"W x 15-3/8"H (Cage Only)
- 16° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately
- ABS Blades & Integrated Light Included
- 4E 8W Dimmable LED Lamps Included  
870 Lumens, 3000K, 90+ CRI per lamp
- Not Hugger Kit Adaptable
- Handheld Remote w/ E Receiver Included  
(RMT-AC-UNIVERSAL)

 Lifetime Warranty Protection

 Handheld Remote Control Included RMT-AC-UNIVERSAL

**LED**



# Genry



FAN NUMBER	27-FD-8201-109	27-FD-8201-89	27-FD-8201-322
MOTOR FINISH	Polished Nickel	Matte Black	Warm Brass
SHADE/GLASS	Clear Water Piastra	Clear Water Piastra	Clear Water Piastra
BLADE FINISH	Silver	Black	Gold
DOWNROD FINISH	Polished Nickel (109)	Flat Black (FB)	Warm Brass (322)

- Motor Size AC 104 x 114 MM
- 14" Blade Span
- 26-1/2"W x 8-1/8"H (Cage Only)
- 13° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately

- ABS Blades & Integrated Fan Light Included
- 5E 8W Dimmable LED Lamps Included  
600 Lumens, 3000K, 90+ CRI per lamp
- Not Hugger Kit Adaptable
- Handheld Remote w/ E Receiver Included  
(RMT-AC-UNIVERSAL)

ENERGY USE AT HIGH SPEED		
Airflow Use <b>1,395.00</b> Cu Ft/Min	Electricity Use <b>35W</b> Excludes Lights	Airflow Efficiency <b>39.85</b> Cu Ft/Min/W
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.		




Handheld Remote Control Included  
RMT-AC-UNIVERSAL





# Snowden



<b>FAN NUMBER</b>	<b>24-FD-2008-171</b>	<b>24-FD-2008-89</b>
<b>MOTOR FINISH</b>	Burnished Brass	Matte Black
<b>SHADE/GLASS</b>	Hammered Water Glass	Hammered Water Glass
<b>BLADE FINISH</b>	Gold	Black
<b>DOWNROD FINISH</b>	Burnished Brass (171)	Flat Black (89)

- Motor Size 104 x 114 MM
- 14" Blade Span
- 24"W x 29"H (Cage Only)
- 15° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately

- ABS Blades & Integrated Fan Light Included
- 5C 6W Dimmable LED Lamps Included  
500 Lumens, 3000K, 90+ CRI per lamp
- Not Hugger Kit Adaptable
- Handheld Remote w/ C Receiver Included  
(RMT-AC-UNIVERSAL)

#### ENERGY USE AT HIGH SPEED

Airflow Use <b>1,230</b> Cu Ft/Min	Electricity Use <b>36W</b> Excludes Lights	Airflow Efficiency <b>34.17</b> Cu Ft/Min/W
<small>Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.</small>		



Handheld Remote Control Included  
RMT-AC-UNIVERSAL



# JANUS



<b>FAN NUMBER</b>	<b>23-FD-245-322</b>	<b>23-FD-245-89</b>
<b>MOTOR FINISH</b>	Warm Brass	Matte Black
<b>BLADE FINISH</b>	Gold	Black
<b>SHADE/GLASS</b>	Clear Crystal	Clear Crystal
<b>DOWNROD FINISH</b>	Warm Brass (322)	Flat Black (FB)

- Motor Size AC 70 x 43 MM
- 12" Blade Span
- 23"W x 10"H
- 15° Blade Pitch
- 4" & 18" Downrods Included
- Additional Downrod Lengths Sold Separately

- ABS Blades & Integrated Fan Light Included
- 6E 8W Dimmable LED Lamps Included  
600 Lumens, 3000K, 90+ CRI per lamp
- Handheld Remote Included  
(RMT-DC-UNIVERSAL)
- Not Hugger Kit Adaptable

## ENERGY USE AT HIGH SPEED

Airflow Use <b>1,320</b> Cu Ft/Min	Electricity Use <b>14.5W</b> Excludes Lights	Airflow Efficiency <b>91.03</b> Cu Ft/Min/W
--	--	---

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.



Handheld Remote Control Included  
RMT-DC-UNIVERSAL

**LED**



# Taurus



<b>FAN NUMBER</b>	<b>30-333-FD-11</b>
<b>MOTOR FINISH</b>	Polished Chrome
<b>SHADE FINISH</b>	Clear and Smoked Crystal
<b>UNDERSHADE GLASS</b>	White Opal
<b>DOWNROD FINISH</b>	Polished Chrome (11)

ENERGY USE AT HIGH SPEED		
Airflow Use	Electricity Use	Airflow Efficiency
<b>870.00</b>	<b>31W</b>	<b>28.06</b>
Cu Ft/Min	Excludes Lights	Cu Ft/Min/W

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.

- Motor Size AC 104 x 114 MM
- 12" Blade Span
- 28-3/4"W x 6-7/8"H (Cage Only)
- 15° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately

- ABS Blades & Integrated Fan Light Included
- 6E 6W Dimmable LED Lamps Included
- 550 Lumens, 3000K, 90+ CRI per lamp
- Not Hugger Kit Adaptable
- Handheld Remote w/ D Receiver Included (RMT-AC-UNIVERSAL)



Handheld Remote Control Included  
RMT-AC-UNIVERSAL

**LED**

# Vireo



**FAN NUMBER** 26-335-FD-272

**MOTOR FINISH** Silver Dust

**SHADE/GLASS** Silver Mica

**BLADE FINISH** Silver

**DOWNROD FINISH** Silver Dust (272)

#### ENERGY USE AT HIGH SPEED

Airflow Use	Electricity Use	Airflow Efficiency
1,471.00 Cu Ft/Min	38W Excludes Lights	38.71 Cu Ft/Min/W

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.

- Motor Size AC 80 x 70 MM
- 14" Blade Span
- 26"W x 6"H (Cage Only)
- 13° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately



- ABS Blades & Integrated Fan Light Included
- 6E 6W Dimmable LED Lamps Included  
550 Lumens, 3000K, 90+ CRI per lamp
- Not Hugger Kit Adaptable
- Handheld Remote w/ E Receiver Included  
(RMT-AC-UNIVERSAL)



Handheld Remote Control Included  
RMT-AC-UNIVERSAL

**LED**

# FERNDALE



<b>FAN NUMBER</b>	<b>20-FD-155-322</b>
<b>MOTOR FINISH</b>	Warm Brass
<b>BLADE FINISH</b>	Gold
<b>SHADE/GLASS</b>	Resin Rattan
<b>DOWNROD FINISH</b>	Warm Brass (322)

ENERGY USE AT HIGH SPEED		
Airflow Use	Electricity Use	Airflow Efficiency
<b>1,145</b>	<b>11.7W</b>	<b>97.86</b>
Cu Ft/Min	Excludes Lights	Cu Ft/Min/W

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.

- Motor Size AC 70 x 44 MM
- 12" Blade Span
- 20"W x 11"H
- 15° Blade Pitch
- 4" & 18" Downrods Included
- Additional Downrod Lengths Sold Separately

- ABS Blades & Integrated Fan Light Included
- 4C 6W Dimmable LED Lamps Included
- 500 Lumens, 3000K, 90+ CR per lamp
- Not Hugger Kit Adaptable
- Handheld Remote with E Receiver Included (RMT-DC-UNIVERSAL)



Handheld Remote Control Included  
RMT-DC-UNIVERSAL

**LED**

# Astoria



<b>FAN NUMBER</b>	<b>25-FD-1650-322</b>	<b>25-FD-1650-89</b>
<b>MOTOR FINISH</b>	Warm Brass	Matte Black
<b>SHADE/GLASS</b>	Natural Cane	Natural Cane
<b>BLADE FINISH</b>	Gold	Black
<b>DOWNROD FINISH</b>	Warm Brass (322)	Flat Black (FB)

- Motor Size AC 80 x 70 MM
- 14" Blade Span
- 25"W x 8-7/8"H (Cage Only)
- 15° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately

- ABS Blades & Integrated Fan Light Included
- 4E 8W Dimmable LED Lamps Included  
870 Lumens, 3000K, 90+ CRI per lamp
- Not Hugger Kit Adaptable
- Handheld Remote w/ E Receiver Included  
(RMT-AC-UNIVERSAL)



## ENERGY USE AT HIGH SPEED

Airflow Use	Electricity Use	Airflow Efficiency
<b>1,234.00</b>	<b>36W</b>	<b>34.28</b>
Cu Ft/Min	Excludes Lights	Cu Ft/Min/W

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.



Handheld Remote Control Included  
RMT-AC-UNIVERSAL

**LED**

# Colonade



<b>FAN NUMBER</b>	<b>34-FD-123-155</b>
<b>MOTOR FINISH</b>	Provence w/ Gold Accents
<b>BLADE FINISH</b>	Provence
<b>DOWNROD FINISH</b>	Provence (155)

ENERGY USE AT HIGH SPEED		
Airflow Use	Electricity Use	Airflow Efficiency
1,471.00	38W	38.71
Cu Ft/Min	Excludes Lights	Cu Ft/Min/W

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.

- Motor Size AC 80 x 70 MM
- 14" Blade Span
- 29-3/8"W x 12"H (Cage Only)
- 13° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately

- ABS Blades & Integrated Fan Light Included
- 6E 8W Dimmable LED Lamps Included
- 540 Lumens, 3000K, 90+ CRI per lamp
- Not Hugger Kit Adaptable
- Handheld Remote w/ E Receiver Included (RMT-AC-UNIVERSAL)



Handheld Remote Control Included  
RMT-AC-UNIVERSAL

**LED**



# Lyon



<b>FAN NUMBER</b>	<b>39-FD-124-89</b>	<b>39-FD-124-322</b>
<b>MOTOR FINISH</b>	Matte Black	Warm Brass
<b>BLADE FINISH</b>	Black	Gold
<b>DOWNROD FINISH</b>	Flat Black (FB)	Warm Brass (322)

- Motor Size AC 80 x 70 MM
- 14" Blade Span
- 30"W x 11-3/8"H (Cage Only)
- 13° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately

- ABS Blades & Integrated Fan Light Included
- 8C 6W Dimmable LED Lamps Included  
320 Lumens, 3000K, 80+ CRI per lamp
- Not Hugger Kit Adaptable
- Handheld Remote w/ E Receiver Included  
(RMT-AC-UNIVERSAL)

ENERGY USE AT HIGH SPEED		
Airflow Use <b>1,471.00</b> Cu Ft/Min	Electricity Use <b>38W</b> Excludes Lights	Airflow Efficiency <b>38.71</b> Cu Ft/Min/W
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.		



Handheld Remote Control Included  
RMT-AC-UNIVERSAL

**LED**



# Etesian



FAN NUMBER	36-329-FD-SN	36-329-FD-21
MOTOR FINISH	Satin Nickel	Burnished Russet
SHADE/GLASS	Clear Outer, White Inner	Clear Outer, Cream Inner
BLADE FINISH	Silver	Gold
DOWNROD FINISH	Satin Nickel (SN)	Burnished Russet (21)

- Motor Size AC 104 x 114 MM
- 14" Blade Span
- 35-1/4"W x 20"H (Cage Only)
- 13° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately

- ABS Blades & Integrated Fan Light Included
- 8E 6W Dimmable LED Lamps Included  
550 Lumens, 3000K, 90+ CRI per lamp
- Not Hugger Kit Adaptable
- Handheld Remote w/ E Receiver Included  
(RMT-AC-UNIVERSAL)

## ENERGY USE AT HIGH SPEED

Airflow Use <b>1,471.00</b> Cu Ft/Min	Electricity Use <b>38W</b> Excludes Lights	Airflow Efficiency <b>38.71</b> Cu Ft/Min/W
---	--	---

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.



Handheld Remote Control Included  
RMT-AC-UNIVERSAL

**LED**

# Brisa



<b>FAN NUMBER</b>	<b>35-328-FD-13</b>
<b>MOTOR FINISH</b>	English Bronze
<b>SHADE/GLASS</b>	Pale White
<b>BLADE FINISH</b>	Black
<b>DOWNROD FINISH</b>	English Bronze (13)

ENERGY USE AT HIGH SPEED		
Airflow Use 1,471.00 Cu Ft/Min	Electricity Use 38W Excludes Lights	Airflow Efficiency 38.71 Cu Ft/Min/W
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.		


- Motor Size AC 80 x 70 MM
- 14" Blade Span
- 34-3/4"W x 20"H (Cage Only)
- 13° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately
- ABS Blades & Integrated Fan Light Included
- 8C 4W Dimmable LED Lamps Included  
270 Lumens, 3000K, 90+ CRI per lamp
- Not Hugger Kit Adaptable
- Handheld Remote w/ E Receiver Included  
(RMT-AC-UNIVERSAL)



Handheld Remote Control Included  
RMT-AC-UNIVERSAL

**LED**

# Alsace



<b>FAN NUMBER</b>	<b>26-9536-FD-196</b>
<b>MOTOR FINISH</b>	Reclaimed Wood
<b>SHADE/GLASS</b>	White Etched
<b>BLADE FINISH</b>	Chestnut
<b>DOWNROD FINISH</b>	Reclaimed Wood (196)

ENERGY USE AT HIGH SPEED		
Airflow Use 2,275.61 Cu Ft/Min	Electricity Use 40.38W Excludes Lights	Airflow Efficiency 56.35 Cu Ft/Min/W
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.		

- Motor Size AC 120 x 25 MM
- 26" Blade Span
- 29.92"W x 9.86"H (Cage Only)
- 13.5° Blade Pitch
- Downrods Included 6"
- Additional Downrod Lengths Sold Separately

- ABS Blades & Integrated LED Light Included
- 18W Dimmable LED
- 1400 Lumens, 3000K, 90+ CRI
- Not Hugger Kit Adaptable
- Handheld Remote w/ C Receiver Included (RMT-AC-UNIVERSAL)



Handheld Remote Control Included  
RMT-AC-UNIVERSAL

**LED**

# Kona



<b>FAN NUMBER</b>	<b>26-9472-FD-133</b>
<b>MOTOR FINISH</b>	Sapele
<b>BLADE FINISH</b>	Black
<b>DOWNROD FINISH</b>	Flat Black (FB)

ENERGY USE AT HIGH SPEED		
Airflow Use 1,471.00 Cu Ft/Min	Electricity Use 38W Excludes Lights	Airflow Efficiency 38.71 Cu Ft/Min/W
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.		


- Motor Size AC 104 x 114 MM
- 14" Blade Span
- 26"W x 7-7/8"H (Cage Only)
- 13° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately
- ABS Blades & Integrated Fan Light Included
- 6E 6W Dimmable LED Lamps Included  
450 Lumens, 3000K, 90+ CRI per lamp
- Not Hugger Kit Adaptable
- Handheld Remote w/ E Receiver Included  
(RMT-AC-UNIVERSAL)



Handheld Remote Control Included  
RMT-AC-UNIVERSAL

**LED**

# Meridian



<b>FAN NUMBER</b>	<b>M2007ORB</b>
<b>MOTOR FINISH</b>	Oil Rubbed Bronze
<b>BLADE FINISH</b>	Black
<b>DOWNROD FINISH</b>	English Bronze (13)

ENERGY USE AT HIGH SPEED		
Airflow Use 1,471.00 Cu Ft/Min	Electricity Use 38W Excludes Lights	Airflow Efficiency 38.7 Cu Ft/Min/W
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.		

- Motor Size AC 4-1/8" x 4-1/2"H
- 14" Blade Span
- 24"W x 15.38"H (Cage Only)
- 13° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately

- ABS Blades & Integrated Fan Light Included
- 3E 8W Dimmable LED Lamps Included
- 600 Lumens, 2400K, 80+ CRI per lamp
- Not Hugger Kit Adaptable
- Handheld Remote w/ E Receiver Included (RMT-AC-UNIVERSAL)



Handheld Remote Control Included  
RMT-AC-UNIVERSAL

**LED**

# Meridian



<b>FAN NUMBER</b>	<b>M2008ORB</b>
<b>MOTOR FINISH</b>	Oil Rubbed Bronze
<b>BLADE FINISH</b>	Black
<b>DOWNROD FINISH</b>	English Bronze (13)

ENERGY USE AT HIGH SPEED		
Airflow Use	Electricity Use	Airflow Efficiency
1,471.00 Cu Ft/Min	38W Excludes Lights	38.7 Cu Ft/Min/W
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cu. ft. per min. per watt at high speed.		

- Motor Size AC 4-1/8" x 4-1/2"H
- 14" Blade Span
- 24"W x 15.38"H (Cage Only)
- 13° Blade Pitch
- Downrods Included 4" & 18"
- Additional Downrod Lengths Sold Separately
- ABS Blades & Integrated Fan Light Included
- 3E 8W Dimmable LED Lamps Included
- 600 Lumens, 2400K, 80+ CRI per lamp
- Not Hugger Kit Adaptable
- Handheld Remote w/ E Receiver Included (RMT-AC-UNIVERSAL)



Handheld Remote Control Included  
RMT-AC-UNIVERSAL

**LED**

# CONTROLS



## RMT-AC-UNIVERSAL

FULL FUNCTION HANDHELD FAN/LIGHT CONTROL FOR AC FAN D'LIERS WITH INDEPENDENT LIGHT CONTROL



- Three Speed Fan Control
- Separate On/Off Button with Full Range Light
- Dimming
- 3-Volt Battery (Included)
- Up to a 40' Operating Distance
- Includes Wall Holster
- Transmitter Can Control Multiple Fans
- 1 Year Limited Warranty



## WLC-FANDELIER

FULL FUNCTION WALL CONTROL FOR AC FAN D'LIERS WITH INDEPENDENT LIGHT CONTROL

- Three Speed Fan Control
- Separate On/Off Button with Full Range Light
- Dimming
- Up to a 40' Operating Distance
- Transmitter Can Control Multiple Fans
- Compatible with AC Fan Only
- 1 Year Limited Warranty

Universal Remotes have a reverse button that will not be functional if the fan has a manual reverse.

# STANDARD DOWNRODS

	12"	18"	24"	36"	48"	60"	72"
#11 Polished Chrome	DR-12-11	DR-18-11	DR-24-11	DR-36-11	DR-48-11	DR-60-11	DR-72-11
#13 English Bronze	DR-12-13	DR-18-13	DR-24-13	DR-36-13	DR-48-13	DR-60-13	DR-72-13
#21 Burnished Russet	DR-12-21	DR-18-21	DR-24-21	DR-36-21	DR-48-21	DR-60-21	DR-72-21
#53 Silver Patina	DR-12-53	DR-18-53	DR-24-53	DR-36-53	DR-48-53	DR-60-53	DR-72-53
#54 Gold Patina	DR-12-54	DR-18-54	DR-24-54	DR-36-54	DR-48-54	DR-60-54	DR-72-54
#109 Polished Nickel	DR-12-109	DR-18-109	DR-24-109	DR-36-109	DR-48-109	DR-60-109	DR-72-109
#155 Provence	DR-12-155	DR-18-155	DR-24-155	DR-36-155	DR-48-155	DR-60-155	DR-72-155
#171 Burnished Brass	DR-12-171	DR-18-171	DR-24-171	DR-36-171	DR-48-171	DR-60-171	DR-72-171
#196 Reclaimed Wood	DR-12-196	DR-18-196	DR-24-196	DR-36-196	DR-48-196	DR-60-196	DR-72-196
#272 Silver Dust	DR-12-272	DR-18-272	DR-24-272	DR-36-272	DR-48-272	DR-60-272	DR-72-272
#322 Warm Brass	DR-12-322	DR-18-322	DR-24-322	DR-36-322	DR-48-322	DR-60-322	DR-72-322
#FB Flat Black	DR-12-FB	DR-18-FB	DR-24-FB	DR-36-FB	DR-48-FB	DR-60-FB	DR-72-FB
#SN Satin Nickel	DR-12-SN	DR-18-SN	DR-24-SN	DR-36-SN	DR-48-SN	DR-60-SN	DR-72-SN



# INDEX

20-FD-155-322.....	41	26-FD-7806-142.....	21
22-FD-445-322.....	15	26-FD-7806-143.....	21
22-FD-445-89.....	15	27-FD-8201-109.....	31
23-FD-245-322.....	35	27-FD-8201-322.....	31
23-FD-245-89.....	35	27-FD-8201-89.....	31
23-FD-645-322.....	13	28-FD-690-322.....	19
23-FD-645-89.....	13	29-FD-122-322.....	25
24-FD-555-322.....	3	29-FD-122-44.....	25
24-FD-555-89.....	3	29-FD-122-SN.....	25
24-FD-745-322.....	5	30-333-FD-11.....	13
24-FD-745-11.....	5	30-FD-126-322.....	23
24-FD-745-89.....	5	30-FD-126-89.....	23
24-FD-845-322.....	9	30-FD-126-SN.....	23
24-FD-845-89.....	9	30-333-FD-11.....	37
24-FD-945-322.....	7	30-FD-345-322.....	27
24-FD-945-11.....	7	30-FD-345-89.....	27
24-FD-945-89.....	7	34-FD-123-155.....	45
24-FD-955-322.....	11	35-328-FD-13.....	51
24-FD-955-89.....	11	36-329-FD-21.....	49
24-FD-1698-143.....	29	36-329-FD-SN.....	49
24-FD-2008-171.....	33	39-FD-124-322.....	47
24-FD-2008-89.....	33	39-FD-124-89.....	47
25-FD-1650-322.....	43	39-FD-125-53.....	17
25-FD-1650-89.....	43	39-FD-125-54.....	17
26-335-FD-272.....	39	M2007ORB.....	57
26-9472-FD-133.....	55	M2008ORB.....	59
26-9536-FD-196.....	53		

# INDEX





3130 North Berkeley Lake Road NW | Duluth, GA 30096  
TEL 800 801 1621 TEL 404 890 7540 FAX 877 547 2869

[SAVOYHOUSE.COM](http://SAVOYHOUSE.COM)