

MERIDIAN

LITE TRENDS



MERIDIAN CEILING FAN SUPPLEMENT
JANUARY 2023

CEILING FANS




ENERGY USE AT HIGH SPEED		
Airflow Use 5,020 Cu Ft/Min	Electricity Use 25.3W Excludes Lights	Airflow Efficiency 198.42 Cu Ft/Min/W
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cu. ft. per min per watt at high speed.		




CEILING FANS

M2026NBRV



M2026MBKRV



M2026WHRV



FAN NUMBER	M2026NBRV	M2026MBKRV	M2026WHRV
MOTOR FINISH	Natural Brass	Matte Black	White
BLADE FINISH	Walnut/Black	Walnut/Black	White/Weathered Patina
FAN LIGHT	Integrated	Integrated	Integrated
GLASS	Clear	Clear	Clear
DOWNROD FINISH	322	FB	WH

- Motor Size DC 125*20NS
- 52" Blade Span
- 12.5° Blade Pitch
- Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Reversible Color Fan Blades & Integrated Fan Light Included
- 2M 9W LED Bulbs (750 Lumens per bulb, 3000K, 80+ CRI)
- Dual Mounting System Included (Downrod & Hugger)

CEILING FANS

M2018NBRV



M2018BNRV



M2018MBKRV



M2018ORBRV



M2018WHRV

FAN NUMBER	M2018NBRV	M2018ORBRV	M2018BNRV	M2018WHRV	M2018MBKRV
MOTOR FINISH	Natural Brass	Oil Rubbed Bronze	Brushed Nickel	White	Matte Black
BLADE FINISH	Walnut/Black	Walnut/Chestnut	Chestnut/Grey Weathered Oak	White/Weathered Patina	Matte Black
FAN LIGHT	Integrated	Integrated	Integrated	Integrated	Integrated
GLASS	White	White	White	White	White
DOWNROD FINISH	322	13	SN	WH	FB

ENERGY USE AT HIGH SPEED		
Airflow Use 4,502.95 Cu Ft/Min	Electricity Use 61W Excludes Lights	Airflow Efficiency 73.82 Cu Ft/Min/W
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cu. ft. per min per watt at high speed.		



- Motor Size 153 x 13
- 52" Blade Span
- 10.5° Blade Pitch
- Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Reversible Color Fan Blades & Integrated Fan Light Included
- 2M 9W LED Bulbs (750 Lumens per bulb, 3000K, 80+ CRI)
- Dual Mounting System Included (Downrod & Hugger)

OPTIONAL REMOTE: RMT-AC-UNIVERSAL with D Receiver

CEILING FANS

M2019NBRV



M2019BNRV



M2019MBKRV



M2019WHRV



FAN NUMBER	M2019NBRV	M2019BNRV	M2019MBKRV	M2019WHRV
MOTOR FINISH	Natural Brass	Brushed Nickel	Matte Black	White
BLADE FINISH	Walnut / Matte Black	Chestnut/Grey Weathered Oak	Walnut / Matte Black	White/Weathered Patina
FAN LIGHT	Integrated	Integrated	Integrated	Integrated
GLASS	Clear Seeded	Clear Seeded	Clear Seeded	Clear Seeded
DOWNROD FINISH	322	SN	FB	WH

CEILING FANS

M2021ORBRV



M2021BNRV



FAN NUMBER	M2021ORBRV	M2021BNRV
MOTOR FINISH	Oil Rubbed Bronze	Brushed Nickel
BLADE FINISH	Walnut/Chestnut	Chestnut/Grey Weathered Oak
FAN LIGHT	Integrated/Cover	Integrated/Cover
GLASS	White Frosted	White Frosted
DOWNROD FINISH	13	SN

OPTIONAL REMOTE: RMT-AC-UNIVERSAL with D Receiver

ENERGY USE AT HIGH SPEED		
Airflow Use 4,227 Cu Ft/Min	Electricity Use 60.48W	Airflow Efficiency 69.89 Cu Ft/Min/W
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cu. ft. per min per watt at high speed.		



CEILING FANS

M2022BNRV



M2022MBKRV



FAN NUMBER	M2022BNRV	M2022MBKRV
MOTOR FINISH	Brushed Nickel	Matte Black
BLADE FINISH	Chestnut/Grey Weathered Oak	Walnut/Black
FAN LIGHT	Integrated/Cover	Integrated/Cover
GLASS	Clear Seeded	Clear Seeded
DOWNROD FINISH	SN	89

- Motor Size 153 x 12
- 52" Blade Span
- 11.5° Blade Pitch
- Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Reversible Color Fan Blades & Integrated Fan Light Included
- 3M 9W LED Bulbs (750 Lumens per bulb, 3000K, 80+ CRI)
- Decorative Cover For Non-Light Use Included
- Dual Mounting System Included (Downrod & Hugger)

MERIDIAN

L I T E T R E N D S

3130 N. Berkeley Lake Road NW | Duluth, GA. 30096
TEL 800 801 1621 TEL 404 890 7540 FAX 877 547 2869