


# Buy America/ Buy American and Trade Agreement Acts (BAA and TAA)

Compliance guide



# Table of contents

Government supply definitions	4	<b>Exit devices</b>	<b>15</b>
Information required prior to requesting assistance	6	<b>Von Duprin</b>	<b>15</b>
BAA/TAA order transmittal cover letter	7	Exit devices	15
<b>Additional order requirements</b>	<b>8</b>	Mullions/other	16
<b>Mechanical products</b>	<b>9</b>	<b>Falcon</b>	<b>16</b>
<b>Locks</b>	<b>9</b>	Exit devices	16
<b>Schlage</b>	<b>9</b>	Mullions	16
Cylindrical	9	<b>Auxiliary hardware</b>	<b>17</b>
Deadbolt	9	<b>Glynn-Johnson</b>	<b>17</b>
Interconnected/tubular	9	70 Series	17
Mortise (standard, deadbolt, multi-point)	9	81 Series heavy-duty surface	17
Push/pull latch	9	90 Series	17
<b>Falcon</b>	<b>10</b>	100 Series	17
Cylindrical	10	410 Series	17
Deadbolt	10	450 Series	17
Interconnected/tubular	10	<b>Ives</b>	<b>18</b>
Mortise	10	Hinges	18
<b>Portable security</b>	<b>10</b>	Continuous hinges	18
<b>Schlage</b>	<b>10</b>	Pivots	19
Commercial padlocks	10	Protection plates, push/pull plates, and pulls	19
Padlock accessories - shackles	11	Carry bars	19
<b>Cylinders</b>	<b>12</b>	Invisible latches	19
<b>Schlage</b>	<b>12</b>	Coordinators	20
Electronic lock applications	12	Dust proof strikes	20
Cylindrical lock applications	12	Door viewer	20
Interconnect and tubular lock applications	12	Flush bolts	20
Mortise and tubular lock applications	12	Filler bars	20
Deadbolt and deadlock applications	12	Floor/door stops and holders	20
Portable security applications	13	Lock guards	21
Rim, mortise exit and competitive device applications	13	Mounting brackets	21
Other manufacturers' lock applications	13	Roller latches	21
<b>Falcon</b>	<b>13</b>	Locking bolts	21
<b>Closers</b>	<b>14</b>	Wall stops/holders	21
<b>LCN</b>	<b>14</b>	<b>Zero</b>	<b>22</b>
Door closers	14	Automatic door bottom	22
Automatic operators	14	Door sweeps	22
Fire/life safety	15	Perimeter seals	23
<b>Falcon</b>	<b>15</b>	Thresholds	24
Door closers	15	Meeting stiles	27
Automatic operators	15	Weatherstripping	28
		Miscellaneous	29
		<b>Advantage</b>	<b>29</b>
		Louvers	29
		Lites	29

<b>Steelcraft</b>	<b>30</b>	<b>Schlage and Von Duprin</b>	<b>37</b>
Metal doors	30	Power supply option boards - PS900	37
Metal frames	30	Power supply accessories - PS900	37
Architectural stick	30	<b>Von Duprin</b>	<b>38</b>
<b>Republic</b>	<b>31</b>	Electric strikes	38
Metal doors	31	Electric power transfers (EPTs)	38
Metal frames	31	Power supplies	38
<b>Falcon</b>	<b>31</b>	Allegion Connect wiring	38
Metal doors	31	<b>Locknetics</b>	<b>39</b>
<b>AD Systems</b>	<b>31</b>	Electromagnetic locks	39
Sliding doors	31	Electromagnetic lock accessories	39
<b>Electronic products</b>	<b>32</b>	Electric strikes	39
<b>Locks</b>	<b>32</b>	Electric strike accessories	40
<b>Schlage</b>	<b>32</b>	Push buttons	40
Networked	32	Specialty switches	40
Standalone	32	Digital keypads	40
Wireless	32	Touch bars	40
Accessories	33	Push plates	41
<b>Readers, controllers and credentials</b>	<b>33</b>	Emergency breaks	41
<b>Schlage</b>	<b>33</b>	Emergency break accessories	41
Reader controllers	33	Door cords	41
Accessories/cables	33	Specialty sensor and buzzer switches	41
Networked readers	33	Power supplies	41
Credentials	34	Power supply accessories	41
<b>ISONAS</b>	<b>35</b>	<b>Allegion production sites</b>	<b>42</b>
Reader controllers	35		
Readers	35		
IP Bridge	35		
Accessories/cables	35		
<b>System components and accessories</b>	<b>36</b>		
<b>Schlage</b>	<b>36</b>		
Pushbuttons/keyswitches	36		
Door position switches	36		
Electronic horns	36		
Power supplies	36		
Door cords	36		

**Allegion**  
11819 North Pennsylvania Street  
Carmel, Indiana 46032  
877-671-7011

**Allegion Government contact:**  
st-govtservices@allegion.com

**Government and GSA sales contacts:**  
Steven Dale  
301-356-5264 Cell

Doug Otto  
317-294-0127 Cell

This catalog contains products that currently comply with Buy America/Buy American and Trade Agreements Act requirements imposed by the federal government through the Buy America/Buy American Act (BAA) and Trade Agreements Act (TAA), respectively. The catalog is reviewed and updated on a semi-annually basis. Please be sure to visit <http://us.allegion.com/industries/government/resources> for the most current catalog revision.

It is our goal to make it as easy as possible to supply Allegion products for projects subject to Buy American (“BAA”) requirements and Trade Agreements Act (“TAA”) requirements. A brief description of some of the federal requirements can be found below. Please keep in mind that there are exceptions, exemptions and waivers to many of these requirements. Understanding all the factors that can affect a particular product or project can be confusing, which is why Allegion has a Government Services team to assist you. We are often able to provide product solutions based on these factors. Please direct product or project related inquiries by contacting us at [st-govtservices@allegion.com](mailto:st-govtservices@allegion.com).

To obtain product certification forms, e-mail your request to [st-govtservices@allegion.com](mailto:st-govtservices@allegion.com), and your request will be forwarded to the proper location.

All items in this catalog are subject to the prices, terms and conditions listed in the respective current product price books.

### What is the BAA?

The Buy American Act establishes a preference for the federal government, when purchasing supplies for use in the United States, to purchase products mined, produced, or manufactured in the United States. Under the BAA, there is a two part test to determine whether an end product is domestic: (1) it must be “manufactured” in the United States; and (2) the cost of domestic components must exceed a certain percentage of the cost of all the components. For end products that do not consist wholly or predominantly of iron or steel or a combination of iron and steel, the cost of domestic components must exceed 60 of the cost of all components. For end products that consists wholly or predominantly of iron or steel or a combination of iron and steel, the cost of iron and steel must constitute less than 5% of the cost of all components. Neither the statute nor the regulations define “manufacture’s however, the Government Accountability Office (GAO) has stated that manufacturing necessitates that the “completion of the [end product] in the form required for use by the Government be carried out domestically.” Where an end product being sold to the federal government is a commercially available off-the-shelf (COTS) item, meaning the product is sold in

substantial quantities in the commercial marketplace in the same form, without modification, as it is offered to the U.S. government, the components test is waived(except, this waiver is not applicable to end products made wholly or predominantly of iron or a combination or iron).

### When could BAA apply?

The BAA applies generally to federal acquisitions exceeding \$10,000. However, under the Trade Agreements Act (TAA), the Government has waived the BAA restriction for products from countries that have signed an international trade agreement with the United States (“designated countries”), or that meet certain other criteria, such as being a least developed country. In acquisitions covered by the TAA, offers of designated country products receive equal consideration with domestic offers.

### State contracts with federal funding

Domestic preference restrictions may apply to state and local government acquisitions funded with federal dollars.

37 states have signed on to certain international agreements opening up procurements to products from certain designated countries (e.g., Taiwan), where the construction contract value exceeds the applicable threshold (e.g., currently \$7,864,000 for the WTO GPA). The below 13 have not signed on to any of the international agreements and therefore only domestic products are compliant where the ARRA Buy American requirement applies:

Alabama	Indiana	New Mexico
Ohio	West Virginia	Alaska
Nevada	North Carolina	South Carolina
Georgia	New Jersey	North Dakota
Virginia		

At this time none of the 50 states recognize or have agreed to participate in the NAFTA Trade Agreement, which includes Mexican products.

**The Government Strategic Accounts team is available to assist in determining what products are compliant for a specific state or local opportunity funded by federal dollars.**

Please note: The Buy America Act is listed on page 5. This differs from the Buy American Act discussed above.

The following named entities have agreed to give equal consideration to products substantially transformed in WTO-GPA countries, including Taiwan. Port Authority of New York and New Jersey Port of Baltimore.

**TAA - Trade Agreements Act**

The U.S. has entered into a number of international trade agreements, under which the U.S. agrees to waive the BAA and other discriminatory provisions for products from countries that are parties to the agreement. These agreements include the World Trade Organization Government Procurement Agreement (WTO GPA), a plurilateral agreement to which Taiwan, among other countries, has acceded, the North American Free Trade Agreement (NAFTA), and a number of other bilateral and multilateral free trade agreements (FTAs).

**When could TAA apply?**

The value of the acquisition is a determining factor in the applicability of the TAA, as the various international agreements set forth a dollar threshold for when they apply. In some cases, such as the WTO GPA, the threshold is periodically adjusted.

The below chart sets forth the current thresholds (as of January 2015) for applicability of the trade agreements most relevant to Allegion.

Trade Agreement	Construction contract (equal to or exceeding)
WTO GPA	\$7,864,000
USMCA (NAFTA) - Mexico	\$10,335,931
USMCA (NAFTA) - Canada	\$10,335,931

For purchases made through U.S. General Services Administration Schedule contracts, all acquisitions are covered by the TAA, dollar value of the individual order notwithstanding.

**FARS - Federal Acquisition Regulations**

A section of the U.S. Code of Federal Regulations detailing purchasing/procurement policies for the federal government.

**DFARS - Defense Federal Acquisition Regulations**

A section of the U.S. Code of Federal Regulations detailing purchasing/procurement policies for the Department of Defense (DoD).

**Construction project**

Any federally funded new construction or renovation work involving a General Contractor is generally considered a construction contract. Often, the word “construction” is noted in the contract.

**COTS - Commercially available Off The Shelf**

Any item, other than real property, that is of a type customarily used by the general public or nongovernmental purposes, and that 1) Has been sold, leased or licensed to the general public; or 2) Has been offered for sale, lease or license to the general public. Does not apply to Mexico end-products, as assembly and packaging is required in the United States. Does not apply to end products that consist wholly or predominantly of iron or steel or a combination of iron or steel.

**Department of Transportation (DOT) requirements for Buy America:**

The various agencies under the DOT (e.g., FTA, FRA, FAA, FHWA, Amtrak) have Buy America statutory provisions, implemented by the agencies with agency-unique rules and exceptions. The most common of these is the FTA's Buy America requirements at 49 U.S.C. 5323(i)(1) and 49 C.F.R..661. Allegion can provide a Buy America certification letter for any of our brands within this catalog that are identified as country of origin USA.

**Environmental Protection Agency (EPA)**

Any water treatment facilities fall under the Buy America Act - USA products only.

**American Iron and Steel Act (AIS)**

The only product that Allegion can provide AIS documentation for at this time is the Steelcraft and Republic doors and frames that are listed in this compliance guide, which fall under the Buy America Act - USA products only using recycled steel.

# Information required prior to requesting assistance

Your request for a BAA certification letter should include the following:

1. Project name: \_\_\_\_\_

2. Solicitation # (if applicable): \_\_\_\_\_

3. Total project size (dollar amount): \$ \_\_\_\_\_

4. Total Allegion value for project (dollar amount): \$ \_\_\_\_\_

5. Does the above project total size exceed the \$7.864 M threshold for BAA/WTO?  Yes  No

6. Is the project a DOT FAA (department of transportation or federal aviation authority)?  Yes  No

7. Does the above project total size exceed the \$10,335,931 threshold for USMCA (NAFTA)?  Yes  No

8. Federal project:  Yes  No

9. State project: (If yes, specify the state)  Yes state: \_\_\_\_\_  No

10. City project:  Yes  No

11. HUD project:  Yes  No

12. US EPA project:  Yes  No

13. ARRA funded project:  Yes  No

14. List of specified products  
(Attach separate sheet if required. Project take-offs and quote request forms are acceptable for product descriptions.)

Brand	Product

Submit completed form to: [st-govtservices@allegion.com](mailto:st-govtservices@allegion.com)

\*\*Please note this is only a worksheet to help provide and gather all necessary information for Buy American Act certification.\*\*



# Order transmittal cover letter

## **Buy America/Buy American Act (BAA) and Trade Agreements Act (TAA)**

Note that orders requiring BAA/TAA compliant products MUST include this cover letter to be properly identified.

**Failure to include a Order Transmittal Cover Sheet or properly marking the order PRODUCTS REQUESTED WITH BAA COMPLIANCE or include the BA/BAA suffix when required could result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund.**

## Additional order requirements

### Locks

Schlage	BAA transmittal required	Note on order
A Series	x	Clearly mark model number with - BAA suffix to receive USA country of origin products.
ALX Series	x	
B250 Series	x	
B500 Series	x	
B600/700/800 Series	x	
CS200 Series	x	
ND Series	x	
L Series	x	
S Series	x	
S200 Series	x	

### Electronic locks, readers and accessories

Schlage	BAA transmittal required	Note on order
AD Series <sup>1</sup>	x	Clearly mark model number with - BAA suffix to receive USA country of origin products
Power supplies	x	
PIM <sup>1</sup>	x	
PIB <sup>1</sup>	x	
RC Series 25' pigtail cable	x	

ISONAS		Note on order
Isonas 25' RC-04 pigtail cable	x	Clearly mark model number with - BAA suffix to receive USA country of origin products

Von Duprin		Note on order
Power supplies	x	Clearly mark model number with - BAA suffix to receive USA country of origin products
Power Transfers (EPT)	x	

### Closers

LCN	BAA transmittal required	Note on order
1250 Series	x <sup>2</sup>	Clearly mark model number with - BAA suffix to receive USA country of origin products
1450 Series	x <sup>2</sup>	

Note: Please refer to respective price books for additional costs and pricing.

- Up charges only apply when ordering products that must have Country of Origin of USA and the project does not meet any thresholds where Trade Agreement Act (TAA) exceptions apply. See pages 4 and 5 for more details or contact [st-govtservices@allegion.com](mailto:st-govtservices@allegion.com) for more information.
- BAA suffix added to the line item.



# Mechanical products

## Locks

### Schlage

#### Cylindrical

Product	Description	Function	Trim	Finish	BAA COO	TAA COO
A Series * ^	Grade 2, cylindrical	All	All	All	USA	Mexico
ALX Series * ^	Grade 2, cylindrical	All	All	All	USA	Mexico
ND Series * ^	Grade 1, cylindrical	All	All	All	USA	Mexico

#### Deadbolt

Product	Description	Function	Trim	Finish	BAA COO	TAA COO
B250 Series * ^	Grade 2, deadlatch	All	All	All	USA	Mexico
B500 Series * ^	Grade 2, deadbolt	All	All	All	USA	Mexico
B600/700/800 Series * ^	Grade 1, deadbolt	All	All	All	USA	Mexico

#### Interconnected/tubular

Product	Description	Function	Trim	Finish	BAA COO	TAA COO
CS200 Series * ^	Interconnected lock	All	All	All	USA	Mexico
LT Series*	Grade 2, tubular	All	All	All	USA	-
S Series * ^	Grade 2, tubular	All	All	All	USA	Mexico
S200 Series * ^	Interconnected lock	All	All	All	USA	Mexico

#### Mortise (standard, deadbolt, multi-point)

Product	Description	Function	Trim	Finish	BAA COO	TAA COO
L Series * ^	Grade 1, mortise	All	All	All	USA	Mexico
L400 Series * ^	Grade 1, small case mortise deadbolt	All	All	All	USA	Mexico
L460 Series * ^	Grade 1, small case mortise deadbolt	All	All	All	USA	Mexico
LM9200 Series *	Two-point lock	All	All	All	USA	-
LM9300 Series *	Three-point lock	All	All	All	USA	-

\* Available for complete locks and deadbolts only

^ See page 8 for additional cost and order requirements

#### Push/pull latch

Product	Description	Finish	BAA COO
HL6-2	Push/pull latch	All	USA
HL6-5	Push/pull latch - 5" backset	All	USA
HL6-9000 Series	Push/pull mortise lock combination	All	USA

## Falcon

### Cylindrical

Product	Description	Trim	Finish	TAA COO
B Series	Grade 2, standard duty, cylindrical	All	All	Taiwan
K Series	Grade 1, standard duty, cylindrical	All	All	Taiwan
RU Series	Grade 1, extra heavy duty, preassembled	All	All	Mexico
T Series	Grade 1, extra heavy duty, cylindrical	All	All	Mexico
W/WSR Series	Grade 2, medium duty, cylindrical	All	All	Taiwan
X Series	Grade 1, heavy duty, cylindrical	All	All	Mexico

### Deadbolt

Product	Description	Trim	Finish	TAA COO
D100 Series	Grade 1, deadbolt	All	All	Mexico
D200 Series	Grade 2, deadbolt	All	All	Mexico

### Interconnected/tubular

Product	Description	Trim	Finish	BAA COO
H2 Series	Grade 2, Interconnected lock	All	All	USA

### Mortise

Product	Description	Trim	Finish	TAA COO
MA Series	Grade 1, mortise	All	All	Taiwan

Falcon locks listed on this page qualify for BAA projects above the qualifying designated country threshold, with the exception of DOT and EPA designated or funded projects.

## Portable security

### Schlage

#### Commercial padlocks

Product number	Description	Function	Finish	BAA COO	TAA COO
KS11D1200	KS 11 Series, 1 1/2" shackle, less cylinder	SFIC	652 Chrome plated brass	-	Taiwan
KS11F1200	KS 11 Series, 2" shackle, less cylinder	SFIC	652 Chrome plated brass	-	Taiwan
KS21D1200	KS 21 Series, 1 1/2" shackle, less cylinder	SFIC	652 Chrome plated brass	-	Taiwan
KS21F1200	KS 21 Series, 2" shackle, less cylinder	SFIC	652 Chrome plated brass	-	Taiwan
KS23D2200	KS 23 Series, 1 1/2" shackle, less cylinder	K-N-K	606 Brass	-	Taiwan
KS23D2300	KS 23 Series, 1 1/2" shackle	K-N-K cylinder	606 Brass	-	Taiwan
KS23F2200	KS 23 Series, 2" shackle, less cylinder	K-N-K	606 Brass	-	Taiwan
KS23F2300	KS 23 Series, 2" shackle	K-N-K cylinder	606 Brass	-	Taiwan
KS41D1200	KS 41 Series, 1 1/2" shackle, less cylinder	SFIC	652 Chrome plated brass	-	Taiwan
KS41F1200	KS 41 Series, 2" shackle, less cylinder	SFIC	652 Chrome plated brass	-	Taiwan
KS43D2200	KS 43 Series, 1 1/2" shackle, less cylinder	K-N-K	606 Brass	-	Taiwan
KS43D2300	KS 43 Series, 1 1/2" shackle	K-N-K cylinder	606 Brass	-	Taiwan

## Portable security

### Schlage (cont.)

#### Commercial padlocks (cont.)

Product number	Description	Function	Finish	BAA COO	TAA COO
KS43D3200	KS 43 Series, 1 1/2" shackle, less cylinder	FSIC	606 Brass	-	Taiwan
KS43F2200	KS 43 Series, 2" shackle, less cylinder	K-N-K	606 Brass	-	Taiwan
KS43F2300	KS 43 Series, 2" shackle	K-N-K cylinder	606 Brass	-	Taiwan
KS43F3200	KS 43 Series, 2" shackle, less cylinder	FSIC	606 Brass	-	Taiwan
KS72F2300	KS 72 Series, 2" shackle	K-N-K cylinder	652 Steel	-	Taiwan
855156	Solid steel shackle-less padlock, 2 7/8"x1 1/2" -with cylinder 5 pin		652 Steel	-	Taiwan

#### Padlock accessories - shackles

Product number	Description	Function	Finish	BAA COO	TAA COO
KZ11F40	Steel, 2" shackle, 3/8" dia.	-	Chrome	-	Taiwan
KZ11G20	Steel, 4" shackle, 5/16" dia.	-	Chrome	-	Taiwan
KZ11G40	Steel, 4" shackle, 3/8" dia.	-	Chrome	-	Taiwan
KZ12G20	Brass, 4" shackle, 5/16" dia.	-	-	-	Taiwan
KZ12G40	Brass, 4" shackle, 3/8" dia.	-	-	-	Taiwan
KZ13D20	Stainless steel, 1 1/2" shackle, 5/16" dia.	-	Chrome	-	Taiwan
KZ13D40	Stainless steel, 1 1/2" shackle, 3/8" dia.	-	Chrome	-	Taiwan
KZ13F20	Stainless steel, 2" shackle, 5/16" dia.	-	Chrome	-	Taiwan
KZ13F40	Stainless steel, 2" shackle, 3/8" dia.	-	Chrome	-	Taiwan

# Cylinders

All Schlage cylinders, tailpieces, cams and supporting parts are made in the USA at our manufacturing facility in Colorado Springs and qualify for BAA. This listing provides details on the availability of cylinder formats and Primus security options in patented keyway options only. However, any cylinders in Schlage legacy keyway options would also qualify as all are manufactured and assembled in the USA.

## Schlage

### Electronic lock applications

Application	Patent protected keyway families <sup>1</sup>	Formats	Primus options	Primus UL 437	BAA COO
AD Series, CO Series, ND Series, NDE Series, L Series and LE Series	Classic Obverse <sup>1</sup> , EV 29 S and T	KIL and FSIC	Legacy, RP <sup>2</sup> , and XP	KIL only	USA
	Everest 29 R	KIL and FSIC as SL	Legacy and XP	KIL only	USA
		SFIC	--	--	USA

### Cylindrical lock applications

Application	Patent protected keyway families <sup>1</sup>	Formats	Primus options	Primus UL 437	BAA COO
A Series, ALX Series, and ND Series	Classic Obverse <sup>1</sup> , EV 29 S and T	KIL and FSIC	Legacy, RP <sup>2</sup> , and XP	KIL only	USA
	Everest 29 R	KIL and FSIC as SL	Legacy and XP	KIL only	USA
		SFIC <sup>3</sup>	--	--	USA

### Interconnect and tubular lock applications

Application	Patent protected keyway families <sup>1</sup>	Formats	Primus options	Primus UL 437	BAA COO
S200 Series interconnect	Classic Obverse <sup>1</sup> , EV 29 S and T	KIL and FSIC	Legacy, RP <sup>2</sup> , and XP	KIL only	USA
	Everest 29 R	KIL and FSIC as SL	Legacy and XP	KIL only	USA
CS200 Series interconnect	Classic Obverse <sup>1</sup> , EV 29 S and T	KIL and FSIC	--	--	USA
		KIL and FSIC as SL	--	--	USA
	Everest 29 R	SFIC	--	--	USA
S Series tubular	Classic Obverse <sup>1</sup> , EV 29 S and T	KIL and FSIC	Legacy, RP <sup>2</sup> , and XP	KIL only	USA
	Everest 29 R	KIL and FSIC as SL	Legacy and XP	--	USA

### Mortise and tubular lock applications

Application	Patent protected keyway families <sup>1</sup>	Formats	Primus options	Primus UL 437	BAA COO
L Series mortise <sup>4</sup> (including multi-point locks)	Classic Obverse <sup>1</sup> , EV 29 S and T	KIL and FSIC	Legacy, RP <sup>2</sup> , and XP	KIL only	USA
	Everest 29 R	KIL and FSIC as SL <sup>5</sup>	Legacy and XP	KIL only	USA
		SFIC	--	--	USA

### Deadbolt and deadlock applications

Application	Patent protected keyway families <sup>1</sup>	Formats	Primus options	Primus UL 437	BAA COO
B250 Series deadlock	Classic Obverse <sup>1</sup> , EV 29 S and T	KIL and FSIC	Legacy, RP <sup>2</sup> , and XP	KIL only	USA
	Everest 29 R	KIL and FSIC as SL	Legacy and XP	KIL only	USA
B500 Series deadbolt	Classic Obverse <sup>1</sup> , EV 29 S and T	KIL and FSIC	Legacy, RP <sup>2</sup> , and XP	KIL only	USA
		KIL and FSIC as SL	Legacy and XP	KIL only	USA
	Everest 29 R	SFIC	--	--	USA
B600 Series	Classic Obverse <sup>1</sup> , EV 29 S and T	KIL and FSIC	--	--	USA
		KIL and FSIC as SL	--	--	USA
	Everest 29 R	SFIC	--	--	USA
B700 Series and B800 Series	Classic Obverse <sup>1</sup> , EV 29 S and T	KIL and FSIC	Legacy, RP <sup>2</sup> , and XP	KIL only	USA
		KIL and FSIC as SL	Legacy and XP	KIL only	USA
	Everest 29 R	SFIC	--	--	USA

1. Classic Obverse and other legacy Everest (B, C, and D) keyways only gain patent protection in Primus cylinders.

2. Primus RP is exclusive to the Classic Obverse keyway families.

3. Not available for A Series locks.

4. Primus options are not available on L9485, L9486, LM9280, and LM/LMV9380 functions.

5. SL key mechanism in Primus options are available in limited trims and functions only.

6. Lockout function supported by Primus cylinders only. Not available in SL key mechanisms.

7. SL key mechanism is not available to fit Corbin Russwin CK4200 and UT5200 locks; SL in Primus UL 437 not available to fit CL3300.

8. Except B knobs.

# Cylinders

All Schlage cylinders, tailpieces, cams and supporting parts are made in the USA at our manufacturing facility in Colorado Springs and qualify for BAA. This listing provides details on the availability of cylinder formats and Primus security options in patented keyway options only. However, any cylinders in Schlage legacy keyway options would also qualify as all are manufactured and assembled in the USA.

## Schlage (cont.)

### Portable security applications

Application	Patent protected keyway families <sup>1</sup>	Formats	Primus options	Primus UL 437	BAA COO
KS Series commercial padlocks	Classic Obverse <sup>1</sup> , EV 29 S and T	KIL and FSIC	Legacy, RP <sup>2</sup> , and XP	KIL only	USA
	Everest 29 R	SFIC	--	--	USA
CL Series cabinet/drawer locks	Classic Obverse <sup>1</sup> , EV 29 S and T	KIL and FSIC	Legacy, RP <sup>2</sup> , and XP	KIL only	USA
		KIL and FSIC as SL	Legacy and XP	KIL only	USA
	Everest 29 R	SFIC	--	--	USA

### Rim, mortise exit and competitive device applications

Application	Patent protected keyway families <sup>1</sup>	Formats	Primus options	Primus UL 437	BAA COO
Rim cylinders for exit devices	Classic Obverse <sup>1</sup> , EV 29 S and T	KIL and FSIC <sup>6</sup>	Legacy, RP <sup>2</sup> , and XP	KIL only	USA
		KIL and FSIC as SL <sup>6</sup>	Legacy and XP	KIL only	USA
	Everest 29 R	SFIC	--	--	USA
Mortise cylinders for Von Duprin and other straight cam applications	Classic Obverse <sup>1</sup> , EV 29 S and T	KIL and FSIC	Legacy, RP <sup>2</sup> , and XP	KIL only	USA
		KIL and FSIC as SL	Legacy and XP	KIL only	USA
	Everest 29 R	SFIC	--	--	USA
Adams Rite <sup>®</sup> 4500, 4700, and 4070 Series	Classic Obverse <sup>1</sup> , EV 29 S and T	KIL and FSIC <sup>6</sup>	Legacy, RP <sup>2</sup> , and XP	KIL only	USA
		KIL and FSIC as SL <sup>6</sup>	Legacy and XP	KIL only	USA
	Everest 29 R	SFIC	--	--	USA
Corbin Russwin DL3000 Series	Classic Obverse <sup>1</sup> , EV 29 S and T	KIL and FSIC <sup>6</sup>	Legacy, RP <sup>2</sup> , and XP	KIL only	USA
		KIL and FSIC as SL <sup>6</sup>	Legacy and XP	KIL only	USA
	Everest 29 R	SFIC	--	--	USA
Lori 4500 Series	Classic Obverse <sup>1</sup> , EV 29 S and T	KIL and FSIC <sup>6</sup>	Legacy, RP <sup>2</sup> , and XP	KIL only	USA
		KIL and FSIC as SL <sup>6</sup>	Legacy and XP	KIL only	USA
	Everest 29 R	SFIC	--	--	USA

### Other manufacturers' lock applications

Application	Patent protected keyway families <sup>1</sup>	Formats	Primus options	Primus UL 437	BAA COO
Corbin Russwin <sup>7</sup> CL3300, CL3400, CL3600, CK4200, and UT5200	Classic Obverse <sup>1</sup> , EV 29 S and T	KIL and FSIC	Legacy, RP <sup>2</sup> , and XP	KIL only	USA
		KIL and FSIC as SL	Legacy and XP	KIL only	USA
	Everest 29 R	SFIC	--	--	USA
Sargent 7L, 8L, and 10L levers; 6 <sup>8</sup> , 7, 8, and 9 knobs	Classic Obverse <sup>1</sup> , EV 29 S and T	KIL and FSIC	Legacy, RP <sup>2</sup> , and XP	KIL only	USA
		KIL and FSIC as SL	Legacy and XP	KIL only	USA
	Everest 29 R	SFIC	--	--	USA
Yale 5300LN, 5400LN, and 6400LN levers; 5300, 5400, and 6200 knobs	Classic Obverse <sup>1</sup> , EV 29 S and T	KIL and FSIC	Legacy, RP <sup>2</sup> , and XP	KIL only	USA
		KIL and FSIC as SL	Legacy and XP	KIL only	USA
	Everest 29 R	SFIC	--	--	USA

## Falcon

Application	Patent protected keyway families <sup>1</sup>	Formats	Primus options	Primus UL 437	BAA COO
Falcon B, M, T and W Series	Classic Obverse <sup>1</sup> , EV 29 S and T	KIL	Legacy, RP <sup>2</sup> , and XP	KIL only	USA

1. Classic Obverse and other legacy Everest (B, C, and D) keyways only gain patent protection in Primus cylinders.

2. Primus RP is exclusive to the Classic Obverse keyway families.

3. Not available for A Series locks.

4. Primus options are not available on L9485, L9486, LM9280, and LM/LMV9380 functions.

5. SL key mechanism in Primus options are available in limited trims and functions only.

6. Lockout function supported by Primus cylinders only. Not available in SL key mechanisms.

7. SL key mechanism is not available to fit Corbin Russwin CK4200 and UT5200 locks; SL in Primus UL 437 not available to fit CL3300.

8. Except B knobs.

# Closers

## LCN

### Door closers

Product	Description	Arm	Screw pack	Finish	BAA COO
1250 Series* ♦	Mounts hinge side, top jamb, and parallel arm - non-sized	All	All	All	USA
1261 Series ♦	Mounts hinge side, top jamb and parallel arm - non-sized	All	All	All	USA
1450 Series* ♦	Mounts hinge side, top jamb, and parallel arm - non-sized	All	All	All	USA
1461 Series ♦	Mounts hinge side, top jamb and parallel arm - non-sized	All	All	All	USA
2010 Series ♦	Concealed (in header) mount, sized cylinder	All	All	All	USA
2030 Series ♦	Concealed (in header) mount, sized cylinder	All	All	All	USA
2210 Series ♦	High security, concealed (in header) mount	All	All	All	USA
3030 Series ♦	Series concealed (in door) mount, sized cylinder	All	All	All	USA
3130 Series ♦	Series concealed (in door) mount, sized cylinder	All	All	All	USA
4000T Series ♦	Pocket door closer	All	All	All	USA
4010 Series ♦	Hinge side mount, size 6 or non-sized cylinders	All	All	All	USA
4020 Series ♦	Top jamb mount, size 6 or non-sized cylinders	All	All	All	USA
4031 Series ♦	Mounts hinge side, top jamb and parallel arm - non-sized	All	All	All	USA
4040XP Series ♦	Mounts hinge side, top jamb and parallel arm - non-sized	All	All	All	USA
4050A Series ♦	Mounts hinge side, top jamb, and parallel arm - non-sized	All	All	All	USA
4110 Series ♦	Parallel arm mount, size 6 or non-sized cylinders	All	All	All	USA
4210 Series ♦	Series high security, push side mount, size 6 or non-sized cylinders	All	All	All	USA
4510 Series ♦	Series high security, push side mount, size 6 or non-sized cylinders	All	All	All	USA
5010 Series ♦	Concealed (in header) mount, sized cylinder	All	All	All	USA
5030 Series ♦	Concealed (in header) mount, sized cylinder	All	All	All	USA
6030 Series ♦	Concealed (in narrow header) double action sized cylinder	All	All	All	USA

\* Refer to page 8 for additional cost and order requirements.

♦ Extended lead times apply to specific finishes. Add an additional 2 weeks for custom RAL finishes and 4 weeks for Plated finishes to standard lead time.

### Automatic operators

Product	Description	Arm	Screw pack	Finish	BAA COO
2610 Series ♦	Pneumatic auto equalizer, concealed mount, sized cylinder	All	All	All	USA
2810 Series ♦	Senior swing - single door, overhead concealed mount	All	All	All	USA
2850 Series ♦	Senior swing - simultaneous pair, overhead concealed mount	All	All	All	USA
2860 Series ♦	Senior swing - independent pair, overhead concealed mount	All	All	All	USA
4630 Series ♦	Electric auto equalizer - top jamb (pull side) mount, non-sized	All	All	All	USA
4640 Series ♦	Electric auto equalizer - top jamb (push side) mount, non-sized	All	All	All	USA
4810 Series ♦	Pneumatic auto equalizer - top jamb (pull side) mount, non-sized	All	All	All	USA
4820 Series ♦	Pneumatic auto equalizer - top jamb (push side) mount, non-sized	All	All	All	USA
4840 Series ♦	Pneumatic auto equalizer - parallel arm (pull side) mount, non-sized	All	All	All	USA
6400 Series ♦	6440 Compact - module kit	All	All	All	USA
6400 Series ♦	6440XP Compact - module and closer kit	All	All	All	USA
6400 Series ♦	6440-2210 - Compact module and battery powered touchless actuator kit	All	All	All	USA
6400 Series ♦	6440-3813W - Compact module and hardwired touchless actuator kit	All	All	All	USA
9130 Series ♦	Benchmark - single door, surface (pull side) mount	All	All	All	USA
9140 Series ♦	Benchmark - single door, surface (push side) mount	All	All	All	USA
9150 Series ♦	Benchmark - pair door, surface (push side) mount	All	All	All	USA
9530 Series ♦	Senior swing - single door, surface (pull side) mount	All	All	All	USA
9540 Series ♦	Senior swing - single door, surface (push side) mount	All	All	All	USA
9550 Series ♦	Senior swing - simultaneous pair, surface (pull, push or double egress) mount	All	All	All	USA
9560 Series ♦	Senior swing - independent pair, surface (pull, push or double egress) mount	All	All	All	USA

♦ Extended lead times apply to specific finishes. Add an additional 2 weeks for custom RAL finishes and 4 weeks for plated finishes to standard lead time.

# Closers

## LCN (cont.)

### Fire/life safety

Product	Description	Arm	Screw pack	Finish	BAA COO
2310ME Series ♦	Concealed mounted electronic release with multi-point hold-open	All	All	All	USA
3130SE Series ♦	Concealed mounted - sized cylinder	All	All	All	USA
4040SE Series ♦	Hinge side mount, non-sized cylinders	All	All	All	USA
4310HSA Series ♦	Scanner activated hold-open	All	All	All	USA
4310ME Series ♦	Electronic release with multi-point hold-open	All	All	All	USA
4410HSA Series	Scanner activated hold-open	All	All	All	USA
4410ME Series ♦	Electronic release with multi point hold open	All	All	All	USA

♦ Extended lead times apply to specific finishes. Add an additional 2 weeks for custom RAL finishes and 4 weeks for Plated finishes to standard lead time.

## Falcon

### Door closers

Product	Description	Screw pack	Finish	TAA COO
OHC100A Series	Overhead concealed	All	All standard	Taiwan

Note: Falcon closers listed on this page qualify for BAA projects above the qualifying designated country threshold. See "When could BAA apply?" on page 4 and 5 for more details.

### Automatic operators

Product	Description	Arm	Screw pack	Finish	BAA COO
8230 Series	Electro mechanical - flush or surface (pull side) mount	All	All	All	USA
8240 Series	Electro mechanical - flush or surface (push side) mount	All	All	All	USA

# Exit devices

## Von Duprin

### Exit devices

Product	Description	Type	Function	Trim	Finish	BAA COO
22 Series	Rim, surface vertical rod	Panic, fire	All	All	All	USA
33A/35A Series	Rim, surface vertical rod, concealed vertical rod, concealed vertical cable	Panic, fire	All	All	All	USA
55 Series	Rim, concealed vertical rod, wood door concealed vertical rod, mortise lock	Panic, fire	All	All	All	USA
88 Series	Rim, surface vertical rod, concealed vertical rod, mortise lock	Panic, fire	All	All	All	USA
94/95 Series	Concealed vertical rod, mortise lock	Panic, fire	All	All	All	USA
98/99 Series	Rim, surface vertical rod, concealed vertical rod, concealed vertical cable, Wood door concealed vertical rod, Surface three point latch, mortise lock	Panic, fire	All	All	All	USA
XP98/99 Series ‡	Rim	Panic, fire	All	All	All	USA

‡ Meets A.T.F.P. Bomb blast criteria. Approved under ASTM F 1642 test method.

## Exit devices

### Von Duprin (cont.)

#### Mullions/other

Product	Description	Finish	BAA COO
2670 GUARD-X	Exit alarm lock	628, 710, 711	USA
4954	Steel mullion - prepped for (2) 299 strikes	689, 695	USA
KR4954	Steel mullion w/keyed removable option - prepped for (2) 299 strikes	689, 695	USA
9954	Steel mullion - prepped for (2) 499f or 268 strikes	689, 695	USA
KR9954	Steel mullion w/keyed removable option - prepped for (2) 499f or 268 strikes	689, 695	USA
5654	Aluminum Mullion - prepped for two 299 strikes	All	USA
5654-XP	Prepped for two 909 Strikes, for the XP device	All	USA
576A	Mortise lock strike, 55/88/98/9975, pairs 1 3/4" dr - optional	All	USA

### Falcon

#### Exit devices

Product	Description	Type	Function	Trim	Finish	BAA COO
19-R Series	Rim, non-handed	Panic, fire	All	All	All	USA
19-V Series	Reversible vertical rod	Panic, fire	All	All	All	USA
24-R Series	Rim, narrow stile	Panic, fire	All	All	All	USA
24-V Series	Surface vertical rod, narrow stile	Panic, fire	All	All	All	USA
24-C Series	Concealed vertical rod, narrow stile	Panic, fire	All	All	All	USA
24-CWDC Series	Wood door concealed vertical rod	Panic, fire	All	All	All	USA
25-R Series	Rim, wide stile	Panic, fire	All	All	All	USA
25-V Series	Surface vertical rod, wide stile	Panic, fire	All	All	All	USA
25-M Series †	Mortise, wide stile	Panic, fire	All	All	All	USA
25-C Series	Concealed vertical rod, wide stile	Panic, fire	All	All	All	USA
25-CWDC Series	Wood door concealed vertical rod	Panic, fire	All	All	All	USA
1490 Series	Pushpad, hurricane rated	Panic	All	All	All	USA
1590 Series	Rim, pushpad	Panic	All	All	All	USA
1690 Series	Concealed vertical rod	Panic	All	All	All	USA
1790 Series	Rim	Panic	All	All	All	USA
1990	Concealed vertical rod, cross bar	Panic	All	All	All	USA
2090	Rim, cross bar	Panic	All	All	All	USA
2390	Mid-panel, concealed vertical rod	Panic	All	All	All	USA

† Meets A.T.F.P. Bomb blast criteria. Approved under ASTM F 1642 test method.

#### Mullions

Product	Description	Finish	BAA COO
2923	For use with all rim devices	Prime	USA
4023	For use with all rim devices	689	USA
KR-4023	Keyed removable option	689	USA
F4023	For use with fire rated rim devices	689	USA
KR-F-4023	Keyed removable option	689	USA



## Auxiliary hardware

### Glynn-Johnson

#### Overhead holders and stops

All overhead holders and stops by Glynn-Johnson meet BAA requirements with a country of origin of USA. The list below displays the most common items.

#### 70 Series

Product	Description	Finish	BAA COO
704H	70 Series, size 4, hold-open - heavy-duty surface	All	USA
704S	70 Series, size 4, stop-only - heavy-duty surface	All	USA

#### 81 Series heavy-duty surface

Product	Description	Finish	BAA COO
814H	81 Series, size 4, hold-open - heavy-duty surface	All	USA
814S	81 Series, size 4, stop-only - heavy-duty surface	All	USA

#### 90 Series

Product	Description	Finish	BAA COO
903H	90 Series, size 3, hold-open - heavy-duty surface	All	USA
904H	90 Series, size 4, hold-open - heavy-duty surface	All	USA
905H	90 Series, size 5, hold-open - heavy-duty surface	All	USA
906H	90 Series, size 6, hold-open - heavy-duty surface	All	USA
903S	90 Series, size 3, stop-only - heavy-duty surface	All	USA
904S	90 Series, size 4, stop-only - heavy-duty surface	All	USA
905S	90 Series, size 5, stop-only - heavy-duty surface	All	USA
906S	90 Series, size 6, stop-only - heavy-duty surface	All	USA

#### 100 Series

Product	Description	Finish	BAA COO
103H, 104H	70 Series, size 4, hold-open - heavy-duty surface	All	USA
105H, 106H	100 Series, size 5 or 6, hold-open - heavy-duty concealed	All	USA
103S, 104S	100 Series, size 3 or 4, stop-only - heavy-duty concealed	All	USA
105S, 106S	100 Series, size 5 or 6, stop-only - heavy-duty concealed	All	USA
106F	100 Series, size 5 or 6, friction hold-open - heavy-duty concealed	All	USA
106HP	100 Series, size 5 or 6, internal hold-open - heavy-duty concealed	All	USA

#### 410 Series

Product	Description	Finish	BAA COO
413H	410 Series, size 3, hold-open - medium-duty concealed	All	USA
414H	410 Series, size 4, hold-open - medium-duty concealed	All	USA
413S	410 Series, size 3, stop-only - medium-duty concealed	All	USA
414S	410 Series, size 4, stop-only - medium-duty concealed	All	USA

#### 450 Series

Product	Description	Finish	BAA COO
451H	450 Series, size 1, hold-open- medium-duty surface	All	USA
452H	450 Series, size 2, hold-open- medium-duty surface	All	USA
453H	450 Series, size 3, hold-open- medium-duty surface	All	USA
454H	450 Series, size 4, hold-open- medium-duty surface	All	USA
455H	450 Series, size 5, hold-open- medium-duty surface	All	USA
451S	450 Series, size 1, stop-only- medium-duty surface	All	USA
452S	450 Series, size 2, stop-only- medium-duty surface	All	USA
453S	450 Series, size 3, stop-only- medium-duty surface	All	USA
454S	450 Series, size 4, stop-only- medium-duty surface	All	USA
455S	450 Series, size 5, stop-only- medium-duty surface	All	USA

# Auxiliary hardware

## Ives

### Hinges

Product	Description	Finish	TAA COO
BAA 5BB1 4.5 x 4.5	Five knuckle, ball bearing, standard weight	630, 652	Taiwan
BAA 5BB1 4.5 x 4.5 NRP	Five knuckle, ball bearing, standard weight, non-removable pin	630, 652	Taiwan
BAA 5BB1 4.5 x 4.5 TW8	Five knuckle, ball bearing, standard weight - 8" through-wire	630, 652	Taiwan
BAA 5BB1HW 4.5 x 4.5	Five knuckle, ball bearing, heavy weight	630, 652	Taiwan
BAA 5BB1HW 4.5 x 4.5 NRP	Five knuckle, ball bearing, heavy weight, non-removable pin	630, 652	Taiwan
BAA 5BB1HW 4.5 x 4.5 TW8	Five knuckle, ball bearing, heavy weight - 8" through-wire	630, 652	Taiwan
BAA 5BB1HW 5 x 4.5	Five knuckle, ball bearing, heavy weight	630, 652	Taiwan
BAA 5BB1HW 5 x 4.5 NRP	Five knuckle, ball bearing, heavy weight, non-removable pin	630, 652	Taiwan
BAA 5BB1HW 5 x 4.5 TW8	Five knuckle, ball bearing, heavy weight, 8" through-wire	652	Taiwan
BAA 5BB1HWBSC 4.5	Five knuckle, ball bearing, heavy weight, swing clear	652	Taiwan

### Continuous hinges

Product	Description	Finish	BAA COO	TAA COO
600*	Concealed hinge - pin and barrel	USP	-	Canada
602*	Full surface, flush mount - pin and barrel	USP	-	Canada
611*	Swing clear - pin and barrel	USP	-	Canada
700*	Concealed hinge - pin and barrel	US32D	-	Canada
702*	Full surface, flush mount - pin and barrel	US32D	-	Canada
705*	Concealed hinge - pin and barrel	US32D	-	Canada
711*	Swing clear, flush mount, surface hinge - pin and barrel	US32D	-	Canada
715*	Concealed hinge, flush mounted, half wrap - pin and barrel	US32D	-	Canada
700CS*	Concealed hinge - pin and barrel	US32D	-	Canada
711CS*	Swing clear, flush mount, surface hinge - pin and barrel	US32D	-	Canada
715CS*	Concealed hinge, flush mounted, half wrap - pin and barrel	US32D	-	Canada
026XY*	Heavy-duty, full-mortise, geared	US28, 313AN	USA	-
027XY*	Heavy-duty, full-mortise, geared	US28, 313AN	USA	-
040XY*	Heavy-duty, full-mortise, wide throw, geared	US28, 313AN	USA	-
041XY*	Heavy-duty, full-mortise, swing clear, geared	US28, 313AN	USA	-
045XY*	Heavy duty, half surface - geared	US28, 313AN	USA	-
046XY*	Heavy duty, half surface - geared	US28, 313AN	USA	-
053XY*	Heavy duty, half surface - geared	US28, 313AN	USA	-
054XY*	Heavy duty, half surface - geared	US28, 313AN	USA	-
112HD*	Heavy duty, full mortise - geared	US28, 313AN	USA	-
112XY*	Heavy-duty, full-mortise, geared	US28, 313AN	USA	-
114XY*	Heavy-duty, full-mortise, geared	US28, 313AN	USA	-
157XY*	Heavy duty, full mortise - geared	US28, 313AN	USA	-
210XY*	Heavy duty, full surface, swing clear - geared	US28, 313AN	USA	-
224HD*	Heavy duty, full mortise - geared	US28, 313AN	USA	-
224XY*	Heavy-duty, full-mortise, geared	US28, 313AN	USA	-

\* Standard lengths include: 83", 85", 95", 120". Custom lengths and all options also available. (i.e. EPT cut-out)

**Note:** Ives hinges listed on this page qualify for BAA projects above the qualifying designated country threshold. Other Ives hinges not listed here may qualify for BAA projects above the qualifying designated country threshold. See pages 4 and 5 for more details.

## Auxiliary hardware

### Ives (cont.)

#### Pivots

Product	Description	Finish	BAA COO	TAA COO
7212 Pivot	3/4" Offset pivots, 200 lb, top - header, btm - jamb	All	USA	-
7212V Pivot	3/4" Offset pivots, 200 lb, top - jamb, btm - jamb	All	USA	-
7215/7215F Pivot	3/4" Offset pivots, 500 lb, top - header, btm - jamb	All	USA	-
7222 Pivot	3/4" Offset pivots, 200 lb, top - header, btm - base	All	USA	-
7212-7212V-7222 INT	Intermediate pivot for 7212, 7212v and 7222	All	USA	-
7226/7226F Pivot	3/4" Offset pivots, 600 lb, top - header, btm - base	All	USA	-
7227/7227F Pivot	3/4" Offset pivots, 700 lb, top - header, btm - base	All	USA	-
7215-7226-7227 INT	Intermediate pivot for 7215, 7226 and 7227	All	USA	-
7215F-7226F-7227F INT	Intermediate pivot for 7215F, 7226F and 7227F	All	USA	-
7215PT-7226PT-7227PT	Power Transfer Pivot for 7215, 7226, 7227	All	USA	-
7230F Pivot	3/4" Offset pivots, 1000 lb, top - header, btm - base	All	USA	-
7237F Pivot	3/4" Offset pivots, 1750 lb, top - header, btm - base	All	USA	-
7230F-7237F INT	Intermediate pivot for 7230F, 7237F	All	USA	-
7244F Pivot	1 1/2" Offset pivots, 400 lb, top - header, btm - base	All	USA	-
7245F Pivot	1 1/2" Offset pivots, 500 lb, top - header, btm - base	All	USA	-
7244F-7245F INT	Intermediate pivot for 7244F, 7245F	All	USA	-
7253 Pivot	Center-hung pivot set, 300 lb, top - header, btm - base	All	USA	-
7255 Pivot	Center-hung pivot set, 500 lb, top - header, btm - base	All	USA	-
7255J Pivot	Center-hung pivot set, 500 lb, top - header, btm - jamb	All	USA	-
7256 Pivot	Center-hung pivot set, 600 lb, top - header, btm - base	All	USA	-
7259 Pivot	Center-hung pivot set, 1000 lb, top - header, btm - base	All	USA	-
91105F/91105F-PT	Pocket pivot/hinge and Power Transfer, 90 lb		USA	-

#### Protection plates, push/pull plates, and pulls

Product	Description	Finish	BAA COO	TAA COO
8200	Push plate	All	USA	-
8300 Series	Pull plates - 8302, 8303, 8305, 8311	All	USA	-
8400, 8402	Protection plates - all sizes	All	USA	-
9100 Series	Pushbar and Pull Combo - 9100HD, 9103EZHD, 9145EZHD, 9190HDm 9190EZHD	All	-	Canada
9264/9266	Long door pulls	All	-	Canada
VR810, VR814	Vandal resistant trim - all functions	All	USA	-
VR900, VR904	Vandal resistant trim - all functions	All	USA	-
VR910, VR914	Vandal resistant trim - all functions	All	USA	-

#### Carry bars

Product	Description	Finish	BAA COO
CB1	Carry bar	All	USA

#### Invisible latches

Product	Description	Finish	BAA COO	TAA COO
CL11	Invisible latch, 7/16" x 1 1/4" x 1 7/8"	All	-	Taiwan
CL12	Invisible latch, 9/16" x 1 1/4" x 2 1/4"	All	-	Taiwan
CL14	Auxiliary pusher for invisible latches	All	USA	-
CL21/CL21A	Four-way catch — full size doors w/hook plate	All	-	Taiwan
CL22	Three-way catch	All	-	Taiwan

## Auxiliary hardware

### Ives (cont.)

#### Coordinators

Product	Description	Finish	BAA COO	TAA COO
COR7G	Gravity arm coordinator - 7" projection	All	-	Taiwan
COR9G	Gravity arm coordinator - 9" projection	All	-	Taiwan
COR32	Coordinator - 32" overall length	All	USA	-
COR42	Coordinator - 42" overall length	All	USA	-
COR52	Coordinator - 52" overall length	All	USA	-
COR60	Coordinator - 60" overall length	All	USA	-
COR72	Coordinator - 72" overall length	All	USA	-

#### Dust proof strikes

Product	Description	Finish	TAA COO
DP1	Dust-proof strike - threshold only	All	Taiwan
DP2	Dust-proof strike	All	Taiwan

#### Door viewer

Product	Description	Finish	TAA COO
U696	UL Listed door viewer (150°) - Fits 1 <sup>3</sup> / <sub>8</sub> " - 2 <sup>1</sup> / <sub>16</sub> "	All	Taiwan
698	Wide Angle door viewer - Fits 1 <sup>3</sup> / <sub>8</sub> " - 2 <sup>1</sup> / <sub>16</sub> "	All	Taiwan
U698	Wide Angle door viewer - Fits 1 <sup>3</sup> / <sub>8</sub> " - 2 <sup>1</sup> / <sub>16</sub> "	All	Taiwan
700	Door viewer (120°) - 1 <sup>3</sup> / <sub>8</sub> " - 2 <sup>1</sup> / <sub>16</sub> "	All	Taiwan
U700	UL Listed door viewer (120°) - 1 <sup>3</sup> / <sub>8</sub> " - 2 <sup>1</sup> / <sub>16</sub> "	All	Taiwan
701	Door viewer (120°) - Fits 2 <sup>1</sup> / <sub>8</sub> " - 2 <sup>5</sup> / <sub>8</sub> "	All	Taiwan
U701	UL Listed door viewer - Fits 2 <sup>1</sup> / <sub>8</sub> " - 2 <sup>5</sup> / <sub>8</sub> "	All	Taiwan

#### Flush bolts

Product	Description	Finish	BAA COO
FB31, FB32, FB33	Automatic flush bolt — metal	All	USA
FB41, FB42	Automatic flush bolt — wood	All	USA
FB51, FB52, FB53	Constant latching flush bolt — metal	All	USA
FB61, FB62	Constant latching flush bolt — wood	All	USA

#### Filler bars

Product	Description	Finish	BAA COO
FL20	Filler bar — 20" overall length	All	USA
FL32	Filler bar — 32" overall length	All	USA
FL44	Filler bar — 44" overall length	All	USA

#### Floor/door stops and holders

Product	Description	Finish	TAA COO
FS13, FS17	Dome stop	All	Taiwan
R14	Dome stop riser	All	Taiwan
FS434	Floor stop	US2C	Taiwan
FS18L	Security floor stop — 3 <sup>1</sup> / <sub>2</sub> " bumper	-	Taiwan
FS18S	Security floor stop	-	Taiwan
FS9	Semi-Automatic floor holder — 1 <sup>1</sup> / <sub>2</sub> " or less door to floor clearance	All	Taiwan
FS40, FS41, FS42, FS43	Automatic floor holder — 1/2" to 2 <sup>1</sup> / <sub>16</sub> " door to floor clearance	All	Taiwan
FS544-4"	Kick down door holder — iron	All	Taiwan
FS555-5"	Kick down door holder — iron	All	Taiwan
FS1153	Plunger-type door holder — 1 <sup>5</sup> / <sub>8</sub> " throw	US28	Taiwan
FS1154	Plunger-type door holder — 1 <sup>1</sup> / <sub>4</sub> " throw	All	Taiwan

## Auxiliary hardware

### Ives (cont.)

#### Lock guards

Product	Description	Finish	BAA COO	
LG1	Lock guard with security pin	All	USA	
LG7	Lock guard	All	USA	
LG10	Lock guard	All	USA	
LG11	Lock guard	All	USA	
LG12	Lock guard - narrow	All	USA	
LG13	Lock guard	All	USA	
LG14	Lock guard	All	USA	

#### Mounting brackets

Product	Description	Finish	BAA COO	TAA COO
MB1	Mounting bracket — stops over 2 1/2"	All	-	Taiwan
MB2	Mounting bracket — stops up to 2 1/2"	All	-	Taiwan

#### Roller latches

Product	Description	Finish	TAA COO	
RL30, RL30-A	Roller latch	All	Taiwan	
RL32, RL32-A	Roller latch	All	Taiwan	
RL36, RL36A	Roller latch, light-duty, mortise	US32D	Taiwan	
RL38	Roller latch, light-duty, surface mounted	US32D	Taiwan	
RL1152	Combination roller latch/applied stop	All	Taiwan	

#### Locking bolts

Product	Description	Finish	BAA COO	TAA COO
SB1630B	8" Steel bottom bolt	US2G, US26D	-	Taiwan
SB1630BL-1289	8" Locking bottom bolt	All	USA	-
SB1630BL-1360	8" Locking bottom bolt	All	USA	-
SB1630T	8" Steel top bolt	US2G, US26D	-	Taiwan
SB1630TB	8" Steel bolt with top and bottom strikes	US2G, US26D	-	Taiwan
SB1630TL-1289	8" Locking top bolt	All	USA	-
SB1630TL-1360	8" Locking top bolt	All	USA	-

#### Wall stops/holders

Product	Description	Finish	TAA COO	
WS11, WS11X	Wall stop for drywall, masonry mounting	All	Taiwan	
WS33, WS33X	Automatic holder and stop universal	US26D	Taiwan	
WS20, WS20X	Automatic holder and stop universal	All	Taiwan	
WS40	Wall stop for drywall, masonry mounting	All	Taiwan	
WS45, WS45X	Manual holder and stop (drywall, masonry)	All	Taiwan	
411R-W	Adhesive wall bumper	White	Taiwan	

# Auxiliary hardware

## Zero

### Automatic door bottom

Product	Description	Function	Finish <sup>1</sup>	BAA COO	TAA COO
320	Aluminum with neoprene seal, mortised, regular duty	Sill protection	AA	USA	-
321	Aluminum with neoprene seal, surface mounted, regular duty, handed	Sill protection	AA, D	USA	-
323	Aluminum with neoprene seal, mortised, regular duty, handed	Sill protection	AA	USA	-
350	Aluminum with neoprene seal, mortised, regular duty	Sill protection	AA	USA	-
351	Aluminum with neoprene seal, surface-mounted, regular duty	Sill protection	AA, D, G	USA	-
352	Aluminum with neoprene seal, semi-mortised, regular duty	Sill protection	AA, D	USA	-
360	Aluminum with neoprene seal, mortised, heavy duty	Sill protection	AA	USA	-
361	Aluminum with neoprene seal, surface-mounted, heavy duty	Sill protection	AA, D, G	USA	-
362	Aluminum with neoprene seal, semi-mortised, heavy duty	Sill protection	AA, D, G	USA	-
364	Aluminum with neoprene seal, mortised, heavy duty	Sill protection	AA	USA	-
364FS	Aluminum with neoprene seal, mortised, heavy duty, intumescent fire protection	Sill protection	AA	USA	-
365FS	Aluminum with neoprene seal, surface-mounted, heavy duty, intumescent fire protection	Sill protection	AA	USA	-
365	Aluminum with neoprene seal, surface-mounted, heavy duty	Sill protection	AA, D, G	USA	-
366	Aluminum with neoprene seal, semi-mortised, heavy duty	Sill protection	AA, D, G	USA	-
367	Aluminum with neoprene seal, surface-mounted, heavy duty, high sound	Sill protection	AA, D, G	USA	-
368	Aluminum with neoprene seal, semi-mortised, heavy duty, high sound	Sill protection	AA, D, G	USA	-
369	Aluminum with neoprene seal, mortised, heavy duty, high sound	Sill protection	AA	USA	-
3551	Aluminum with neoprene seal, mortised, regular duty	Sill protection	A	USA	-
3552	Aluminum with nylon brush seal, mortised, regular duty	Sill protection	A	USA	-
7350	Aluminum with nylon brush seal, mortised, regular duty	Sill protection	A	USA	-

### Door sweeps

Product	Description	Function	Finish <sup>1</sup>	BAA COO	TAA COO
39	Aluminum with 1/8" x 1 3/8" neoprene seal	Sill protection	A, D	USA	-
39W	Aluminum with 1/8" x 2" neoprene seal	Sill protection	A, D	USA	-
50M	Aluminum with 1/8" x 1" beveled neoprene seal	Sill protection	AA, BK, D, G		Canada
52	Aluminum door shoe with neoprene seal	Sill protection	A	USA	-
53	Aluminum door shoe with neoprene seal	Sill protection	A	-	Canada
59FS	Aluminum with intumescent, neoprene seal, 1/4" long lip	Sill protection	A		Canada
72	Aluminum door shoe with neoprene seal	Sill protection	A	USA	-
93	Aluminum with neoprene seal	Sill protection		USA	-
95	Aluminum with neoprene seal	Sill protection	AA, BK, D, G	-	Canada
96	Aluminum with nylon brush seal, 1 1/8" long brush	Sill protection	A	USA	-
110	Aluminum with pile brush seal, surface mounted	Sill protection	A	USA	-
111	Aluminum with neoprene seal	Sill protection	AA, BK, D, G	USA	-
111FS	Aluminum door shoe with intumescent seal	Sill protection	A	USA	-
153	Aluminum with neoprene seal	Sill protection	A, D	USA	-
154	Aluminum door shoe with pile brush seal, surface mounted	Sill protection	A, BK, D, G	-	Canada
253	Aluminum with neoprene seal, mortised	Sill protection	A	USA	-
253FS	Aluminum with intumescent fire seal	Sill protection	A	USA	-
254	Aluminum with pile brush seal, mortised	Sill protection	A	USA	-
255	Aluminum with pile brush seal, surface mounted	Sill protection	AA, BK, D, G	-	Canada
329	Aluminum with 1/8" x 1" beveled neoprene seal	Sill protection	AA, D, G	USA	-
339	Aluminum with 1/8" x 1 3/8" neoprene, fire seal	Sill protection	AA, D, G	USA	-
339FS	Aluminum with neoprene and intumescent fire seal	Sill protection	AA, D	USA	-
339W	Aluminum with 1/8" x 2" neoprene seal	Sill protection	AA, D, G	USA	-

<sup>1</sup> Finish: A = Mill Aluminum, AA = Clear Anodized, D = Dark Bronze Anodized, G = Gold Anodized.

# Auxiliary hardware

## Zero (cont.)

### Door sweeps

Product	Description	Function	Finish <sup>1</sup>	BAA COO	TAA COO
381	Aluminum with neoprene seal, 1/4" long lip	Sill protection	A	-	Canada
452	Aluminum door shoe with neoprene seal	Sill protection	A	USA	-
477	Aluminum with neoprene seal, 5/8" long lip	Sill protection	AA, D, G	USA	-
511	Aluminum door shoe with rubber seal	Sill protection	A, BK, D, G	USA	-
521FS	Aluminum with silicone and intumescent fire seal, up to 1 1/4" undercut	Sill protection	A	USA	-
539	Aluminum with neoprene seal, 1" long lip	Sill protection		USA	-
639W	Aluminum with 1/8" x 4" neoprene seal	Sill protection	A, D	USA	-
3544	Aluminum with nylon brush seal	Sill protection	A	-	Canada
3546	Aluminum with neoprene seal, mortised	Sill protection	A	-	Canada
8149	Aluminum with nylon brush seal, 5/8" long brush	Sill protection	AA	USA	-
8151	Aluminum with neoprene seal, 13/16" long lip	Sill protection	AA	USA	-
8191	Aluminum with neoprene lip, 13/16" long lip	Sill protection	AA, BK, D, G	-	Canada
8192	Aluminum with nylon brush seal, 5/8" long brush	Sill protection	AA, D	USA	-
8193	Aluminum with nylon brush seal, 3/8" long brush	Sill protection	AA, D	USA	-
8194	Aluminum with neoprene seal, 3/8" long lip	Sill protection	AA, D	USA	-
8197	Aluminum with neoprene seal, 3/5" long lip	Sill protection	A, BK, D, G	USA	-
8198	Aluminum rain drip with nylon brush seal, 3/8" (exposed) long brush	Sill protection	AA, D, G	USA	-

<sup>1</sup> Finish: A = Mill Aluminum, AA = Clear Anodized, D = Dark Bronze Anodized, G = Gold Anodized.

### Perimeter seals

Product	Description	Function	Finish <sup>1</sup>	BAA COO	TAA COO
11	Aluminum rain drip	Head and jamb protection	AA, BK, D, G	USA	
25	Aluminum interlocking angle	Head and jamb protection	AA, BK, D, G		Canada
31	Aluminum with silicone, fire seal	Head and jamb protection	AA, BK, D, G		Canada
32	Aluminum with pile brush, fire seal	Head and jamb protection	AA, BK, D, G		Canada
33	Aluminum with silicone, fire seal	Head and jamb protection	AA, BK, D, G		Canada
50	Aluminum with neoprene, fire seal	Head and jamb protection	AA, BK, D, G		Canada
51	Aluminum finger guard with flexible rubber	Head and jamb protection	A, BK, D, G	USA	
58FS	Aluminum with silicone, intumescent, fire seal	Head and jamb protection	AA, BK, D, G		Canada
98	Aluminum with pile brush, fire seal	Head and jamb protection	A, BK, D, G	USA	
99	Aluminum with neoprene, fire seal	Head and jamb protection	A, BK, D, G	USA	
100	Aluminum with neoprene, fire seal	Head and jamb protection	A, BK, D, G	USA	
139	Aluminum with neoprene, fire/sound seal	Head and jamb protection	A, BK, D, G		Canada
140	Aluminum with neoprene, fire seal	Head and jamb protection	A, BK, D, G	USA	
141	Aluminum rain drip	Head and jamb protection	AA, BK, D, G	USA	
142	Aluminum rain drip	Head and jamb protection	AA, BK, D, G	USA	
144	Aluminum interlocking angle	Head and jamb protection	AA, BK, D, G		Canada
170	Aluminum with neoprene, adjustable fire/sound seal	Head and jamb protection	AA, D, G	USA	-
270	Aluminum with neoprene, fire seal	Head and jamb protection	A, BK, D, G	USA	
272	Aluminum with neoprene, fire seal	Head and jamb protection	A, BK, D, G	USA	
302FS	Aluminum with neoprene, intumescent, fire seal	Head and jamb protection	AA, BK, D, G	USA	
312	Aluminum with neoprene, fire/sound seal	Head and jamb protection	A, BK, D, G		Canada
312N	Neoprene with PSA, fire seal	Head and jamb protection	BK		USA
314	Aluminum with neoprene, fire seal	Head and jamb protection	AA, BK, D, G	USA	
318	Aluminum with neoprene, fire/sound seal	Head and jamb protection	AA, BK, D, G	USA	
318N	Neoprene with PSA, fire seal	Head and jamb protection	BK		USA
328	Aluminum with neoprene, fire seal	Head and jamb protection	AA, D, G	USA	-
328FS	Aluminum with neoprene, intumescent, fire seal	Head and jamb protection	AA, BK, D, G	USA	-
370	Aluminum with vinyl, magnet, sound seal	Head and jamb protection	A, BK, D, G	USA	
375	Aluminum with vinyl, magnet, sound seal	Head and jamb protection	A, BK, D, G		Canada
376	Aluminum with neoprene, fire seal	Head and jamb protection	AA, BK, D, G		Canada

# Auxiliary hardware

## Zero (cont.)

### Perimeter seals

Product	Description	Function	Finish <sup>1</sup>	BAA COO	TAA COO
429	Aluminum with silicone, fire seal	Head and jamb protection	AA, BK, D, G		Canada
470	Aluminum with neoprene seal	Head and jamb protection	AA, BK, D, G	USA	
470	Aluminum with neoprene seal	Head and jamb protection	AA, BK, D, G		Canada
472	Aluminum with neoprene seal	Head and jamb protection	AA, BK, D, G	USA	
472	Aluminum with neoprene seal	Head and jamb protection	AA, BK, D, G		Canada
475	Aluminum with neoprene bulb fire/smoke seal	Head and jamb protection	AA, D, G	USA	-
478	Aluminum with neoprene, fire seal	Head and jamb protection	AA, BK, D, G	USA	
485	Aluminum with neoprene, fire/sound seal	Head and jamb protection	AA, BK, D, G	USA	
570	Aluminum with silicone, fire seal	Head and jamb protection	AA, BK, D, G	USA	
712	Aluminum with silicone, adjustable fire seal	Head and jamb protection	AA, BK, D, G		Canada
770	Aluminum with neoprene, adjustable fire seal	Head and jamb protection	SP, STST	USA	
870	Aluminum with silicone, adjustable fire seal	Head and jamb protection	AA, D	USA	-
971BIO	Aluminum finger guard with antibacterial rubber	Head and jamb protection	A, BK, D G		Canada
972BIO	Aluminum finger guard with antibacterial rubber	Head and jamb protection	A, BK, D G		Canada
973BIO	Aluminum finger guard with antibacterial rubber	Head and jamb protection	A, BK, D G		Canada
974BIO	Aluminum finger guard with antibacterial rubber	Head and jamb protection	A, BK, D G		Canada
951	Aluminum finger guard with flexible rubber	Head and jamb protection	A, BK, D G	USA	
1370	Aluminum with neoprene, fire seal	Head and jamb protection	A, BK, D G	USA	
3709	Aluminum with neoprene seal	Head and jamb protection	AA, BK, D, G	USA	
5831	Aluminum with silicone seal	Head and jamb protection	AA, BK, D, G		Canada
5831FS	Aluminum with silicone, intumescent, fire seal	Head and jamb protection	AA, BK, D, G		Canada
5832	Aluminum with pile brush seal	Head and jamb protection	AA, BK, D, G		Canada
5832FS	Aluminum with pile brush, intumescent, fire seal	Head and jamb protection	AA, BK, D, G		Canada
5833	Aluminum with silicone seal	Head and jamb protection	AA, BK, D, G		Canada
7770	Aluminum with double neoprenes, adjustable fire/sound seal	Head and jamb protection	AA, D, G	USA	-
8049R	Aluminum with neoprene seal	Head and jamb protection	A		Canada
8302	Aluminum with neoprene, fire/sound seal	Head and jamb protection	AA, BK, D, G		Canada
8303	Aluminum with silicone, fire seal	Head and jamb protection	AA, BK, D, G		Canada
8305	Aluminum with nylon brush, fire seal	Head and jamb protection	AA, BK, D, G		Canada
8877	Aluminum with neoprene, fire seal	Head and jamb protection	AA, BK, D, G		Canada
8878	Aluminum with silicone, fire seal	Head and jamb protection	AA, BK, D, G		Canada
8879	Aluminum with nylon brush, fire seal	Head and jamb protection	AA, BK, D, G		Canada

### Thresholds

Product	Description	Function	Finish <sup>1</sup>	BAA COO	TAA COO
48	Aluminum threshold 1 1/2" x 3/16"	Adjustable threshold	A		Canada
63	Aluminum saddle threshold 3" x 1/4", ADA compliant	Utility threshold	A, BK, D, G		Canada
64	Aluminum saddle threshold 2 1/2" x 1/4", ADA compliant	Utility threshold	A, BK, D, G		Canada
65	Aluminum rabbeted threshold 5" x 1/2" with neoprene seal, for latchtrack hardware, ADA compliant	Rabbeted threshold	A	-	Canada
68	Aluminum threshold 1 1/8" x 1/4", fire rated	Adjustable threshold	A		Canada
69	Aluminum threshold 1 1/8" x 1/4", fire rated	Adjustable threshold	A	USA	
73	Aluminum interlocking threshold 4" x 1" with neoprene seal	Interlocking threshold	A, BK, D, G	USA	
84R	Rubber threshold 1" x 1/4"	Adjustable threshold	Gray	USA	
102	Aluminum offset threshold 5 1/2" x 1/2", ADA compliant	Offset threshold	A, BK, D, G		Canada
103	Aluminum offset threshold 7" x 1/2"	Offset threshold	A, BK, D, G	USA	
104	Aluminum offset threshold 6" x 3/4"	Offset threshold	A, BK, D, G	USA	
105	Aluminum adjustable threshold 3" x 2"	Adjustable threshold	A, BK, D, G	USA	
106	Aluminum adjustable threshold 2" x 1/2"	Adjustable threshold	A, BK, D, G	USA	
164	Aluminum threshold 4" x 1/2"	Utility threshold	A, BK, D, G	USA	
168	Aluminum adjustable threshold, 1 5/16" x 3/4", fire rated	Adjustable threshold	A, BK, D, G		Canada



## Auxiliary hardware

### Zero (cont.)

#### Thresholds

Product	Description	Function	Finish <sup>1</sup>	BAA COO	TAA COO
175	Aluminum interlocking threshold 5" x 7/8"	Interlocking threshold	A, BK, D, G	USA	
232	Aluminum ramp 6" x 1"	Ramp	A, BK, D, G		Canada
233	Aluminum ramp 3" x 3/4"	Ramp	A, BK, D, G		Canada
234	Aluminum ramp 3" x 1/2"	Ramp	A, BK, D, G	USA	
235	Aluminum ramp 3" x 1/4"	Ramp	A, BK, D, G	USA	
236	Aluminum ramp 6" x 1/2"	Ramp	A, BK, D, G	USA	
237	Aluminum ramp 3 1/2" x 1/2"	Ramp	A, BK, D, G	USA	
238	Aluminum ramp 3 1/2" x 3/4"	Ramp	A, BK, D, G	USA	
2361	Aluminum ramp 4" x 1/2"	Ramp	AA	USA	
259R	Rubber ramp 6" x 1/4", ADA compliant	Ramp	BK	USA	
265	Aluminum rabbeted threshold 5" x 5/8" with neoprene seal	Rabbeted threshold	A, BK, D, G		Canada
267	Aluminum rabbeted threshold 1 3/4" x 5/8"	Rabbeted threshold	A, BK, D, G	USA	
268	Aluminum adjustable threshold 1" x 3/8"	Adjustable threshold	A, BK, D, G	USA	
269	Aluminum connection plate 2" x 1/4"	Adjustable threshold	A	USA	
304	Aluminum half saddle threshold 1 1/2" x 7/16"	Half saddle threshold	A, BK, D, G		Canada
469	Aluminum connection plate 2" x 1/8"	Adjustable threshold	A		Canada
522	Aluminum carpet divider threshold 1 7/16" x 1/2"; wood or rubber insert available for thermal break function	Carpet divider	A	USA	-
523	Aluminum half saddle threshold 3" x 7/8"	Half saddle threshold	A, BK, D, G		Canada
524	Aluminum half saddle threshold 3" x 7/8" with neoprene seals	Half saddle threshold	A, BK, D, G		Canada
525	Aluminum thermal break threshold 5" x 7/8" with neoprene seal	Thermal break threshold	A, BK, D, G		Canada
526	Aluminum thermal break threshold 6" x 7/8" with neoprene seal	Thermal break threshold	A, BK, D, G		Canada
544	Aluminum saddle threshold 4" x 1/4", ADA compliant	Utility threshold	A	-	Canada
545	Aluminum saddle threshold 5" x 1/4", ADA compliant	Utility threshold	A, D	USA	-
546	Aluminum saddle threshold 6" x 1/4", ADA compliant	Utility threshold	A	-	Canada
547	Aluminum saddle threshold 7" x 1/4", ADA compliant	Utility threshold	A	-	Canada
548	Aluminum saddle threshold 8" x 1/4", ADA compliant	Utility threshold	A	-	Canada
560	Aluminum rabbeted threshold 5" x 7/8" with neoprene seal	Rabbeted threshold	A, BK, D, G		Canada
561	Aluminum rabbeted threshold 4 1/2" x 1" with neoprene seal	Rabbeted threshold	A, BK, D, G		Canada
563	Aluminum rabbeted threshold 3 9/16" x 7/8" with neoprene seal	Rabbeted threshold	A, BK, D, G	USA	
564	Aluminum rabbeted threshold 3 11/16" x 1/2" with neoprene seal	Rabbeted threshold	A, D	-	Canada
565	Aluminum rabbeted threshold 4 7/8" x 7/8" with neoprene seal	Rabbeted threshold	A, BK, D, G		Canada
566	Aluminum rabbeted threshold 5" x 1/2" with neoprene seal, ADA compliant	Rabbeted threshold	A	USA	-
568	Aluminum rabbeted threshold 6" x 1/2" with neoprene seal, ADA compliant	Rabbeted threshold	A	USA	-
622	Aluminum half saddle threshold 1 15/16" x 1/2", ADA compliant	Half saddle threshold	A	-	Canada
623	Aluminum half saddle threshold 3" x 1/2", ADA compliant	Half saddle threshold	A, BK, D, G		Canada
624	Aluminum thermal break threshold 4" x 1/2"	Thermal break threshold	A, BK, D, G		Canada
625	Aluminum thermal break threshold 5" x 1/2"	Thermal break threshold	A, BK, D, G		Canada
626	Aluminum thermal break threshold 6" x 1/2"	Thermal break threshold	A, BK, D, G		Canada
627	Aluminum half saddle threshold 2" x 1/2" with neoprene seal	Half saddle threshold	A, BK, D, G		Canada
628	Aluminum half saddle threshold 3" x 1/2" with neoprene seal	Half saddle threshold	A, BK, D, G		Canada
643	Aluminum carpet divider threshold 3" x 1"	Carpet divider	A, BK, D, G	USA	
653	Aluminum saddle threshold 3" x 1/2", ADA compliant	Utility threshold	A, BK, D, G		Canada
654	Aluminum saddle threshold 4" x 1/2", ADA compliant	Utility threshold	A	-	Canada

<sup>1</sup> Finish: A = Mill Aluminum, AA = Clear Anodized, D = Dark Bronze Anodized, G = Gold Anodized, STST = Stainless Steel.

## Auxiliary hardware

### Zero (cont.)

#### Thresholds

Product	Description	Function	Finish <sup>1</sup>	BAA COO	TAA COO
655	Aluminum saddle threshold 5" x 1/2"	Utility threshold	A, BK, D, G	USA	
656	Aluminum threshold 6" x 1/2", ADA compliant	Utility threshold	A	-	Canada
657	Aluminum saddle threshold 7" x 1/2", for floor closer applications	Utility threshold	A	-	Canada
663	Aluminum rabbeted threshold 3" x 3/8"	Rabbeted threshold	A, BK, D, G		Canada
664	Aluminum saddle threshold 4" x 1/2", ADA compliant	Utility threshold	A, STST	USA	-
669DP	Aluminum diamond plate bulkhead threshold, custom dimensions	Bulkhead threshold	A	USA	
672	Aluminum floor plate threshold 2" x 1/4"	Adjustable threshold	A	USA	-
673	Aluminum floor plate threshold 3" x 1/4"	Adjustable threshold	A	USA	-
674	Aluminum floor plate threshold 4" x 1/4"	Adjustable threshold	A	USA	-
675	Aluminum floor plate adjustable threshold 5" x 1/4"	Adjustable threshold	A	USA	-
676	Aluminum floor plate adjustable threshold 6" x 1/4"	Adjustable threshold	A	USA	-
678	Aluminum floor plate adjustable threshold 8" x 1/4"	Adjustable threshold	A	USA	-
1545	Aluminum half saddle threshold 2 1/2" x 1/4"	Half saddle threshold	A, BK, D, G	USA	
1673	Aluminum half saddle threshold 3" x 1/2"	Half saddle threshold	A, BK, D, G	USA	
1674	Aluminum half saddle threshold 4" x 1/4"	Half saddle threshold	A, BK, D, G		Canada
1675	Aluminum half saddle threshold 5" x 1/4"	Half saddle threshold	A, BK, D, G		Canada
1682	Aluminum carpet divider threshold 1 3/4" x 1/2"	Carpet divider	A, BK, D, G	USA	
1684	Aluminum carpet divider threshold 4" x 1/2"	Carpet divider	A, BK, D, G		Canada
1685R	Rubber carpet divider threshold 2 3/4" x 3/4"	Carpet divider	BK	USA	
1686R	Rubber carpet divider threshold 2" x 3/4"	Carpet divider	BK	USA	
2673	Traction tread aluminum stair nosing 3" x 1/4", fire rated	Adjustable threshold	A	-	Canada
2676	Traction tread aluminum stair nosing 6" x 1/4", fire rated	Adjustable threshold	A	-	Canada
3672	Traction tread aluminum plate 2" x 1/4", fire rated	Adjustable threshold	A	USA	-
3673	Traction tread aluminum plate 3" x 1/4"	Adjustable threshold	A, BK, D, G	USA	
3674	Traction tread aluminum plate 4" x 1/4", fire rated	Adjustable threshold	A, BK, D, G	USA	
3675	Traction tread aluminum plate 5" x 1/4", fire rated	Adjustable threshold	A, BK, D, G	USA	
3676	Traction tread aluminum plate 6" x 1/4", fire rated	Adjustable threshold	A, BK, D, G	USA	
6570	Aluminum threshold 7" x 1/2", ADA compliant	Utility threshold	A	-	Canada
6575	Aluminum saddle threshold 7 1/2" x 1/2"	Utility threshold	A, BK, D, G		Canada
6710	Aluminum floor plate adjustable threshold 10" x 1/4"	Adjustable threshold	A	USA	-
8452	Aluminum adjustable threshold 1 3/4" x 1" with EPDM seal, fire rated	Adjustable threshold	A, BK, D, G	USA	
8655	Aluminum saddle threshold 5" x 1/2", ADA compliant	Utility threshold	A	-	Canada
8724	Aluminum thermal break threshold 5 5/8" x 1/2", ADA compliant	Thermal break threshold	A, BK, D, G		Canada
8726	Aluminum thermal break threshold 7 5/8" x 1/2", ADA compliant	Thermal break threshold	A, BK, D, G		Canada
8729	Aluminum thermal break threshold 6 5/8" x 1/2"	Thermal break threshold	A, BK, D, G		Canada

<sup>1</sup> Finish: A = Mill Aluminum, AA = Clear Anodized, D = Dark Bronze Anodized, G = Gold Anodized, , STST = Stainless Steel.

# Auxiliary hardware

## Zero (cont.)

### Meeting stiles

Product	Description	Function	Finish <sup>1</sup>	BAA COO	TAA COO
34	Aluminum meeting stile with pile brush seal, bull-nosed doors, both doors active	Meeting stile	AA, BK, D, G		Canada
35	Aluminum meeting stile with silicone seal, bull-nosed doors, both doors active	Meeting stile	AA, BK, D, G		Canada
36	Aluminum meeting stile with silicone seal, bull-nosed doors, both doors active	Meeting stile	AA, BK, D, G		Canada
38	Aluminum meeting stile with EPDM rubber, bull-nosed doors, both doors active	Meeting stile	AA, BK, D, G		Canada
40	Aluminum magnetic astragal, one door active	Astragal	AA, BK, D, G		Canada
41	Aluminum with pile brush seal exterior security astragal, one door active	Astragal	AA, D	-	Canada
43	Aluminum security astragal, one door active	Astragal	SP, STST	USA	
44	Aluminum astragal, one door active	Astragal	STST	USA	
47	Aluminum astragal, one door active	Astragal	AA, BK, D, G	USA	
55, 155	Adjustable surface aluminum astragal with brush seal	Astragal	AA, D	USA	-
55, 555	Adjustable surface aluminum astragal with silicone fire seal, both doors active	Astragal	AA, D	USA	-
55FS, 555FS	Adjustable surface aluminum astragal with intumescent/silicone fire seal, both doors active	Astragal	AA, D	USA	-
56	Adjustable mortised aluminum astragal with brush seal, both doors active	Astragal	AA, D, G	USA	-
56, 557	Adjustable mortised aluminum astragal with silicone fire seal, both doors active	Astragal	AA, D	USA	-
56FS, 557FS	Adjustable mortised aluminum astragal with intumescent/silicone fire seal, both doors active	Astragal	AA, D, G	USA	-
140FS	Aluminum astragal with intumescent/neoprene fire seals, one door active	Astragal	A	USA	-
156	Adjustable aluminum meeting stile with pile brush seal, bull-nosed doors	Astragal	AA, BK, D, G		Canada
159FS	Aluminum meeting stile with intumescent/silicone fire seal, bull-nosed doors, both doors active	Meeting stile	A		Canada
322	Aluminum astragal with sponge neoprene fire seals, one door active	Astragal	A	-	Canada
326	Aluminum astragal with neoprene seals, both doors active	Astragal	AA, D, G	USA	-
383	Aluminum astragal with neoprene seals, one door active	Astragal	AA, D	-	Canada
383FS	Aluminum astragal with neoprene seal/intumescent, one door active	Astragal	AA, D	-	Canada
398V	Aluminum meeting stile with pile brush seal, bull-nosed doors, both doors active	Meeting stile	Solid brown	USA	
399V	Aluminum meeting stile with silicone seal, bull-nosed doors, both doors active	Meeting stile	Solid brown	USA	
871	Adjustable aluminum meeting stile with pile brush seal, beveled doors	Meeting stile	AA, BK, D, G		Canada
873	Adjustable aluminum meeting stile with silicone seal, beveled doors	Meeting stile	AA, BK, D, G		Canada
905	Aluminum astragal, one door active	Astragal	AA, BK, D, G		Canada
1840	Aluminum astragal with sponge neoprene seal, one door active	Astragal	AA, D	-	Canada
3056FS, 3557FS	Adjustable mortised aluminum astragal with intumescent/silicone fire seal, both doors active	Astragal	AA, D, G	USA	-
8195	Aluminum meeting stile with neoprene lip, beveled doors, both doors active	Meeting stile	AA, BK, D, G		Canada
8217	Aluminum mortised meeting stile with silicone lip, bull-nosed doors, both doors active	Meeting stile	BK	USA	

<sup>1</sup> Finish: A = Mill Aluminum, AA = Clear Anodized, D = Dark Bronze Anodized, G = Gold Anodized, , STST = Stainless Steel.

## Auxiliary hardware

### Zero (cont.)

#### Weatherstripping

Product	Description	Function	Finish	BAA COO	TAA COO
4	Jamb seal for double-hung wood windows, 1 3/4"	Door seals	B, Z	USA	
5	Jamb seal for double-hung wood windows, 2"	Door seals	B, Z	USA	
18	Cushion-spring seals for wood doors and frames, 1/2"	Door seals	B	USA	
19	Cushion-spring seals for wood doors and frames, 3/4"	Door seals	B	USA	
19W	Cushion-spring seals for wood doors and frames, 1 1/8"	Door seals	B	USA	
23	Interlocking hook, 1/4"	Door seals	A, BK, D, G	USA	
34P	Self-adhesive pile brush seal, 2/5" x 1/4"	Door seals	BK, GY	USA	
117S	Self-adhesive silicone with fin, fire seal, 13/32" wide	Door seals	Black	USA	-
118	Self-adhesive cushion spring seal, 9/16" wide	Door seals	Bronze, Stainless steel	USA	-
119	Self-adhesive cushion spring seal, 3/4" wide	Door seals	Bronze	USA	-
119W	Self-adhesive cushion spring seal, 1 1/8" wide	Door seals	Bronze, Stainless steel	USA	-
133	Pile brush astragal, 1/2" wide, for swinging doors	Door seals	CL	USA	
134	Neoprene astragal, 1/2" wide, for swinging doors	Door seals	CL	USA	
135	Self-adhesive PVC seal, 1/2" wide, for glass sliding doors	Door seals	-	USA	
136	Self-adhesive PVC seal, 3/4" wide, for glass sliding doors	Door seals	-	USA	
137P	Self-adhesive pile brush seal, 1/4", for glass sliding doors	Door seals	BK, GY	USA	
138	Self-adhesive pile brush seal, 3/4" wide, for glass sliding doors	Door seals	-	USA	
139N	Self-adhesive neoprene seal, 1 1/4" x 1/4"	Door seals	BK	USA	
188S/188BIO/ 188FS	Self-adhesive silicone bulb fire/smoke seal, 1/2" x 1/4"	Door seals	2	USA	-
400	Jamb seal for double-hung wood windows, 1 3/4"	Door seals	B, Z	USA	
488S/488BIO/ 488FS	Self-adhesive silicone bulb fire/smoke seal, 3/8" x 3/16"	Door seals	2	USA	-
500	Jamb seal for double-hung wood windows, 2"	Door seals	B, Z	USA	
810N	Self-adhesive neoprene seal, 5/8" x 5/8"	Door seals	BK	USA	
811N	Self-adhesive neoprene seal, 3/4" x 5/8"	Door seals	BK	USA	
812N	Self-adhesive neoprene seal, 1" x 5/8"	Door seals	BK	USA	
813N	Self-adhesive neoprene seal, 1 1/4" x 5/8"	Door seals	BK	USA	
824N	Self-adhesive neoprene seal, 2/5" x 1/5"	Door seals	BK	USA	
826N	Self-adhesive neoprene seal, 3/8" x 1/8"	Door seals	BK	USA	
926N	Self-adhesive neoprene seal, 3/8" x 3/16"	Door seals	BK	USA	
2070N	Self-adhesive neoprene seal, 5/8" x 1/4"	Door seals	BK	USA	
3708N	Self-adhesive neoprene seal, 1" x 2/5"	Door seals	BK	USA	
4000	Jamb seal for double-hung wood windows, 1 3/4"	Door seals	B, Z	USA	
5000	Jamb seal for double-hung wood windows, 2"	Door seals	B, Z	USA	
8004N	Kerf pressure neoprene seal, 1/5"	Door seals	BK	USA	
8042S	Self-adhesive silicone seal, 7/16" x 1/5"	Door seals	BK	USA	
8043N	Kerf pressure neoprene seal, 3/8"	Door seals	BK	USA	
8047R	Neoprene intermediate stile, 7/8"	Door seals	-	USA	
8048S	Kerf pressure silicone seal, 1/4"	Door seals	BK	USA	
8052N	Kerf pressure neoprene seal, 3/8"	Door seals	BK	USA	
8053Q	Kerf pressure vinyl-covered foam seal, 3/8"	Door seals	BR, WH	USA	
8054S	Kerf pressure silicone seal, Ø 1/4" bulb	Door seals	Black, White	USA	-
8055S	Kerf pressure silicone seal, 3/8"	Door seals	BK, WH	USA	
8056S	Kerf pressure silicone seal, 7/16"	Door seals	BK, WH	USA	
8137	Self-adhesive pile brush seal, 5/16"	Door seals	CL	USA	
8138	Self-adhesive pile brush seal, 5/16"	Door seals	CL	USA	
8144S/8144FS	Self-adhesive silicone batwing type fire/smoke seal, 7/16" x 7/16"	Door seals	Black, White	USA	-
8145S	Self-adhesive silicone bulb and fin, fire seal, 1/2" x 3/16"	Door seals	Black	USA	-
8150S	Self-adhesive silicone seal, 1/2" x 3/8"	Door seals	BK	USA	

## Auxiliary hardware

### Zero (cont.)

#### Weatherstripping

Product	Description	Function	Finish	BAA COO	TAA COO
8172N	Self-adhesive neoprene seal, 1/4" x 1/8"	Door seals	BK	USA	
8216S	Self-adhesive silicone seal, 1/2" x 1/4"	Door seals	BK	USA	
8770N	Self-adhesive neoprene seal, 1/2" x 1/8"	Door seals	BK	USA	
8780N	Self-adhesive neoprene seal, 1" x 1/10"	Door seals	BK	USA	
8800S	Kerf pressure silicone seal, 1/4"	Door seals	BK, WH	USA	
8810S	Kerf pressure silicone seal, 1/4"	Door seals	BK, WH	USA	
8812S	Kerf pressure silicone seal, 1/4"	Door seals	BK, WH	USA	
8841R	Kerf pressure silicone seal, 5/16"	Door seals	BK	USA	
9131	Self-adhesive PVC seal, 3/4" x 3/16", for glass sliding doors	Door seals	CL	USA	
9137	Self-adhesive PVC seal, 1" lip, for glass sliding doors	Door seals	CL	USA	

#### Miscellaneous

Product	Description	Function	Finish	BAA COO	TAA COO
2070	Aluminum panel insert with neoprene rubber	Flood barrier shield	A	USA	
FS3003	Intumescent fire seal, expands 16-18x	Fire seal	Black	USA	
FS4004	Intumescent fire seal, expands 80x	Fire seal	Red	USA	

### Advantage

#### Louvers

Product	Description	Finish	BAA COO
4CY, XX4CY, 40Y, 700AA, XX700AA, AFL100	Door louvers	All	USA

#### Lites

Product	Description	Finish	BAA COO	TAA COO
88G2, 88G4, 88G8, 784G, 784G-SS, 784G3, 784G5, XX784G, XX784G3, XX784G5, X500, X625, X750, X875, X1000, XX500, XX625, XX750, XX875, XX1000	Vision lites	All	USA	-
SP250, SP350, SP450, SP550	Circular vision lites	All	-	UK

# Doors and frames

## Steelcraft

### Metal doors

Product	Description	Gauge	BAA COO
L/LF/LW Series †	Laminated core	14, 16, 18 and 20	USA
LS Series	Stainless steel	14, 16 and 18	USA
SL Series	Square edge laminated core	18 and 20	USA
B/BF/BW Series †	Steel stiffened core	14, 16 and 18	USA
T/TF/TW Series	Temperature rise	14, 16, 18 and 20	USA
CE/CEF/CEW Series	Embossed panel	16, 18 and 20	USA
A14 Series	Full glass	14	USA
H/HF/HE Series	Hurricane rated	14 and 16	USA
Paladin™ PW Series	Tornado resistant	14	USA
GRAINTECH™ Series	Wood grain metal panels	16 and 18	USA
INPACT™ Series	Integrated door system	16 and 18	USA

Note: Products in this table meet AIS (defined on page 5).

### Metal frames

Product	Description	Gauge	BAA COO
F Series	Flush frame	12, 14 and 16	USA
FS, KS, MS Series	Stainless steel	14 and 16	USA
FN Series	Flush frame, 1" face	14 and 16	USA
MU Series	Multi-use frame	14 and 16	USA
FE and DE Series	Double egress frame	14 and 16	USA
DW Series	Drywall frame	14 and 16	USA
K Series	Drywall frame	14 and 16	USA
Paladin™ FP Series	Tornado resistant	14	USA
FT Series	Thermal break frame	14 and 16	USA
C, CK Series	Casing-ready frame	14 and 16	USA

Note: Products in this table meet AIS (defined on page 5).

### Architectural stick

Product	Description	Gauge	BAA COO
F Series	Flush frame	14 and 16	USA
MU Series	Multi-use frame	14 and 16	USA
FN Series	Flush frame, 1" face	14 and 16	USA

Note: Products in this table meet AIS (defined on page 5).

† Meets A.T.F.P. Bomb blast criteria when used with Schlage or Falcon Grade 1 cylindrical or mortise locks only. Approved under ASTM F1642 test method.

# Doors and frames

## Republic

### Metal doors

Product	Description	Gauge	BAA COO
DL Series	Laminated core	20, 18, 16	USA
	Steel stiffened core	18, 16	USA
	Steel stiffened core/lead lined	18, 16	USA
	Temperature rise core	20, 18, 16	USA
	Embossed panel	18, 16	USA
	Hurricane rated (impact and non-impact)	18, 16	USA
	Acoustical rated	16	USA

Note: Products in this table meet AIS (defined on page 5).

### Metal doors

Product	Description	Gauge	BAA COO
DE Series	Laminated core	18, 16, 14	USA
	Steel stiffened core	18, 16, 14	USA
	Steel stiffened core/lead lined	18, 16, 14	USA
	Temperature rise core	18, 16, 14	USA
	Embossed panel	18, 16	USA
	Hurricane rated (impact and non-impact)	18, 16, 14	USA
	Acoustical rated	16, 14	USA
	Bullet resistant rated	14	USA
DP Series	Laminated core	20, 18	USA
	Embossed panel	18	USA
	Hurricane rated (impact and non-impact)	18	USA
DF Series	Tornado resistant	14	USA

Note: Products in this table meet AIS (defined on page 5).

### Metal frames

Product	Description	Gauge	BAA COO
ME Series	Universal profile	16, 14	USA
MH Series	Drywall profile	16, 14	USA
SE Series	Universal profile/stick	16, 14, 12	USA
SH Series	Drywall profile/stick	16, 14	USA
DF Series	Tornado resistant	14	USA

Note: Products in this table meet AIS (defined on page 5).

## Falcon

### Metal doors

Product	Description	Gauge	BAA COO
SZ Series	Flush door	18	USA

Note: Products in this table meet AIS (defined on page 5).

## AD Systems

### Sliding doors

Product	Description	BAA COO
ExamSlide™	Sliding door system	USA
OfficeSlide™	Sliding door system	USA
InsetSlide™	Sliding door system	USA
FireSlide™	Fire rated sliding door system	USA

# Electronic products

## Locks

### Schlage

#### Networked

Product	Description	Function	Finish	BAA COO	TAA COO
AD-300 <sup>▲</sup>	Networked hardwired - direct RS-485 connection or Wiegand or clock and data	All	All	USA	Mexico
AD-302 <sup>▲</sup>	FIPS 201-2 APL listed, PIV/PIV-I compatible - Networked hardwired - direct RS-485 connection or Wiegand or clock and data	All	All	USA	Mexico
AD-400 <sup>▲</sup>	Networked wireless - 900 MHz, secure encrypted data transmission	All	All	USA	Mexico
AD-402 <sup>▲</sup>	FIPS 201-2 integration ready, PIV/PIV-I compatible - Networked wireless - 900 MHz, secure encrypted data transmission	All	All	USA	Mexico

<sup>▲</sup> Complete locks only for COO orders USA. See page 8 for additional cost and order requirements.

#### Standalone

Product	Description	Function	Finish	BAA COO	TAA COO
AD-200 <sup>▲</sup>	Offline - rights on lock	All	All	USA	Mexico
AD-201 <sup>▲</sup>	PIV/PIV-I compatible - Offline - rights on lock	All	All	USA	Mexico
AD-250 <sup>▲</sup>	Offline - rights on cards	All	All	USA	Mexico
CO-100	Offline; keypad only, manually programmable only	All	All	-	Mexico
CO-200	Offline; user access rights stored in lock	All	All	-	Mexico
CO-220	Offline; user access rights stored in lock	All	All	-	Mexico
CO-250	Offline; user access rights stored on magnetic stripe card	All	All	-	Mexico

<sup>▲</sup> Complete locks only for COO orders USA. See page 8 for additional cost and order requirements.

#### Wireless

Product	Description	Function	Finish	BAA COO	TAA COO
NDE Series	Wireless mobile enabled cylindrical lock - 2.4GHz, secure encrypted data transmission	All	All	-	Mexico
LE Series	Wireless mobile enabled mortise lock - 2.4 GHz, secure encrypted data transmission	All	All	-	Mexico
Schlage Control	Wireless deadbolt / interconnect lock	All	All	-	Mexico

Note: Items on this page have BAA options in Allegion Electronic Security price book.



# Locks

## Schlage (cont.)

### Accessories

Product	Description	Finish	BAA COO	TAA COO
ANT400	Antenna for PIMs used with wireless AD devices	-	-	Israel
CT5000	Standalone controller	-	-	Mexico
ECK400	Elevator kit includes ANT400-REM-I/O, WRI400, PIM400-TD2, 593-PI	-	-	Mexico
GCK400	Wireless gate kit includes WRI400, PIM400-TD2, ANT-REM-I/O, MGB+MCA5, 593-PI	-	-	Mexico
GWE	ENGAGE™ Gateway with RS-485 and IP (PoE) connectivity	-	USA	-
PIB300-2D ▲	Panel interface board for AD-300/301 hardwired locks - Wiegand integrations only	-	USA	Mexico
PIM400 ▲	Panel interface module for AD-400/401 wireless locks	-	USA	Mexico
REPTR400	Wireless Repeater to extend the distance from WAPM to PIM	-	-	Mexico
RLBD	Dry contact board for either PIM400-TD2 or PIB300-2D	-	USA‡	-
TK400	Wireless test kit for testing AD-400 signal strength at WAPM	-	-	Mexico
TKE	Wireless test kit for testing signal strength of devices which utilize the ENGAGE GWE Gateway	-	USA	-
WPR-400	Wireless portable reader - 900 MHZ, secure encrypted data transmission	-	-	Mexico
WRI400	Wireless reader interface for traditional hardwired openings	-	-	Mexico

▲ See page 8 for additional cost and order requirements

‡ Must be selected as option for PIM400 or PIB300-2D at time of order to qualify under BAA.

## Readers, controllers and credentials

### Schlage

#### Reader controllers

Product	Description	Finish	BAA COO
RC11	Mullion mount, multi-technology IP reader controller	All	USA
RC15	Single gang mount, multi-technology IP reader controller	All	USA
RCK15	Single gang mount, multi-technology IP reader controller with keypad	All	USA

#### Accessories/cables

Product	Description	BAA COO
RC 25'	Cable 25' pigtail	USA

#### Networked readers

Product	Description	Finish	BAA COO
SM10	Credential reader - mini-mullion	All	USA
MT11	Multi-technology reader - mullion	All	USA
MT11-485**	Multi-technology reader - mullion	All	USA
MTB11	Mobile enabled multi-technology reader - mullion	All	USA
MT15	Multi-technology reader - single gang	All	USA
MT15-485**	Multi-technology reader - single gang	All	USA
MTB15	Mobile enabled multi-technology reader - single gang	All	USA
MTK15	Multi-technology reader with keypad - single gang	All	USA
MTK15-485**	Multi-technology reader with keypad - single gang	All	USA
MTKB15	Mobile enabled multi-technology reader with keypad - single gang	All	USA
MTMS15	Multi-technology with magnetic stripe reader - single gang	All	USA
MTMS15-485**	Multi-technology with magnetic stripe reader - single gang	All	USA
MTMSK15	Multi-technology with magnetic stripe reader and keypad - single gang	All	USA
MTMSK15-485**	Multi-technology with magnetic stripe reader and keypad - single gang	All	USA

\*\* FIPS 201-2 Compliant. By default, readers are configured with 75 bit format. Configuration to other approved output formats is available. FIPS 201-2 certified with approved access control systems and with RS-485 system interface only. When ordering FIPS compliant readers for RS-485 system interface you MUST add "-485" to the model number when placing the order.

## Readers, controllers and credentials

### Schlage (cont.)

#### Credentials

##### 13.56 MHz MIFARE Classic® Smart Technology

Product number	Description	BAA COO
9420	Clamshell; 2.5k bit memory/ISO 14443	USA
9451	Clamshell; 1K byte/8k bit memory/ISO 14443	USA
9520	ISO glossy white; 2.5k bit memory/ISO 14443; composite	USA
9520M1	ISO glossy white with mag stripe; 2.5k bit memory/ISO 14443; composite	USA
9551	ISO glossy white; 1K byte/8k bit memory/ISO 14443; composite	USA
9551M1	ISO glossy white with mag stripe; 1K byte/8k bit memory/ISO 14443; composite	USA
9558	ISO glossy white; 4K byte/32k bit memory/ISO 14443; composite	USA
9558M1	ISO glossy white with mag stripe; 4K byte/32k bit memory/ISO 14443; composite	USA
9651	Keyfob; 1K byte/8k bit memory/ISO 14443	USA
9651T	Thin keyfob; 1K byte/8k bit memory/ISO 14443	USA
9751	PVC adhesive patch; 1K byte/8k bit memory/ISO 14443	USA
9758	PVC adhesive patch; 4K byte/32k bit memory/ISO 14443	USA

##### Multi-Technology: 125 kHz Proximity and 13.56 MHz Contactless MIFARE Classic Smart Card Technology

Product number	Description	BAA COO
9691T	Thin keyfob, combo 125 kHz/13.56 MHz MIFARE 1k byte/8k bit memory	USA
9951	ISO glossy white; combo 125 kHz/13.56 MHz MIFARE 1K byte/8k bit memory	USA
9951M1	ISO glossy white with mag stripe; Combo 12 kHz/13.56 MHz MIFARE 1K byte/8k bit memory	USA
9958	ISO glossy white; combo 125 kHz/13.56 MHz MIFARE 4K byte/32k bit memory	USA
9958M1	ISO glossy white with mag stripe; Combo 125 kHz/13.56 MHz MIFARE 4K byte/32k bit memory	USA

##### 13.56 MHz MIFARE® DESFire® EV1 Smart Technology

Product number	Description	BAA COO
8420	Clamshell; 2K byte/16K bit memory/ISO 14443	USA
8520	ISO glossy white; 2K byte/16K bit memory/ISO 14443	USA
8520M1	ISO glossy white with mag stripe; 2K byte/16K bit memory/ISO 14443	USA
8440	Clamshell; 4K byte/32K bit memory/ISO 14443	USA
8540	ISO glossy white; 4K byte/32K bit memory/ISO 14443	USA
8540M1	ISO glossy white with mag stripe; 4K byte/32K bit memory/ISO 14443	USA
8480	Clamshell; 8K byte/64K bit memory/ISO 14443	USA
8580	ISO glossy white; 8K byte/64K bit memory/ISO 14443	USA
8580M1	ISO glossy white with mag stripe; 8K byte/64K bit memory/ISO 14443	USA
8720	PVC adhesive patch; 2K byte/16K bit memory/ISO 14443	USA
8740	PVC adhesive patch; 4K byte/32K bit memory/ISO 14443	USA
8780	PVC adhesive patch; 8K byte/64K bit memory/ISO 14443	USA

##### Multi-Technology: 125 kHz Proximity and 13.56 MHz MIFARE DESFire EV1 Contactless Smart Card Technology

Product number	Description	BAA COO
8920	ISO glossy white; Combo 125 kHz/13.56 MHz 2K byte/16K bit memory	USA
8920M1	ISO glossy white with mag stripe; Combo 125 kHz/13.56 MHz 2K byte/16K bit memory	USA
8940	ISO glossy white; Combo 125 kHz/13.56 MHz 4K byte/32K bit memory	USA
8940M1	ISO glossy white with mag stripe; Combo 125 kHz/13.56 MHz 4K byte/32K bit memory	USA
8980	ISO glossy white; Combo 125 kHz/13.56 MHz 8K byte/64K bit memory	USA
8980 M1	ISO glossy white with mag stripe; Combo 125 kHz/13.56 MHz 8K byte/64K bit memory	USA

# Readers, controllers and credentials

## Schlage (cont.)

### Credentials (cont.)

#### 125 kHz Proximity Technology

Product number	Description	BAA	COO
7410	Clamshell; HID Prox compatible	USA	
7510	ISO glossy white card; HID Prox compatible; composite	USA	
7510M1	ISO glossy white card with mag stripe; HID Prox compatible; composite	USA	
7610	Keyfob; HID Prox compatible	USA	
7610T	Thin keyfob; HID Prox compatible	USA	
7010	PVC adhesive disk – 35mm; HID Prox compatible	USA	

## ISONAS

### Reader controllers

Product	Description	BAA	COO	TAA	COO
RC-04-PRX-M	04 Series proximity reader controller - Mullion	USA		-	
RC-04-PRX-W	04 Series proximity reader controller - Single gang	USA		-	
RC-04-PRX-WK	04 Series proximity reader controller with keypad - Single gang	USA		-	
RC-04-MCT-M	04 Series multi-technology reader controller - Mullion	USA		-	
RC-04-MCT-W	04 Series multi-technology reader controller - Single gang	USA		-	
RC-04-MCT-WK	04 Series multi-technology reader controller with keypad - Single gang	USA		-	

### Readers

Product	Description	BAA	COO	TAA	COO
R-1-MCT-M	R1 Series multi-technology reader - Mullion	USA		-	
R-1-MCT-W	R1 Series multi-technology reader - Single gang	USA		-	
R-1-MCT-WK	R1 Series multi-technology reader with keypad - Single gang	USA		-	

### IP Bridge

Product	Description	BAA	COO	TAA	COO
IPB2.0-2Door	Pure IP IP-Bridge 2.0 2 door	USA		-	
IPB2.0-3Door	Pure IP IP-Bridge 2.0 3 door	USA		-	

### Accessories/cables

Product	Description	BAA	COO	TAA	COO
ACC-IRS-4700	Magnetic lock kit	USA		-	
Cable-RC04-25-BAA*	RC-04 Cable 25' Pigtail	USA		-	

\* See page 8 for additional cost and ordering requirements.

# System components and accessories

## Schlage

### Pushbuttons/keyswitches

Product	Description	BAA COO
621 Series	1 1/4" Heavy duty pushbuttons	USA
623 Series	1 5/8" Heavy duty pushbuttons	USA
625 Series	2 3/4" Heavy duty pushbuttons	USA
630 Series	1 1/4" Extreme duty pushbuttons	USA
650 Series	Heavy duty keyswitches	USA
660 Series	Surface mini box distribution	USA
701 Series	Entry level pushbutton (round bottom)	USA
709 Series	Entry level pushbutton (square illuminated)	USA

### Door position switches

Product	Description	BAA COO	TAA COO
674-OH	Overhead door floor mount	USA	-
679-05	Wood door and frame	USA	-
679-05HM	Hollow metal door and frame	USA	-
679-05WD	Wood door and metal frame	USA	-
7764	Concealed/flush mount	-	Mexico
7766	Surface mount	-	Mexico
FSS1	Door position high security switch	-	Australia

### Electronic horns

Product	Description	TAA COO
1910-1	Selica horn, 12/24 VDC	Mexico

### Power supplies

Product	Description	BAA COO
PS902BAA <sup>▲</sup>	Power supply, 2 Amp	USA
PS904BAA <sup>▲</sup>	Power supply, 4 Amp	USA
PS906BAA <sup>▲</sup>	Power supply, 6 Amp	USA

<sup>▲</sup> See page 8 for additional cost and order requirements. Option board selections must be made for power supply at time of order. See page 39.

### Door cords

Product	Description	BAA COO
788 Series	3/8" Armored door cords	USA
798 Series	1/2" Armored door cords	USA

## System components and accessories

PS900 Option boards listed below MUST be ordered with a BAA compliant power supply in order to meet BAA compliance.

### Schlage and Von Duprin

#### Power supply option boards - PS900

Product	Description
900-4R	4 Independently controlled relays
900-4R FA	4 Independently controlled relays with FA
900-2RS	2 Relay board specifically for controlling Von Duprin exit devices
900-2RS FA	2 Relay board specifically for controlling Von Duprin exit devices
900-4RL	4 Relay board with integrated logic for controlling security interlocks, auto operators, and time delays
900-4RL FA	4 Relay board with integrated logic for controlling security interlocks, auto operators, and time delays with FA
900-8F	8 Fuse protected outputs
900-8F FA	8 Fuse protected outputs with FA
900-8P	8 PTC protected outputs
900-8P FA	8 PTC protected outputs with FA
900-BBK	Battery backup kit (includes two 7A/hr batteries)
900-BB	Battery backup board only
900-FA	Fire alarm relay (EIR) module

#### Power supply accessories - PS900

Product	Description
900-BAT	Backup battery pack (includes two 7A/hr batteries)
900-KL	Key lock

# System components and accessories

## Von Duprin

### Electric strikes

Product	Description	Finish	BAA COO
6111	Rim exit device strike 6"	All	USA
6112	Rim exit device strike 9"	All	USA
6113	Rim exit device strike 6"	All	USA
6114	Rim night latch strike 7 1/2"	All	USA
6121	Rim exit device strike 9 1/8"	All	USA
6210	Mortise lock strike 4 7/8"	All	USA
6211	Mortise/cylindrical lock strike 4 7/8"	All	USA
6211AL	Mortise/cylindrical lock strike 4 7/8"	All	USA
6211WF	Mortise/cylindrical lock strike 4 7/8"	All	USA
6212	Mortise/cylindrical lock strike 6 3/8"	All	USA
6212WF	Mortise/cylindrical lock strike 6 3/8"	All	USA
6213	Mortise/cylindrical lock strike 6"	All	USA
6214	Mortise/cylindrical lock strike 9"	All	USA
6215	Mortise/cylindrical lock strike 9"	All	USA
6216	Mortise with deadbolt strike 9"	All	USA
6221	Mortise/cylindrical lock strike 6"	All	USA
6222	Mortise/cylindrical lock strike 9"	All	USA
6223	Mortise/cylindrical lock strike 6"	All	USA
6224	Mortise/cylindrical lock strike 9"	All	USA
6224AL	Mortise/cylindrical lock strike 9"	All	USA
6225	Mortise/cylindrical lock strike 9"	All	USA
6226	Mortise/cylindrical lock strike 9"	All	USA

### Electric power transfers (EPTs)

Product	Description	Finish	BAA COO
EPT-2BAA <sup>▲</sup>	EPT - Two 18 gauge wires	SP28, SP313	USA
EPT-10BAA <sup>▲</sup>	EPT - Ten 24 gauge wires	SP28, SP313	USA

<sup>▲</sup> See Von Duprin price book for BAA pricing.

### Power supplies

Product	Description	Finish	BAA COO
PS914BAA <sup>▲</sup>	High in rush power supply, 4 Amp	–	USA

<sup>▲</sup> See Von Duprin price book for BAA pricing and order requirement. Option board selection must be made for power supply at time of order.

### Allegion Connect wiring

Product	Description	Finish	BAA COO
CON-6	6" wire with connectors on both ends	–	Mexico
CON-12	12" wire with connectors on both ends	–	Mexico
CON-26	26" wire with connectors on both ends	–	Mexico
CON-32	32" wire with connectors on both ends	–	Mexico
CON-38	38" wire with connectors on both ends	–	Mexico
CON-44	44" wire with connectors on both ends	–	Mexico
CON-50	50" wire with connectors on both ends	–	Mexico
CON-192	192" wire with connectors on both ends	–	Mexico
CON-6P	6" wire with connectors on one end and crimped pins on the other	–	Mexico
CON-12P	12" wire with connectors on one end and crimped pins on the other	–	Mexico
CON-26P	26" wire with connectors on one end and crimped pins on the other	–	Mexico
CON-32P	32" wire with connectors on one end and crimped pins on the other	–	Mexico
CON-38P	38" wire with connectors on one end and crimped pins on the other	–	Mexico
CON-44P	44" wire with connectors on one end and crimped pins on the other	–	Mexico
CON-50P	50" wire with connectors on one end and crimped pins on the other	–	Mexico
CON-192P	192" wire with connectors on one end and crimped pins on the other	–	Mexico

<sup>▲</sup> See Von Duprin price book for BAA pricing.

# System components and accessories

## Locknetics

### Electromagnetic locks

Product	Description	Finish	TAA COO
MG600	600lb electromagnetic lock	630	Taiwan
MG600-2	600lb electromagnetic lock - double	630	Taiwan
MG600DT	600lb electromagnetic lock - monitored	630	Taiwan
MG600DT-2	600lb electromagnetic lock - monitored/double	630	Taiwan
MG1200	1200lb electromagnetic lock	630	Taiwan
MG1200-2	1200lb electromagnetic lock - double	630	Taiwan
MG1200DT	1200lb electromagnetic lock - monitored	630	Taiwan
MG1200DT-2	1200lb electromagnetic lock - monitored/double	630	Taiwan
WMG600	600lb weatherproof electromagnetic lock	630	Taiwan
WMG1200	1200lb weatherproof electromagnetic lock	630	Taiwan

### Electromagnetic lock accessories

Product	Description	Finish	TAA COO
MFP63	5/8" filler plate	628	Taiwan
MFP50	1/2" filler plate	628	Taiwan
MLBK600	600lb L-bracket	628	Taiwan
MLBK1200	1200lb L-bracket	628	Taiwan
MUBK	U-bracket - 600/1200lb adjustable	628	Taiwan
MZBK600	600lb Z-bracket	628	Taiwan
MZBK1200	1200lb Z-bracket	628	Taiwan
WFP50	1/2" filler plate	628	Taiwan
WFP63	5/8" filler plate	628	Taiwan
WLBK1200	1200lb L-bracket	628	Taiwan
WLBK600	600lb L-bracket	628	Taiwan
WZBK600	600lb Z-bracket	628	Taiwan
WZBK1200	1200lb Z-bracket	628	Taiwan

### Electric strikes

Product	Description	Finish	TAA COO
CS450-32D	Cylindrical lock strike $\frac{9}{16}$ "	630	Taiwan
CS450-LBM-32D	Cylindrical lock strike $\frac{9}{16}$ " with latch bolt monitoring	630	Taiwan
CS750-32D	Cylindrical lock strike $\frac{3}{4}$ "	630	Taiwan
CS750-LBM-32D	Cylindrical lock strike $\frac{3}{4}$ " with latch bolt monitoring	630	Taiwan
MDS100-32D	Mortise lock strike 1"	630	Taiwan
MDS100-F	Mortise lock strike 1" - fire rated	630	Taiwan
MDS100-F-LBM-32D	Mortise lock strike 1" - fire rated with latch bolt monitoring	630	Taiwan
MDS100-LBM-32D	Mortise lock strike 1" with latch bolt monitoring	630	Taiwan
NC450	E-strike - no cut - $\frac{9}{16}$ " deep	630	Taiwan
NC450-LBM	E-strike - no cut - $\frac{9}{16}$ " deep with latch bolt monitoring	630	Taiwan
RS200	Rim lock strike $\frac{1}{2}$ "	613, 630	Taiwan
RS200-LBM	Rim lock strike $\frac{1}{2}$ " with latch bolt monitoring	613, 630	Taiwan
RS300	Rim lock strike $\frac{3}{4}$ "	613, 630	Taiwan
RS300-F	Rim lock strike $\frac{3}{4}$ " - fire rated	613, 630	Taiwan
RS300-LBM	Rim lock strike $\frac{3}{4}$ " with latch bolt monitoring	613, 630	Taiwan
RS300-F-LBM	Rim lock strike $\frac{3}{4}$ " - fire rated with latch bolt monitoring	613, 630	Taiwan

## System components and accessories

### Locknetics (cont.)

#### Electric strike accessories

Product	Description	Finish	TAA COO
CCFP-KIT	Cylindrical lock strike radius corner faceplate kit	613, 630	Taiwan
CSFP-KIT-10B	Cylindrical lock strike faceplate kit	613	Taiwan
CSLE-.5	Cylindrical lock strike lip extension 1/2" (12.5mm)	-	Taiwan
CSLE-1	Cylindrical lock strike lip extension 1" (25mm)	-	Taiwan
CSLE-2	Cylindrical lock strike lip extension 2" (50mm)	-	Taiwan
CWFP-KIT	Cylindrical lock strike wood faceplate kit	613, 630	Taiwan
ESTK-100	E-strike - metal template kit (CS, MDS, RS)	-	Taiwan
MDSFP-KIT-10B	Mortise strike faceplate kit	613	Taiwan
NCFP-KIT-10B	No cut faceplate kit	613	Taiwan
NCCFP-KIT	No cut radius corner faceplate kit	613, 630	Taiwan
NCWFP-KIT	No cut wood applications faceplate kit	613, 630	Taiwan
NC-RAMPS	Ramps replacement	630	Taiwan
RS SPACER	Rim strike spacer	613, 630	Taiwan

#### Push buttons

Product	Description	Finish	TAA COO
IPB-100	Entry level pushbutton (square illuminated)	-	Taiwan
IPB-100-N	Entry level pushbutton (square illuminated) narrow Stile	-	Taiwan
IPB-300	Entry level pushbutton (circle illuminated)	-	Taiwan
IPB-300-N	Entry level pushbutton (circle illuminated) - narrow stile	-	Taiwan
MPB-100	Entry level pushbutton (circle metal)	-	Taiwan
MPB-100-N	Entry level pushbutton (circle metal) - narrow stile	-	Taiwan

#### Specialty switches

Product	Description	Finish	TAA COO
TS-100	Dual LED touch switch	-	Taiwan
TS-100-N	Dual LED touch switch - narrow stile	-	Taiwan
WS-200	Wave exit motion sensor	-	Taiwan
WS-200-MB	Wave exit motion sensor with mounting box	-	Taiwan

#### Digital keypads

Product	Description	Finish	TAA COO
DKP-165	Indoor digital keypad	-	Taiwan
DKP-165-S	Indoor digital keypad - surface mount	-	Taiwan
DKP-165-FM	Indoor digital keypad - flush mount	-	Taiwan

#### Touch bars

Product	Description	Finish	TAA COO
TB-36	Touchbar - 36" door	628	Taiwan
TB-42	Touchbar - 42" door	628	Taiwan
TB-48	Touchbar - 48" door	628	Taiwan



## System components and accessories

### Locknetics (cont.)

#### Push plates

Product	Description	Finish	TAA COO
PPH-50	Narrow stile rectangular handicap push plate with plastic box	-	Taiwan
PPH-100-AL	Large round handicap push plate with aluminum box	630	Taiwan
PPH-100-PL	Large round handicap push plate with plastic box	630	Taiwan
PPH-200-LED	Large illuminated round handicap push plate with plastic box	630	Taiwan

#### Emergency breaks

Product	Description	Finish	TAA COO
EGB-100-G	Resettable emergency call point station - green case	-	Taiwan
EGB-100-R	Resettable emergency call point station - red case	-	Taiwan

#### Emergency break accessories

Product	Description	Finish	TAA COO
EGB-COV	Replacement and resettable key	-	Taiwan
EGB-KEY	Replacement clear plastic cover	-	Taiwan

#### Door cords

Product	Description	Finish	TAA COO
DC-AL-20	Medium duty door cord with aluminum end caps; stainless steel cable; 20" length	628	Taiwan
DC-BR-20	Medium duty door cord with aluminum end caps; stainless steel cable; 20" length	613	Taiwan
DC-HD-16	Heavy duty door cord with aluminum boxes; stainless steel cable; 16" length	613, 628	Taiwan
DC-PL-12	Light duty door cord with silver plastic end caps; stainless steel cable 12" length	628	Taiwan
DC-PL-20	Light duty door cord with silver plastic end caps; stainless steel cable 20" length	628	Taiwan

#### Specialty sensor and buzzer switches

Product	Description	Finish	TAA COO
TBR-100	Timer-buzzer rectifier with surge protection	-	Taiwan

#### Power supplies

Product	Description	TAA COO
LP150	1.5 amp power supply	Taiwan
LP250	2.5 amp power supply	Taiwan
LP250RDB4	2.5 amp power supply with 4 output relay distribution option board	Taiwan

#### Power supply accessories

Product	Description	Finish	TAA COO
LP150B	1.5 amp power supply board		Taiwan
LP250B	2.5 amp power supply board		Taiwan

# Allegion production sites

---

## AD Systems

### Sliding doors

2201 100th St. SW  
Everett, WA 98204

---

## Advantage

### Vision lites and door louvres

4985 Raines Road  
Memphis, TN 38118

---

United Kingdom

---

## Allegion Connect

### Allegion Connect wiring

Australia

---

## Falcon

### Door controls

121 W. Railroad Ave.  
Princeton, IL 61356

---

Taiwan

---

### Exits and mullions

2720 Tobey Drive  
Indianapolis, IN 46219

---

### Lock components

Calle Los Olivos #698  
Col. Chavez  
Tecate, Baja California, Mexico 21440

---

### Mechanical locks<sup>1</sup>

Carretera Transpeninsular 4580-4,  
Col. Carlos Pacheco,  
Ensenada, Baja California, Mexico 22890

---

3899 Hancock Expressway  
Colorado Springs, CO 80911

---

Taiwan

---

### Metal doors

9017 Blue Ash Road  
Cincinnati, OH 45242

---

155 Republic Drive  
McKenzie, TN 38201

---

---

## Glynn Johnson

### Overhead holders and stops

8506-A E. 30th St.  
Indianapolis, IN 46219

---

## ISONAS

### Readers, controllers and accessories

3899 Hancock Expressway  
Colorado Springs, CO 80911

---

## Ives

### Mechanical accessories

8506-A E. 30th St.  
Indianapolis, IN 46219

---

Canada

---

Taiwan

---

## LCN

### Door controls

121 W. Railroad Ave.  
Princeton, IL 61356

---

## Locknetics

### System components and accessories

Taiwan

---

## Republic

### Metal doors and frames

155 Republic Drive  
McKenzie, TN 38201

---

5430 FAA Blvd. Suite 100  
Irving, TX 76031

---

## Schlage

### Accessories, credentials, cylinders, keys and readers

3899 Hancock Expressway  
Colorado Springs, CO 80911

---

### Electronic and mechanical locks

Carretera Transpeninsular 4580-4,  
Col. Carlos Pacheco,  
Ensenada, Baja California, Mexico 22890

---

3899 Hancock Expressway  
Colorado Springs, CO 80911

---

---

## Schlage (cont.)

### Finishing / zinc plated parts

El Florido Industrial Park  
Tijuana, Baja California, Mexico 22680

---

### Lock components

Calle Los Olivos #698  
Col Chavez  
Tecate, Baja California, Mexico 21440

---

### Power supplies\*

3899 Hancock Expressway  
Colorado Springs, CO 80911

---

2720 Tobey Drive

Indianapolis, IN 46219

---

### Residential/mechanical

2119 E. Kansas City Road  
Olathe, KS 66061

---

## Steelcraft

### Metal doors and frames

9017 Blue Ash Road  
Cincinnati, OH 45242

---

13770 Ramona Ave.

Chino, CA 91710

---

## Von Duprin

### Exits, mullions, electric strikes and power transfers

2720 Tobey Drive  
Indianapolis, IN 46219

---

### Power supplies<sup>2</sup>

3899 Hancock Expressway  
Colorado Springs, CO 80911

---

2720 Tobey Drive

Indianapolis, IN 46219

---

## Zero international

### System components and accessories

8506-A E. 30th St.  
Indianapolis, IN 46219

---

Canada

---

1. Some products shipped out of the Colorado Springs location as part of Fast Track/Pro Express/Quick Ship programs.

2. Minor, secondary operations and shipping of both Schlage and Von Duprin power supplies occur from both locations, therefore we list both addresses.

This page is intentionally blank

## About Allegion

Allegion (NYSE: ALLE) is a global pioneer in seamless access, with leading brands like CISA®, Interflex®, LCN®, Schlage®, SimonsVoss® and Von Duprin®. Focusing on security around the door and adjacent areas, Allegion secures people and assets with a range of solutions for homes, businesses, schools and institutions. Allegion had \$2.7 billion in revenue in 2020, and its security products are sold around the world.

For more, visit [www.allegion.com](http://www.allegion.com)

KRYPTONITE ■ LCN ■  ■ STEELCRAFT ■ VON DUPRIN