







Brushed Nickel

Also available in: Bronze: pg. 5-8






	Product	Bulbs/Wattage	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
Α	452-8BN	(1) 100W-m	8″	11"	88 1/2"	72" chain	110″	5" diameter
В	452-12BN	(4) 60W-c	12"	15"	92 1/2″	72" chain	110″	5" diameter
С	452-16BN	(4) 60W-c	16″	19″	96 1/2"	72" chain	110″	5" diameter




	Product	Bulbs/Wattage	W	н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
D	452-20BN	(8) 60W-c	20"	23"	100 1/2"	72" chain	110″	5" diameter
Е	452-24BN	(8) 60W-c	24"	27"	104 1/2"	72" chain	110″	5" diameter



	Product	Bulbs/Wattage	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
F	452-30BN	(8) 60W-c	30″	33"	110 1/2"	72" chain	110"	5" diameter
G	452-36BN	(12) 60W-c	36″	39"	116 1/2″	72" chain	110″	5" diameter








Also available in: Brushed Nickel : pg. 1-4






	Product	Bulbs/Wattage	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
А	452-8BRZ	(1) 100W-m	8″	11"	88 1/2"	72" chain	110″	5" diameter
В	452-12BRZ	(4) 60W-c	12"	15"	92 1/2″	72" chain	110″	5" diameter
С	452-16BRZ	(4) 60W-c	16″	19"	96 1/2"	72" chain	110″	5" diameter



	Product	Bulbs/Wattage	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
D	452-20BRZ	(8) 60W-c	20"	23"	100 1/2"	72" chain	110"	5" diameter
Е	452-24BRZ	(8) 60W-c	24"	27"	104 1/2"	72" chain	110"	5" diameter



	Product	Bulbs/Wattage	W	н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
F	452-30BRZ	(8) 60W-c	30″	33"	110 1/2"	72" chain	110"	5" diameter
G	452-36BRZ	(12) 60W-c	36″	39"	116 1/2″	72" chain	110″	5" diameter





	Product	Bulbs/Wattage	L/ext.	W	н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
Α	6006-35BN	(5) 60W-c	35 1/4"	9 5/8″	8 3/4"	56 1/4"	6x12" + 2x6" + 2x3" rods	110″	9" x 4 3/4"
В	6006F-BN	(4) 60W-c		12 1/4"	9 3/8"				12 1/4" square
С	6006-2S-BN	(2) 60W-c	3 1/2"	6″	11 3/4″				6" x 11 3/4"
D	6006MP-BN	(1) 100W-m		6 1/4"	8 3/4"	56 1/4"	3x12"+ 1x6"+ 1x3" rods	110″	4 1/2" x 4 1/2"
E	6006-44BN	(7) 60W-c	44"	9 5/8″	8 3/4"	56 1/4"	6x12" + 2x6" + 2x3" rods	110″	20" x 4 3/4"





	Product	Bulbs/Wattage	L/ext.	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
А	6007-11BN	(3) 60W-c		12 "	8 3/4"	56 1/4"	3x12"+ 1x6"+ 1x3" rods	110″	4 3/4" diameter
В	6007-15BN	(4) 60W-c		15 5/8"	8 3/4"	56 1/4"	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter
С	6007-2S-BN	(2) 60W-c	4"	9″	11 3/4"				9" x 11 3/4"
D	6007MP-BN	(1) 100W-m		6 1/2"	8 3/4"	56 1/4"	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter
Е	6007-19BN	(5) 60W-c		19 1/4"	8 3/4"	56 1/4"	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter
F	6007-22BN	(6) 60W-c		23″	8 3/4"	56 1/4"	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter





	Product	Bulbs/Wattage	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
Α	451-12BN	(1) 100W-m	12 "	26 1/2"	104"	72" chain	110″	5" diameter
В	451-16BN	(3) 100W-m	16"	26 1/2"	104"	72" chain	110"	5" diameter
С	451-19BN	(4) 100W-m	19"	26 1/2"	104"	72" chain	110"	5" diameter






	Product	Bulbs/Wattage	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
Α	451-12BRZ	(1) 100W-m	12 "	26 1/2"	104"	72" chain	110″	5" diameter
В	451-16BRZ	(3) 100W-m	16"	26 1/2"	104"	72" chain	110"	5" diameter
С	451-19BRZ	(4) 100W-m	19"	26 1/2"	104"	72" chain	110"	5" diameter








	Product	Bulbs/Wattage	w	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
А	616-10C-BN	(10) 75W-G9 (included)	39 1/4"	39"	79 1/2″	3x12" + 1x6" + 1x3" rods	110″	6" diameter
В	616-8C-BN	(8) 75W-G9 (included)	29 1/4"	29 3/8"	71 3/8″	3x12" + 1x6" + 1x3" rods	110″	6" diameter



	Product	Bulbs/Wattage	L/ext.	w	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
С	616-4S-BN	(4) 75W-G9 (included)	8 3/4"	12 3/8″	26 5/8"				6" diameter
D	616-6S-BN	(6) 75W-G9 (included)	8 1/4"	15"	33 1/4"				6" diameter
E	616-6C-BN	(6) 75W-G9 (included)		26 1/4"	22 1/4"	66 7/8"	3x12" + 1x6" + 1x3" rods	110"	6" diameter
F	616-1S-BN	(1) 75W-G9 (included)	5 1/8"	5″	16″				5"W x 8"H oval



	Product	Bulbs/Wattage	L/ext.	w	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
G	616-32BN	(8) 75W-G9 (included)	9 5/8"	32 3/8"	16 5/8"	61 5/8"	3x12" + 1x6" + 1x3" rods	110"	6" diameter
Н	616-45BN	(8) 75W-G9 (included)	12 7/8″	45 3/8"	18 1/4"	63 1/8"	3x12" + 1x6" + 1x3" rods	110″	6" diameter



	Product	Source/ Wattage	Source Lumens	ССТ	CRI	L/ext.	W	н	Overall-H	Rods Length	Wire Lenght	Ceiling Plate Size
Α	1003-6CH-LED	60W	6500	3000K	>85	43 3/4"	10 3/8"	3/4"	48 1/2"	6x12"+ 2x6"+ 2x3" rods	110″	17 3/4"L x 4 3/8"W
В	1003-4CH-LED	40W	4400	3000K	>85	28"	10 3/8"	3/4"	48 1/2"	6x12" + 2x6" + 2x3" rods	110″	17 3/4"L x 4 3/8"W



	Product	Source/ Wattage	Source Lumens	ССТ	CRI	L/ext.	W	н	Overall-H	Rods Length	Wire Length	Ceiling Plate Size
С	1003-5CH-LED	50W	5450	3000K	>85		13"	2 1/4"	49 1/4"	3x12"+1x6"+1x3" rods	110"	4 3/4" diameter
D	1003SF-CH-LED	50W	5450	3000K	>85		13"	2 1/4"				7 1/8" diameter
Е	1003-8CH-LED	80W	8700	3000K	>85	65"	10 3/4"	7/8″	48 1/2"	6x12" + 2x6" + 2x3" rods	110"	17 3/4"L x 4 3/8" W



	Product	Bulbs/Wattage	L/ext.	W	Н	Overall-H	Rods Length	Wire Length	Ceiling Plate Size
Α	3002-42VBRS	(6) 60W-m	41 1/2"	8″	9 3/8"	56 1/2"	6x12" + 2x6" + 2x3" rods	110"	24 1/8"L x 4 1/8"W
В	3002-32VBRS	(4) 60W-m	31 1/2"	8″	9 3/8"	56 1/2"	6x12" + 2x6" + 2x3" rods	110"	24 1/8"L x 4 1/8"W
С	3002-1S-VBRS	(1) 60W-m	5 3/8"	4 3/4"	12 1/2"				4 3/4"W x 12 1/2"H



	Product	Bulbs/Wattage	L/ext.	W	Н	Overall-H	Rods Length	Wire Length	Ceiling Plate Size
D	3002MP-VBRS	(1) 60W-m		4 3/4""	12 3/4"	60 1/2"	3x12" + 1x6" + 1x3" rods	110″	5" square
Е	3002-58VBRS	(8) 60W-m	58 7/8"	8″	9 3/8"	56 1/2"	6x12" + 2x6" + 2x3" rods	110″	24 1/8″L x 4 1/8″W



	Product	Bulbs/Wattage	L/ext.	W	Н	Overall-H	Rods Length	Wire Length	Ceiling Plate Size
Α	3002-42BN	(6) 60W-m	41 1/2"	8″	9 3/8"	56 1/2"	6x12" + 2x6" + 2x3" rods	110″	24 1/8"L x 4 1/8"W
В	3002-32BN	(4) 60W-m	31 1/2"	8″	9 3/8"	56 1/2"	6x12" + 2x6" + 2x3" rods	110″	24 1/8"L x 4 1/8"W
С	3002-1S-BN	(1) 60W-m	5 3/8"	4 3/4"	12 1/2"				4 3/4"W x 12 1/2"H




	Product	Bulbs/Wattage	L/ext.	W	Н	Overall-H	Rods Length	Wire Length	Ceiling Plate Size
D	3002MP-BN	(1) 60W-m		4 3/4""	12 3/4"	60 1/2"	3x12" + 1x6" + 1x3" rods	110″	5" square
Е	3002-58BN	(8) 60W-m	58 7/8"	8"	9 3/8"	56 1/2"	6x12" + 2x6" + 2x3" rods	110″	24 1/8″L x 4 1/8″W

#### RIVULET

Sleek and clean lines are the defining features of the Rivulet collection of vanity fixtures. Matte opal cubic shades are illuminated featuring the latest in dimmable, LED technology. These fixtures maximize output while also being energy efficient. Available in Chrome, Brushed Nickel, and Bronze finishes, the Rivulet family of fixtures will add contemporary elegance to any decor.

#### **Brushed Nickel**







#### Chrome



Source Lumens Product Bulbs/Wattage CCT CRI L/ext. W Н Wall Plate Size 1919-1S-CH-LED (1) 8W-LED 600LM 3000K >90 4 3/4" 5 1/2" 6 3/4" 4 1/4"W x 6"H G (2) 8W-LED 1200LM 6"W x 4 1/4"H 1919-2V-CH-LED 3000K >90 4 3/4" 14" 6 3/4" Н (3) 8W-LED 1800LM 1919-3V-CH-LED 3000K 4 3/4" 22 3/4" 6 3/4" 6"W x 4 1/4"H >90 (4) 8W-LED 2400LM 1919-4V-CH-LED 3000K >90 4 3/4" 31 3/8 " 6 3/4" 6"W x 4 1/4"H (5) 8W-LED 6 3/4" 1919-5V-CH-LED 3000LM 3000K >90 4 3/4" 40" 6"W x 4 1/4"H



# RIVULET

K.

Sleek and clean lines are the defining features of the Rivulet collection of vanity fixtures. Matte opal cubic shades are illuminated featuring the latest in dimmable, LED technology. These fixtures maximize output while also being energy efficient. Available in Chrome, Brushed Nickel, and Bronze finishes, the Rivulet family of fixtures will add contemporary elegance to any decor.

#### Bronze



	Product	Bulbs/Wattage	Source Lumens	ССТ	CRI	L/ext.	W	Н	Wall Plate Size
K	1919-1S-BRZ-LED	(1) 8W-LED	600LM	3000K	>90	4 3/4"	5 1/2"	6 3/4"	4 1/4"W x 6"H
L	1919-2V-BRZ-LED	(2) 8W-LED	1200LM	3000K	>90	4 3/4"	14"	6 3/4"	6"W x 4 1/4"H
М	1919-3V-BRZ-LED	(3) 8W-LED	1800LM	3000K	>90	4 3/4"	22 3/4"	6 3/4"	6"W x 4 1/4"H
N	1919-4V-BRZ-LED	(4) 8W-LED	2400LM	3000K	>90	4 3/4"	31 3/8 "	6 3/4"	6"W x 4 1/4"H
0	1919-5V-BRZ-LED	(5) 8W-LED	3000LM	3000K	>90	4 3/4"	40"	6 3/4"	6"W x 4 1/4"H



## Peak

With a new twist on a contemporary design, the Peak family reveals rectangular Matte Opal shades locked into bold geometric cups. Featuring the latest in dimmable, LED technology, these fixtures maximize output while also being energy efficient. Finished in Bronze, Chrome, or Brushed Nickel, the Peak family of fixtures will suit any modern decor.

#### **Brushed Nickel**



	Product	Bulbs/Wattage	Source Lumens	ССТ	CRI	L/ext.	W	Н	Wall Plate Size
Α	1920-1S-BN-LED	(1) 8W-LED	600LM	3000K	>90	4"	4 5/8"	8"	4 1/2"W x 8 3/4"H
В	1920-2V-BN-LED	(2) 8W-LED	1200LM	3000K	>90	4"	13"	8″	8 3/4"W x 4 1/2"H
С	1920-3V-BN-LED	(3) 8W-LED	1800LM	3000K	>90	4"	22"	8″	8 3/4"W x 4 1/2"H
D	1920-4V-BN-LED	(4) 8W-LED	2400LM	3000K	>90	4"	30 3/4 "	8″	8 3/4"W x 4 1/2"H
Е	1920-5V-BN-LED	(5) 8W-LED	3000LM	3000K	>90	4"	39 5/8"	8″	8 3/4"W x 4 1/2"H



#### Peak

With a new twist on a contemporary design, the Peak family reveals rectangular Matte Opal shades locked into bold geometric cups. Featuring the latest in dimmable, LED technology, these fixtures maximize output while also being energy efficient. Finished in Bronze, Chrome, or Brushed Nickel, the Peak family of fixtures will suit any modern decor.

# F.

#### Source Lumens Product Bulbs/Wattage CCT CRI L/ext. W Wall Plate Size F 1920-1S-CH-LED (1) 8W-LED 600LM 3000K >90 4" 4 5/8" 4 1/2"W x 8 3/4"H G (2) 8W-LED 1200LM 1920-2V-CH-LED 3000K 4" 13" 8" 8 3/4"W x 4 1/2"H >90 (3) 8W-LED 1800LM Н 1920-3V-CH-LED 3000K 4" 22" 8" 8 3/4"W x 4 1/2"H >90 (4) 8W-LED 1920-4V-CH-LED 2400LM 3000K 4" 30 3/4 " 8" 8 3/4"W x 4 1/2"H >90 (5) 8W-LED 3000LM 4" 1920-5V-CH-LED 3000K 39 5/8" 8" 8 3/4"W x 4 1/2"H >90

Chrome



## Peak

With a new twist on a contemporary design, the Peak family reveals rectangular Matte Opal shades locked into bold geometric cups. Featuring the latest in dimmable, LED technology, these fixtures maximize output while also being energy efficient. Finished in Bronze, Chrome, or Brushed Nickel, the Peak family of fixtures will suit any modern decor.





	Product	Bulbs/Wattage	Source Lumens	ССТ	CRI	L/ext.	W	Н	Wall Plate Size
K	1920-1S-BRZ-LED	(1) 8W-LED	600LM	3000K	>90	4"	4 5/8"	8"	4 1/2"W x 8 3/4"H
L	1920-2V-BRZ-LED	(2) 8W-LED	1200LM	3000K	>90	4"	13"	8″	8 3/4"W x 4 1/2"H
М	1920-3V-BRZ-LED	(3) 8W-LED	1800LM	3000K	>90	4"	22"	8″	8 3/4"W x 4 1/2"H
N	1920-4V-BRZ-LED	(4) 8W-LED	2400LM	3000K	>90	4"	30 3/4 "	8″	8 3/4"W x 4 1/2"H
0	1920-5V-BRZ-LED	(5) 8W-LED	3000LM	3000K	>90	4"	39 5/8"	8"	8 3/4"W x 4 1/2"H



Bronze

# ANNEX

Inspired by the carriage lights of old, the Annex collection of outdoor fixtures offers transitional style for any decor. Finished in either Black or Rust, the Annex collection of outdoor fixtures will suit any decor, modern or traditional.





Back Plate measures: 4 1/2"W x 6 7/8"H









	Product	Bulbs/Wattage	L/ext.	W	н	Overall-H	Chain	Wire	Ceiling Plate Size
Α	563M-BK	(1) 100W-m	8 1/4"	8″	15 3/4"				4 1/2″W x 6 7/8″H
В	563PHM-BK	(1) 100W-m		8″	19 1/2"				
С	563PHM-533PM-BK	(1) 100W-m		8″	21 1/2"				
D	563CHM-BK	(1) 100W-m		8″	13 3/4"		36" chain	42"	5 1/8" diameter



Finish









Back Plate measures: 4 1/2"W x 6 7/8"H









	Product	Bulbs/Wattage	L/ext.	W	Н	Overall-H	Chain	Wire	Ceiling Plate Size
E	563M-RT	(1) 100W-m	8 1/4"	8″	15 3/4"				4 1/2″W x 6 7/8″H
F	563PHM-RT	(1) 100W-m		8″	19 1/2″				
G	563PHM-533PM-RT	(1) 100W-m		8″	21 1/2″				
Н	563CHM-RT	(1) 100W-m		8″	13 3/4″		36" chain	42"	5 1/8" diameter

# INDEX

1003-4CH-LED	21	1920-4V-CH-LED	31	452-36BN	
1003-5CH-LED	22	1920-5V-BN-LED	30	452-36BRZ	8
1003-6CH-LED	21	1920-5V-BRZ-LED	32	452-8BN	2
1003-8CH-LED	22	1920-5V-CH-LED	31	452-8BRZ	6
1003SF-CH-LED	22	3002-1S-BN	25	563CHM-BK	33
1919-1S-BN-LED	27	3002-1S-VBRS	23	563CHM-RT	34
1919-1S-BRZ-LED	29	3002-32BN	25	563M-BK	33
1919-1S-CH-LED	28	3002-32VBRS	23	563M-RT	34
1919-2V-BN-LED	27	3002-42BN	25	563PHM-533PM-BK	33
1919-2V-BRZ-LED	29	3002-42VBRS	23	563PHM-533PM-RT	34
1919-2V-CH-LED	28	3002-58BN	26	563PHM-BK	33
1919-3V-BN-LED	27	3002-58VBRS	24	563PHM-RT	34
1919-3V-BRZ-LED	29	3002MP-BN	26	6006-2S-BN	10
1919-3V-CH-LED	28	3002MP-VBRS	24	6006-35BN	10
1919-4V-BN-LED	27	451-12BN	14	6006-44BN	10
1919-4V-BRZ-LED	29	451-12BRZ	16	6006F-BN	10
1919-4V-CH-LED	28	451-16BN	14	6006MP-BN	10
1919-5V-BN-LED	27	451-16BRZ	16	6007-11BN	12
1919-5V-BRZ-LED	29	451-19BN	14	6007-15BN	12
1919-5V-CH-LED	28	451-19BRZ	16	6007-19BN	12
1920-1S-BN-LED	30	452-12BN		6007-22BN	12
1920-1S-BRZ-LED	32	452-12BRZ	6	6007-2S-BN	12
1920-1S-CH-LED	31	452-16BN	2	6007MP-BN	12
1920-2V-BN-LED	30	452-16BRZ	6	616-10C-BN	18
1920-2V-BRZ-LED	32	452-20BN	3	616-1S-BN	19
1920-2V-CH-LED	31	452-20BRZ	7	616-32BN	20
1920-3V-BN-LED	30	452-24BN	3	616-45BN	20
1920-3V-BRZ-LED	32	452-24BRZ	7	616-4S-BN	19
1920-3V-CH-LED	31	452-30BN	4	616-6C-BN	19
1920-4V-BN-LED	30	452-30BRZ	8	616-6S-BN	19
1920-4V-BR7-LFD	32			616-8C-BN	18

85 South Edgeware Road, St. Thomas, ON, Canada N5P 2H7 130 Eaton Dr., Shelbyville TN, 37160 Dallas Trademart Suite 4600 Phone: 800-681-9943 or 519-631-5300

Fax: 800-670-0409 or 519-631-5330

email: info@z-lite.com web: www.z-lite.com